



Author index

ABU ELZEIN, E.M.E. A study on bluetongue virus infection in Saudi Arabia using sentinel ruminants—E.M.E. ABU ELZEIN, H. AITCHISON, A.I. AL-AFALEQ, A.M. AL-BASHIR, A.O. IBRAHIM and F.M.T. HOUSAWI	243–251
AITCHISON, H. A study on bluetongue virus infection in Saudi Arabia using sentinel ruminants—E.M.E. ABU ELZEIN, H. AITCHISON, A.I. AL-AFALEQ, A.M. AL-BASHIR, A.O. IBRAHIM and F.M.T. HOUSAWI	243–251
Protein aggregation complicates the development of baculovirus-expressed African horsesickness virus serotype 5 VP2 subunit vaccines—M. DU PLESSIS, M. CLOETE, H. AITCHISON and A.A. VAN DIJK	321–329
AL-AFALEQ, A.I. A study on bluetongue virus infection in Saudi Arabia using sentinel ruminants—E.M.E. ABU ELZEIN, H. AITCHISON, A.I. AL-AFALEQ, A.M. AL-BASHIR, A.O. IBRAHIM and F.M.T. HOUSAWI	243–251
AL-BASHIR, A.M. A study on bluetongue virus infection in Saudi Arabia using sentinel ruminants—E.M.E. ABU ELZEIN, H. AITCHISON, A.I. AL-AFALEQ, A.M. AL-BASHIR, A.O. IBRAHIM and F.M.T. HOUSAWI	243–251
ALLEN, J.C. Models for heartwater epidemiology: Practical implications and suggestions for future research—T. YONOW, C.C. BREWSTER, J.C. ALLEN and M.I. MELTZER	263–273
BAGNALL, R.J. Review of tsetse flies and trypanosomosis in South Africa—KARIN KAPPMEIER, E.M. NEVILL and R.J. BAGNALL	195–203
BAMHARE, C. Suspected cardiac glycoside intoxication in sheep and goats in Namibia due to <i>Ornithogalum nanodes</i> (Leighton)—C. BAMHARE	25–30
BARNARD, B.J.H. Some epidemiological and economic aspects of a bluetongue-like disease in cattle in South Africa—1995/96 and 1997—B.J.H. BARNARD, G.H. GERDES and R. MEISWINKEL	145–151
BASTOS, A.D.S. Detection and characterization of foot-and-mouth disease virus in sub-Saharan Africa—A.D.S. BASTOS	37–47
BAYLIS, M. Morphological confirmation of the separate species status of <i>Culicoides (Avaritia) nudipalpis</i> Delfinado, 1961 and <i>C. (A.) imicola</i> Kieffer, 1913 (Diptera: Ceratopogonidae)—R. MEISWINKEL and M. BAYLIS	9–16
BEBORA, LILLY C. Comparison of immune responses of two <i>Salmonella gallinarum</i> strains viewed as possible vaccines for fowl typhoid in Kenya—LILLY C. BEBORA, P.N. NYAGA and C.O. KIMORO	67–73
BINGHAM, J. A nucleotide-specific polymerase chain reaction assay to differentiate rabies virus biotypes in South Africa—L.H. NEL J. BINGHAM, J.A. JACOBS and J.B. JAFTHA	297–303

BINTA, M.G.	
Serum biochemical values of farmed ostrich (<i>Struthio camelus</i>) in Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.F.W. ISA and L. MODISA	189–193.
Coccidia oocysts in the faeces of farmed ostrich (<i>Struthio camelus</i>) chicks in Botswana—E.Z. MUSHI, J.F.W. ISA, R.G. CHABO, M.G. BINTA, R.W. KAPAATA, R.T. NDEBELE and K.C. CHAKALISA	281–284
BOOMKER, J.	
Helminths and bot fly larvae of wild ungulates on a game ranch in Central Province, Zambia—U. ZIEGER, J. BOOMKER, A.E. CAULDWELL and I.G. HORAK	137–141
<i>Spauligodon timbavatiensis</i> n. sp. (Nematoda: Pharyngodonidae) from <i>Pachydactylus iturneri</i> (Sauria: Gekkonidae) in the Northern Province, South Africa—S.F.B.N. HERING-HAGENBECK and J. BOOMKER	153–158
Pentastomid infections in cichlid fishes in the Kruger National Park and the description of the infective larva of <i>Subtriquetra rileyi</i> n. sp.—K. JUNKER, J. BOOMKER and D.G. BOOYSE	159–167
Parasites of domestic and wild animals in South Africa. XXXV. Ixodid ticks and bot fly larvae in the Bontebok National Park—I.G. HORAK and J. BOOMKER	205–211
Experimental studies on the life-cycle of <i>Sebekia wedli</i> (Pentastomida: Sebekidae)—K. JUNKER, J. BOOMKER and D.G. BOOYSE	233–237
BOOYSE, D.G.	
Pentastomid infections in cichlid fishes in the Kruger National Park and the description of the infective larva of <i>Subtriquetra rileyi</i> n. sp.—K. JUNKER, J. BOOMKER and D.G. BOOYSE	159–167
Experimental studies on the life-cycle of <i>Sebekia wedli</i> (Pentastomida: Sebekidae)—K. JUNKER, J. BOOMKER and D.G. BOOYSE	233–237
BOTHA, C.J.	
Krimpsiekte in a sheep following a single dose of <i>Tylecodon ventricosus</i> (Burm. f.) Toelken and the isolation of tyledoside D from this plant species—C.J. BOTHA, T.S. KELLERMAN, R. ANITRA SCHULTZ, G.L. ERASMUS, R. VLEGGGAAR and ELIZABETH RETIEF	17–23
BRAGG, R.R.	
Correlation between ability of <i>Ornithobacterium rhinotracheale</i> to agglutinate red blood cells and susceptibility to fosfomicin—S.L. FITZGERALD, J.M. GREYLING and R.R. BRAGG	317–324
BREMER, C.W.	
Detection of African horsesickness virus and discrimination between two equine orbivirus serogroups by reverse transcription polymerase chain reaction—C.W. BREMER and G.J. VILJOEN	1–8
BREWSTER, C.C.	
Models for heartwater epidemiology: Practical implications and suggestions for future research—T. YONOW, C.C. BREWSTER, J.C. ALLEN and M.I. MELTZER	263–273
BRYSON, N.R.	
The absence of clinical disease in cattle in communal grazing areas where farmers are changing from an intensive dipping programme to one of endemic stability to tick-borne disease—G.A. TICE, N.R. BRYSON, C.G. STEWART, B. DU PLESSIS and D.T. DE WAAL	169–175
BURRIDGE, M.J.	
The distribution of heartwater in the highveld of Zimbabwe, 1980–1997—T.F. PETER, B.D. PERRY, C.J. O'CALLAGHAN, G.F. MEDLEY, W. SHUMBA, W. MADZIMA, M.J. BURRIDGE and S.M. MAHAN	177–187
CAULDWELL, A.E.	
Dynamics of free-living ixodid ticks on a game ranch in the Central Province, Zambia—U. ZIEGER, I.G. HORAK and A.E. CAULDWELL	49–59
Ixodid tick infestations of wild birds and mammals on a game ranch in Central Province, Zambia—U. ZIEGER, I.G. HORAK, A.E. CAULDWELL and A.C. UYS	113–124
Helminths and bot fly larvae of wild ungulates on a game ranch in Central Province, Zambia—U. ZIEGER, J. BOOMKER, A.E. CAULDWELL and I.G. HORAK	137–141
CHABO, R.G.	
Serum biochemical values of farmed ostrich (<i>Struthio camelus</i>) in Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.F.W. ISA and L. MODISA	189–193
Coccidia oocysts in the faeces of farmed ostrich (<i>Struthio camelus</i>) chicks in Botswana—E.Z. MUSHI, J.F.W. ISA, R.G. CHABO, M.G. BINTA, R.W. KAPAATA, R.T. NDEBELE and K.C. CHAKALISA	281–284
CHAKALISA, K.C.	
Coccidia oocysts in the faeces of farmed ostrich (<i>Struthio camelus</i>) chicks in Botswana—E.Z. MUSHI, J.F.W. ISA, R.G. CHABO, M.G. BINTA, R.W. KAPAATA, R.T. NDEBELE and K.C. CHAKALISA	281–284

- CHASE, C.C.**
Light and electron microscopical observations on the terminal airways and alveoli of the lung of the SA (Cape) fur seal *Arctocephalus pusillus*—J.C. WESSELS and C.C. CHASE 253–262
- CLOETE, M.**
Protein aggregation complicates the development of baculovirus-expressed African horsesickness virus serotype 5 VP2 subunit vaccines—M. DU PLESSIS, M. CLOETE, H. AITCHISON and A.A. VAN DIJK 321–329
- DALGLEISH, R.J.**
Observations on the use of *Anaplasma centrale* for immunization of cattle against anaplasmosis in Zimbabwe—J.A. TURTON, T.C. KATSANDE, M.B. MATINGO, W.K. JORGENSEN, U. USHEWOKUNZE-OBATOLU and R.J. DALGLEISH 81–86
- DE WAAL, D.T.**
The absence of clinical disease in cattle in communal grazing areas where farmers are changing from an intensive dipping programme to one of endemic stability to tick-borne disease—G.A. TICE, N.R. BRYSON, C.G. STEWART, B. DU PLESSIS and D.T. DE WAAL 169–175
- DE VOS, V.**
Distribution of endocrine cells in the gut of the impala (*Aepyceros melampus*)—J.H. SCHOEMAN, V. DE VOS and G. VAN ASWEGEN 31–35
- DREYER, KARIN**
The efficacy of used engine oil against ticks on cattle—KARIN DREYER, L.J. FOURIE and D.J. KOK 275–279
Epidemiology of tick-borne diseases of cattle in Botshabelo and Thaba Nchu in the Free State Province—KARIN DREYER, L.J. FOURIE and D.J. KOK 285–289
Individual host variations in tick infestations of cattle in a resource-poor community—KARIN DREYER, L.J. FOURIE and D.J. KOK 291–296
Tick diversity, abundance and seasonal dynamics in a resource-poor urban environment in the Free State Province—KARIN DREYER, G.J. FOURIE and D.J. KOK 305–316
- DU PLESSIS, B.**
The absence of clinical disease in cattle in communal grazing areas where farmers are changing from an intensive dipping programme to one of endemic stability to tick-borne disease—G.A. TICE, N.R. BRYSON, C.G. STEWART, B. DU PLESSIS and D.T. DE WAAL 169–175
- DU PLESSIS, D.H.**
Selection of an scFv phage antibody that recognizes bluetongue virus from a large synthetic library and its use in ELISAs to detect viral antigen and antibodies—W. VAN WYNGAARDT and D.H. DU PLESSIS 125–131
- DU PLESSIS, M.**
Protein aggregation complicates the development of baculovirus-expressed African horsesickness virus serotype 5 VP2 subunit vaccines—M. DU PLESSIS, M. CLOETE, H. AITCHISON and A.A. VAN DIJK 321–329
- ERASMUS, G.L.**
Krimpsiekte in a sheep following a single dose of *Tylecodon ventricosus* (Burm. f.) Toelken and the isolation of tyledoside D from this plant species—C.J. BOTHA, T.S. KELLERMAN, R. ANITRA SCHULTZ, G.L. ERASMUS, R. VLEGGAAR and ELIZABETH RETIEF 17–23
- FITZGERALD, S.L.**
Correlation between ability of *Ornithobacterium rhinotracheale* to agglutinate red blood cells and susceptibility to fosfomycin—S.L. FITZGERALD, J.M. GREYLING and R.R. BRAGG 317–324
- FOURIE, L.J.**
The efficacy of used engine oil against ticks on cattle—KARIN DREYER, L.J. FOURIE and D.J. KOK 275–279
Epidemiology of tick-borne diseases of cattle in Botshabelo and Thaba Nchu in the Free State Province—KARIN DREYER, L.J. FOURIE and D.J. KOK 285–289
Individual host variations in tick infestations of cattle in a resource-poor community—KARIN DREYER, L.J. FOURIE and D.J. KOK 291–296
Tick diversity, abundance and seasonal dynamics in a resource-poor urban environment in the Free State Province—KARIN DREYER, G.J. FOURIE and D.J. KOK 305–316
- GERDES, G.H.**
Some epidemiological and economic aspects of a bluetongue-like disease in cattle in South Africa—1995/96 and 1997—B.J.H. BARNARD, G.H. GERDES and R. MEISWINKEL 145–151
- GILCHRIST, FRANCES M.C.**
Three new species of ciliated Protozoa from the hindgut of both white and black wild African rhinoceroses—W. VAN HOVEN, FRANCES M.C. GILCHRIST, H. LIEBENBERG and C.F. VAN DER MERWE 87–95

GREEFF, A.S.	
The production of an auxotrophic marked, plasmid-cured <i>Salmonella</i> ser. Typhimurium as a live attenuated vaccine— MARTHA L. VAN DER WALT and A.S. GREEFF	213–220
GREYLING, J.M.	
Correlation between ability of <i>Ornithobacterium rhinotracheale</i> to agglutinate red blood cells and susceptibility to fos- fomycin—S.L. FITZGERALD, J.M. GREYLING and R.R. BRAGG	317–324
HENTON, M.	
The clinical efficacy of enrofloxacin in the treatment of experimental bovine pneumonic pasteurellosis—P.N. THOMPSON, S.R. VAN AMSTEL and M. HENTON	105–112
HERING-HAGENBECK, S.F.B.N.	
<i>Spauligodon timbavatiensis</i> n. sp. (Nematoda: Pharyngodonidae) from <i>Pachydactylus iturneri</i> (Sauria: Gekkonidae) in the Northern Province, South Africa—S.F.B.N. HERING-HAGENBECK and J. BOOMKER	153–158
HORAK, I.G.	
Dynamics of free-living ixodid ticks on a game ranch in the Central Province, Zambia—U. ZIEGER, I.G. HORAK and A.E. CAULDWELL	49–59
Ixodid tick infestations of wild birds and mammals on a game ranch in Central Province, Zambia—U. ZIEGER, I.G. HO- RAK, A.E. CAULDWELL and A.C. UYS	113–124
Helminths and bot fly larvae of wild ungulates on a game ranch in Central Province, Zambia—U. ZIEGER, J. BOOMKER, A.E. CAULDWELL and I.G. HORAK	137–141
Parasites of domestic and wild animals in South Africa. XXXV. Ixodid ticks and bot fly larvae in the Bontebok National Park—I.G. HORAK and J. BOOMKER	205–211
HOUSAWI, F.M.T.	
A study on bluetongue virus infection in Saudi Arabia using sentinel ruminants—E.M.E. ABU ELZEIN, H. AITCHISON, A.I. AL-AFALEQ, A.M. AL-BASHIR, A.O. IBRAHIM and F.M.T. HOUSAWI	243–251
HOVE, T.	
Isolation and characterization of a <i>Babesia</i> species from <i>Rhipicephalus evertsi evertsi</i> ticks picked off a sable antelope (<i>Hippotragus niger</i>) which died of acute babesiosis—T. HOVE, N. SITHOLE, D. MUNODZANA and S. MASAKA	75–80
IBRAHIM, A.O.	
A study on bluetongue virus infection in Saudi Arabia using sentinel ruminants—E.M.E. ABU ELZEIN, H. AITCHISON, A.I. AL-AFALEQ, A.M. AL-BASHIR, A.O. IBRAHIM and F.M.T. HOUSAWI	243–251
ISA, J.F.W.	
Coccidia oocysts in the faeces of farmed ostrich (<i>Struthio camelus</i>) chicks in Botswana—E.Z. MUSHI, J.F.W. ISA, R.G. CHABO, M.G. BINTA, R.W. KAPAATA, R.T. NDEBELE and K.C. CHAKALISA	281–284
Serum biochemical values of farmed ostrich (<i>Struthio camelus</i>) in Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.F.W. ISA and L. MODISA	189–193
JACOBS, J.A.	
A nucleotide-specific polymerase chain reaction assay to differentiate rabies virus biotypes in South Africa—L.H. NEL J. BINGHAM, J.A. JACOBS and J.B. JAFTHA	297–303
JAFTHA, J.B.	
A nucleotide-specific polymerase chain reaction assay to differentiate rabies virus biotypes in South Africa—L.H. NEL J. BINGHAM, J.A. JACOBS and J.B. JAFTHA	297–303
JORGENSEN, W.K.	
Observations on the use of <i>Anaplasma centrale</i> for immunization of cattle against anaplasmosis in Zimbabwe—J.A. TURTON, T.C. KATSANDE, M.B. MATINGO, W.K. JORGENSEN, U. USHEWOKUNZE-OBATOLU and R.J. DAL- GLEISH	81–86
JUNKER, K.	
Pentastomid infections in cichlid fishes in the Kruger National Park and the description of the infective larva of <i>Subtriquetra</i> <i>rileyi</i> n. sp.—K. JUNKER, J. BOOMKER and D.G. BOOYSE	159–167
Experimental studies on the life-cycle of <i>Sebekia wedli</i> (Pentastomida: Sebekidae)—K. JUNKER, J. BOOMKER and D.G. BOOYSE	233–237
KAPAATA, R.W.	
Coccidia oocysts in the faeces of farmed ostrich (<i>Struthio camelus</i>) chicks in Botswana—E.Z. MUSHI, J.F.W. ISA, R.G. CHABO, M.G. BINTA, R.W. KAPAATA, R.T. NDEBELE and K.C. CHAKALISA	281–284
KAPPMEIER, KARIN	
Review of tsetse flies and trypanosomosis in South Africa—KARIN KAPPMEIER, E.M. NEVILL and R.J. BAGNALL	195–203

- KATSANDE, T.C.**
Observations on the use of *Anaplasma centrale* for immunization of cattle against anaplasmosis in Zimbabwe—J.A. TURTON, T.C. KATSANDE, M.B. MATINGO, W.K. JORGENSEN, U. USHEWOKUNZE-OBATOLU and R.J. DALGLEISH 81–86
- KELLERMAN, T.S.**
Krimpsiekte in a sheep following a single dose of *Tylocodon ventricosus* (Burm. f.) Toelken and the isolation of tyledoside D from this plant species—C.J. BOTHA, T.S. KELLERMAN, R. ANITRA SCHULTZ, G.L. ERASMUS, R. VLEGGGAAR and ELIZABETH RETIEF 17–23
- KHALIL, L.F.**
The African monogenean gyrodactylid genus *Macrogyrodactylus* Malmberg, 1957, and the reporting of three species of the genus on *Clarias gariepinus* in South Africa—L.F. KHALIL and S.N. MASHEGO 223–231
- KIMORO, C.O.**
Comparison of immune responses of two *Salmonella gallinarum* strains viewed as possible vaccines for fowl typhoid in Kenya—LILLY C. BEBORA, P.N. NYAGA and C.O. KIMORO 67–73
- KOK, D.J.**
The efficacy of used engine oil against ticks on cattle—KARIN DREYER, L.J. FOURIE and D.J. KOK 275–279
Epidemiology of tick-borne diseases of cattle in Botshabelo and Thaba Nchu in the Free State Province—KARIN DREYER, L.J. FOURIE and D.J. KOK 285–289
Individual host variations in tick infestations of cattle in a resource-poor community—KARIN DREYER, L.J. FOURIE and D.J. KOK 291–296
Tick diversity, abundance and seasonal dynamics in a resource-poor urban environment in the Free State Province—KARIN DRYER, G.J. FOURIE and D.J. KOK 305–316
- LIEBENBERG, H.**
Three new species of ciliated Protozoa from the hindgut of both white and black wild African rhinoceroses—W. VAN HOVEN, FRANCES M.C. GILCHRIST, H. LIEBENBERG and C.F. VAN DER MERWE 87–95
- MADZIMA, W.**
The distribution of heartwater in the highveld of Zimbabwe, 1980–1997—T.F. PETER, B.D. PERRY, C.J. O'CALLAGHAN, G.F. MEDLEY, W. SHUMBA, W. MADZIMA, M.J. BURRIDGE and S.M. MAHAN 177–187
- MAHAN, S.M.**
The distribution of heartwater in the highveld of Zimbabwe, 1980–1997—T.F. PETER, B.D. PERRY, C.J. O'CALLAGHAN, G.F. MEDLEY, W. SHUMBA, W. MADZIMA, M.J. BURRIDGE and S.M. MAHAN 177–187
- MASAKA, S.**
Isolation and characterization of a *Babesia* species from *Rhipicephalus evertsi evertsi* ticks picked off a sable antelope (*Hippotragus niger*) which died of acute babesiosis—T. HOVE, N. SITHOLE, D. MUNODZANA and S. MASAKA 75–80
- MASHEGO, S.N.**
The African monogenean gyrodactylid genus *Macrogyrodactylus* Malmberg, 1957, and the reporting of three species of the genus on *Clarias gariepinus* in South Africa—L.F. KHALIL and S.N. MASHEGO 223–231
- MATINGO, M.B.**
Observations on the use of *Anaplasma centrale* for immunization of cattle against anaplasmosis in Zimbabwe—J.A. TURTON, T.C. KATSANDE, M.B. MATINGO, W.K. JORGENSEN, U. USHEWOKUNZE-OBATOLU and R.J. DALGLEISH 81–86
- MEDLEY, G.F.**
The distribution of heartwater in the highveld of Zimbabwe, 1980–1997—T.F. PETER, B.D. PERRY, C.J. O'CALLAGHAN, G.F. MEDLEY, W. SHUMBA, W. MADZIMA, M.J. BURRIDGE and S.M. MAHAN 177–187
- MEISWINKEL, R.**
Morphological confirmation of the separate species status of *Culicoides (Avaritia) nudipalpis* Delfinado, 1961 and *C. (A.) imicola* Kieffer, 1913 (Diptera: Ceratopogonidae)—R. MEISWINKEL and M. BAYLIS 9–16
Some epidemiological and economic aspects of a bluetongue-like disease in cattle in South Africa—1995/96 and 1997—B.J.H. BARNARD, G.H. GERDES and R. MEISWINKEL 145–151
- MELTZER, M.I.**
Models for heartwater epidemiology: Practical implications and suggestions for future research—T. YONOW, C.C. BREWSTER, J.C. ALLEN and M.I. MELTZER 263–273
- MODISA, L.**
Serum biochemical values of farmed ostrich (*Struthio camelus*) in Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.F.W. ISA and L. MODISA 189–193

- MUNGA, L.K.**
An epidemic of Besnoitiosis in cattle in Kenya—A.N. NJAGI, C.M. NDARATHI, P.N. NYAGA and L.K. MUNGA 133–136
- MUNODZANA, D.**
Isolation and characterization of a *Babesia* species from *Rhipicephalus evertsi evertsi* ticks picked off a sable antelope (*Hippotragus niger*) which died of acute babesiosis—T. HOVE, N. SITHOLE, D. MUNODZANA and S. MASAKA 75–80
- MUSHI, E.Z.**
Serum biochemical values of farmed ostrich (*Struthio camelus*) in Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.F.W. ISA and L. MODISA 189–193
Coccidia oocysts in the faeces of farmed ostrich (*Struthio camelus*) chicks in Botswana—E.Z. MUSHI, J.F.W. ISA, R.G. CHABO, M.G. BINTA, R.W. KAPAATA, R.T. NDEBELE and K.C. CHAKALISA 281–284
- NDARATHI, C.M.**
An epidemic of Besnoitiosis in cattle in Kenya—A.N. NJAGI, C.M. NDARATHI, P.N. NYAGA and L.K. MUNGA 133–136
- NDEBELE, R.T.**
Coccidia oocysts in the faeces of farmed ostrich (*Struthio camelus*) chicks in Botswana—E.Z. MUSHI, J.F.W. ISA, R.G. CHABO, M.G. BINTA, R.W. KAPAATA, R.T. NDEBELE and K.C. CHAKALISA 281–284
- NEL, L.H.**
A nucleotide-specific polymerase chain reaction assay to differentiate rabies virus biotypes in South Africa—L.H. NEL, J. BINGHAM, J.A. JACOBS and J.B. JAFTHA 297–303
- NEVILL, E.M.**
Review of tsetse flies and trypanosomosis in South Africa—KARIN KAPPMEIER, E.M. NEVILL and R.J. BAGNALL 195–203
- NJAGI, A.N.**
An epidemic of Besnoitiosis in cattle in Kenya—A.N. NJAGI, C.M. NDARATHI, P.N. NYAGA and L.K. MUNGA 133–136
- NYAGA, P.N.**
Comparison of immune responses of two *Salmonella gallinarum* strains viewed as possible vaccines for fowl typhoid in Kenya—LILLY C. BEBORA, P.N. NYAGA and C.O. KIMORO 67–73
An epidemic of Besnoitiosis in cattle in Kenya—A.N. NJAGI, C.M. NDARATHI, P.N. NYAGA and L.K. MUNGA 133–1
- O'CALLAGHAN, C.J.**
The distribution of heartwater in the highveld of Zimbabwe, 1980–1997—T.F. PETER, B.D. PERRY, C.J. O'CALLAGHAN, G.F. MEDLEY, W. SHUMBA, W. MADZIMA, M.J. BURRIDGE and S.M. MAHAN 177–187
- PARRISH, C.R.**
Antigenic and genetic analysis of canine parvoviruses in southern Africa—A. STEINEL, E.H. VENTER, M. VAN VUUREN, C.R. PARRISH and U. TRUYEN 239–242
- PERRY, B.D.**
The distribution of heartwater in the highveld of Zimbabwe, 1980–1997—T.F. PETER, B.D. PERRY, C.J. O'CALLAGHAN, G.F. MEDLEY, W. SHUMBA, W. MADZIMA, M.J. BURRIDGE and S.M. MAHAN 177–187
- PETER, T.F.**
The distribution of heartwater in the highveld of Zimbabwe, 1980–1997—T.F. PETER, B.D. PERRY, C.J. O'CALLAGHAN, G.F. MEDLEY, W. SHUMBA, W. MADZIMA, M.J. BURRIDGE and S.M. MAHAN 177–187
- RETIEF, ELIZABETH**
Krimpsiekte in a sheep following a single dose of *Tylecodon ventricosus* (Burm. f.) Toelken and the isolation of tyledoside D from this plant species—C.J. BOTHA, T.S. KELLERMAN, R. ANITRA SCHULTZ, G.L. ERASMUS, R. VLEGGAAR and ELIZABETH RETIEF 17–23
- SCHOEMAN, J.H.**
Distribution of endocrine cells in the gut of the impala (*Aepyceros melampus*)—J.H. SCHOEMAN, V. DE VOS and G. VAN ASWEGEN 31–35
- SCHULTZ, R. ANITRA**
Krimpsiekte in a sheep following a single dose of *Tylecodon ventricosus* (Burm. f.) Toelken and the isolation of tyledoside D from this plant species—C.J. BOTHA, T.S. KELLERMAN, R. ANITRA SCHULTZ, G.L. ERASMUS, R. VLEGGAAR and ELIZABETH RETIEF 17–23
- SHUMBA, W.**
The distribution of heartwater in the highveld of Zimbabwe, 1980–1997—T.F. PETER, B.D. PERRY, C.J. O'CALLAGHAN, G.F. MEDLEY, W. SHUMBA, W. MADZIMA, M.J. BURRIDGE and S.M. MAHAN 177–187

- SITHOLE, N.**
Isolation and characterization of a *Babesia* species from *Rhipicephalus evertsi evertsi* ticks picked off a sable antelope (*Hippotragus niger*) which died of acute babesiosis—T. HOVE, N. SITHOLE, D. MUNODZANA and S. MASAHA 75–80
- STEINEL, A.**
Antigenic and genetic analysis of canine parvoviruses in southern Africa—A. STEINEL, E.H. VENTER, M. VAN VUUREN, C.R. PARRISH and U. TRUYEN 239–242
- STEWART, C.G.**
The absence of clinical disease in cattle in communal grazing areas where farmers are changing from an intensive dipping programme to one of endemic stability to tick-borne disease—G.A. TICE, N.R. BRYSON, C.G. STEWART, B. DU PLESSIS and D.T. DE WAAL 169–175
- TEMBO, S.D.**
Immunization of rabbits with *Amblyomma hebraeum* nymphal homogenates and implications for the host amplification system—S.D. TEMBO 97–103
- THOMPSON, P.N.**
The clinical efficacy of enrofloxacin in the treatment of experimental bovine pneumonic pasteurellosis—P.N. THOMPSON, S.R. VAN AMSTEL and M. HENTON 105–112
- TICE, G.A.**
The absence of clinical disease in cattle in communal grazing areas where farmers are changing from an intensive dipping programme to one of endemic stability to tick-borne disease—G.A. TICE, N.R. BRYSON, C.G. STEWART, B. DU PLESSIS and D.T. DE WAAL 169–175
- TRUYEN, U.**
Antigenic and genetic analysis of canine parvoviruses in southern Africa—A. STEINEL, E.H. VENTER, M. VAN VUUREN, C.R. PARRISH and U. TRUYEN 239–242
- TURTON, J.A.**
Observations on the use of *Anaplasma centrale* for immunization of cattle against anaplasmosis in Zimbabwe—J.A. TURTON, T.C. KATSANDE, M.B. MATINGO, W.K. JORGENSEN, U. USHEWOKUNZE-OBATOLU and R.J. DALGLEISH 81–86
- USHEWOKUNZE-OBATOLU, U.**
Observations on the use of *Anaplasma centrale* for immunization of cattle against anaplasmosis in Zimbabwe—J.A. TURTON, T.C. KATSANDE, M.B. MATINGO, W.K. JORGENSEN, U. USHEWOKUNZE-OBATOLU and R.J. DALGLEISH 81–86
- UYS, A.C.**
Ixodid tick infestations of wild birds and mammals on a game ranch in Central Province, Zambia—U. ZIEGER, I.G. HORAK, A.E. CAULDWELL and A.C. UYS 113–124
- VAN AMSTEL, S.R.**
The clinical efficacy of enrofloxacin in the treatment of experimental bovine pneumonic pasteurellosis—P.N. THOMPSON, S.R. VAN AMSTEL and M. HENTON 105–112
- VAN ASWEGEN, G.**
Distribution of endocrine cells in the gut of the impala (*Aepyceros melampus*)—J.H. SCHOEMAN, V. DE VOS and G. VAN ASWEGEN 31–35
- VAN DER MERWE, C.F.**
Three new species of ciliated Protozoa from the hindgut of both white and black wild African rhinoceroses—W. VAN HOVEN, FRANCES M.C. GILCHRIST, H. LIEBENBERG and C.F. VAN DER MERWE 87–95
- VAN DER WALT, MARTHA L.**
The production of an auxotrophic marked, plasmid-cured *Salmonella* ser. Typhimurium as a live attenuated vaccine—MARTHA L. VAN DER WALT and A.S. GREEFF 213–220
- VAN DIJK, A.A.**
Protein aggregation complicates the development of baculovirus-expressed African horsesickness virus serotype 5 VP2 subunit vaccines—M. DU PLESSIS, M. CLOETE, H. AITCHISON and A.A. VAN DIJK 321–329
- VAN HOVEN, W.**
Three new species of ciliated Protozoa from the hindgut of both white and black wild African rhinoceroses—W. VAN HOVEN, FRANCES M.C. GILCHRIST, H. LIEBENBERG and C.F. VAN DER MERWE 87–95
- VAN VUUREN, M.**
Antigenic and genetic analysis of canine parvoviruses in southern Africa—A. STEINEL, E.H. VENTER, M. VAN VUUREN, C.R. PARRISH and U. TRUYEN 239–242

VAN WYNGAARDT, W.

Selection of an scFv phage antibody that recognizes bluetongue virus from a large synthetic library and its use in ELISAs to detect viral antigen and antibodies—W. VAN WYNGAARDT and D.H. DU PLESSIS 125–131

VENTER, E.H.

Antigenic and genetic analysis of canine parvoviruses in southern Africa—A. STEINEL, E.H. VENTER, M. VAN VUUREN, C.R. PARRISH and U. TRUYEN 239–242

VILJOEN, G.J.

Detection of African horsesickness virus and discrimination between two equine orbivirus serogroups by reverse transcription polymerase chain reaction—C.W. BREMER and G.J. VILJOEN 1–8

VLEGGaar, R.

Krimpsiekte in a sheep following a single dose of *Tylecodon ventricosus* (Burm. f.) Toelken and the isolation of tyledoside D from this plant species—C.J. BOTHA, T.S. KELLERMAN, R. ANITRA SCHULTZ, G.L. ERASMUS, R. VLEGGaar and ELIZABETH RETIEF 17–23

WESSELS, J.C.

Light and electron microscopical observations on the terminal airways and alveoli of the lung of the SA (Cape) fur seal *Arctocephalus pusillus*—J.C. WESSELS and C.C. CHASE 253–262

YONOW, T.

Models for heartwater epidemiology: Practical implications and suggestions for future research—T. YONOW, C.C. BREWSTER, J.C. ALLEN and M.I. MELTZER 263–273

ZIEGER, U.

Dynamics of free-living ixodid ticks on a game ranch in the Central Province, Zambia—U. ZIEGER, I.G. HORAK and A.E. CAULDWELL 49–59

Ixodid tick infestations of wild birds and mammals on a game ranch in Central Province, Zambia—U. ZIEGER, I.G. HORAK, A.E. CAULDWELL and A.C. UYS 113–124

Helminths and bot fly larvae of wild ungulates on a game ranch in Central Province, Zambia—U. ZIEGER, J. BOOMKER, A.E. CAULDWELL and I.G. HORAK 137–141