

Measurements of *Bathyergerus suillus*. ♂ = Male. ♀ = Female. - = Unknown sex.

Locality	Sex	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
Lambert's Bay	♂	273	70	52	63.5	20.7	10.3	40.3	12.5	10.7	36.9	-
	♂	275	67	52	62.4	20.4	10.1	40.7	12.2	9.4	37.4	10.6
	♂	245	48	47	59.8	21.2	10.5	-	12.1	10.5	35.0	-
	♀	223	38	47	54.3	19.7	9.5	35.0	11.0	9.1	32.5	10.9
	♀	204	45	42	49.3	20.0	10.5	33.0	11.1	-	30.1	10.5
Kompanjies- drift	♂	305	54	55	65.5	21.4	10.6	43.8	13.6	10.9	39.5	11.6
	♂	290	52	50	53.8	20.3	9.2	36.3	11.7	10.3	32.0	10.9
	♂	240	55	47	55.7	19.2	9.3	34.0	11.8	-	33.5	-
	♂	315	65	55	66.2	20.4	10.8	43.9	13.6	-	40.7	11.3
	♂	-	-	-	63.8	21.5	10.4	-	13.0	-	38.2	-
	♂ imm.	150	34	33	-	-	-	-	-	-	-	-
	♂ imm.	195	46	39	-	-	-	-	-	-	-	-
	♀♀	256(9)	54(9)	47(9)	54.4(8)	20.5(8)	10.0(8)	36.1(7)	11.9(10)	9.8(5)	32.8(7)	10.6(5)
		235-280	47-61	45-50	49.6-58.2	19.5-21.5	9.7-10.3	32.8-38.5	11.0-12.9	9.4-10.1	30.3-35.5	10.1-11.2
		S.D.=17.32	S.D.=4.975	S.D.=1.581	S.D.=3.112	S.D.=0.560	S.D.=0.240	S.D.=2.064	S.D.=0.595	S.D.=0.288	S.D.=2.383	S.D.=0.470
	♀ imm.	190	43	40	-	-	-	-	-	-	-	-
	♀ imm.	170	40	36	37.6	18.6	9.3	-	9.2	-	23.5	-
	- -	-	-	-	56.5(20)	20.6(23)	10.0(25)	36.2(20)	12.0(25)	9.7(22)	33.7(23)	10.6(20)
				46.5-68.1	19.0-22.3	9.5-10.8	29.4-42.6	9.5-13.7	9.2-10.5	26.9-39.1	9.6-11.7	
				S.D.=4.888	S.D.=0.904	S.D.=0.308	S.D.=3.620	S.D.=0.999	S.D.=0.390	S.D.=3.088	S.D.=0.570	
Traveller's Rest	♂♂	284(16)	54(16)	53(16)	63.7(13)	21.2(15)	10.5(15)	39.8(9)	13.5(17)	10.3(14)	38.5(17)	11.0(12)
		225-315	25-65	46-57	57.3-72.9	19.3-23.2	10.1-11.5	36.5-46.9	12.1-14.8	9.3-11.1	32.7-45.7	10.4-11.9
		S.D.=23.3	S.D.=10.02	S.D.=2.826	S.D.=4.145	S.D.=1.101	S.D.=0.370	S.D.=1.047	S.D.=0.850	S.D.=0.528	S.D.=3.661	S.D.=0.609
	♂ imm.	205	40	41	-	-	10.9	-	11.3	-	29.0	-
	♂ imm.	200	42	39	42.3	20.2	10.3	28.0	10.6	-	26.2	-
	♂ imm.	170	35	35	-	-	-	-	-	-	-	

Continued/...

Locality	Sex	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
Drostyd, Tulbagh	♂	260	35	46	57.7	21.1	9.7	38.4	11.9	10.0	37.1	11.0
Vogelsvllei,	♂	246	34	35	54.9	20.5	10.3	36.0	12.4	10.1	32.6	11.2
Gouda	♂	289	35	54	-	-	-	-	-	-	-	-
	♀	278	27	45	60.3	19.5	9.6	38.6	12.6	9.6	36.0	10.8
Kersfontein	♂	245	35	43	-	-	11.8	35.8	11.8	9.2	31.5	10.9
Malmesbury	♂	-	-	-	65.3	23.2	9.5	40.8	14.3	9.8	38.2	10.6
Elsies Rivier	♂	-	-	-	52.9	-	9.8	-	11.0	10.3	32.9	11.4
Belville	♂	302	18	55	69.8	22.4	10.5	45.7	14.7	-	-	-
	♂	320	30	50	66.5	23.1	10.3	43.4	13.3	10.3	39.5	11.4
	♂	250	43	45	56.9	19.1	10.2	37.3	11.3	9.5	-	-
	♀	270	30	50	57.6	21.0	10.2	36.8	12.3	8.3	-	-
Maitland	♂	262	60	48	61.7	20.8	9.8	-	12.9	10.8	36.7	12.1
	♂	250	55	48	63.5	20.5	9.7	41.2	13.0	-	37.9	12.1
	♀ imm.	185	35	41	46.7	18.6	9.8	28.3	11.3	8.4	27.9	8.8
	♀ imm.	200	40	44	49.7	19.9	10.3	32.8	11.0	9.5	26.9	10.8
Hazendal	♂	-	-	-	71.4	20.9	10.4	47.0	15.1	10.0	41.4	11.2
Cape Town	♂	199	34	41	-	20.9	10.6	36.1	13.1	9.9	39.0	11.9
	♀	138	45	30	-	-	11.7	45.5	13.9	10.9	33.3	11.4
Greenpoint	♂	-	-	-	66.9	21.8	10.4	45.0	14.4	11.2	40.8	12.5
Howbray	♂	-	-	-	59.6	20.2	-	37.4	11.9	9.1	35.2	10.2
Cape Flats	♂	-	-	-	-	22.6	9.3	45.5	13.3	10.4	-	-
Koeborg	♂	235	32	44	53.5	20.4	9.4	35.2	10.6	10.2	30.9	-
	♀	240	44	51	-	-	-	-	-	-	-	-
Plumstead	-	-	-	-	-	-	9.9	-	12.2	10.5	35.9	11.8

Continued/...

Locality	Sex	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
Klaver	♂	258	43	45	60.5	19.7	10.0	37.9	12.2	8.4	34.3	9.9
		190	48	40	52.4	19.1	8.8	32.6	11.1	8.7	30.6	9.6
	♀	203	40	45	51.1	18.3	9.4	32.0	11.0	8.1	30.4	9.2
	♀	210	40	40	53.1	18.9	9.5	34.0	12.1	9.3	30.5	10.0
	♀	230	65	48	53.1	19.3	9.6	33.1	11.9	8.4	30.7	9.3
	♀ imm.	180	48	40	44.0	13.5	9.8	29.3	10.2	-	26.9	10.0
<u>Measurements of <i>Bathergus janetta</i></u>												
Port Nolloth	♂♂	205(9)	47(9)	41(9)	51.9(5)	18.4(6)	9.4(9)	31.2(6)	10.3(9)	8.2(6)	30.3(9)	8.8(6)
		170-235	41-52	38-43	41.1-54.8	16.7-19.5	8.9-10.2	26.5-37.2	8.9-12.5	7.5-9.1	21.4-34.6	8.2-9.7
		S.D.=21.500	S.D.=2.958	S.D.=1.803	S.D.=9.650	S.D.=1.074	S.D.=1.279	S.D.=4.420	S.D.=3.280	S.D.=0.521	S.D.=3.701	S.D.=0.519
	♀♀	183(10)	44(10)	37(10)	43.9(12)	17.9(11)	9.2(13)	28.4(11)	9.2(15)	7.6(11)	26.8(13)	8.3(10)
		170-206	40-50	34-40	40.4-50.7	17.2-18.8	8.8-9.6	26.5-33.8	8.6-10.8	7.0-8.2	25.4-31.6	7.6-9.2
		S.D.=11.640	S.D.=2.539	S.D.=2.119	S.D.=2.549	S.D.=0.564	S.D.=0.070	S.D.=1.944	S.D.=0.574	S.D.=0.335	S.D.=1.679	S.D.=0.440
♀	187	38	34	-	-	-	-	-	-	-	-	-
♀	-	-	-	44.0(67)	18.3(71)	9.2(79)	28.5(56)	8.4(84)	7.7(55)	26.7(78)	8.6(58)	-
				35.0-58.5	16.5-20.9	8.4-10.1	23.1-39.2	7.9-12.2	6.3-9.2	20.9-35.4	7.1-10.2	-
				S.D.=5.187	S.D.=0.755	S.D.=0.098	S.D.=7.777	S.D.=2.719	S.D.=0.667	S.D.=4.338	S.D.=0.686	-
Ezalfontein	♂	280	52	51	-	-	-	-	-	-	-	-
	♂	200	44	41	41.7	18.8	9.3	28.3	9.5	-	25.9	-
	♀	235	46	41	-	18.8	8.5	-	-	9.3	-	10.0
	♀	230	44	45	49.5	18.9	8.9	33.3	10.5	9.4	31.1	9.5
	♂ imm.	-	-	-	35.9	17.9	8.8	23.0	8.1	6.0	22.4	7.3
Oranjemund	♀	-	-	-	37.9	18.5	8.8	-	8.5	7.0	24.1	7.7

Continued/...

Measurements of *Georchus capensis*

Locality	Sex	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
Grey's Pass	♂	160	20	26	43.5	16.0	9.4	31.2	9.1	7.5	29.1	8.1
Tulbagh	♂	-	12	30	46.2	17.5	9.2	36.1	9.6	8.2	32.7	8.1
	♀	-	18	32	47.9	17.6	9.0	34.9	9.7	7.8	32.7	8.6
Drostdy,	♂	187	18	27	48.0	17.0	9.4	35.7	9.5	8.0	33.4	7.7
Tulbagh	♀	145	20	20	45.0	17.9	9.4	36.4	9.6	7.8	-	8.6
de Wet, Wor-	♂♂	193(7)	29(10)	32(10)	48.3(7)	17.8(8)	9.6(10)	36.6(9)	10.6(10)	8.1(10)	33.7(10)	8.0(7)
ceester		185-200	20-40	30-35	45.6-51.0	17.2-18.8	9.0-10.5	32.1-39.9	8.7-11.8	7.3-9.4	29.8-38.0	7.6-8.6
		S.D.=20.820	S.D.=19.520	S.D.=5.426	S.D.=3.101	S.D.=0.557	S.D.=1.311	S.D.=2.850	S.D.=3.272	S.D.=1.814	S.D.=2.568	S.D.=1.193
	♀♀	192(10)	28(10)	31(10)	47.5(10)	17.6(10)	9.6(10)	35.0(9)	10.0(10)	8.4(6)	32.5(10)	-
		180-200	33-38	30-35	44.6-51.2	16.1-19.1	9.0-10.3	32.2-39.3	9.0-11.7	6.8-8.5	30.4-36.1	-
		S.D.=24.58	S.D.=16.92	S.D.=5.207	S.D.=2.528	S.D.=3.013	S.D.=1.433	S.D.=2.526	S.D.=0.953	S.D.=1.666	S.D.=2.150	-
Worcester	-	-	-	-	47.6	17.3	9.1	36.3	9.6	7.7	33.2	8.4
Welseley	♂	-	-	-	44.1	17.0	9.3	32.6	8.9	8.0	30.9	8.5
	♀	170	20	30	42.2	17.0	9.2	30.3	8.4	7.7	28.5	7.5
	♀	-	-	30	43.4	17.1	9.5	30.1	8.8	7.8	30.4	8.2
Tulbagh	♀	204	20	29	-	19.6	9.9	36.9	10.2	8.2	37.0	8.8
de Doorns	♂	-	-	-	52.0	18.3	9.0	39.1	11.6	6.6	36.9	7.5
Stellenbosch	♂	-	-	-	53.3	18.2	9.5	39.5	11.1	7.6	36.5	-
Cape Flats	♀ imm.	60	10	29	38.4	16.3	8.6	26.9	7.4	6.3	26.1	-
Cape Town	♀	150	21	24	44.2	16.7	8.6	32.7	9.4	-	31.7	7.4
	♀ imm.	-	-	-	42.6	17.1	9.3	30.2	9.2	7.4	30.5	-
	♀ imm.	150	21	27	41.9	17.1	8.8	29.3	8.5	6.6	27.6	6.2
Camps Bay	♀	170	30	28	38.9	16.2	8.6	26.8	7.3	-	25.7	-
	♂	135	25	26	38.1	15.4	8.5	-	7.5	-	25.9	-
	♂ imm.	-	-	-	47.1	17.0	9.6	36.5	9.9	7.0	32.6	6.2

Continued/...

Locality	Sex	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
Port Elizabeth	♂	-	-	-	49.6	18.9	10.3	38.4	11.9	7.7	35.0	8.1
	♂	-	-	-	-	-	-	31.2	10.3	-	-	-
	♂	171	-	-	40.4	16.4	9.5	30.0	9.3	7.0	-	-
	♂ imm.	157	21	28	41.0	16.6	9.5	30.3	9.7	-	27.4	-
	♀♀	-	-	-	-	-	-	30.3(5) 27.9-31.7 S.D.=4.738	9.3(6) 8.9-10.0 S.D.=1.367	-	-	-
Alexandria	♂ imm.	75	13	20	-	-	-	-	-	-	-	-
	♀	155	20	32	43.3	17.0	9.3	32.7	10.2	7.2	-	8.1
	♀ imm.	-	-	-	42.1	16.6	9.5	31.7	9.6	-	-	-
	- imm.	75	15	20	-	-	-	-	9.1	6.4	-	7.4
Ermelo	♀	180	23	31	45.3	18.5	10.2	34.6	10.1	7.9	32.6	8.9
	♂	170	-	-	-	-	-	-	8.7	7.2	29.5	8.1
Belfast	♂	180	25	32	46.1	19.3	9.4	35.1	9.8	8.2	32.2	-
	♂	180	25	32	46.1	19.3	9.4	35.1	9.8	8.2	32.2	-
<u>Measurements of Cryptomys hottentotus</u>												
Lonmarin's,	♂	114(5)	21	21(5)	30.2(5)	13.5(5)	6.4(5)	20.8(5)	5.7(5)	5.5	19.6(5)	5.0(5)
Paarl	♂	105-125	25	21-22	29.7-31.7	13.2-13.9	6.3-6.7	20.0-23.3	5.4-6.4	4.7	18.8-21.2	4.7-5.7
	♂	S.D.=28.210	-	S.D.=0.547	S.D.=0.938	S.D.=0.246	S.D.=0.179	S.D.=1.392	S.D.=0.415	-	S.D.=0.960	S.D.=0.403
	♂		25							-		
	♂		22							5.3		
	♀	103	24	21	28.9	13.4	6.6	-	5.0	-	18.0	-
	♀	120	24	21	32.7	14.1	6.6	22.9	6.2	5.5	21.3	5.1
	♀	115	22	22	31.0	13.5	6.3	21.1	5.3	4.8	20.4	4.7

Continued/...

Locality	Sex	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
Belville	♂	103	20	22	31.7	14.2	7.1	22.1	6.4	5.5	21.1	5.2
	♂	108	26	21	-	-	-	-	-	-	-	-
		108	20	20	31.6	13.8	6.8	22.3	6.0	5.0	21.3	4.7
	♀	110	23	20	-	-	-	-	-	-	-	-
	♀	103	18	21	30.6	14.5	6.9	22.3	5.9	5.1	20.0	4.9
Stellenbosch	♀ imm.	84	25	20	28.0	13.4	6.5	-	5.4	-	18.4	5.2
	♂ imm.	80	15	18	25.6	13.0	7.0	-	4.7	-	16.0	-
	♂ imm.	85	15	20	24.9	12.5	6.2	16.5	4.5	-	16.9	-
	♀	101	15	20	29.7	13.7	6.7	21.4	5.7	-	19.3	5.6
	♀	100	15	20	30.4	14.2	6.5	22.0	5.7	5.1	19.6	5.0
Riebeeck Kasteel	♂	-	-	-	30.4	13.3	6.1	19.8	5.8	4.9	20.1	-
	♂	-	-	18	28.0	12.6	6.5	19.2	5.3	4.7	18.0	5.0
Tulbagh	♂	-	-	20	29.3	13.8	6.5	20.0	5.3	-	18.0	4.8
	♂	130	10	20	33.8	14.0	7.0	24.3	6.2	5.1	22.6	4.9
De Doorns	-	130	15	20	32.4	13.7	6.7	22.2	5.7	5.4	21.5	5.4
	♀	-	-	-	31.1	13.9	6.7	21.9	6.6	4.9	19.7	4.9
Wolseley	♂	145	14	20	37.5	14.0	6.7	25.6	7.2	5.5	24.0	5.5
	♂	150	15	22	29.4	14.0	6.5	21.8	5.7	-	19.4	5.2
	♂	110	15	20	21.1	11.1	6.4	14.2	4.1	-	12.9	-
	♂ imm.	82	10	15	36.4	13.9	6.5	25.3	6.7	-	24.1	4.6
	♀	155	15	22	29.2	14.6	6.6	20.6	5.2	-	19.0	5.4
Worcester	♀	110	20	22	34.3	14.4	6.9	24.4	6.4	5.3	22.8	5.2
	♂	112	20	21	31.5	13.7	6.4	21.9	5.9	5.2	19.8	5.4
	♂	120	20	20	31.2	13.9	6.8	21.8	6.3	4.8	19.7	4.9
	♂	105	22	21	26.4	12.9	6.8	-	5.3	4.5	16.8	4.4
	♂ imm.	90	22	18	30.9	14.0	6.7	21.9	5.5	5.0	20.3	-
	♀	100	20	19	30.9	14.0	6.9	21.6	6.5	5.2	19.6	4.9

Continued/...

Locality	Sex	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
Kompanjiesdrift	♀	103	22	19	-	-	-	18.4	4.9	-	-	-
Eendekuil	♀	100	10	20	27.2	12.9	6.5	18.5	5.5	4.9	16.9	4.9
	♀	126	14	22	31.1	14.1	6.7	21.9	5.3	4.7	20.0	4.8
Clanwilliam	♀	117	22	21	29.4	-	-	-	5.0	-	-	-
	♀	118	21	21	-	-	-	20.3	5.4	-	-	-
Nieuwoudtville	♀	113	24	22	31.9	14.0	7.1	23.4	6.5	5.3	21.6	5.3
	♂	121	25	23	30.8	13.3	6.5	22.9	6.3	5.4	20.6	5.0
Klaver	♂ imm.	93	22	19	27.0	12.7	6.1	18.3	5.0	5.0	17.0	5.1
	♀	105	21	22	-	-	-	-	-	-	-	-
	♀	114	28	20	31.1	13.0	6.3	20.7	5.3	4.9	19.0	4.7
	♀	103	24	20	28.0	13.6	6.6	19.5	5.3	-	18.0	4.3
	♀	111	24	22	30.3	12.3	6.2	-	5.0	4.7	19.3	4.7
	♀	113	22	21	31.0	13.6	6.0	21.0	5.6	5.1	19.1	5.0
Van Rhynsdorp	♂	123	14	23	33.1	13.7	6.6	23.2	6.3	-	21.2	5.1
	♂	112	10	21	29.0	13.6	7.1	20.2	5.6	4.8	18.0	4.8
Kamiesberg	♂	135	21	22	-	-	-	-	-	-	-	-
	♂	111	20	22	-	-	-	-	-	-	-	-
	♂	115	22	21	-	-	-	-	-	-	-	-
	♂	130	22	22	-	-	-	-	6.7	-	-	-
Ezelfontein	♂	120	23	21	-	-	-	-	-	-	-	-
	♂	122	23	22	-	-	-	-	6.4	-	-	-
	♂	116	23	22	34.5	-	7.4	24.0	6.5	-	-	-
	♂	127	24	22	-	-	-	23.6	6.5	-	-	-
	♂	128	21	23	-	-	-	-	-	-	-	-
	♀	104	19	21	-	-	-	19.2	5.0	-	-	-
	♀	98	18	21	-	-	-	-	4.9	-	-	-
	♀	112	16	17	-	-	-	19.7	5.2	-	-	-

Continued/...

Locality	Sex	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
Garies	♂	101	15	20	-	-	-	-	-	-	-	-
	♂	100	15	20	-	-	-	-	-	-	-	-
Matjiesfontein	♂	120	20	23	32.0	13.9	6.5	23.0	6.4	-	21.4	4.2
Cradock	♂	109	13	19	27.9	14.3	7.4	21.2	5.8	-	18.9	-
	♂	118	15	20	31.7	14.5	6.5	23.9	6.0	4.5	20.5	4.5
De Aar	♂	-	-	-	38.6	15.7	7.2	28.0	7.6	6.1	25.3	6.1
	♂	-	-	-	29.9	14.7	6.4	21.5	5.8	5.3	19.3	5.8
	♂	107	15	19	29.0	13.5	6.5	20.4	4.8	5.1	18.2	4.9
	♂	120	13	-	31.1	13.4	6.5	21.4	5.8	5.1	19.8	5.2
	♂	120	13	-	30.2	13.4	6.5	21.1	5.8	5.3	18.8	5.1
Phillipstown	♂	127	12	-	31.1	14.7	6.8	21.8	5.8	5.1	19.3	5.1
	♂	131	17	22	31.9	15.3	6.9	22.9	5.9	5.3	20.7	5.6
	♂	102	20	22	30.4	14.4	6.6	21.6	5.7	-	19.4	-
	♂	118	27	22	30.0	14.7	6.9	21.6	5.9	-	19.6	-
	♂	106	23	24	31.7	14.7	7.0	22.5	6.0	5.5	19.5	6.1
Richmond	♀	100	17	20	29.3	14.3	6.9	21.3	5.3	5.2	19.2	5.2
	♀	102	19	20	29.6	13.6	6.7	20.1	5.2	5.3	18.9	5.4
Sterkstroom	♀	123	22	21	30.4	14.1	6.8	23.3	6.2	5.8	20.7	5.5
Burgersdorp	♂ imm.	105	19	20	27.7	13.8	6.7	20.0	5.7	-	18.8	-
Rosmead	-	-	-	-	29.5	14.1	6.5	22.3	5.9	-	20.2	5.4
Grootvadersbosch	♀	125	25	22	34.0	13.6	7.5	24.6	6.5	4.9	22.9	4.5
Nachtwacht,	♂	140	25	23	-	-	-	-	-	-	-	-
Bredasdorp	♂	-	-	-	35.1	14.3	6.9	25.6	7.2	5.5	23.8	4.9
	♀ imm.	91	14	20	25.9	12.7	6.6	17.6	4.6	-	16.6	-
Swellendam	-	-	-	-	30.3	14.3	6.6	20.7	5.3	-	20.3	-

Continued/...

Locality	Sex	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
Garcia Forest,	♂	117	23	23	31.7	14.8	6.7	23.6	6.2	5.0	22.5	5.9
Riversdal	♂	110	20	21	30.2	14.0	6.6	21.3	5.5	5.0	20.0	5.7
	♂	120	20	21	34.2	14.2	6.7	24.0	6.1	5.5	21.6	5.2
	♂	105	24	21	-	13.6	7.0	20.6	5.3	5.3	19.4	6.0
	♂	100	18	20	31.5	13.6	6.5	21.1	5.6	4.8	19.0	4.8
Seweweekspoort	♂	100	20	21	29.7	-	6.5	21.0	5.6	4.8	19.0	4.8
	- 1mm.	96	19	16	27.0	13.2	6.5	18.0	4.8	4.6	17.0	-
	- 1mm.	90	19	15	26.0	12.6	6.6	-	4.8	4.6	16.5	4.8
Jonkersberg	♂	118	21	19	31.8	13.4	6.6	22.7	6.5	4.6	20.7	4.7
George	♂	106	-	-	30.6	14.1	6.7	23.2	6.6	4.8	20.7	5.6
	♂	110	15	-	30.1	13.4	6.3	21.2	6.1	4.7	19.6	4.9
Knysna	♂♂	196	6	25	33.7(5)	14.1(7)	6.8(7)	27.1	6.9(7)	5.2(7)	22.2(7)	5.0(7)
		190	-	-	31.9-35.6	13.4-14.8	6.5-7.2	22.0	6.2-8.0	4.8-5.8	21.1-23.4	4.6-5.9
		-	-	-	S.D.=1.378	S.D.=0.580	S.D.=0.222	-	S.D.=0.636	S.D.=0.377	S.D.=0.933	S.D.=0.609
		-	-	-				25.7				
		143	22	27				-				
		143	12	20				26.0				
		117	14	19				-				
	♂	165	-	-	27.6	12.6	6.4	18.7	5.6	-	18.6	-
	♂	139	-	-	28.1	13.1	6.5	18.9	5.1	-	17.8	-
	♂	127	12	19	-	-	-	-	-	-	-	-
	♂ 1mm.	101	13	19	24.3	-	6.1	-	4.6	-	16.0	-
	♂ 1mm.	114	-	-	-	-	-	-	-	-	-	-
	♂ 1mm.	114	12	17	29.4	13.3	6.6	-	5.7	-	18.6	-
	♂	152	-	25	27.5	12.0	6.2	-	5.4	4.8	18.0	-
	♂	171	-	19	-	-	-	-	6.2	4.9	20.6	4.7
	-	-	-	-	30.8	13.2	6.4	-	6.0	5.2	20.2	5.6
	-	-	-	-	31.4	13.4	6.5	-	6.0	4.9	20.2	4.8

Continued/...

Locality	Sex	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
					30.4(7)			21.9(12)	6.3(16)			
					28.8-33.4			20.1-27.2	5.5-8.0			
					S.D.=1.546			S.D.=2.092	S.D.=0.692			
	♀ imm.		-	-	-	-	-	17.8	5.0	-	-	-
	♀ imm.	103	12	19	26.6	12.4	6.7	17.2	4.9	-	16.2	-
	♂ imm.	-	-	-	24.6	-	-	-	4.6	-	-	-
	♂ imm.	-	-	-	-	-	-	-	5.0	-	-	-
	-	-	-	-	30.0	-	-	-	6.4	-	-	-
	-	118	12	21	-	-	-	-	-	-	-	-
Perseverance	♂	139	-	38	-	-	-	23.2	6.5	-	-	-
Coega River	♂	117	14	18	29.0	13.6	6.6	21.2	5.9	5.1	18.8	5.1
	♂	118	14	18	28.3	13.2	6.3	19.2	5.4	4.6	18.7	5.1
	♂	114	13	18	28.9	13.9	6.8	19.9	5.4	5.0	18.3	5.4
Redhouse	- imm.	-	-	-	26.3	12.8	6.6	18.5	5.0	-	16.9	-
Howieson's Poort	♂	130	20	-	-	-	-	24.8	7.2	-	-	-
Grahamstown	♂♂				32.9(16)	14.0(16)	6.9(18)	23.6(14)	6.6(18)		21.6(16)	5.4(7)
					29.9-36.5	13.3-15.4	6.3-7.7	20.6-26.3	6.0-7.6		19.3-24.0	5.0-6.0
					S.D.=2.091	S.D.=0.656	S.D.=0.332	S.D.=1.832	S.D.=0.556		S.D.=1.644	S.D.=0.374
	♂	-	-	-	-	-	-	-	-	5.3	-	-
	♂	-	-	-	-	-	-	-	-	5.3	-	-
	♂	118	12	20	-	-	-	-	-	4.6	-	-
	♂	-	-	-	-	-	-	-	-	5.5	-	-
	♂	130	15	23	-	-	-	-	-	-	-	-
	♂	140	12	-	-	-	-	-	-	-	-	-
	♂	120	11	-	-	-	-	-	-	5.2	-	-
	♂	129	21	-	-	-	-	-	-	5.3	-	-

Continued/...

Locality	Sex	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
	♂	100	12	-	-	-	-	-	-	-	-	-
	♂	110	14	22	-	-	-	-	-	-	-	-
	♂	90	14	-	-	-	-	-	-	-	-	-
	♂	116	12	21	-	-	-	-	-	-	-	-
	♂	-	-	-	-	-	-	-	-	5.0	-	-
	♂	125	15	-	-	-	-	-	-	-	-	-
	♂	-	-	-	-	-	-	-	-	-	21.5	5.6
	♂ imm.	88	14	-	-	-	6.7	20.1	5.9	-	18.9	-
	♂ imm.	81	11	-	27.6	12.7	6.2	19.9	5.3	-	-	-
	♂ imm.	104	13	-	28.7	12.9	6.1	-	5.7	-	-	-
	♂				32.7(10)	14.0(12)	6.7(14)	23.5(13)	6.5(14)	5.0(6)	21.4(10)	5.2(7)
					29.6-36.2	12.8-14.8	6.1-7.4	20.4-27.0	5.7-7.5	4.7-5.6	20.3-23.3	4.8-5.9
					S.D.=2.202	S.D.=0.682	S.D.=0.400	S.D.=1.811	S.D.=0.503	S.D.=0.322	S.D.=1.039	S.D.=0.355
	♂	115	16	21	-	-	-	-	-	-	-	-
	♂	125	26	21	-	-	-	-	-	-	-	-
	♂	145	17	22	-	-	-	-	-	-	-	-
	♂	130	14	22	-	-	-	-	-	-	-	-
	♂	102	10	-	-	-	-	-	-	-	-	-
	♂	112	11	22	-	-	-	-	-	-	-	-
	♂	132	12	23	-	-	-	-	-	-	-	-
	♂	106	11	20	-	-	-	-	-	-	-	-
	♂	108	15	-	-	13.3	-	-	-	-	-	-
	♂	160	15	24	-	-	-	-	-	-	-	-
	♂	106	10	-	-	-	-	-	-	-	17.1	-
	♂ imm.	91	13	-	-	-	-	-	-	-	-	-
	♂ imm.	92	10	17	27.3	13.4	7.0	19.2	5.3	-	-	-
	♂ imm.	75	12	-	28.5	13.8	6.6	20.5	5.9	-	19.0	-

Continued/...

Locality	Sex	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
-	-	110	15	22	-	-	-	-	-	-	-	-
-	-	-	-	-	29.4	14.1	6.8	22.4	4.9	5.4	20.6	5.7
-	-	-	-	-	32.3	14.2	6.8	23.0	6.2	-	21.8	-
-	-	150	18	26	-	-	-	-	-	-	-	-
-	-	-	-	-	33.0	14.1	7.2	-	7.2	5.6	22.1	-
-	-	-	-	-	28.4	13.9	6.8	20.0	5.3	-	18.6	-
-	-	-	-	-	-	-	-	-	-	-	19.5	-
-	-	142	12	24	-	-	6.9	-	7.6	5.2	21.5	5.5
-	-	145	15	26	-	-	-	-	-	-	-	-
-	-	110	15	22	25.1	13.4	7.3	18.6	5.6	-	17.3	-
-	-	150	17	23	36.0	15.2	7.5	28.0	8.1	6.2	25.1	-
-	-	-	-	-	34.6	14.8	7.0	27.7	8.1	5.5	25.0	5.5
-	-	137	13	25	34.3	14.7	7.9	25.4	7.2	5.3	23.0	5.5
-	-	130	15	22	-	13.5	7.5	20.1	6.2	-	18.0	-
-	-	131	-	-	29.5	13.9	7.0	21.5	6.2	5.3	19.5	5.9
-	-	158	18	25	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	7.0	-	6.4	5.3	21.2	6.1
-	-	-	-	-	28.9	13.8	6.8	21.1	6.0	-	19.5	-
-	-	-	-	-	-	-	-	-	5.8	-	19.1	-
-	-	114	15	22	-	-	-	-	-	-	-	-
-	-	96	18	22	29.3	13.5	6.7	20.6	5.8	5.3	19.6	-
Penrock	♂ imm.	-	-	-	-	-	7.2	-	5.1	-	15.0	-
Queenstown	♂	-	-	-	28.9	13.2	6.4	21.1	5.7	-	19.0	-
Port Alfred	♂	-	-	-	-	-	6.8	-	6.8	-	20.6	-
--	--	--	--	--	--	--	6.9(6)	--	6.6(6)	--	20.4(6)	--
							6.7-7.2		6.0-7.6		18.7-21.9	
							S.D.=0.204		S.D.=0.700		S.D.=1.351	

Continued/...

Locality	Sex	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
	-	130	22	14	32.3	14.0	-	23.6	-	5.2	-	5.5
	-	105	11	22	29.9	13.2	-	20.8	-	5.9	-	5.7
	-	125	13	-	31.0	14.4	-	-	-	-	-	-
	-	148	14	22	-	-	-	25.9	-	5.4	-	5.5
	-	127	13	22	-	-	-	-	-	-	18.8	-
	-	127	12	22	-	-	-	-	-	-	-	-
	-	130	14	22	32.5	13.9	-	-	-	5.4	-	5.4
Fish River	o	115	22	-	31.4	13.4	6.3	21.5	5.9	5.9	20.2	5.7
Fort Beaufort	+	-	-	-	-	-	-	-	7.1	5.5	24.3	5.1
	o	-	-	-	-	-	-	-	5.8	5.7	-	-
East London	o	-	-	-	-	14.4(5)	7.3	24.6	6.5(5)	5.2	21.7	5.2
	o	-	-	-	31.4	14.4-14.7	-	-	6.1-7.1	-	-	-
	o	-	-	-	31.2	S.D.=0.164	7.7	25.9	S.D.=0.365	5.5	21.5	5.5
	o	-	-	-	29.7	-	6.8	20.4	-	-	18.6	-
	o	-	-	-	33.5	-	6.9	-	-	-	22.5	-
	o imm.	-	-	-	-	13.1	7.2	18.0	4.9	-	17.9	-
	o imm.	-	-	-	-	-	6.2	-	4.1	-	-	-
	o	-	-	-	31.1	14.8	7.0	23.9	6.5	-	19.5	-
	o	-	-	-	29.0	13.7	7.2	21.6	5.8	-	-	-
	o	-	-	-	-	-	7.3	23.7	6.9	-	-	-
	o	120	15	25	30.9	13.3	6.5	21.8	6.3	-	20.0	-
	o	-	-	-	-	-	-	-	-	-	20.9	-
	o	-	-	-	-	-	-	24.2	6.6	-	-	-
	o	120	-	19	-	-	-	-	-	-	-	-
Peddie	o	144	10	-	-	-	7.0	24.0	7.3	-	21.1	-

Continued/...

Locality	Sex	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R	L.J.	L.T.R
Dortrecht	-	-	-	-	33.4	14.9	6.8	24.3	6.6	5.7	22.5	5.5
	-	86	17	17	34.3	14.4	6.6	25.2	7.2	-	22.5	-
	♂	96	21	-	31.7	14.3	7.2	23.3	6.2	-	20.1	-
	♂	-	-	-	29.3	13.6	6.5	-	5.5	-	19.2	-
Middelrift	♂	-	-	-	27.5	13.1	6.3	19.6	5.3	-	18.2	5.5
King William's town	♂	112	15	23	-	-	-	21.0	5.5(5) 5.0-5.9	-	-	-
	♂	110	15	19	-	-	-	19.1	S.D.=0.342	-	-	-
	♂	116	16	21	-	-	-	20.4	-	-	-	-
	♂	113	12	20	-	-	-	-	-	-	-	-
	♂	113	15	21	-	-	-	-	-	-	-	-
	♀	125	12	19	-	12.8	6.2	21.0	5.9	5.2	19.1	5.6
	♀	125	15	15	-	-	6.7	-	5.9	4.8	18.2	5.8
	♀	126	16	23	-	-	-	-	5.9	-	-	-
Buffelsdraai	♂	100	20	22	29.6	13.5	6.7	21.4	6.0	-	19.6	-
	♂	112	23	22	29.0	13.3	7.2	20.5	5.5	-	19.7	-
	♂	110	17	23	28.3	13.9	6.9	-	5.5	-	19.0	-
	♂ imm.	96	17	22	-	-	-	-	-	-	-	-
	♀	110	20	23	29.0	13.8	7.0	-	5.7	-	19.5	-
	♀	130	22	22	34.4	14.0	7.1	24.9	7.0	5.4	22.5	5.5
	♀ imm.	97	17	20	-	-	-	-	-	-	-	-
	♀ imm.	100	17	22	-	-	-	-	-	-	-	-
	♀ imm.	96	17	21	27.1	-	6.9	-	5.3	-	17.6	-
	♀ imm.	92	17	20	-	-	6.6	-	4.6	-	16.5	-
Jericho	♂	128	21	33	31.1	14.1	7.0	23.2	5.8	5.7	21.0	5.8
	♂	128	22	23	31.4	13.4	7.1	-	6.2	5.2	22.2	4.7
	♀	130	20	23	32.3	14.3	7.2	25.0	6.7	5.4	22.3	-

Continued/...

Locality	Sex	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
Zoutpan	♂	112	22	22	31.2	13.7	7.1	21.4	5.2	5.9	21.1	5.1
	♂	130	24	23	34.5	13.9	7.0	25.4	6.8	-	23.7	5.1
Waynek	♀	107	22	22	29.9	13.1	6.9	20.2	4.9	-	19.5	5.7
	♀ imm.	107	16	18	-	-	-	-	4.9	4.0	17.0	4.0
Moorddrift	♂	115	14	21	31.7	13.3	6.8	21.9	5.3	4.8	20.5	4.4
	♀ imm.	94	23	17	27.3	12.1	6.2	18.6	5.5	4.4	18.0	4.7
Fauresmith	♂	110	18	22	32.6	15.7	6.9	23.8	6.2	5.9	21.4	6.4
de Brug	♂	120	24	21	32.3	15.0	6.8	23.8	5.2	5.1	20.4	5.3
	♂	112	20	21	32.6	14.7	6.8	22.9	6.2	-	20.4	5.4
Griffin Mine	♂	123	17	23	28.9	14.2	6.8	19.9	4.9	5.5	19.4	5.2
	♂	123	17	21	30.5	13.8	6.6	21.6	5.6	5.5	20.6	5.4
	♂	123	17	23	30.1	14.4	6.9	21.0	5.3	5.4	19.9	5.5
	♂	-	-	-	30.9	14.4	6.8	20.8	5.2	5.1	20.1	5.3
	♂	119	17	23	-	-	-	-	-	-	-	-
	♂	134	18	25	-	-	-	-	-	-	-	-
Gravelotte	♂	145	20	26	35.4	14.8	7.1	25.8	6.7	5.3	25.0	5.5
	♂	129	20	24	32.3	14.6	6.9	22.6	5.8	5.0	21.7	5.2
	♀	124	18	25	30.2	14.2	6.7	21.1	5.1	5.5	20.8	5.1
	♀ imm.	90	13	20	24.5	13.2	6.7	17.0	4.8	-	16.5	-
Mookeetsi	♂	124	18	26	33.8(7)	14.9(7)	7.0(7)	25.1(7)	6.8(7)	-	22.5(7)	5.3(6)
	♂	-	-	-	32.1-36.3	14.6-15.5	6.7-7.3	23.3-23.4	6.2-7.5	5.2	20.8-24.5	4.6-5.8
	♂	150	18	25	S.D.=1.373	S.D.=0.310	S.D.=0.245	S.D.=1.508	S.D.=0.423	5.2	S.D.=1.215	S.D.=0.402
	♂	138	22	22								
	♂	136	22	23								
	♂	145	22	23						5.5		
	♂	149	22	22						5.5		
	♂	131	22	22						-		

Continued/...

Locality	Sex	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
Mlondozi, Kruger National Park (K.N.P.)	♂	126	19	22	31.6	15.1	7.0	23.0	6.6	-	20.6	-
	♀	136	22	23	33.3	15.0	7.0	23.9	7.0	5.2	21.6	5.3
	♂	135	15	25	-	-	-	-	-	-	-	-
	♂	146	18	25	34.7	14.4	6.8	25.3	6.8	5.3	24.1	5.6
	♂	149	17	22	37.1	13.6	6.3	26.6	7.4	-	25.7	-
	♀	138	16	23	31.9	14.3	6.7	22.5	5.7	5.8	21.6	5.8
	♀	135	19	23	32.2	14.4	6.8	23.3	5.8	5.4	21.8	5.1
	♀	120	17	22	32.0	13.4	6.5	22.7	5.8	5.4	21.3	5.1
Lindanda, K.N.P.	♂	155	21	23	-	-	-	-	5.6	-	-	-
	♀	141	19	21	31.7	14.1	6.5	22.9	5.9	-	21.5	5.4
Nwanetzi-West, Windmill, K.N.P.	♂	131	10	20	29.8	14.2	7.0	21.7	5.5	5.1	20.2	5.3
Ngirivane, K.N.P.	♀	141	17	24	32.1	14.0	7.4	23.7	6.4	-	22.1	5.2
Satara, K.N.P.	♀	138	17	24	33.4	13.7	6.4	23.0	5.9	-	22.5	-
Satara experi- mental Plots, K.N.P.	♀ juv.	107	18	19	28.1	14.1	7.1	-	5.2	-	18.4	-
Shibangwanene Spruit, K.N.P.	♀	136	16	23	32.8	14.5	7.2	23.1	6.0	5.3	22.2	5.4
Gorge, K.N.P.	♀	137	17	22	32.0	14.1	7.4	-	6.4	5.4	22.0	5.4
Letaba, K.N.P.	♀	140	16	25	34.0	14.1	7.2	24.3	6.1	5.4	23.6	5.2
Mabewane block, K.N.P.	♀	157	15	25	34.5	15.1	6.8	24.9	6.3	6.0	23.7	-
Mashakadzi, K.N.P.	♀	137	14	22	31.3	14.3	6.9	-	5.6	-	21.3	5.4
Shingwedzi, K.N.P.	♂	154	11	27	35.6	14.8	7.2	26.0	7.1	-	24.3	-
Shingwedzi Main Road, K.N.P.	♀ imm.	140	19	22	29.4	14.6	7.0	20.9	5.4	-	-	-

Continued/...

Locality	Sex	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R
Bubube fire break, K.N.P.	♂ imm.	130	12	17	29.9	14.1	7.1	-	5.6	-	19.8	-
Shingomene, K.N.P.	♀	138	10	24	-	-	-	-	-	-	-	-
Hlati Road, K.N.P.	♀	140	18	24	32.8	14.3	6.7	22.9	5.7	5.4	21.2	5.3
Pumbe, K.N.P.	♂	152	16	24	33.4	14.4	7.1	25.0	7.2	-	22.3	-
	♀	154	19	26	35.1	15.0	7.0	25.9	7.0	5.7	24.5	5.4
	♀	146	18	24	33.2	14.0	7.3	24.0	6.2	5.5	22.8	6.0
	♀	153	17	23	35.5	13.9	6.9	23.9	6.3	-	24.0	-
Mahungumule, K.N.P.	♀	131	9	25	32.3	14.9	7.3	-	5.8	5.7	22.3	5.7
Nwamayiwani, K.N.P.	♀	155	19	23	33.6	14.8	6.8	23.4	6.1	-	22.8	5.2
Nkokodzi, K.N.P.	♂	136	12	25	33.3	13.9	6.9	25.0	6.8	-	23.2	5.1
Zwarthoek	♂♂	136	14	24	32.5(13)	14.1(13)	7.0(13)	23.5(13)	6.2(13)	5.4(10)	22.6(13)	5.3(13)
		145	14	24	29.5-37.4	13.3-14.8	6.6-7.4	20.5-27.4	5.3-7.8	5.1-5.9	20.0-26.8	4.7-6.2
		135	14	23	S.D.=2.137	S.D.=0.589	S.D.=0.299	S.D.=2.164	S.D.=0.718	S.D.=0.283	S.D.=1.826	S.D.=0.349
		155	14	24								
		129	14	24								
		136	14	22								
		130	12	22								
		121	12	21.5								
		136	-	22								
		145	14	24								
		136	14	22								
		132	14	21								
		132	14	23								
	♂ imm.	102	10	20	25.2	12.7	6.7	17.9	5.0	-	17.4	-

Continued/...

Locality	Sex	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.	
Njelele River	♀	136	15	24	31.1(9)	13.8(9)	7.1(9)	22.2(8)	5.8(9)	5.4(8)	21.3(9)	5.3(9)	
		107	10	26	29.4-33.8	12.9-14.3	6.3-7.4	20.5-23.8	5.3-6.3	5.2-5.6	19.6-23.1	5.0-5.7	
		135	14	25	S.D.=1.467	S.D.=0.457	S.D.=0.377	S.D.=1.238	S.D.=0.310	S.D.=0.141	S.D.=1.185	S.D.=0.276	
		127	12	24									
		121	-	21									
		123	12	22									
		129	14	22									
	129	14	23										
	126	14	23										
	♂	131	12	23	32.4	14.1	6.8	22.5	6.2	5.2	22.2	5.5	
	-	123	14	24	31.9(5)	14.1(5)	6.7(5)	22.5(5)	6.1(5)	-	21.6(5)	-	
		143	16	24	30.7-34.6	13.9-14.6	6.5-7.0	21.7-23.2	5.7-6.6	5.1	20.6-24.3	4.7	
		124	16	24	S.D.=1.607	S.D.=0.261	S.D.=0.192	S.D.=0.607	S.D.=0.336	5.1	S.D.=1.558	5.5	
		127	16	23						5.1		5.4	
125		14	24						5.2		5.6		
Zoutpansberg	♂	130	-	20	30.8	14.3	6.9	23.5	6.4	5.3	20.3	5.5	
		125	-	20	31.6	13.3	6.6	22.9	7.1	4.6	21.1	4.5	
	♂	123	-	21	31.4	14.1	6.7	21.4	6.2	4.8	20.3	4.9	
		108	14	-	-	-	-	-	-	-	-	-	
	♀	122	-	20	29.9	13.5	6.9	21.0	5.8	-	19.0	4.9	
		120	-	21	31.4	13.6	6.7	21.6	5.9	5.1	19.9	5.3	
		115	-	20	30.6	12.6	6.4	21.2	5.8	5.0	19.5	5.2	
		-	-	-	29.6	13.6	7.1	23.1	6.9	4.7	21.1	4.6	
		-	-	-	27.3	13.3	6.7	18.1	4.9	4.8	17.2	4.7	
-	-	-	26.1	13.4	6.3	-	5.4	-	18.1	5.0			

Continued/...

Locality	Sex.	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
Montrose	-	-	-	-	27.3	13.1	6.6	20.1	5.1	-	17.8	-
	-	-	-	-	28.1	13.1	6.5	19.1	5.3	-	17.9	-
	♂	140	-	24	32.8	13.3	7.2	24.0	7.0	5.4	23.4	5.6
	♂	140	-	22	32.2	14.1	6.9	23.1	5.9	5.5	22.5	5.3
	♂	155	+	23	35.5	13.9	7.7	26.6	7.8	5.3	24.1	5.1
	♂	139	-	22	29.4	13.2	7.2	20.5	5.8	-	19.4	-
Silwane Mamarange	♂ imm.	-	-	-	29.1	13.3	7.2	20.5	5.5	-	19.1	-
	♀	154	-	23	34.5	14.3	7.4	24.3	7.0	5.8	23.1	5.9
	-	136	17	24	31.6	14.0	6.9	22.3	5.9	5.5	21.4	5.7
	♂♂	146	21	24	32.7(6)	14.3(6)	6.6(6)	23.7(5)	5.9(6)	5.5(6)	22.1(6)	5.7(6)
		131	21	24	30.3-35.7	14.1-15.0	6.5-6.9	22.0-26.3	5.4-7.1	5.2-6.1	20.4-24.5	5.3-6.4
		130	18	23	S.D.=2.142	S.D.=0.350	S.D.=0.150	S.D.=1.768	S.D.=0.641	S.D.=0.327	S.D.=1.568	S.D.=0.459
		122	17	22								
		119	16	21								
		118	15	17								
	♀	126	17	22	32.0	14.7	6.7	23.2	5.7	5.7	21.3	5.5
	♀ imm.	103	15	20	26.3	13.5	6.9	18.4	4.8	-	18.0	-

Measurements of *Cryptomys damarensis*

Locality	Sex	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
Molopo, Mafeking	♂	150	20	26	-	-	-	-	-	-	-	-
	♂	117	20	22	-	-	-	-	-	-	-	-
Grootkolk	♀	-	-	-	38.2	15.3	8.1	30.3	9.8	6.4	26.4	5.9
Gemsbokpan	♂	130	25	28	32.8	13.9	7.7	23.3	6.9	5.4	20.4	5.4
Kamspanne Rd.	♂	-	-	-	44.1	16.9	8.4	33.0	11.1	6.7	28.9	6.9
	♀	-	-	-	-	-	-	-	8.6	6.3	24.2	6.1
	♀	-	-	-	-	-	8.5	-	10.0	6.3	27.0	6.1
	♀	-	-	-	-	-	-	-	-	6.2	-	6.2
Kuke	♂	135	25	27	33.8	14.3	7.4	23.9	7.6	5.2	22.3	5.7
77 miles east of Maun.	♂	-	-	-	36.9	15.3	7.2	28.0	9.8	6.4	25.5	6.2
	♂	-	-	-	36.4	15.5	7.8	27.4	8.3	6.1	23.3	6.0
Damara Pan	♂	154	30	30	38.3	15.6	7.8	27.1	9.1	5.6	25.5	6.4
Sandfontein	♀	148	32	27	34.8	14.7	7.9	25.1	7.9	6.1	23.1	-
	♂	152	26	29	-	-	8.1	-	8.9	6.0	23.0	-
	♀	141	25	25	-	-	-	-	-	-	-	-
Gobabis, Farm 397	♂	164	13	26	33.2	-	7.7	23.2	7.2	5.8	22.0	5.7
	♂	185	16	30	38.9	15.5	8.3	28.9	8.8	6.1	26.7	5.8
	♂	178	17	26	35.4	15.9	7.4	27.7	8.3	5.6	24.0	5.5
	♂	167	14	27	32.2	14.9	8.2	23.9	6.9	5.5	21.3	5.5
	♀	164	14	28	-	-	7.8	-	6.9	5.5	22.9	5.6
Quickborn, Okahandja	♂	-	-	-	39.9	15.2	8.1	29.7	9.1	6.0	26.0	6.1
	♂	-	-	-	35.6	16.0	7.7	26.6	8.1	5.8	23.6	5.9
	♀	-	-	-	36.9	15.3	8.1	26.1	8.4	5.6	24.1	5.5
Waterberg	♀	-	-	-	31.6	14.8	7.6	-	6.8	5.6	21.2	5.3
	-	-	-	-	38.2	15.8	8.5	28.8	8.8	6.1	25.4	5.9
Kovares	♂	150	15	13	-	-	-	-	8.7	-	-	-
Otavi	♂	138	23	26.5	33.9	14.3	7.9	24.3	7.2	5.5	22.2	5.7
"Ovamboland"	-	-	-	-	32.4	14.6	8.0	-	7.6	6.2	21.8	6.4

Continued/...

Locality	Sex	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
Ondongwa	♂	160	27	27	38.3	15.5	8.0	28.9	9.3	6.1	26.0	6.8
	♂	120	25	15	31.2	14.2	8.0	22.4	6.7	-	20.4	-
	♂	130	19	26	32.4	14.4	7.9	23.8	7.4	6.3	21.1	6.4
	♂	110	20	12	29.2	14.1	8.1	21.7	6.4	-	19.3	-
	♂	140	25	15	-	-	-	-	8.8	6.5	-	6.3
Santa Cruz	♂	155	17	25	-	-	8.3	-	6.8	-	19.3	-
	♂	155	17	25	38.5	15.9	8.3	28.4	9.2	5.3	24.8	6.1
	♀	156	17	22	32.5	-	8.6	-	7.1	-	20.9	6.3
Matetsi	♂	190	-	-	36.2	15.7	8.2	26.9	8.0	-	24.3	-
	♂	-	-	-	37.9	14.6	8.1	-	8.4	5.9	24.6	6.1
<u>Measurements of <i>Cryptomys holosericeus</i></u>												
Modder River	♂	-	-	-	-	15.9	-	24.8	-	5.7	22.2	5.8
	♀	-	-	-	-	17.0	8.0	29.2	7.9	6.5	25.4	6.4
Barkly West	♂	-	-	-	38.3	-	-	-	8.3	7.7	25.4	-
	♂	-	-	-	-	-	-	24.7	7.0	-	-	-
	♂	-	-	-	-	-	-	22.4	6.0	-	-	-
	-	-	-	-	-	-	7.2	-	8.5	-	-	-
Vryburg	-	-	-	-	32.7	-	6.4	23.8	5.9	-	22.0	-
	♂	135	18	26	36.8	15.1	7.1	27.1	7.4	5.7	23.9	6.0
	♂	-	-	-	31.3	13.7	6.9	21.1	5.8	-	21.2	5.3

Continued/....

Locality	Sex.	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
	♂	136	12	22	31.2	13.8	7.2	23.7	6.2	-	21.4	-
	♂	-	-	-	29.0	13.8	7.0	19.8	5.3	-	19.3	-
	♀	115	21	23	33.8(8)	15.1(8)	7.4(8)	24.7(8)	6.6(8)	5.8(7)	22.3(8)	6.1(6)
	♀	145	21	24	30.8-37.9	13.9-15.9	6.6-7.9	21.5-28.2	5.5-8.0	4.9-6.3	20.0-26.0	5.1-6.9
	♀	125	21	23	S.D.=2.691	S.D.=0.595	S.D.=0.424	S.D.=2.519	S.D.=0.865	S.D.=0.461	S.D.=2.080	S.D.=0.581
	♀	85	20	22								
	♀	105	20	28								
	♀	138	12	22								
	♀	155	15	25								
	♀	150	13	22								
	♂	155	17	26	36.6	15.0	7.4	26.7	7.1	6.1	24.8	6.5
	♂	140	18	23	34.4	15.4	7.7	-	7.5	-	23.4	-
	♂	128	15	22	31.4	14.0	7.4	-	6.4	-	21.0	-
	♂	235	17	24	-	-	-	-	9.0	6.4	29.4	6.7
	♂	180	16	25	-	-	-	-	-	-	-	-
Kuruman	♀	117	16	21	30.6	14.7	7.4	20.9	5.8	-	19.9	5.0
Fourteen Streams	♂	-	-	-	37.4	15.5	7.1	27.8	7.8	5.3	24.5	5.3
Maquassie	♂	152	28	25	36.1	15.1	7.8	26.9	7.9	5.6	24.4	6.0
	♀	114	28	22	30.4	15.3	7.9	22.2	5.9	-	20.3	5.8
Blouemhof	♂	98	17	19	29.0	13.6	7.0	19.6	5.3	-	19.3	6.3
	♂	109	21	21	31.4	13.3	6.8	21.7	5.7	5.9	21.0	6.2
	♂	132	23	26	34.9	14.7	7.6	25.2	6.7	-	23.8	-
	♂	152	21	27	37.7	15.9	7.9	27.8	7.9	5.9	25.1	6.8
	♀	123	24	23	32.6	14.2	7.3	23.5	6.2	-	20.8	-
	♀	132	27	24	34.2	15.3	7.6	24.0	6.5	5.2	22.7	5.6

Continued/...

Locality	Sex.	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
Inyanga	♂	137	20	22	35.8	15.3	7.0	26.1	7.8	5.7	23.0	5.4
	♂	120	21	21	33.5	14.5	6.9	-	6.8	5.5	21.3	5.5
	♂	108	14	19	28.3	13.6	6.6	19.4	5.7	-	18.1	-
	♂	125	15	21	31.8	15.1	7.1	23.3	7.1	5.2	20.4	5.0
Stimela	♂	130	18	23	31.0	13.9	6.6	22.8	6.4	4.8	21.2	5.1
Mt. Selinda	♂	120	15	20	30.3(7)	13.7(7)	7.1(7)	21.8(6)	6.5(7)	5.4(7)	19.3(7)	5.6(7)
	♂	120	10	19	28.2-31.8	12.6-14.5	6.6-7.4	19.7-24.2	6.0-7.1	5.0-5.8	18.0-21.3	5.2-6.1
	♂	127	12	23	S.D.=1.276	S.D.=0.627	S.D.=0.269	S.D.=1.875	S.D.=0.383	S.D.=0.335	S.D.=1.110	S.D.=0.325
	♂	120	13	23								
	♂	127	15	21								
	♂	125	11	21								
	♂	126	7	20								
	♂ imm.	119	12	18	26.8	12.6	6.9	18.6	5.9	-	17.1	-
	♀ imm.	120	12	20	25.5	13.5	7.8	19.1	7.8	-	16.6	-
	Matoppos Road	♂	102	10	20	32.1	14.1	7.0	22.5	5.8	-	21.0
♂		94	11	21	31.0	14.0	6.9	-	6.0	5.5	20.6	-
♂		113	12	25	33.8	14.6	7.2	24.8	6.2	-	23.0	-
20 Miles on Essex Vale Road	♂	127	-	-	-	14.0	6.9	22.1	5.6	-	19.8	-
	♂	127	-	-	-	14.0	6.9	22.1	5.6	-	19.8	-
Hillside	♂ imm.	118	15	24	-	-	-	-	-	-	18.1	-
Khami Dam	♂	124	21	22	34.4	14.8	6.7	25.7	7.0	4.9	23.5	4.8
	♀	115	10	24	30.9	14.2	6.5	21.5	5.6	5.5	20.9	5.8
	♂ imm.	41	-	-	25.6	13.4	6.6	-	4.5	-	16.5	-
Riverside, Bulawayo	♂	141	12	23	32.1	13.8	7.0	24.0	6.6	-	21.5	-
Bulawayo	♂	127	20	25	-	-	-	-	-	-	-	-
	♂	130	22	24	33.1	-	7.4	-	6.8	-	22.1	-

Continued/...

Locality	Sex.	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
Shawerombi, Walsheetter	♂♂	145(14)	10(14)	23(14)	33,3(13)	14,7(14)	7,2(14)	24,4(12)	7,2(14)	5,3(10)	21,7(14)	5,5(13)
		125-165	8-13	21-30	30,6-37,9	13,0-15,9	6,3-7,7	20,8-28,2	6,0-8,2	4,7-5,6	19,0-25,4	4,9-5,9
		S.D.=3,873	S.D.=0,997	S.D.=2,560	S.D.=2,557	S.D.=0,680	S.D.=0,339	S.D.=2,522	S.D.=0,655	S.D.=0,353	S.D.=1,968	S.D.=0,345
	oo ++	141(9)	10(9)	22(9)	32,6(8)	14,4(8)	7,0(9)	23,3(7)	6,9(9)	5,1(6)	21,3(9)	5,3(9)
135-150		10-10	20-24	31,0-36,5	13,9-15,1	6,8-7,4	21,3-27,2	6,5-7,6	4,7-5,5	20,0-25,0	5,1-5,8	
		S.D.=6,200	S.D.=0,00	S.D.=1,716	S.D.=1,951	S.D.=0,545	S.D.=0,218	S.D.=1,890	S.D.=0,377	S.D.=0,287	S.D.=1,624	S.D.=0,194
Salisbury	♂♂	143(5)	10(5)	22(5)	33,0(5)	14,5(5)	7,2(5)	24,8(5)	7,3(5)	5,2(5)	21,5(5)	5,4(5)
		135-150	10,0-10,0	20-24	31,1-33,7	14,0-15,2	6,7-7,7	23,3-26,9	6,9-8,1	4,8-5,5	20,3-22,2	5,1-5,6
		S.D.=6,708	S.D.=0,00	S.D.=1,483	S.D.=1,548	S.D.=0,442	S.D.=0,374	S.D.=1,431	S.D.=0,503	S.D.=0,270	S.D.=0,952	S.D.=0,192
Enterprise	o +	140	10	23	31,6	14,7	7,5	24,2	7,2	5,1	21,2	5,2
		141	-	22	-	-	-	-	-	-	-	-
Macheke	♂	-	-	-	37,7	14,6	7,0	26,7	7,9	5,1	24,0	5,4
Selukwe	♂	-	-	-	33,1	14,3	6,6	-	7,1	-	-	-
		-	-	-	35,1	13,6	7,3	25,6	7,8	5,2	22,3	5,1
Chipinga	o +	-	-	-	-	-	-	22,0	6,9	-	-	-
		120	15	25	-	-	-	-	-	-	-	-
<u>Measurements of <i>Cryptomys beirae</i></u>												
Beira	-	-	-	-	38,9	15,4	8,2	-	9,3	6,0	24,9	6,1
		-	-	-	33,6	14,8	8,1	-	7,5	5,7	21,4	6,3
		-	-	-	35,7	14,9	6,1	27,0	8,1	5,8	23,2	5,4
		-	-	-	35,0	14,9	8,4	26,5	7,9	5,7	22,9	6,6
Zimbiti	♂	-	-	-	34,4	15,2	7,2	26,5	8,1	5,7	22,5	5,4

Measurements of Cryptomys bocagei

Locality	Sex.	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
Mombola, Angola	♂	144	12	20	31.2	14.7	7.5	21.9	6.1	-	20.0	-
	♂	145	7	19	32.2	14.5	7.7	-	6.6	-	20.8	-
	♂	165	11	22	34.4	14.7	7.9	24.6	6.9	5.7	23.0	-
	♂	160	10	22	-	-	-	-	-	-	-	-
	♀	154	6	24	35.0	15.6	8.4	-	6.8	5.3	22.9	5.5
	♀	150	12	21	32.5	13.7	7.3	23.3	6.6	4.8	21.2	5.2
	♀	165	12	20	33.9	14.4	7.6	24.4	6.9	5.2	22.0	5.6
	♀	152	15	22	32.6	14.6	7.5	23.3	6.2	5.1	21.2	4.9
<u>Measurements of Cryptomys natalensis</u>												
Koster	♂	141	19	26	35.6	14.9	7.4	25.3	7.1	5.9	24.4	6.0
	♀	141	26	23	34.7	15.3	7.3	24.7	6.4	6.9	23.6	6.8
	♀	126	22	24	31.7	15.0	7.4	22.0	6.3	6.0	21.8	6.4
Venterskroon	♂	145	25	28	38.0	15.2	7.4	25.6	7.2	6.0	24.8	6.7
	♂	141	25	27	36.3	15.0	7.6	25.1	7.5	5.8	24.8	6.6
	♂	134	21	26	33.7	14.8	7.2	-	6.4	-	21.9	6.6
	♂	134	17	25	35.2	14.6	7.2	26.2	7.4	5.4	24.1	5.8
	♀	147	25	26	37.3	16.4	7.3	27.3	7.0	5.8	25.1	6.5
	♀	127	20	26	34.4	14.7	7.1	23.4	6.5	-	22.3	6.7
	♀	117	17	24	31.5	13.9	7.2	21.3	5.1	-	20.6	6.3
	♀	129	20	22	34.5	16.1	8.1	25.5	6.7	-	22.4	-
Potchefstroom	♂	146	-	25	34.4	15.1	7.6	22.7	6.3	6.2	22.3	6.5
Johannesburg	♂	130	17	25	35.2	15.3	7.7	24.0	7.0	6.2	23.3	6.1
	♂	117	18	23	32.0	14.7	7.8	21.6	6.2	-	20.5	-

Continued/...

Locality	Sex.	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
	♂	160	22	26	-	-	7.2	-	6.9	-	24.3	6.2
	♂	-	-	-	38.0	17.0	8.7	28.5	7.4	6.2	25.8	6.1
	♀	115	22	22	29.9	14.9	7.1	20.5	5.1	5.0	20.1	-
	+	152	17	28	34.8	16.8	8.1	26.9	6.8	6.0	24.4	5.8
	-	146	19	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	7.8(5)	-	6.7(5)	-	23.2(5)	-
							7.2-8.7		6.2-7.4		20.5-25.8	
							S.D.=0.552		S.D.=0.503		S.D.=2.00	
Randfontein	♂	140	22	25	33.0	15.9	7.7	27.8	5.7	-	21.1	-
	♀	143	22	25	34.8	15.3	7.3	24.4	6.7	5.9	22.8	6.2
Krugersdorp	♂	147	25	27	35.7	15.8	7.2	25.7	6.8	5.8	23.7	6.6
	♂	137	23	25	35.1	15.2	7.6	-	6.6	5.4	23.8	5.6
Uitkomst	o	122	20	23	32.8	14.9	7.3	23.1	6.2	5.2	21.0	5.0
Boksburg	+	124	19	25	34.0	16.0	7.6	23.8	6.4	5.8	22.2	6.2
	+	125	19	25	35.7	16.1	7.9	25.5	6.7	5.9	23.8	5.7
	+	120	19	24	33.8	15.8	7.7	23.8	6.3	5.7	22.3	5.7
	+	124	19	24	36.2	15.8	7.6	25.7	6.9	6.0	24.4	5.8
Bronkhorst-	♂	145	-	25	35.7	15.3	7.7	26.1	7.5	6.0	23.9	6.0
spruit	♂	125	-	23	32.0	14.6	7.5	23.0	6.2	5.5	21.0	5.8
	♂	125	-	23	32.0	14.4	7.3	22.8	6.2	5.4	21.2	5.7
	♂	147	-	24	35.0	15.0	7.7	26.7	7.6	-	23.3	5.9
	+	102	-	21	29.6	13.9	7.2	21.5	5.5	5.6	19.3	6.1
	+	125	-	23	30.7	14.3	7.6	22.1	5.6	5.5	20.5	5.9
	+	120	-	22	30.1	15.2	7.7	-	5.8	5.7	20.3	5.6
Dullstroom	♂	150	15	20	35.8	14.5	6.9	25.8	8.3	4.5	23.0	5.0
Vlakfontein,	♀	140	21	24	36.0	14.7	6.9	26.5	7.6	6.1	23.6	6.4
Carolina	+	130	20	25	35.4	14.2	6.7	24.0	7.1	6.2	22.7	6.2

Continued/...

Locality	Sex.	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
Warmbad, Carolina	♂	135	15	24	34.2	14.7	7.6	24.9	7.4	5.7	22.4	5.7
	♀	125	14	22	32.6	14.5	7.0	22.4	6.5	4.3	21.2	4.4
	+	115	15	20	29.5	13.6	6.1	19.8	5.8	4.9	19.0	5.0
	+	105	16	21	28.6	13.8	6.9	19.6	5.5	-	18.5	-
	+	82	15	19	23.8	13.1	6.8	17.1	5.0	-	15.3	-
Oshoek Wakkerstroom	♂	177	20	25	37.0	15.7	7.7	26.4	8.0	5.4	25.1	5.1
	♂	-	-	-	35.2	14.7	7.7	25.6	7.4	-	22.9	5.5
	♂	155	21	25	36.2	15.8	8.0	26.2	7.6	6.0	24.0	6.2
	♂	165	23	25	37.4	25.0	7.8	26.6	8.2	-	24.4	5.4
	♂	-	-	-	36.5	15.0	8.1	28.3	8.5	5.7	24.7	5.9
	♀	150	19	24	36.2	14.8	7.7	26.4	8.1	6.0	23.9	6.2
	+	120	23	21	-	14.5	7.3	23.0	6.5	5.5	20.6	-
	+	125	18	22	31.6	14.2	6.8	21.9	6.4	5.1	21.3	5.1
	+	125	20	22	30.4	13.7	7.1	22.0	6.3	5.1	20.9	5.7
	+	115	13	21	29.3	13.9	7.1	21.6	5.6	5.3	18.7	5.4
Forbes Reef	♂	140	20	25	33.3(7)	14.0(7)	7.0(7)	23.2(7)	6.7(7)	5.8(7)	22.0(7)	6.0(7)
	♂	135	15	25	32.0-34.6	13.6-14.6	6.8-7.3	21.7-24.8	6.4-7.6	5.5-6.3	21.5-22.8	5.6-6.4
	♂	140	20	24	S.D.=0.886	S.D.=0.389	S.D.=0.177	S.D.=1.128	S.D.=0.470	S.D.=0.298	S.D.=0.49	S.D.=0.298
	♂	135	16	24								
	♂	127	17	23								
Hogsback	♂	140	18	24								
	♂	144	20	25								
	o	130	18	23	34.0	14.9	7.7	23.3	6.3	6.0	22.1	6.3
	+	122	18	23	30.8	15.1	7.6	21.7	5.6	5.5	20.4	6.3
-	104	15	21	28.0	14.4	7.4	19.4	5.6	-	18.5	-	

Continued/...

Locality	Sex.	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
		142	22	25								
		138	31	25								
		145	21	27								
		120	21	23								
		138	25	27								
		135	30	25								
		114	17	22								
		115	21	23								
Pretoria	♂	132	23	26	36.1	16.1	7.7	24.8	7.1	5.9	23.7	6.6
	♀	120	15	20	34.6	15.9	8.2	24.6	6.5	-	23.1	6.5
	♀	143	14	24	33.5	15.6	7.7	23.9	6.9	5.9	21.9	5.7
	♀	130	25	20	35.6	16.2	7.3	25.0	6.7	6.0	23.0	6.3
	♀	160	17	26	37.7	15.9	7.7	25.0	8.2	5.9	24.3	6.3
Irene	♂	-	-	-	38.1	16.6	7.5	27.2	7.7	6.1	26.1	5.7
	♂	134	15	26	35.5	16.7	8.1	25.1	7.1	5.9	23.0	6.3
	♂	-	-	-	35.5	16.4	8.1	25.9	7.0	5.7	23.4	6.2
	♂	-	-	-	34.9	15.9	7.7	26.2	7.4	5.6	23.6	5.7
	♀	-	-	-	35.5	16.4	8.0	26.3	6.8	5.9	23.8	5.5
Knoppieslaagte	♂	120	18	24	36.0	15.6	7.5	24.6	6.6	6.1	23.5	5.7
Garstfontein	♂	142	23	27	36.1	15.5	7.9	25.3	7.3	5.7	24.1	6.1
	♀	130	21	25	34.7	15.3	7.8	26.2	7.3	5.5	24.1	6.2
Koedoespoort	♂	122	21	24	32.8	14.7	7.5	22.8	6.6	5.2	21.4	5.9
	♀	117	25	24	33.2	15.8	7.1	22.8	5.7	5.7	21.8	6.2
	♀	130	25	23.5	33.4	14.7	7.3	22.9	6.2	5.8	21.7	5.7
Mountain view	♂	140	21	28	37.4	15.5	7.8	27.0	7.4	5.8	25.0	-
Blokspruit	♀	127	16	22	31.0	14.3	6.9	22.3	6.4	-	20.6	5.6
Elandsfontein	♂	145	19	23	33.4	13.2	7.2	23.3	6.8	5.9	22.6	5.6
	♀	150	18	25	33.1	13.8	7.1	23.8	6.3	5.8	22.2	5.9

Continued/...

Locality	Sex.	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W	M.W.	U.T.R	L.J.	L.T.R.
Rosslyn	♂	130	25	25	35.3(5)	15.3(5)	7.3(5)	25.8(5)	6.8(5)	-	23.7(5)	-
	♂	142	24	26	32.7-37.5	14.8-15.9	7.1-7.9	22.1-28.6	5.5-7.8	5.5	21.2-25.3	4.9
	♂	146	21	28	S.D.=2.299	S.D.=0.406	S.D.=0.321	S.D.=3.187	S.D.=1.115	5.5	S.D.=1.981	5.6
	♂	130	24	24.5						5.3		5.7
	♂	156	24	27						5.8		5.7
	♂	140	26	25	34.4(12)	15.3(12)	7.3(12)	24.8(11)	6.6(12)	5.5(8)	22.7(12)	5.4(8)
	♀	130	23	24	31.1-37.2	14.2-16.3	6.2-7.9	22.1-28.3	5.7-7.8	5.0-5.9	20.0-25.3	4.9-5.8
	♀	147	25	27	S.D.=1.811	S.D.=0.605	S.D.=0.492	S.D.=1.720	S.D.=0.623	S.D.=0.297	S.D.=1.491	S.D.=0.333
	♀	145	25	27								
	♀	150	20	26								
	♀	145	19	26								
	♀	120	21	24								
	♀	135	17	25								
	♀	145	26	25								
	Skinner's Court	♀	140	25	26							
♀		135	27	25								
♀		152	29	26								
imm.		80	19	16	-	12.2	7.3	14.4	4.6	-	14.1	-
imm.		121	-	23.5	29.9	14.9	7.5	20.4	5.3	-	19.6	-
♂		125	-	23.5	33.6(5)	15.4(5)	7.6(5)	23.6(5)	6.6(5)	-	22.0(5)	6.0
♂		125	25	24	31.0-40.5	14.8-16.4	7.3-8.4	20.5-29.3	5.9-8.2	5.9	19.2-28.0	6.4
♂		117	25	23	S.D.=4.055	S.D.=0.756	S.D.=0.432	S.D.=3.692	S.D.=1.018	-	S.D.=3.529	-
♂		130	20	26						5.9		6.1
♂		160	20	32						7.0		7.1
♀	145	19	25	33.6(7)	15.6(7)	7.2(7)	24.5(6)	6.4(7)	-	22.2(7)	6.2(7)	
♀	140	21	26.5	30.8-35.1	15.0-16.7	7.0-7.6	22.3-26.0	5.9-6.8	-	20.0-23.6	5.8-6.6	
♀	135	17	24	S.D.=1.506	S.D.=0.547	S.D.=0.214	S.D.=1.656	S.D.=0.364	5.5	S.D.=1.413	S.D.=0.293	

Continued/...

Locality	Sex.	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
	+	105	19	22						-		
	+	145	15	26						6.2		
	+	135	20	23						6.1		
	+	125	25	25						-		
	+	110	21	22	28.6	14.3	7.1	19.3	5.5	-	18.2	-
	-	-	-	-	32.2	15.3	7.2	23.8	5.9	5.6	21.2	6.1
	-	-	-	-	28.7	14.5	6.9	-	5.4	5.4	18.5	5.8
Rietondale	♂	111	15	20	33.4(5)	15.1(5)	7.4(5)	23.1(5)	6.3(5)	5.2	22.1(5)	5.9(5)
	♂	130	20	25	30.2-37.5	14.6-15.5	6.9-7.8	21.3-25.2	5.6-7.1	5.2	19.6-25.3	5.7-6.2
	♂	117	19	-	S.D.=2.660	S.D.=0.363	S.D.=0.339	S.D.=1.636	S.D.=0.608	-	S.D.=2.082	S.D.=0.207
	♂	145	20	27						6.0		
	♂	140	20	26						5.6		
	♂	110	20	22	29.6	13.7	7.1	-	5.1	-	18.5	-
	+	120	22	24	33.2(8)	14.9(7)	7.2(8)	23.3(6)	6.1(8)	5.5(8)	21.8(8)	5.9(8)
	+	132	18	25	31.9-35.0	14.2-16.3	6.8-7.7	21.9-25.9	5.8-6.8	5.0-6.2	20.7-24.3	5.3-6.3
	+	111	15	20	S.D.=1.224	S.D.=0.690	S.D.=0.315	S.D.=1.546	S.D.=0.338	S.D.=0.403	S.D.=1.256	S.D.=0.352
	+	125	26	24								
	+	136	21	20								
	+	111	15	22								
	+	130	20	25								
	+	115	17	23								
Pretoria-Town lands	♂	142	-	26	35.3	15.1	7.0	23.9	7.0	5.3	22.9	5.7
Kilmerton	♂	145	25	25	36.1	15.1	7.2	25.7	7.4	-	24.5	6.3
	+	140	-	24	33.1	15.4	7.3	23.1	6.0	5.7	22.4	5.3
Power Station	imm.	113	15.5	24.5	31.0	15.0	7.2	21.1	5.8	-	19.8	-
Rooedeplaat	-	143	17	23	35.6	15.5	7.4	27.8	7.3	5.5	24.5	5.0

Continued/...

Locality	Sex.	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
Rooikrans/Rustenburg	♂	124	14	24	29.0	12.9	6.0	20.2	5.3	5.2	18.0	5.1
	♂	-	-	-	34.0	14.2	7.3	26.0	6.8	5.7	23.1	5.9
	-	138	19	27	35.2	14.7	7.6	24.9	7.0	6.0	23.5	5.9
	-	131	20	26	34.5	14.5	7.6	25.1	7.2	5.8	23.3	5.7
Fairfield	♂ imm.	125	16	21	26.5	12.5	6.6	17.5	4.9	-	17.4	-
	♀ imm.	131	17	22	29.4	13.4	6.8	19.4	5.5	4.6	18.9	5.1
Welgegend	♀	-	-	-	35.1	16.2	7.7	27.3	-	-	-	-
Wilgekuil	♀	154	12	26	33.1(5)	13.5(5)	7.0(5)	22.9(5)	6.3(5)	5.5	22.1(5)	5.8
	♂	138	18	25	31.6-35.4	12.9-14.1	6.7-7.4	21.9-24.9	5.8-7.0	-	21.0-24.5	-
	♂	140	18	25	S.D.=1.588	S.D.=0.466	S.D.=0.261	S.D.=1.494	S.D.=0.607	5.4	S.D.=1.531	5.6
	♂	160	18	27						5.2		5.4
	♂	133	15	25						5.3		5.3
	♂	130	15	25	31.2	13.6	7.0	21.7	5.7	4.5	21.6	4.8
Mooivlei	♀ imm.	111	14	22	28.8	13.1	6.7	19.8	5.2	4.7	19.4	4.6
	♂ imm.	118	15	21	27.7	12.7	6.5	18.5	5.2	5.1	17.9	5.2
	♀ imm.	117	16	23	26.9	13.4	6.6	-	5.0	-	18.9	-
	♀ imm.	119	17	24	28.2	12.7	6.2	18.7	4.9	5.2	18.3	5.3
Bleskop	♀	140	17	23	32.6	14.3	7.3	23.4	6.1	5.8	21.2	6.5
	♀	135	20	25	33.0	13.6	7.0	23.4	6.3	5.9	21.2	6.2
Geelhoutkop	♀	134	22	24	34.6	14.0	6.8	-	6.9	5.9	22.6	6.4
	♀	143	22	26	37.1	15.4	7.6	26.4	7.2	5.9	24.2	6.4
	♀	145	27	26	37.3	15.4	6.9	25.9	7.5	5.5	23.9	5.9
	-	134	21	26	34.7	14.4	7.1	24.1	6.8	5.5	23.2	5.7
	-	140	22	26	34.5	14.8	7.4	23.9	6.8	5.6	22.8	6.4
Rietspruit/ Nylstroom	♀ imm.	95	15	18	24.5	12.4	6.6	15.7	4.5	-	15.5	-

Continued/...

Locality	Sex.	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
Nylstroom	♂	118	22	23	36.8(7)	15.0(7)	17.8(8)	25.8(7)	7.1(8)	5.4(8)	24.4(8)	5.4(8)
	♂	150	20	24	34.6-39.1	13.9-15.9	7.2-8.3	23.6-27.7	6.4-7.6	4.5-5.7	22.9-26.8	4.9-5.8
	♂	145	18	25	S.D.=1.469	S.D.=0.702	S.D.=0.399	S.D.=1.416	S.D.=0.403	S.D.=0.374	S.D.=1.100	S.D.=0.327
	♂	138	14	24								
	♂	142	18	25								
	♂	142	18	25								
	♂	155	19	25								
	♂	145	18	25								
	♂	143	17	24	33.9(10)	14.5(10)	7.6(10)	23.6(9)	6.1(10)	5.5(9)	22.4(10)	5.5(10)
	♂	130	16	23	31.7-36.2	14.3-15.1	7.0-8.2	22.1-26.8	5.7-6.7	5.3-5.9	21.0-24.5	5.0-6.1
	♂	145	20	24	S.D.=1.523	S.D.=0.305	S.D.=0.307	S.D.=1.432	S.D.=0.368	S.D.=0.171	S.D.=1.129	S.D.=0.389
	♂	125	16	24								
	♂	131	19	24								
	♂	144	20	25								
	♂	147	15	25								
	♂	120	17	25								
	♂	121	17	25								
♂	132	18	25									
♂	Imm.	96	15	19	25.3	11.7	5.8	16.3	4.8	4.2	16.3	4.4
♂		141	16	25	37.6	15.5	7.3	27.1	7.5	5.3	25.7	5.2
♂		142	16	25	33.0	14.7	7.0	23.4	6.1	5.6	22.3	6.3
♂	Imm.	112	13	19	24.0	12.4	6.3	16.1	4.3	-	15.7	-
Ubombo	♂	120	26	20	30.1	13.2	6.9	20.4	6.2	5.2	18.6	5.8
Karkloof	♂	-	-	-	34.5	14.7	6.8	-	7.0	5.3	23.6	5.5
	♂	149	16	25	31.8	14.0	7.5	21.9	6.7	-	21.0	-
Hilton Road	♂	115	20	27	30.9	14.6	7.4	22.3	6.3	5.8	20.4	-

Continued/...

Locality	Sex.	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
Durban	o	146	20	23	-	-	-	21.2	6.0	-	-	-
Empangeni	o	145	-	-	31.9	13.4	6.6	23.5	6.0	5.5	21.0	5.4
	+	135	20	-	31.5	13.9	7.3	24.0	7.6	5.7	21.3	5.7
	+	130	20	-	30.6	14.2	7.4	22.3	6.4	5.4	19.7	5.5
Mseleni	+	125	16	-	28.3	13.4	7.4	20.1	6.0	-	18.3	-
	+	150	12	26	-	-	-	-	-	-	-	-
	o	138	14	24	-	-	-	-	-	-	-	-
Maputa	+	174	20	28	39.0	14.9	6.8	28.6	8.5	7.1	26.3	7.1
	+	145	24	25	34.0	14.8	7.5	23.6	7.1	5.7	22.4	5.3
	imm.	120	18	22	28.1	13.2	7.3	18.3	5.6	-	17.9	-
Munguzi	+	134	19	23	33.3	14.4	7.2	23.4	7.1	-	22.1	5.6
Ingwavuma	+	140	15	20	32.4	13.6	7.3	-	6.6	5.3	21.3	5.6
	+	140	15	20	27.7	12.5	6.6	-	5.9	-	18.4	-
	+	111	10	15	-	13.6	-	-	5.3	-	17.0	-
Port St. Johns	+	120	10	15	32.5	-	7.8	-	6.8	-	21.1	5.7
	+	137	14	21	34.3	-	7.7	24.3	7.1	5.1	22.4	5.2
	+	146	19	25	33.7	14.4	7.6	24.3	7.4	5.4	23.0	5.7
	+	133	19	22	-	-	-	-	-	-	-	-
	+	-	-	-	-	-	-	-	7.2	-	-	-
<u>Measurements of Cryptomys komatiensis</u>												
Krantzview	o	125	13	22	32.2	13.7	7.1	23.2	6.5	5.3	21.2	5.3
Arnhemburg	+	120	14	21	30.7	14.2	7.4	21.2	6.5	5.4	20.2	5.5
	o	130	18	23	33.4	14.4	7.3	24.0	6.9	5.6	22.0	5.9

Continued/...

Locality	Sex.	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.	
Marieskop	♂♂	137	-	22	31.7(7)	14.0(7)	7.1(7)	22.4(7)	6.6(7)	5.0(7)	20.7(7)	5.1(7)	
		122	-	20	29.0-34.6	13.4-14.8	6.8-7.4	20.1-24.3	5.9-7.2	4.6-5.6	18.7-22.3	4.8-5.4	
		127	-	20	S.D.=2.037	S.D.=0.450	S.D.=0.247	S.D.=1.513	S.D.=0.577	S.D.=0.336	S.D.=1.498	S.D.=0.203	
		120	-	22									
		115	13	19									
		127	-	20									
		117	-	19									
		117	-	20			6.6	-	5.8	5.3	18.8	5.9	
		♂	117	-	18	28.2	13.2	7.0	20.1	5.9	4.5	18.6	4.7
		♂	115	-	15	26.5	12.9	6.7	18.1	5.3	4.8	17.6	4.9
	♂♂ ††	♂	102	-	20	30.5(7)	13.5(7)	6.6(7)	21.2(7)	5.8(7)	4.9(7)	19.5(7)	4.9(7)
		117	-	20	29.7-31.1	12.8-14.3	6.1-7.3	20.3-22.0	5.5-6.1	4.8-5.3	18.7-20.3	4.6-5.4	
		123	-	19	S.D.=0.571	S.D.=0.582	S.D.=0.389	S.D.=0.577	S.D.=0.308	S.D.=0.211	S.D.=0.515	S.D.=0.251	
		120	-	18									
		122	-	20									
		117	-	20									
		122	-	20									
		127	-	18		28.6	12.8	6.2	19.2	5.5	4.9	18.5	4.8
		117	-	17		27.2	13.4	6.7	18.7	5.1	-	17.3	-
		112	-	18		29.6	14.3	7.2	20.7	6.1	5.2	18.6	5.4
120	-	18		28.4	12.9	6.7	20.6	5.8	5.2	18.2	5.2		
107	-	18		28.1	13.1	7.1	20.4	5.9	5.1	18.6	5.0		
129	17	22		-	-	-	21.5	6.4	-	-	-		
122	-	18		27.9	13.2	6.7	19.0	5.5	-	17.9	-		
109	-	17		27.8	13.6	6.6	18.9	5.2	4.7	17.6	-		
Makoetsi River	1 imm.	105	15	19	27.1	13.6	6.7	19.2	5.5	-	17.6	-	

Continued/...

Locality	Sex.	H.B.	T.	H.F.	C.B.	B.C.	I.W.	Z.W.	M.W.	U.T.R.	L.J.	L.T.R.
Dzueni	o	138	16	22	33.1	14.3	6.7	23.5	6.2	5.7	22.1	5.8
Faai Plots	o	117	17	18	28.1	13.4	6.6	19.3	6.0	5.1	18.0	5.3
	o	103	15	21	30.7	14.0	6.9	20.6	6.1	5.3	20.2	5.6
	o	113	12	19	29.2	13.8	6.6	21.3	6.3	-	20.5	5.3
	+	112	18	20	-	13.0	6.7	-	5.1	-	18.0	-
Faai-Stungwane	o	128	19	24	35.0	12.9	6.7	23.8	7.4	5.5	22.1	5.7
	o	116	21	20	30.8	13.4	6.9	20.7	6.1	-	20.3	5.6
	o	128	19	21	32.1	13.8	6.7	22.8	7.1	5.8	21.2	5.5
Woodbush	o	130	16	22	33.6	14.7	7.1	23.9	7.0	5.9	22.2	6.8
	o	115	20	21	29.7	14.3	7.4	21.4	5.9	6.0	19.4	-
	o imm.	108	114	19	-	-	-	-	5.8	-	17.7	-
	o	120	19	20	30.0	13.4	6.6	21.0	6.1	6.0	19.1	6.2
	o	135	-	22	30.9	14.3	7.0	22.3	6.6	6.0	19.3	5.3
	o imm.	105	17	19	26.8	13.0	6.4	18.9	5.1	-	17.1	-
Sterkloop	o	115	17	20	30.4	13.3	6.7	20.5	6.1	4.7	19.3	4.8
	o	120	23	19	-	-	7.0	-	6.7	4.6	19.8	4.6
Tzaneen Estate	o	125	15	20	30.9	14.1	7.3	22.6	6.5	5.2	20.3	5.3
	o imm.	65	7	13	-	-	-	-	-	-	-	-
	o	110	17	19	-	-	-	-	5.1	4.7	17.8	4.9
	o	108	12	18	-	-	-	-	4.6	-	14.8	-
	+	95	13	12	-	-	-	-	4.1	-	-	-