

Verwysings

- ALL, T. & STOBBS, T. H., 1980. Solubility of the protein of tropical pasture species and the rate of digestion in the rumen. *Animal Feed Science & Technology* 5, 183-192.
- AKIN, D. E., 1982. Microbial breakdown of feed in the digestive tract. In: Nutritional limits to Animal Production from Pastures. Ed. Hacker, J.B., C. A. B. Farnham Royal.
- ASSOCIATION OF ANALYTICAL CHEMISTS, Inc, 1995. Official methods of analysis. (16th ed.). Arlington, Virginia, U.S.A.
- BLASER, R. E., 1964. Effects of fertilizer levels and stage of maturity on forage nutritive value. *Journal of Animal Science* 23, 246-251.
- BOGDAN, A. V., 1977. Tropical pasture and fodder plants. Longman, London.
- BOONMAN, J. G., 1993. East Africa's grasses and Fodders: Their ecology and husbandry. Kluwer Academic Publishers, Dordrecht.
- BOOYENS, F. C., 1993. Weiding- en bemarkingstrategieë vir ekonomiese afronding van jong beeste op *Cenchrus ciliaris*. M. Sc.-verhandeling, Universiteit van Pretoria, South Africa.
- BOSHOFF, W. H., 1998. Evaluation of Bloubuffelsgrass selections. M. Sc. thesis, University of Pretoria, South Africa.
- BRANSBY, D. I. & TAINTON, N. M., 1977. The disc pasture meter: Possible applications in grazing management. *Procedures of the Grassland Society of South Africa* 12: 115-118.
- BROCKETT, G. M., 1983. Pasture foggage as winter feed. *Arena* 6 (2): 15-17.
- CAVAYE, J. M., 1991. The buffel book: a guide to buffelgrass pasture development in Queensland. Queensland Department of Primary Industries. Brisbane.
- CAVAYE, J. M., 1988. Bloubuffelsgrass basics. *Queensland Agricultural Journal*. March-April, 69-72.
- CILLIERS, J. W. & VAN DER MERWE, H. J., 1993. Relationships between chemical components of veld herbage and *in vitro* digestibility and estimated intakes of dry matter and ingestible dry matter by sheep and cattle. *Animal Feed Science & Technology* 43: 151-163.
- CORBETT, J. L.; LYNCH, J. J. & NICOL, G. R., 1976. A versatile peristaltic pump designed for grazing lambs. *Laboratory Practice* 25: 458-462.

DANNHAUSER, C. S., 1988. 'n Oorsig oor staandehooi in die sentrale grasveld met spesiale verwysing na *Digitaria Eriantha*. *Tydskrif van die Weidingsvereniging van Suid Afrika* 5 (4): 193-196.

DE VILLIERS, J. F.; DUGMORE, T. J.; BOTHA, W. A. & WANDRAG, J. J., 2002. The value of kikuyu foggage for overwintering dry ewes. *South African Journal of Animal Science* 32 (1): 7-13.

DICKINSON, E. B.; HYAM, G. F. S.; METCALF, H. D.; RUDERT, C. P. & WILLIAMS, F. R., 1984. *The Pasture Handbook*. Raytone Printers. South Africa.

ENGELS, E. A. N., 1972. A study of the nutritive value of natural and sown pastures in the central Orange Free State with special reference to the energy requirements of sheep. Ph. D. thesis, University of Stellenbosch.

ENGELS, E. A. N.; DE WAAL, H. O.; BIEL, L. C. & MALAN, A., 1981. Practical implications of the effect of drying and treatment on nitrogen content and *in vitro* digestibility of samples collected by oesophageal fistulated animals. *South African Journal of Animal Science* 11: 247-254.

FAICHNEY, G. J., 1975. The use of markers to partition digestion within the gastrointestinal tract of ruminants. In: *Procedures of the 4th International Symposium in Ruminant Physiology*. Eds. McDonald, I. W. & Warner, A. C. T., University of New England Publ. Unit, Armidale, N.S.W., Australia. pp. 277-291.

FORD, C. W., MORRISON, I. M. & WILSON, J. R., 1979. Temperature effects on lignin, hemicellulose and cellulose in tropical and temperate grasses. *Australian Journal of Agricultural Research* 30: 621-633.

FUNK, M. A.; GALYEAN, M. L. & BRANINE, M. E., 1987. Steers grazing Blue Gramma rangeland throughout the growing season. II. Site and extent of digestion and microbial protein synthesis. *Journal of Animal Science* 65: 1354-1361.

GONZÁLEZ RONQUILLO, M.; FONDEVIL, A. M.; BARRIOS URDANETA, A. & NEWMAN, Y., 1998. *In vitro* gas production from buffel grass (*Cenchrus ciliaris* L.) fermentation in relation to the cutting interval, the level of nitrogen fertilisation and season of growth. *Animal Feed Science & Technology* 72: 19-32.

HACKER, J. B. & MINSON, D. J., 1972. Variety differences in *in vitro* dry matter digestibility in *Setaria* and the effects of site, age and season. *Australian Journal of Agricultural Research* 23: 959-967.

HANSELKA, C. W., 1988. Bloubuffelsgrass: South Texas wonder grass. *Rangelands* 10 (6): 279-281.

- HARKIN, J. M., 1973. Lignin. In: Chemistry and Biochemistry of Herbage. Butler and Baily. Academic Press. London and New York.
- HART, F. J. & LEIBHOLZ, J., 1990. The effect of species of grass, stage of maturity and level of intake on the degradability of protein and organic matter in the rumen of steers. *Australian Journal of Agricultural Research* 41: 791-798.
- HATFIELD, R. D.; JUNG, H. J.; RALPH, J.; BUXTON, D. R. & WEIMER, P. J., 1994. A comparison of the insoluble residues produced by the klason lignin and acid detergent lignin procedures. *Journal of Science and Food Agriculture* 65: 51-58.
- HEITSCHMIDT, R. K.; CONNER, J. R.; CANON, S. K.; PINCHAK, W. E.; WALKER, J. W. & DOWHOWER, S. L., 1990. Cow/calf production and economic returns from yearlong continuous deferred rotation and rotational grazing treatments. *Journal of Science and Food Agriculture* 65: 51-58.
- HODGSON, J., 1982. Influence of sward characteristics on diet selection and herbage intake by the grazing animal. In: Nutritional Limits to Animal Production from Pastures. Ed. Hacker, J.B. C.A.B. Farnham Royal.
- HYAM, G. F. S. & PENDERIS, A. H., 1977. Grassland Fertilization and Animal Production Project. A report of the Fertilizer Society of South Africa.
- ICAR. 1985. Nutrient requirement of livestock and poultry. New Delhi, India.
- JONES, D. I. S. & WILSON, A.D., 1987. Nutritive quality of forage. Ch. 4. In: The nutrition of Herbivores. Eds. Hacker, J.B. & Ternouth, J.H. Academic Press, Australia.
- KABUNGA, J. D. & DARKO, C. A., 1993. *In sacco* degradation of dry matter and nitrogen in oven dried and fresh tropical grasses and some relationships to *in vitro* dry matter digestibility. *Animal Feed Science & Technology*. 40, 191-205.
- KAWAS, J. R., JORGENSEN, N. A. & LU, C. D., 1990. Influence of alfalfa maturity on feed intake and site of nutrient digestion in sheep. *Journal of Animal Science* 68: 4376.
- LANGLANDS, J. P., 1975. Techniques for estimating nutrient intake and its utilization by the grazing ruminant. In: Digestion and Metabolism in the Ruminant. Eds. McDonald, I. W. & Warner, A. C. I. University of New England Publishing Unit: Armidale.
- LAREDO, M. A. & MINSON, D. J., 1973. The voluntary intake, digestibility, and retention time of the leaf and stem fractions of five grasses. *Australian Journal of Agricultural Research* 24: 875-888.
- LENG, R. A., 1984. Supplementation of tropical and subtropical pastures for ruminant production. Ch. 6. Herbivore Nutrition in the Subtropics and Tropics. Eds. Gilchrist, F.M.C. and Mackie, R.I. The Science Press. Craighall.

- McDONALD, P.; EDWARDS, R.A. & GREENHALGH, J. F. D., 1995. Animal Nutrition. 5 th. Ed. Longman Scientific and Technical, New York. pp. 165-169.
- MACVIVAR, C. N.; DE VILLIERS, J. M.; LOXTON, R. F.; VERSTER, E.; LAMPBRECHTS, J. J. N.; MERRYWEATHER, F. R.; LE ROUX, J.; VAN ROOYEN, T. H. & VON HARMSE, H. J., 1977. Soil classification: A binomial system for South Africa. *Department of Agricultural Services Scientific Bulletin*. p. 390.
- MEISSNER, H. H. & PAULSMEIER, D. V., 1988. The utilization by sheep of winter and spring Smutsvinger and Kikuyu pastures. *Journal of the Grassland. Society of Southern Africa* 5, 3: 115-121.
- MEISSNER, H. H. & PAULSMEIER, D. V., 1995. Plant compositional constituents affecting between -plant and animal species prediction of forage intake. *Journal of Animal Science* 73: 2447-2457.
- MERO, R. N. & UDÉN, P., 1998. Promising tropical grasses and legumes as feed resources in Central Tanzania III: Effect of feeding level on digestibility an voluntary intake of four grasses by sheep. *Animal Feed Science & Technology* 70: 79-95.
- MINSON, D. J., 1971. Influence of lignin and silicon on a summative system for assessing the organic matter digestibility of *Panicum*. *Austrlian Journal of Agricultural Research* 22: 589.
- MINSON, D. J., 1972. The digestibility and voluntary intake by sheep of six tropical grasses. *Australian Journal of Experimental Agricultural Animal Husbandry* 12: 21-27.
- MINSON, D. J., 1982. Effects of Chemical and Physical composition of Herbage eaten upon intake. In: Nutritional Limits to Animal Production from Pastures. Ed Hacker, J.B. C.A.B. Farnham Royal.
- MINSON, D. J., 1990. Forage in ruminant nutrition. Academic Press California.
- MINSON, D. J. & BRAY, R. A., 1985. *In vivo* digestibility and voluntary intake by sheep of five lines of *Cenchrus ciliaris* selected on the basis of *in vitro* digestibility. *Australian Journal of Experimental Agriculture* 25: 306-310.
- MINSON, D. J. & BRAY, R. A., 1986. Voluntary intake and *in vivo* digestibility by sheep of five lines of *Cenchrus ciliaris* selected on the basis of preference rating. *Grass and Forage Science* 41: 47-52.
- MINSON, D. J. & McLEOD, M. N., 1970. The digestibility of temperate and tropical grasses. *Procedures of the XI International Grassland Congress*, 719-722.

MORGAN, P. J. K., PIENAAR, J. P. & CLARK, R. A., 1976. Animal based methods of determining herbage intake and quality under grazing conditions. *Procedures of the Grassland Society of Southern Africa* 11: 73.

MUIR, J. P. & ABRAO, L., 1999. Agronomic evaluation of 10 cultivated grasses in semi-arid Mozambique. *Tropical Grasslands* 33: 34-39.

MÜLLER, M. A. N., 1983. Grasse van Suidwes-Afrika/Namibië. Direktoraat Landbou en Bosbou, Departement Landbou en Natuurbewaring, Suidwes-Afrika/Namibië. Windhoek.

NORTON, B. W., 1982. Differences between species in forage quality. In: Nutritional Limits to Animal Production from Pastures. Ed. Hacker, J.B. C.A.B. Farnham Royal.

NRC, 1985. Nutrient requirements of sheep, 6 th. revised edition. National Academy Press. Washington D. C. pp. 2-19.

O'REAGAIN, P. J., 1990. The relationship between sward structure, ingestive behaviour and dietary quality in cattle and sheep grazing a *Chloris gayana* pasture. *Journal of the Grassland Society of Southern Africa* 7: 133-138.

O'REAGAIN, P. J. & OWEN-SMITH, R. N., 1996. Effect of species composition and sward structure on the ingestive behaviour of cattle and sheep grazing South African Sourveld. *Journal of Agricultural Science, Cambridge*. 127: 261-270.

PAULL, C. J., 1978. Bloubuffelsgrass in Queensland. *Queensland Agricultural Journal*. 104 (1): 57-75.

PAULSMEYER

PENDERIS, A. H.; HYAM, G.F.S.; COETZEE, J. J. & BESTER, P., 1977. The development of a production system for beef animals on a *Cenchrus ciliaris* pasture. *Part II Proceedings of the Grassland Society of Southern Africa* 12: 95-98.

POPPI, D. P.; MINSON, D. J. & TERNOUTH, J. H., 1981. Studies of cattle and sheep eating leaf and stem fractions of grasses. I. The voluntary intake, digestibility and retention time in the reticulo-rumen. *Australian Journal of Agricultural Research* 32: 99.

RAMIREZ, R. G.; ALONSO, D. S.; HERNANDEZ, G. & RAMIREZ, B., 1995(b). Nutrient intake of range sheep on a buffelgrass (*Cenchrus ciliaris*) pasture. *Small Ruminant Research* 17: 123-128.

RAMIREZ, A. H.; HUERTA, J.; KAWAS, J. R.; ALONSO, D. S.; MIRELES, E. & GOMEZ, M. V., 1995(a). Performance of lambs grazing in a buffelgrass (*Cenchrus ciliaris*) pasture and estimation of their maintenance and energy requirements for growth. *Small Ruminant Research* 17: 117-121.

- REEVES, J. B., 1987. Lignin and fiber composition changes in forages over a growing season and their effects on *in vitro* digestibility. *Journal of Dairy Science* 70: 1583.
- RELLING, E. A., 1998. The nutritional value of *Panicum maximum* cv. Gatton for sheep. M. Sc. (Agric) thesis. University of Pretoria, Pretoria.
- RELLING, E. A.; VAN NIEKERK, W. A.; COERTZE, R. J. & RETHMAN, N. F. G., 2001(a). An evaluation of *Panicum maximum* cv. Gatton: 2. The influence of stage of maturity on diet selection, intake and rumen fermentation in sheep. *South African Journal of Animal Science* 31: 85-92.
- RELLING, E. A.; VAN NIEKERK, W. A.; COERTZE, R. J. & RETHMAN, N. F. G., 2001(b). An evaluation of *Panicum maximum* cv. Gatton: 3. The partial digestion by sheep of organic matter, nitrogen, and neutral detergent fibre of herbage at three stages of maturity during summer, autumn or winter. *South African Journal of Animal Science* 31: 93-99.
- RETHMAN, N. F. G., 1984. Planted pastures for foggage. *Meat Board Focus*. (Jan/Feb): 33-344.
- RETHMAN, N. F. G. & DE WITT, C. C., 1991. The value of subtropical grass pastures for use as foggage on the eastern Transvaal Highveld. *Journal of the Grassland Society of Southern Africa* 8 (1): 19-21.
- RETHMAN, N. F. G. & GOUS, C. I., 1973. Foggage value of Kikuyu. *Proceedings of the Grassland Society of Southern Africa* 8: 101-105.
- ROA, A. S.; SINGH, K. C. & WIGHT, J. R., 1996. Production of *Cenchrus ciliaris* in relation to rainfall and fertilization. *Journal of Range Management* 49 (2): 143-146.
- SANKYAN, S. K.; SHINDE, A. K.; BHATTA, R. & KARIM, S. A., 1999. Comparison of diet and faecal collection methods for assesment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture. *Animal Feed Science & Technology* 82: 261-269.
- SANTANA, R. R. & McDOWELL, L. R., 1994. Effect of four fertilization levels on *in vitro* organic matter digestibility, crude protein and mineral concentrations of buffelgrass hay in Southern Puerto Rico. *Communications of Soil Science and Plant Analyses* 25 (3 & 4)
- SAS, 1985. SAS Institute Inc. Raleigh, North Carolina.
- SATTER, L. P. & ROFFLER, R. E., 1977. Influence of nitrogen and carbohydrate inputs on rumen fermentation . Ch. 3. In: *Recent Advances in Animal Nutrition*. Eds Haresign and Lewis. Butterworths, London.

SHINDE, A. K.; SANKHYAN, S. K.; KARIM, S. A.; SINGH, N.P. & PATNAYAK, B. C., 1996. Nutrient Intake, its Utilization, and Performance of Sheep and Goats on Semi Arid *Cenchrus ciliaris* Pasture. *World Review of Animal Production*. 31 (1-2), 35-40.

t'MANNETJE, L., 1984. Nutritive value of tropical and subtropical pastures, with special reference to protein and energy deficiency in relation to animal production. Ch. 2. In: Herbivore Nutrition in the Subtropics and Tropics. Eds Gilchrist, F.M.C. and Mackie, R.I. The Science Press, South Africa.

t'MANNETJE, L. & JONES, R. M., 1992. Plant resources of South East Asia No. 4, Forages. Pudoc Scientific Publishers, Wageningen.

TAINTON, N. M., 1988. Veld and pasture management in South Africa. 2nd ed. Shuter and Shooter, Pietermaritzburg.

TAUTE, A., 2000. The influence of nitrogen fertilization, physiological stage and season on qualitative and quantitative characteristics of *Panicum maximum* (cv. Gatton) for sheep. M. Sc. Agric thesis. University of Pretoria, Pretoria.

TILLEY, J. M. A. & TERRY, R. A., 1963. A two stage technique for the *in vitro* digestion of forages. *Journal of the British Grassland Society* 18: 104.

VAN NIEKERK, W. A., 1997. Inname en parsieële verteerbaarheid van 'n aantal weidingsgewasse deur skape en die gebruik van enkele kwaliteitsparameters om inname te voorspel. Ph. D. tesis, Universiteit van Pretoria, Pretoria.

VAN NIEKERK, W. A., TAUTE, A. & COERTZE, R. J., 2002. An evaluation of nitrogen fertilised *Panicum maximum* cv. Gatton at different stages of maturity during autumn: 2. Diet selection, intake, rumen fermentation and partial digestion by sheep. *South African Journal of Animal Science* 32: 217-224.

VAN SCHALKWYK, A. P. & GERTENBACH, W. P., 2000. The effect of closing date on the performance of beef weaners grazing foggaged *Digitaria eriantha* and *Acroceras macrum*. *South African Journal of Animal Science* 30: 82-86.

VAN SOEST, P. J., 1963. Use of detergents in the analysis of fibrous feeds. II. A rapid method for the determination of fiber and lignin. *Journal of the Association of Official Agricultural Chemistry* 46: 829.

VAN SOEST, P. J., 1994. Ch. 6, 14 and 21. In: Nutritional ecology of the ruminant. Comstock Publishing Associates, Cornell University Press. Ithaca and London.

VAN SOEST, P. J. & WINE, R. H., 1967. Use of detergents in the analysis of fibrous feeds. IV. Determination of plant cell-wall constituents. *Journal of the Association of Official Analytical Chemistry*. 50: 50-55.

VAN VUUREN, B. G. J., CILLIERS, J. W., JAARSMA, J. J. & VAN DER MERWE, H. J., 1997. The wintering of young ewes on *Digitaria eriantha* Steud. Pasture in the North West Province. *South African Journal of Animal Science* 27:, 41-46.

WESTON, R. H., 1985. The regulation of feed intake in herbage-fed ruminants. *Procedures of the Nutrition Society of Australia* 10: 55.

WILSON, J. R. & t'MANNETJE, L., 1978. Senescence, digestibility and carbohydrate content of Buffelgrass and Green Panic leaves. *Australian Journal of Agricultural Research* 29: 503-516.

WILSON, J. R., ANDERSON, K. L. & HACKER, J. B., 1989. Dry matter digestibility *in vitro* of Leaf and Stem of Buffel Grass (*Cenchrus ciliaris*) and related species and its relation to plant morphology and anatomy. *Australian Journal of Agricultural Research* 40: 281-291.