

## REFERENCES

- Agrawal, P.K., (1989). Studies in organic chemistry 39. Carbon-13 NMR of Flavonoids. Elsevier, Amsterdam.
- Alexander, D.M., Bhana, N., Bhika, K.H. and Rogers, C.B. (1992). *South African Journal of Science* 88, 342-344.
- Alkinside, K.A. and Olukoya, D.K., (1995). Vibriocidal activities of some local herbs. *Journal of Diarrhoeal Disease Research* 13(2) 127-129.
- Anon 1939 . Alexander Fleming resistance to bacteria
- Berkowitz. F.E., (1995). Antibiotic resistance in bacteria. *Southern Medical Journal* 88, 797-804.
- Begue, W.J. and Kline, R.M., (1972). The use of tetrazolium salts in bioautographic procedures. *Journal of Chromatography* 64, 182-184.
- Breytenbach, J.C and Malan, S.F. (1989). Pharmacochemical properties of *Combretum zeyheri*. *South African Journal of Science* 85, 372-374.

Burpadaja, S. and Bunchoo, A. (1995) Antimicrobial activity of tannins from *Terminalia citrina*. *Planta Medica* 61(4), 365-366.

263-270.

Carr, J.D. and Rogers, C.B., (1986). Chemosystematic studies of the genus *Combretum* (Combretaceae), I. A convenient method of identifying species of this genus by a comparison of the polar constituents extracted from leaf material. *South African Journal of Botany* 53, 173-176.

(Lupinaceae). *South African Journal of Botany* 54, 209-212.

[Http://www.bact.wisc.edu/Bact330/lecturebactres](http://www.bact.wisc.edu/Bact330/lecturebactres)

Eloff, J.N. (1980). Which extractant should be used for the screening and isolation of

Carr, J.D. (1988). *Combretaceae in Southern Africa*. Tree Society of Southern Africa, Johannesburg. pp. 182-222.

Eloff, J.N. (1986c). A sensitive and quick microplate method to determine the minimal

Chauhan S., Parkash S. and Kauschik R. (1997) Isolation of 3 beta-hydroxyolean-12 ene and related triterpenoids from the leaves of *Terminalia arjuna*. *Indian Journal of Chemistry B* 36, 3, 297 - 298

Research and Gene Banking. Monographs, in Reproductive Biology from the Missouri

Cordell, G.A., (1993) Pharmacognosy – New roots for old science. In: Atta-ur-Rhman (Ed), *Studies in Natural Products Chemistry*. Elsevier, Amsterdam, 13. Pp 629 – 675.

Press, St. Louis, USA. pp. 309-322

Cowan, M.M. (1999). Plant Products as Antimicrobial agents. *Clinical Microbiology Reviews*. 12(4), 564–582.

Combretaceae. *South African Journal of Botany* 59, 149-152.

Djerassi, C., Budzekiewicz, H. and Wilson, J.M. (1963). Mass spectrometry in structural and stereochemical problems: unsaturated pentacyclic terpenes. *Tetrahedron Letters* 7, 263-270.

Edwards, D. (1980). *Antimicrobial Drug Action*. MacMillan Press Ltd, London.

Eloff, J. N. (1998a). The presence of antibacterial compounds in *Anthocleista grandiflora* (Loganiaceae). *South African Journal of Botany* 64, 209-212.

Eloff, J.N (1998b). Which extractant should be used for the screening and isolation of antimicrobial components from plants? *Journal of Ethnopharmacology* 60, 1-8.

Eloff, J.N. (1998c). A sensitive and quick microplate method to determine the minimal inhibitory concentration of plant extracts for bacteria. *Planta Medica* 64, 711-714.

Eloff, J.N. (1999a). Conservation of Medicinal Plants: Selecting Medicinal Plants for Research and Gene Banking. Monographs in Systematic Botany from the Missouri Botanical Garden. In: Conservation of Plant Genes III: *Conservation and Utilization of African Plants*. Robert P. Adams and Janice E. Adams, eds., Missouri Botanical Garden Press, St. Louis, USA. pp. 209-222

Eloff, J.N. (1999b). The antibacterial activity of 27 southern African members of the Combretaceae. *South African Journal of Science* 95, 148-152.

Eloff, J.N. (1999c). It is possible to use herbarium specimens to screen for antibacterial components in some plants. *Journal of Ethnopharmacology* 67, 355-360.

Eloff, J.N. (2000). A proposal on expressing the antibacterial activity of plant extracts - a small first step in applying scientific knowledge to rural primary health care in South Africa. *South African Journal of Science* 96, 116-118.

Geissman, T.A. (1958). *Principles of Organic Chemistry*, 3<sup>rd</sup> Edition. W.H. Freeman and

Eloff, J.N., Jäger, A.K. and van Staden, J. (2001). The stability and the relationship between anti-inflammatory activity and antibacterial properties of southern African *Combretum* species. *South African Journal of Science*. 97, 291-293.

(2001). *FitoTerapia* 73, 165-167.

Eloff, J.N. (2004). *Phytomedicine* 11. 370 – 371

Harborne, J.B. (1973). *Phytochemical Methods. A Guide to Modern Techniques of Plant*

El-Mekawy, S., Meselhy, M.R., Kusomoto, I.T., Kadota, S., Hattori, M., Fabry, W., Okemo, P. and Ansorg, R. (1995). Fungistatic and fungicidal activity of East African medicinal plants. *Mycoses* 39, 67-70.

T. and Lewis, C.F. (1968). The use of topical

antibiotics in the prevention of experimental wound infection. *Journal of Surgical*  
Fabry, W., Okemo, P.O., and Ansorg, R., (1997). Antibacterial activity of East African medicinal plants. *Journal of Ethnopharmacology* 60, 79-84.

Karliner, J. and Djerassi, C. (1996). Terpenoids. LVII. Mass spectral and nuclear

Famakin, J.O. (2002). Investigation of antibacterial compounds present in *Combretum woodii*. MSc thesis, Department of Pharmacology, University of Pretoria.

Farnsworth, N. R., (1966). Biological and phytochemical screening of plants. *Journal of Pharmaceutical Sciences*. 55, 225-275.

Gelfand, M., Mavi S., Drummond, R.B., and Ndemera, B., (1985). *The Traditional Medical Practitioner in Zimbabwe*. 1<sup>st</sup> Edition. Mambo Press, Gweru.

Geissman, T.A. (1959). *Principles of Organic Chemistry*. 3<sup>rd</sup> Edition. W.H Freeman and Company, San Francisco.

Gupta, M., Mazumder, U.K., Manikandan, S., Bhattacharya, S., Haldar, P.K. and Roy, S. (2001). *Fitoterapia* 73, 165-167.

Harborne, J.B. (1973). *Phytochemical Methods. A Guide to Modern techniques of Plant Analysis*. Chapman and Hall, London.

Hobson, W.B., Britt, L.G., Sherman, R.T. and Ledes, C.P. (1968). The use of topical antibiotics in the prevention of experimental wound infection. *Journal of Surgical research*. 8(6), 261–266.

Karliner, J. and Djerassi, C. (1996). Terpenoids. LVII. Mass spectral and nuclear resonance studies of pentacyclic triterpene hydrocarbons. *Journal of Organic Chemistry*. 31, 1945-1955.

- Katerere, D.R. (2001). *Phytochemical and Pharmacological Studies of species of African Combretaceae*. PhD Thesis, University of Strathclyde, UK.
- Khanna, A.K., Ramesh, C. and Kapoor, N.K. (1996). *Terminalia arjuna*: an Ayurvedic cardiogenic tonic regulates lipid metabolism in hyperlipidaemic rats. *Phytotherapy Research* 10, 663-665.
- Kotze, M and Eloff, J.N. (2002). Extraction of antibacterial compounds from *Combretum microphyllum* (Combretaceae). *South African Journal of Botany* 68, 62-67.
- Lawrence, L., 1951. *Taxonomy of Vascular Plants*. McMillan. New York
- Leder, S., (1997). A description of today's use of medicinal plants in West Bushmanland. *The Hidden Gifts of Nature*. ed. Namibia.
- Lee, S.H., Ryu, S.Y., Choi, S.U., No, Z.S., Kim, S.K. and Ahn, J.W. (1995). Hydrolyzable tannins and related compounds having cytotoxic activity from the fruits of *Terminalia chebula*. *Archives Pharmaceutical Research* 18(2), 118-120.
- Letcher, R.M. and Nhamo, L.R.M. (1971). Chemical constituents of the Combretaceae. Part IV. Phenanthrene derivatives from the heartwood of *Combretum hereroense*. *Journal of the Chemical Society. Perkin Transactions* 1, 1179-1181.

Levy, S.B. (1984). The Antibiotic Paradox. How miracle drugs are destroying the miracle. Plenum Press. New York.

Mahato, S.B., Nandy, A.K. and Roy, G. (1992). Review article number 67. Triterpenoids. *Phytochemistry* 31(7), 2199–2249.

Mahato, S.B., Sen, S. (1996). Advances in Triterpenoid research 1990 – 1994. Review article. *Phytochemistry* 44(7), 1185–1235.

Malan, E. and Swinny E. (1993). Substituted bibenzyls, phenantrenes and 9,10-dihydrophenantrenes from the heartwood of *Combretum apiculatum*. *Phytochemistry* 34(4), 1139-1142.

Martini, N. and Eloff J.N. (1998). The preliminary isolation of several compounds from *Combretum erythrophyllum* (Combretaceae). *Journal of Ethnopharmacology* 62, 255-263.

Martini, N., (1998). The isolation of antimicrobial components from *Combretum erythrophyllum* (Burch.) Sond. M.Sc. thesis, Phamacology, University of Pretoria.

- Martini, N., Katerere, D. R., and Eloff, J. N.(2004). Seven flavonoids with antibacterial activity isolated from *Combretum erytrophyllum*. *South African Journal of Botany* 70, 310-312.
- Martini, N., Katerere, D. R., and Eloff, J. N.(2004). Biological activity of five antibacterial flavonoids isolated from *Combretum erytrophyllum* (Combretaceae). *Journal of Ethnopharmacology* 93, 207-212.
- McGaw, L.J., Rabe, T., Sparg, S., Jäger A.K., Eloff, J.N. and van Staden, J. (2001). An investigation into the biological activity of *Combretum* species. *Journal of Ethnopharmacology* 75, 45-50.
- Nash, R.J., Watson, A.A., Winters, A.L., Fleet, G.W.J., Wormald, M.R., Dealler, S., Less, E., Asano, N. and Kizu, H. (1997). Novel Biologically-Active Alkaloids from British Plants in ; Wrigley S.,hayes M.,Thomas R and Chrystal E (eds) *Phytochemical Diversity: A source of new industrial products*. 1<sup>st</sup> edition. RSC. UK
- Panzer, A., Joubert, A.M., Eloff, J.N., Albrecht, C.F., Erasmus, E. and Seegers, J. 2000 Chemical analyzes of Ukrain, a semisynthetic *Chelidonium majus* alkaloid derivative, fail to confirm its trimeric structure. *Cancer Letters* 160, 237-241.
- Panzini, I., Pelizzoni, F., Verotta, L. and Rogers, C.B., 1993 Constituents of the fruit of South African *Combretum* species. *South African Journal of Science* 89 (7), 324-328.



- Pettit, G.R., Cragg, G.M., Herald, D.L., Schmidt, J.M. and Lohavanijaya, P. (1982) Isolation and structure of combrestatin. *Canadian Journal of Chemistry*. 60, 1374-1376.
- Pettit, G.R., Hoard, M.S., Doubeck, D.L., Schmidt, J.M., Petit, R.K., Tackett, L.P. and Chapuis, J-C. (1996). Antineoplastic agents 338. The cancer cell growth inhibitory constituents of *Terminalia arjuna* (Combretaceae). *Journal of Ethnopharmacology* 53, 57-63.
- Rogers, C.B. and Verotta, L. (1996). Chemistry and biological properties of the African Combretaceae. In: Hostettmann, F., Chinyanganya, M., Maillard, M. and Wolfender, J.L. (eds.) *Chemistry, Biological and Pharmacological Properties of African Medicinal Plants*. University of Zimbabwe Publications. Harare, Zimbabwe.
- Rogers, C.B. (1998). A convenient method of identifying species of this genus by a comparison of the polar constituents extracted from leaf material. *South African Journal of Botany* 53, 173-176.
- Rogers, C.B. and Subramony, G., (1988). The structure of imberbic acid, a 1 $\alpha$ -hydroxy pentacyclic triterpenoid from *Combretum imberbe* . *Phytochemistry* 27(2), 531-533.
- Salie, F., Eagles, P.F.K., Leng, H.M.J., (1996). Preliminary antimicrobial screening of four South African Astraceae species. *Journal of Ethnopharmacology*. 52, 27-33

Sanford, M. and Rosenthal, M.D. (1967). Local and Systemic Therapy of *Pseudomonas* Septicaemia in Burned Mice. *Annals of Surgery* 165(1) 97 – 103.

Sato.Y., Oketani, H., Singyouchi, K., Ohtsubo, T., Kihara, M., Shibata, H., Higuti, T. (1997). Extraction and purification of effective antimicrobial constituents of *Terminalia chebula* Retz against methicillin-resistant *Staphylococcus aureus*. *Biological Pharmaceutical Bulletin*. 20(4) 401-404.

Schwikkard, S., Zhou, B-N., Glas, T.E., Sharp, J.L., Mattern, M.R., Johnson, R.K. and Kingston, D.G.I. (2001). Bioactive compounds from *Combretum erythrophyllum*. *Journal of Natural Products* 63, 457-560.

Serage, A. (2003). Isolation and characterization of antibacterial compounds present in *Combretum apiculatum* subsp *apiculatum*. MSc thesis, Programme for Phytomedicine, University of Pretoria.

Silva, O., Duarte, A., Cabrita, J., Pimentel, M., Diniz, A. and Gomes, E. (1996). Antimicrobial activity of Guinea-Bissau traditional remedies. *Journal of Ethnopharmacology* 50, 55–59.

Snyder, L.R. and Kirkland, J.J., (1979) Introduction to Liquid Chromatography. John Wiley, New York. USA

Sohni, Y.R., Kaimal, P., Bhatt, R.M. (1995). The antiamebic effect of a crude drug formulation of herbal extracts against *Entamoeba histolytica* *in vitro* and *in vivo*. *Journal of Ethnopharmacology* 45, 43–52.

Sohni, Y.R., Bhatt, R.M. (1996). Activity of a crude extract formulation in experimental hepatic amoebiasis and in immunomodulation studies. *Journal of Ethnopharmacology* 54, 119-124.

Stahl, E., (1969) Thin Layer Chromatography, 2<sup>nd</sup> Edition, Springer-Verlag, Berlin, Heidelberg, New York.

Tanaka, K and Toda, F. (1986). Stereoselective photocycloadditions of chalcone derivatives in a crystalline inclusion complex with 1,1,6,6-tetraphenylhexa-2,4-diyne-1,6-diol. *J.C.S.(C)*, pp 593-594.

Taylor, R.S., Manadhar, N. P. and Towers, G.H.N. (1995). Screening of selected medicinal plants of Nepal for antimicrobial activities. *Journal of Ethnopharmacology* 46, 153-159.

Taylor, R.S.L., Edel, F., Manandhar, N.P., Towers, G.H.N. (1996). Antimicrobial activities of southern Nepalese medicinal plants. *Journal of Ethnopharmacology* 50, 97–102.

Valsaraj, R., Pushpangadan, P., Smitt, U.W., Adsersen, A., Christensen, S.B., Sittie, A., Nyman, U., Nielsen, C., and Olsen, C.E. (1997). New anti HIV-1, antimalarial and anti fungal compounds from *Terminalia bellerica*. *Journal of Natural Products* 60(7), 739-742.

van Wyk, B., van Wyk, P., van Wyk, B-E. 2000. Photographic guide to Trees of southern Africa. Briz Publications. South Africa.

Vlietinck, A.J., Van Hoof, L., Totté, J., Lasure, A., Van Den Berghe, D., Rwangabo, P.C. and Mvukiyumwami, J. (1995). Screening of a hundred Rwandese medicinal plants for anti-microbial and antiviral properties. *Journal of Ethnopharmacology* 46, 31-47.

Walker, R.D. and Thornsberry, C. (1998). Decrease in antibiotic susceptibility or increase in resistance? *Journal of Antimicrobial Chemotherapy*. 41, 1-4.