

REFERENCES

ACSM. (2006). *ACSM's Guidelines for Exercise Testing and Prescription*, 7th ed. USA: Lippinkott Williams & Wilkins.

ACSM. (2006b). *ASCM's Advanced Exercise Physiology*. USA: Lippinkott Williams & Wilkins.

Agre, J. C., Casal, D., C., Leon, A. S., McNally, C., Baxter, T. L., and Serfass, R. C. (1988). Professional Ice Hockey Players: Physiological, Anthropometric, and Musculoskeletal Characteristics. *Arch Phys Med Rehabilitation*, 69: 188-192.

Ahmaidi, S., Collomp, K., Caillaud, C. and Préfaut, C. (1992). Maximal and Functional Aerobic Capacity as Assessed by Two Graduated Field Methods in Comparison to Laboratory Exercise Testing in Moderately Trained Subjects. *International Journal of Sports Medicine*, 13(3): 243-248.

Albright, T. E. (1979). Editorial Comment. *The American Journal of Sports Medicine*, 7(1): 46- 47.

Arnett, M. G. (1996). Effects of Specificity Training on the Recovery Process During Intermittent Activity in Ice-Hockey. *Journal of Strength & Conditioning Research*, 10(2): 124-126.

Aziz, A. R., Chia, M., and Teh, K. C. (2000). The relationship between maximal oxygen uptake and repeated sprint performance indices in field hockey and soccer players. *Journal of Sports Medicine and Physical Fitness*, 40: 195-200.

Babineau, C., Léger, L., Long, A., and Bosquet, L. Variability of maximal oxygen consumption measurements in various metabolic systems. *J. Strength & Conditioning Res.* 13(4): 318-324, 1999.

Baker, J., Ramsbottom, R., and Hazeldine, R. (1993). Maximal shuttle running over 40 m as a measure of anaerobic performance. *British Journal of Sports Medicine*, 27(4): 228-232.

Bass, H. (1980a). *Ice Skating*. London: Hamlyn.

Bass, H. (1980b). *Skating*. London: Marshall Cavendish.

Behm., D. G., Wahl, M. J., Button, D. C., Power, K. E., and Anderson, K. G. (2005). Relationship between Hockey Skating Speed and Selected Performance Measures. *Journal of Strength & Conditioning Research*, 19(2): 326-331.

Beneke, R., and von Duvillard, S. P. (1996). Determination of maximal lactate steady state response in selected sports events. *Medicine & Science in Sports & Exercise*, 28(2): 241-246.

Berthon, P., Dabonneville, M., Fellmann, N., Bedu, H., Chamoux, A. (1997). Maximal aerobic velocity measured by the 5-min running tests on two different fitness level groups. *Archives of Physiology & Biochemistry*, 105(7): 633-639.

Boddington, M. K., Lambert, M. I., and Waldeck, M. R. (2004). Validity of a 5-Meter Multiple Shuttle Run Test for Assessing Fitness of Women Field Hockey Players. *Journal of Strength & Conditioning Research*, 18(1): 97-100.

Boddington, M. K., Lambert, M. I., St Clair Gibson, A., and Noakes, T. D. (2004). Reliability of a 5-Meter Multiple Shuttle Run Test. *Journal of Sports Sciences*, 19: 223-228.

Boyle, P. M., Mahone, C. A., and Wallace, W. F. (1994). The competitive demands of male field hockey. *Journal of Sports Medicine and Physical Fitness*, 34(3): 235-241.

Borg, G. (1970). Perceived exertion as an indicator of somatic stress. *Scandinavian Journal of Rehabilitation Medicine*, 2(2-3):92-98.

Boreham, C. A. G., Paliczka, V. J. and Nichols, A. K. (1990). A comparison of the PWC₁₇₀ and 20-MST tests of aerobic fitness in adolescent schoolchildren. *Journal of Sports Medicine and Physical Fitness*, 30(1): 19-23.

Boyle, P. M., Mahoney, C. A., and Wallace, W. F. M. (1994). The competitive demands of elite male field hockey. *Journal of Sports Medicine and Physical Fitness*, 34(3): 235-241.

Bracko, M. R. (1998). On-ice performance characteristics of elite and non-elite female ice-hockey players. *Medicine and Science in Sports and Exercise*, 30(S): 273.

Bracko, M. R. (2001). On-Ice Performance Characteristics of Elite and Non-Elite Women's Ice Hockey Players. *Journal of Strength & Conditioning Research*, 15(1): 42-47.

Bracko, M. R. (2001). Comparison of Physical Performance Characteristics of Female and Male Ice Hockey Players. *Pediatric Exercise Science*, 13: 26-35.

Bracko, M. R., and Fellingham, G. W. (2001). Comparison of physical performance characteristics of female and male ice-hockey players. *Pediatric Exercise Science*, 13: 26-34.

Bracko, M. R., and George, J. D. (2001). Prediction of Ice-Skating Performance With Off-Ice Testing in Women's Ice-Hockey Players. *Journal of Strength & Conditioning Research*, 15(1): 116-122.

Brown, E. W., and Mc Keag, D. B. (1987). Training, Experience, and Medical History of Pairs Skaters. *The Physician and Sports Medicine*, 15(4):101- 114.

Bunc, V., Heller, J. Leso, J., Šprynarová, Š. and Zdanowicz, R. (1987). Ventilatory Threshold in Various Groups of Highly Trained Athletes. *International Journal of Sports Medicine*, 8(4): 275-280.

Canadian Sports Therapy (2003).

http://www.canadiansportstherapy.com/off_ice_testing.htm

Carroll, T. R., Bacharach, D., Kelly, J., Rudrud, E., and Karns, P. (1993). Metabolic Cost of Ice and In-Line Skating in Division I Collegiate Ice Hockey Players. *Canadian Journal of Applied Physiology*, 18(3): 255-262.

Chamari, K., Hachana, Y., Ahmed, Y. B., Galy, O., Sghaier, F., Chatard, J. C., Hus, O., and Wisloff, U. (2004). Field and laboratory testing in young elite soccer players. *British Journal of Sports Medicine*, 38(2): 191-196.

Chin, M., Wong, A. S. K., So, R. C. H., Sui, O. T., Steininger, K., and Lo, D. T. L. (1995). Sport specific fitness testing of elite badminton players. *British Journal of Sports Medicine*, 29(3): 153-157.

Chomay, J., Montgomery, D. L., Hoshizaki, T.B. and Brayne, S. P. (1982). The effect of added skate weight on performance in an ice hockey fitness test. Abstract. *Canadian Journal of Applied Sport Sciences*, 7(4): 240.

Clenin, G., Fluri, P., Altorfer, R., Zürcher, S., Tschopp, M., and Marti, B. (2006). Comparison of two specific ice hockey endurance field tests, on-ice and off-ice, with a cycle ergometry-lactate threshold test in junior elite players. *Schweizerische Zeitschrift für Sportmedizin und Sporttraumatologie*, 54(2): 83-84.

Cooper, K. H. (1968). A means of assessing maximum oxygen intake. *Journal of American Heart Association*, 203: 135-138.

Cox, M. H., Miles, D. S., Verde, T. J., and Levine, A. R. (1993). Physical and physiological characteristics of NHL players over the last decade. *Medicine & Science in Sports & Exercise*, 25(5): S169.

Cox, M. H., Miles, D. S., Verde, T. J. and Rhodes, E. C. (1995). Applied physiology of ice hockey. *Sports Medicine*, 19(3): 184-201.

Crisafulli, A., Pittau, G., Lorrain, L., Carcassi, A. M., Cominu, M., Tocco, F., Melis, F., and Concu, A. (2006). Poor Reliability of Heart Rate Monitoring to Assess Oxygen Uptake During Field Training. *International Journal of Sports Medicine*, 27: 55-59.

Cunningham, D. A., Telford, P., and Swart, G. T. (1976). The cardiopulmonary capacities of young hockey players: age 10. *Medicine and Science in Sports*, 8(1): 23-25.

Dabonneville, M., Berthon, P., Vaslin, P., and Fellmann, N. (2003). The 5 min running field test: test and retest reliability on trained men and women. *European Journal of Applied Physiology*, 88: 353-360.

Daub, W. B., Green, H. J., Housten, M. E., Thompson, J. A, Fraser, I. G. and Ranney, D. A. (1983). Specificity of physiological adaptations resulting from ice-hockey training. *Medicine and Science in Sports and Exercise*, 15: 290-294.

Denadai, B. S., Gomide, E. B. G., and Greco, C. C. (2005). The Relationship Between Onset of Blood Lactate Accumulation, Critical Velocity, and Maximal Lactate Steady State in Soccer Players. *Journal of Strength and Conditioning Research*, 19(2): 364-368.

Di Prampero, P. E., Cortili, G., Mognoni, P. and Saibene, F. (1976). Energy cost of speed skating and efficiency of work against air resistance. *Journal of Applied Physiology*, 40(4): 584-591.

Doyle-Baker, P. K., Fagan, C. D. and Wagner, O. T. (1993). On-ice Testing and Monitoring of Twenty National Female Ice Hockey Players. (Abstract). *Canadian Journal of Applied Physiology*, (S)22: 13

Doyon, H. K., Perry, S., Abe, D., and Hughston, R. L. (2001). Field testing of VO₂ peak in cross country skiers with portable breath by breath system. *Canadian Journal of Applied Physiology*, 26:1-11.

Dreger, R. W. (1997). Using skate-treadmills to train hockey players for speed. *Strength and Conditioning*, 19(6): 33-35.

Dreger, R. W., and Quinney, H. A. (1999). Development of a hockey-specific, skate-streadmill VO₂ max protocol. *Canadian Journal of Applied Physiology*, 24(6): 559-569.

Faught, B. E., Nystrom, M., and Montelpare, W. J. (2003). Precision and accuracy of a on-ice skating test to predict maximal oxygen capacity. *Canadian Journal of applied Physiology*, 28: S52.

Ferguson, R. J., Marcotte, G. C. and Montpetit. (1969). A maximal oxygen uptake test during ice skating. *Medicine and Science in Sports*, 1(4): 207-211.

Flouris, A. D., Metsios, G. S., and Koutedakis, Y. (2005). Enhancing the Efficacy of the 20 m multistage shuttle run test. *British Journal of Sports Medicine*, 39(3): 166-170.

Foster, C., Rundell, K. W., Snyder, A. C., Stray-Gundersen, J., Kemmers, G., Thometz, N., Broker, J., and Knapp, E. (1999). Evidence for restricted muscle blood flow during speed skating. *Medicine & Science in Sports & Exercise*, 31(10): 1433-1440.

Fox, E., Bowers, R., and Foss, M. (1993). *The Physiological Basis for Exercise and Sport*, 5th ed. USA: Wm. C. Brown Communications.

Gabbard, C. (1992). *Lifelong Motor Development*. USA: Wm. C. Brown Publishers.

Gilder, K. A. and Grogan, J. (1993). Prevention of Ice Hockey Injuries by Strength and Conditioning. *Safety in Ice Hockey: Second Volume, ASTM STP 1212*. In: C. R. Castaldi, P.J. Bishop, and E. F. Hoerner. (eds). American Society for Testing and Materials, Philadelphia, 56-68.

Grant, S., Corbett, K., Amjad, A. M., Wilson, J. and Aitchison, T. (1995). A comparison of methods of predicting maximum oxygen uptake. *British Journal of Sports Medicine*, 29(3): 147-152.

Green, H. J. (1978). Glycogen depletion patterns during continuous and intermittent ice skating. *Medicine and Science in Sports*, 10(3): 183-187.

Green, H. J. (1979). Metabolic Aspects of Intermittent Work With Specific Regards to Ice Hockey. *Canadian Journal of Applied Sport Sciences*, 4(1): 29-34.

Green, H. and Huston, M. E. (1975). Effect of a season of ice hockey on energy capacities and associated functions. *Medicine and Science in Sports*, 7(4): 299-303.

Green, H. J. (1987). Bioenergetics of ice hockey: considerations for fatigue. *Journal of Sports Sciences*, 5: 305-317.

Green, H. J., Daub, B. P., Painter, D. C., and Thompson, J. A. (1994). Glycogen depletion patterns during ice hockey performance. *Medicine and Science in Sports*, 10(4): 289-293.

Green, H., Bishop, P., Huston, M., McKillop, R., Norman, R. and Stothart, P. (1976). Time-motion and physiological assessments of ice hockey performance. *Journal of Applied Physiology*, 40(2): 159-163.

Green, H., Pivarnik, K. M., Carrier, D. P., and Womack, C. J. (2006). Relationship Between Physiological Profiles and On-Ice Performance of National Collegiate Athletic Association Division I Hockey Team. *Journal of Strength and Conditioning Research*, 20(1): 43-46.

Hawley, J. and Burke, L. (1998). *Peak Performance*. Australia: Allen & Unwin.

Hermiston, R. T., Gratto, J., and Teno, T. (1979). Three Hockey Skills Tests as Predictors of Hockey Playing Ability. *Canadian Journal of Applied Sport Science*, 4(1): 95-97.

Hockey, R. V. and Howes, M. C. (1979). Changes occurring in cardiovascular endurance during a season of competitive hockey for 13 and 14 year old boys and relation of selected tests to maximal VO_2 . In: J. Terauds and H. J. Gros (eds.). *Science in Skiing, Skating, and Hockey* (139-150). Delmar: Academic Publishers.

Hoff, J. (2005). Training and testing physical capacities for elite soccer players. *Journal of Sports Sciences*, 23(6): 573-582.

Hoff, J., Kemi, O. J., and Helgerud, J. (2005). Strength and Endurance Differences Between Elite and Junior Elite Ice Hockey Players. The Importance of Allometric Scaling. *International Journal of Sports Medicine*, 26: 537-541.

Housten, M. E. and Green, H. J. (1976). Physiological and anthropometric characteristics of elite Canadian ice hockey players. *Journal of Sports Medicine*, 16: 123-128.

Johansson, C. Lorentzon, R. and Fugl-Meyer, A. (1989). Isokinetic muscular performance of the quadriceps in elite ice hockey players. *American Journal of Sports Medicine*, 17(1): 30-34.

Kuisis, S. M. and van Heerden, H. J. (2001). Validity of the 20-Meter Multistage Shuttle Run Test in Assessing Aerobic Power in Provincial Ice-Hockey Players and Figure Skaters. *African Journal for Physical, Health Education, Recreation and Dance*, (S): 15-32.

Kuisis S, M. (2003). Modification of the 20 Metre Shuttle Run Test (20 MST) for Ice-Sports. Unpublished Masters Dissertation, University of Pretoria, Pretoria, 2003.

Labsy, Z., Collomp, K., Frey, A., and De Ceaurriz, J. (2004). Assessment of maximal aerobic velocity in soccer players by means of an adapted Probst field test. *Journal of Sports Medicine and Physical Fitness*, 44: 375-382.

Larivière, G., Lavallée, H. and Shepard, R. J. (1976). A Simple Skating Test for Ice Hockey Players. *Canadian Journal of Applied Sport Sciences*, 1(3): 223-228.

Lau, S., Berg, K., Latin, R. W. (2001). Comparison of Active and Passive Recovery of Blood Lactate and Subsequent Performance of Repeated Work Bouts in Ice-Hockey Players. *Journal of Strength & Conditioning Research*, 15(3): 367-371.

Leigh, H. and Leigh, J. (1975). *Winter Sports*. London: Macdonald Education.

Léger, L., and Boucher, R. (1980). An Indirect Continuous Running Multistage Field Test: The Université de Montréal Track Test. *Canadian Journal of Applied Sport Science*, 5(2): 77-84.

Léger L. A. and Lambert, J. (1982). A Maximal Multistage 20 m shuttle test to predict VO₂max, *European Journal of Applied Physiology*, 49: 1-12.

Léger, L. and Gadoury, C. (1989). Validity of the 20 m Shuttle Run Test with 1 min Stages to Predict VO₂ max in Adults. *Canadian Journal of Sport Science*, 14: 21-26.

Léger, L. A. (1981). Energy Cost of Ice Skating with Figure Skates for Women. *Medicine Sport*, 14: 168-174.

Léger, L. (1997). Some comments concerning the paper by McNaughton, Cooley, Kearney, Smith "A comparison of two different Shuttle Run tests for the estimation of VO₂ max". *Journal of Sports Medicine and Physical Fitness*, 37: 156.

Léger, L., and Mercier, D. (1984). Gross Energy Cost of Horizontal Treadmill and Track Running. *Sports Medicine*, 1: 270-277.

Léger, L. A., Mercier, D., Gadoury, C. and Lambert, J. (1988). The Multistage 20 meter shuttle run test for aerobic fitness. *Journal of Sports Sciences*, 6: 93- 101.

Léger, L. A., Montpetit, R. R., Lambert, J., and Chartran, D. (1982). Retroextrapolation of submaximal values from O₂ recovery curve. *Scandinavia Journal of Sport Science*, 4(2): 71-73.

Léger, L. A., Seliger, V. and Bassard, L. (1979). Comparisons Among VO₂max Values for Hockey Players and Runners. *Canadian Journal of Applied Sport Sciences*, 4(1): 18-21.

Léger, L. A., Seliger, V. and Bassard, L. (1980). Backward extrapolation of VO₂ max values from the O₂ recovery curve. *Medicine and Science in Sports and Exercise*, 12(1): 24-27.

Lemmink, K. A. P.M., Verheijen, R., and Visscher, C. (2004). The discriminative power of the Interval Shuttle Run Test and Maximal Multistage Shuttle Run Test for playing level of soccer. *Journal of Sports Medicine & Physical Fitness*, 44: 233-239.

Lemmink, K. A., Visscher, C., Lambert, M. I., Lamberts, R. P. (2004). The interval shuttle run test for intermittent sport players: evaluation of reliability. *Journal of Strength and Conditioning Research*, 18(4): 821-827.

Leone, M., Léger, L., Comtois, A. S. (2002). *An on ice aerobic maximal multistage shuttle skate test for elite adolescent hockey players*. Unpublished, personal communication.

Leone, M., Léger, L., Larivière, G., and Comtois, A. S. (2007). An on ice aerobic maximal multistage shuttle skate test for elite adolescent hockey players. *International Journal of Sports Medicine*, 28: 1-6 (in press).

Likert, R. (1932). A Technique for the Measurement of Attitudes. *Archives of Psychology*, 22 (140): 1- 55.

Mac Dougall, J. D. & Wenger, H. A. (1991). The Purpose of Physiological Testing. In Mac Dougall, J. D. & Wegner, H. A. & Green, H. J. (eds). *Physiological Testing of the High Performance Athlete*. Champaign, IL: Human Kinetics: 1-5.

Marinao, G. W. (1984). Analysis of selected factors in the ice skating strides of adolescents. *Journal of Canadian Association for Health and Physical Education and Recreation Journal*, 50(3): 4-8.

Marino, G. W. (1977). Kinematics of ice skating at different velocities. *Research Quarterly*, 48: 93-97.

Marion, G. A., and Léger, L. A. (1988). Energetics of Indoor Track Cycling in Trained Competitors. *International Journal of Sports Medicine*, 9: 234-239.

Martinez, M. L., Modrego, A., Santos, J. I., Grijalba, A., Santesteban, D., and Gorostiaga, E. M. (1993). Physiological Comparison of Roller Skating, Treadmill Running and Ergometer Cycling. *International Journal of Sports Medicine*, 14: 72-77.

Mascaro, T., Seaver, B. L. and Swanson, L. (1992). Prediction of Skating Speed with Off-Ice Testing in Professional Hockey Players. *Journal of Orthopaedic and Sports Physical therapy*, 15(2): 92-98.

McArdle, W.D., Magel, J.R., Delio, D.J., Toner, M., Chase, J.M. (1978). Specificity of run training on VO₂ max and heart rate changes during running and swimming. *Medicine and science in sports*, 10(1), 16-20.

Mc Naughton, L., Cooley, D., Kearney, V. and Smith, S. (1996). A comparison of two different Shuttle Run tests for the estimation of VO₂ max. *Journal of Sports Medicine and Physical Fitness*, 36: 85-89.

Melanson, E. L., Freedson, P. S., Webb, R., Jungbluth, S., and Kozlowski, N. (1996). Exercise responses to running and in-line skating at self-selected paces, *Medicine & Science in Sports & Exercise*, 28(2): 247-250.

Merrifield, H. H. and Walford, G. A. (1968). Battery of ice hockey skill tests. *Research Quarterly*, 40(1): 147-152.

Meyer, T., Welter, J-P., Scharhag, J., and Kindermann, W. (2003). Maximal oxygen uptake during field running does not exceed that measured during treadmill testing. *European Journal of Applied Physiology*, 88: 387-389.

Micheli, L. J. and Mc Carthy, C. F. 1996. Figure Skating. In: R. G. Watkins and L. Williams (eds), *The Spine in Sports* (557- 563). London: Mosby.

Millet, G. P., Geslan, R., Ferrier, R., Candau, R., and Varray, A. (2003). Effects of drafting on energy expenditure in in-line skating. *Journal of Sports Medicine and Physical Fitness*, 43: 285-290.

Millet, G. P., Perrey, S., Candau, R., and Rouillon, J. D. (2002). Relationships Between Aerobic Energy Cost, Performance and Kinematic Roller Ski Skating. *International Journal of Sports Medicine*, 23: 191-195.

Millet, G. P., Perrey, S., Candau, R., Belli, A., Borrani, F., and Rouillon, J. D. (1998). External loading does not change energy cost and mechanics of rollerski skating. *European Journal of Applied Physiology*, 78: 276-282.

Minkhoff, J. (1982). Evaluating parameters of a professional hockey team. *American Journal of Sports Medicine*, 10(5): 285-292.

Monpetit, R. R., Léger, L. A., Lavoie, J-M., and Cazorla, G. (1981). VO₂ Peak During Free Swimming Using the Backward Extrapolation of the O₂ recovery Curve. *European Journal of Applied Physiology*, 47: 385-391.

Montgomery, D. L. (1988). Physiology of Ice Hockey. *Sports Medicine*, 5(2): 99-126.

Montgomery, D. L., Turcotte, R., Gamble, F. W. and Ladouceur, G. (1990). Validation of a cycling test of anaerobic endurance for ice hockey players. *Sports Training, Medicine and Rehabilitation*, 22: 11-22.

Montgomery, D. L. (2006). Physiological profile of professional hockey players- a longitudinal comparison. *Applied Physiology Nutrition. Metabolism.*, 31: 181-185.

Montgomery, D. L., Turcotte, R., Gamble, F. W., and Ladouceur, G. (1990). Validation of a cycling test of anaerobic endurance for ice hockey players. *Sports Training, Medicine & Rehabilitation*, 2: 11-22.

Muller, D. L., Renstrom, A. F. H. and Pyn, J. I. B. (1994). Ice- skating: figure, speed, long distance, and in- line. In F. H. Fu and D. A. Stone (eds): *Sports Injuries: Mechanisms, prevention and treatment* (445- 454) Baltimore: Williams & Wilkins.

Nemoto, I., Iwaoka, K., Funato, K., Yoshioka, N., and Miyashita, M. (1988). Aerobic Threshold, Anaerobic Threshold, and Maximal Oxygen Uptake of Japanese Speed-Skaters. *International Journal of Sports Medicine*, 9: 433-437.

Nicholas, C. W., Nuttall, F. E., and Williams, C. (2000). The Loughborough Intermittent Shuttle Test: A field test that simulates the activity pattern of soccer. *Journal of Sports Sciences*, 18: 97-104.

Niinimaa, V. (1982). Figure Skating: What Do We Know About It? *Physician & Sports Medicine*, 10(1): 51-56.

Nobes, K. J., Montgomery, D. J., Pearsall, R. A., Turcotte, R. A., Lefebvre, R. and Whittom. (2003). A Comparison of Skating Economy On-Ice and On the Skating Treadmill. *Canadian Journal of Applied Physiology*, 28(1): 1-11.

Norton, K. Marfell-Jones, M. Whittingham, N. Kerr, D. Carter, L. Saddington, K. Gore, C. (2000). Anthropometric Assessment protocols. In: Gore, C.J. (Editor) *Physiological Tests for Elite Athletes. Australian Sports Commission*. Champaign, Illinois: Human Kinetics Books, 66- 85.

Oksa, J., Kaikkonen, H., Sorvisto, P., Vaappo, V. M., and Rintamäki, H. (2004). Changes in maximal cardiorespiratory capacity and submaximal strain while exercising in the cold. *Journal of Thermal Biology*, 29: 815-818.

Page, P. (1975). *Biomechanics of forward skating in hockey*. Master's thesis, Dalhousie University, Halifax, Nova Scotia.

Paliczka, V. J., Nichols, A. K. and Boreham, A. G. (1987). A multi-stage shuttle run as a predictor of running performance and maximal oxygen uptake in adults. *British Journal of Sports Medicine*, 21(4): 163-165.

Patterson, D. H. (1979). Respiratory and Cardiovascular Aspects of Intermittent Exercise with Regard to Ice-Hockey. *Canadian Journal of Applied Sport Science*, 4(1): 22-28.

Petrella, N. J., Faught, B. E., Monteplare, W. J., Nystrom, M., and Plyley, M. J. (2005a). Assessemnt of the Reliability of the FAST Using a Test-Retest Design and the Interclass correlation Coefficient. (Canadian Society for Exercise Physiology Annual Meeting, Gatineau Quebec, Conference Proceedings). *Canadian Journal of Applied Physiology*, 30: S64.

Petrella, N. J., Faught, B. E., Monteplare, W. J., Nystrom, M., and Plyley, M. J. (2005). Development of an Ice Skating Protocol to Predict Maximum Oxygen Uptake in Hockey Players. (Conference Proceedings). *Canadian Journal of Applied Physiology*, 30: S64-65.

Petrella, N. J. (2006). *Validation of an ice-skating protocol to predict aerobic capacity in hockey players*. Unpublished Master's thesis, Brock University.

Petrella, N. J., Montelpare, M. N., Plyley, M., and Faught, B. E (2007). Validation of an on ice skating protocol to predict aerobic power in hockey players. *Applied Physiology, Nutrition & Metabolism* (accepted).

Poe, C. M., O'Bryant, H. S., and Laws, D. E. (1994). Off- ice Resistance and Plyometric Training for Singles Figure Skaters. *Strength and Conditioning*, June 1994, 16(3): 68- 74.

Psotta, R., Blahus, P., Cochrane, D. J., and Martin, A. J. (2005). The assessment of an intermittent high intensity running test. *Journal of Sports Medicine and Physical Fitness*, 45: 248-256.

Quirion, A., Therminarias, A., Pellerei, E., Méthot, D., Laurencelle, L. and Tanche, M. (1988). Aerobic capacity, anaerobic threshold and cold exposure with speed skaters. *Journal of Sports Medicine and Physical Fitness*, March, 28(1): 27-34.

Ramsbottom, R., Brewer, J. and Williams, C. (1988). A progressive shuttle run test to estimate maximal oxygen uptake. *British Journal of Sports Medicine*, 22(4): 141-144.

Reed, A., Hansen, H., Cotton, C., Gauthier, R., Jette, M., Thoden, J., and Wegner, H. (1979). Development and validation of an on-ice hockey fitness test. *Canadian Journal of Applied Sport Science*, 4(4), 245 (abstract).

Rechichi, C., Dawson, B., and Lawrence, S. R. (2000). A multistage shuttle swim test to assess aerobic fitness in competitive water polo players. *Journal of Science and Medicine in Sport*, 3(1): 55-64.

Reilly, T. and Borrie, A. (1992). Physiology Applied to Field Hockey. *Sports Medicine*, 14: 10-26.

Ricci, J., and Léger, L. A. (1983). VO₂max of Cyclists from Treadmill, Bicycle Ergometer, and Velodrome Tests. *European Journal of Applied Physiology*, 50: 283-289.

Riney, S. M., Goldman, S. I., Moyer, M., Johns, J. (1995). Prevention of Lateral Hip Injuries in Competitive Figure Skaters. *Journal of Athletic Training*, 30(1): 75-76.

Roi, G. S., Mevio, M., Occhi, G., Gemma, S., and Facchini, R. (1989). Functional assessment of high level ICE- dancing. *The Journal of Sports Medicine and Physical Fitness*, 29(2): 189- 193.

Rundell, K. W. (1996). Compromised oxygen uptake in speed skaters during treadmill in-line skating. *Medicine & Science in Sports & Exercise*, 28(1): 120-127.

Seliger, V., Kostka, V., Grusova, D., Kovac, J. and Machovcova, J. (1972). Energy expenditure and physical fitness of ice-hockey players. *Internationale Zeitschrift für Angewante Physiologie*, 30: 283-291.

Simard, P. A, (1976). Épreuve progressive et intermittente de consommation d'oxygène maximale chez les hockeyeurs lors du patinage sur la glace. Master Thesis, Université de Montréal (library # GV201 U54).

Smith, A. D., and Ludington, R. (1989). Injuries in elite pair skaters and ice dancers. *The American Journal of Sports Medicine*, 17(4): 482- 488.

Smith, A. D. and Micheli, L. J. (1982). Injuries in Competitive Figure Skaters. *The Physician and Sports Medicine*, 10(1):36- 47.

Smith, D. J., and Roberts, D. (1990). Heart Rate and Blood Lactate Concentration During On-Ice Training in Speed Skating. *Canadian Journal of Sport Science*, 15(1): 23-27.

Smith, D. J., Quinney, H. A., and Steadward, R. D. (1982). Physiological Profiles of the Canadian Olympic Hockey Team (1980). *Canadian Journal of Applied Sport Science*, 7(2): 142-146.

Snyder, A. C., and Foster, C. (1994). Physiology and Nutrition for Skating. In D. R. Lamb (ed.) *et al. Physiology and Nutrition for Competitive Sport* (181-219). Carmel: Cooper Publishing Group.

Spencer, M., Bishop, D., Dawson, B., and Goodman, C. (2005). Physiological and Metabolic Response of Repeated-Sprint Activities. *Sports Medicine*, 35(2): 1025-1044.

Spencer, M., Fritsimans, M., Dawson, B., Bishop, D., Goodman, C. (2006). Reliability of a repeated-sprint test for field hockey. *Journal of Science & Medicine in Sport*, 9: 181-184.

Spiering, B. A., Wilson, M. H., Judelson, D. A., and Rundell, K. W. (2003). Evaluation of Cardiovascular Demands of Game Play and Practice in Women's Ice Hockey. *Journal of Strength & Conditioning Research*, 17(2): 329-333.

St Clair Gibson, A., Broomhead, S., Lambert, M. I., and Hawley, J. A. (1998). Prediction of maximal oxygen uptake from a 20-m shuttle run as measured directly in runners and squash players. *Journal of Sports Sciences*, 16: 331-335.

Strömberg, I. (2006). Predict VO₂ max by performing the multistage fitness test on-ice. Unpublished Bachelors Dissertation, University of Dalarna, Sweden, 2006.

Thoden, J. S. and Jette, M. (1975). Aerobic and anaerobic activity patterns in junior and professional hockey. *Movement (Special Hockey)*, 2: 145-153.

Thomas, J. R. and Nelson, J. K. (1996). *Research Methods in Physical Activity*, (3rd ed.). USA: Human Kinetics.

Thompson, D. L. (2005). VO₂ max: Links to Health and Performance. *ACSM's Health & Fitness Journal*, 9(4): 5.

Twist, P., and Rhodes, T. (1993a). The Bioenergetic and Physiological Demands of Ice Hockey. *National Strength and Conditioning Association Journal*, 15(5): 68-70.

Twist, P., and Rhodes, T. (1993b). A Physiological Analysis of Ice-Hockey Positions. *National Strength and Conditioning Association Journal*, 15(6): 44-46.

Van Ingen Schenau, G. J., de Groot, G., and Hollander, A. P. (1983). Some Technical Aspects of Speed Skating. *European Journal of Applied Physiology*, 50: 343-354.

Van Mechelen, W., Hlobil, H. and Kemper, H. C. G. (1986). Validation of two running tests as estimates of maximal aerobic power in children. *European Journal of Applied Physiology*, 55: 503- 506.

Vergès, S., Flore, P., and Favre-Juvin, A. (2003). Blood Lactate Concentration/Heart Rate Relationship: Laboratory Running Test vs. Field Roller Skiing Test. *International Journal of Sports Medicine*, 24: 446-451.

Vergès, S., Flore, P., Laplaud, D., Guinot, M., and Favre-Juvin, A. (2006). Laboratory Running Test vs. Field Roller Skiing Test in Cross-Country Skiers: A Longitudinal Study. *International Journal of Sports Medicine*, 27: 307-313.

Vescovi, J. D., Murray, T. M., and Van Heest, J. L. (2006). Positional Performance Profiling of Elite Ice Hockey Players. *International Journal of Sports Physiology & Performance*, 1(2).

Vescovi, J. D., Murray, T. M., Fiala, K. A., and Van Heest, J. L. (2006). Off-Ice Performance and Draft Status of Elite Ice Hockey Players. *International Journal of Sports Physiology & Performance*, 1: 207-221.

Watson, R. C., and Hanley, R. D. (1986). Application of Active Recovery Techniques for a Simulated Ice Hockey Task. *Canadian Journal of Applied Sport Science*, 11(2): 82-87.

Watson, R. C. and Sargeant, T. L. C. (1986). Laboratory and On-Ice Test Comparisons of Anaerobic Power of Ice Hockey Players. *Canadian Journal of Applied Sport Sciences*, 11(14): 218-224.

Wikipedia (2007). <http://en.wikipedia.org/wiki/Ice-skating#History>

<http://en.wikipedia.org/wiki/Figure-skating>

<http://en.wikipedia.org/wiki/Ice-hockey>

http://en.wikipedia.org/wiki/Speed_skating#History

Wilkinson, D. M. Fallowfield, J. L., and Myers, S. D. (1999). A modified incremental shuttle run test for the determination of peak shuttle running speed and the prediction of maximal oxygen uptake. *Journal of Sports Sciences*, 17: 413-419.

Young, W. B., James, R., and Montgomery, I. (2002). Is muscle power related to running speed with changes of direction? *Journal of Sports Medicine and Physical Fitness*, 42: 282-288.