zoo|gate

a forecourt to the National Zoological Gardens






this thesis is dedicated to my parents and my sister

your unending love and support throughout my life, and especially this year, has made me the man i am today. thank you








Dusty Wood Saunders 23012511

Submitted in fulfilment of the requirements for the degree Magister in Architecture (Professional) in the Faculty of Engineering, Built Environment and Information Technology,

University of Pretoria. 2010

Study Leader: Gary White








ABSTRACT

The project originated as a means to find a solution to the lack of legibility that the National Zoological Gardens' entrance expresses where it is situated on the Northern gateway into the Pretoria CBD.

In order to develop an appropriate responsive architecture, the proposed solution aims to find the requirements for a successful public interface for tourist attractions and the local community. Attention will also be given to the transitional spaces between the natural environments of the Zoo and the city.

The aim firstly is to steer away from mono-functional urban spaces and tourist attractions hidden behind built barrier, in order to ensure that the architecture will be an asset to tourism and the general public.







Abstract

- - → List of Figures
- - 1. Introduction
- - → 2. Urban Context
- $- \rightarrow 3$. The Proposal
- $- \rightarrow 4$. Theory
- - → 5. Theoretical Concept and Strategies
- - → 6. Architectural Intervention
- - → 7. Technological Investigation
- - → 8. Model and 3ds
- - \rightarrow 9. Conclusion

- - - → References and Sources



figure 1. figure ground of cbd. Figure ground by Morne Pienaar. M, 2004. Edited by Author.

chapter 1 introduction

- figure 2. panoramic of Pretoria city, facing south. Author.
- figure 3. sketch of paul kruger statue. Author.
- figure 4. historical photos of study area. Tshwane base map provided by Department of Geography, University of Pretoria, 2010. Edited by Author.
- figure 5. aerial showing location of zoo in cbd. Tshwane base map provided by Department of Geography, University of Pretoria, 2010. Edited by Author.
- figure 6. corner of boom and paul kruger street. zoo blocked off. Author.
- figure 7. view down boom street from. Author
- figure 8. the zoo gateway. Tshwane base map provided by Department of Geography, University of Pretoria, 2010. Edited by Author.
- figure 9. the zoo experience. Tshwane base map provided by Department of Geography, University of Pretoria, 2010. Edited by Author.
- figure 10. the zoo precinct. Tshwane base map provided by Department of Geography, University of Pretoria, 2010. Edited by Author.

chapter 2 urban context

- figure 11. photo of the zoo entrance. Author.
- figure 12. national context and figure grounds of regional context. Figure ground by Morne Pienaar. M, 2004. Tshwane base map provided by Department of Geography, University of Pretoria, 2010. Edited by Author.
- figure 13. zoo precinct developments. Pretoria Inner City Integrated Spatial Development Framework
- figure 14. boom street concept from framework, Pretoria Inner City Integrated Spatial Development Framework
- figure 15. sketch of men setting up informal trade stalls. Author.
- figure 16. context model showing connectivity between activities. Tshwane base map provided by Department of Geography, University of Pretoria, 2010. Edited by athor
- figure 17. enhance tourism around the National Zoological Gardens. Tshwane base map provided by Department of Geography, University of Pretoria, 2010. Edited by Author.
- figure 18. zone between Paul Kruger and Potgieter Street to act as catalyst for regeneration of inner city activity. Tshwane base map provided by Department of Geography, University of Pretoria, 2010. Edited by Author.
- figure 19. re-connect Marabastad to the CBD. Tshwane base map provided by Department of Geography, University of Pretoria, 2010. Edited by Author.
- figure 20. branch and infuse the natural environments into the CBD. Tshwane base map provided by Department of Geography, University of Pretoria, 2010. Edited by Author.
- figure 21. 3d sketch showing beginnings of framework interventions. Author
- figure 23. study area with site marked in red. Figure-groung by Morne Pienaar, M 2004. Edited by Author.
- figure 22. existing infrastructure on site. Tshwane base map provided by Department of Geography, University of Pretoria, 2010. Edited by Author.
- figure 24. panormaic view of flats to South of Zoo entrance. Author.

LIST OF FIGURES



- figure 25. 3d site analysis. Author.
- figure 26. site context indicated on panoramic photo. facing North. Author.

chapter 3 the proposal

- figure 27. panoramic photo of zoo corner. Author.
- figure 28. 3d of proposed programme & intervention. Author.
- figure 29. location map of context. Tshwane base map provided by Department of Geography, University of Pretoria, 2010. Edited by Author.
- figure 30. aeriel photo showing position of programme. Author.
- figure 31. photo of trade stalls. Author.
- figure 32. photo of vehicle gate & parking lot. Author.
- figure 33. photo of palisade fence around zoo. Author.
- figure 34. photo of state museum. Author.
- figure 35. photo of aquarium from boom street. Author.
- figure 36. photo of reptile park from boom street. Author.
- figure 37. photo of pedestrian zoo entrance. Author.
- figure 38. artist impression of urban zoo. www.b-a-u.dk, 2010.
- figure 40. floor plans of urban zoo. www.b-a-u.dk, 2010.
- figure 39. sections of urban zoo. www.b-a-u.dk, 2010.
- figure 41. existing programme with one entrance. Tshwane base map provided by Department of Geography, University of Pretoria, 2010. Edited by Author.
- figure 42. hard edges removed. creates views for context buildings. Tshwane base map provided by Department of Geography, University of Pretoria, 2010. Edited by Author.
- figure 43. gateway and entrance pronounced and public square added . Tshwane base map provided by Department of Geography, University of Pretoria, 2010. Edited by Author.
- figure 44. public activity added to zoo precinct. Tshwane base map provided by Department of Geography, University of Pretoria, 2010. Edited by Author.
- figure 45. public activity added to zoo precinct. Tshwane base map provided by Department of Geography, University of Pretoria, 2010. Edited by Author.
- figure 46. artist impression of public square. Author
- figure 47. entrance diagram . Author.
- figure 48. reptile park diagram. Author.
- figure 49. information centre diagram. Author.
- figure 50. state museum diagram. Author.
- figure 51. offices diagram. Author.
- figure 52. linkage diagram. Author.
- figure 53. artist impression of market. Joubert, 'O. 2009. p. 142.
- figure 54. photographs in and around market. Joubert, 'O. 2009. P.143.



figure 55. photograph of retail in square. Gaventa, S. 2006. P. 24.

figure 56. photographs of federation square. Gaventa, S. 2006. P. 25.

chapter 4 theory

figure 57. natural landscape. Photographer unknown.

figure 58. falling waters set into the natural landscape. www.library.thinkquest.org

figure 59. villa savoye framed by the natural surroundings. www.coolboom.net

figure 60. sketch of natural elements in city. Author.

figure 61. architects impression of entrance plaza. Ali, Z.F. 2007. On site review report of Singapore Zoo entrance plaza.

figure 63. singapore zoo entrance. Ali, Z.F. 2007. On site review report of Singapore Zoo entrance plaza.

figure 62. natural surroundings of Singapore zoo. Ali, Z.F. 2007. On site review report of Singapore Zoo entrance plaza.

figure 64. indoor/outdoor. Ali, Z.F. 2007. On site review report of Singapore Zoo entrance plaza.

figure 65. simplicity of design. Ali, Z.F. 2007. On site review report of Singapore Zoo entrance plaza.

figure 66. tilla durieux park in Berlin. Gaventa, S. 2006. P. 41.

figure 67. sketch showing transitions between spaces. Alexander, C. 1977. P. 552.

figure 68. diagrams showing hierarchy of different types of open spaces. . Alexander, C. 1977. P. 552.

chapter 5 theoretical concept & strategies

figure 69. juvet landscape hotel, Norway. Hotel set in natural surroundings. Wallpaper Magazine, Aug. 2009. P. 63.

figure 71. nature and city as seperate OR nature integrated into city. Author.

figure 72. the architecture in the city portrayed as vertical elements. Author.

figure 73. vertical elements negate focus and movement. Author.

figure 74. nature portrayed as horizontal planes and elements. Author.

figure 75. vertical and horizontal elements. Author.

figure 76. artist impression of proposal. www.arcspace.com/architects/foster/elephant/index. 2010.

figure 77. photo of elephant house. www.fosterandpartners.com. 2010.

figure 78. photo of glass roof treated with leaf pattern. www.fosterandpartners.com. 2010.

figure 80. beginnings of a resonse to context. Author.

figure 79. form development from context. Plan. Tshwane base map provided by Department of Geography, University of Pretoria, 2010. Edited by Author.

figure 81. form development from context. 3d. Tshwane base map provided by Department of Geography, University of Pretoria, 2010. Edited by Author.

figure 82. form development from theory. Plan. Tshwane base map provided by Department of Geography, University of Pretoria, 2010. Edited by Author.

figure 83. form development from theory. 3d. Tshwane base map provided by Department of Geography, University of Pretoria, 2010. Edited by Author.

figure 85. beginnings of a theoretical concept. Author.

figure 84.	form development from t	UNIVERSITEIT VAN PRETORIA UNIVERSITY OF PRETO	
figure 86.	•	form development from theoretical concept. 3d. Tshwane base map provided by Department of Geography, University of Pretoria, 2010. Edited by Author.	
•			
	chapter 6	architectural intervention	
figure 87.	edited photo of model. Author.		
figure 88.	early site plan development. Author.		
figure 89.		response to early site plan development. Author.	
figure 90.		proposal response to context. Author.	
figure 91.	proposal response to vie	proposal response to views and natural elements. Author.	
figure 92.	section through trade area showing permeability and scale. Author.		
figure 93.	sketch of proposal from NW corner showing materiality and vertical structures in proposal. Author.		
figure 94.	sketch showing visual permeability of proposal. Author.		
figure 95.	trade & curios stalls as tranition to square. Author.		
figure 96.	public square forms centre of proposal. Author.		
figure 97.	permeability of retail square and area above . Author.		
figure 98.	reptile enclosure. Author.		
figure 99.	visually open first level. Author.		
figure 100.	office levels with louvres. Author.		
figure 101.	sketch showing connection between North wing and turned offices. Author.		
figure 102.	site plan. Author.		
figure 103.	level -1 and level 0 plan with materials. Author.		
figure 104.	diagrammatic layout of level 0 and -1 showing relation of spaces. Author.		
figure 105.	level 1 plan with materials. Author.		
figure 106.	diagram plan of level 1 s	showing movement and views from level. Author.	
figure 107.	diagram plan of level 2 showing layout and transparent sections. Author.		
figure 108.	diagram plan of level 2 showing office arrangement and cubicle design. Author.		
figure 109.	level 2 plan. Author.		
figure 111.	example of office cubicles. www.archplanner.com. 2010		
figure 110.	diagram plan of level 3 showing layout and transparent sections. Author.		
figure 112.	level 3 plan. Author.		
figure 113.	south elevation with mus	seum context. Author.	

figure 114.

north elevation with materials. Author.



figure 115. east elevation with materials. Author.

figure 116. west elevation with materials. Author.

chapter 7 technological investigation

- figure 117. photo of technical model. Author.
- figure 118. sketches and diagrams of the beginnings of a techtonic language. Author.
- figure 119. sketch showing stereotomic and tectonic concept. Author.
- figure 120. detail of column assembly. Author.
- figure 121. diagram showing stereotomic investigation. Author.
- figure 122. 3d showing stereotomic arrangement. Author.
- figure 123. sketch showing tectonic investigation. Author.
- figure 124. sketch showing hierarchy between stereotomic and tectonics. Author.
- figure 126. interior rendering of double volume space in offices. Author.
- figure 125. diagram showing position of sections. Author.
- figure 127. 3d section through West wing
- figure 128. section a-a. Author.
- figure 129. section b-b. Author.
- figure 130. section c-c. Author.
- figure 131. section d-d. Author.
- figure 132. strip section. Author.
- figure 133. detail 1. roof and column connection. Author.
- figure 134. detail 2. tectonics around columns. Author.
- figure 135. detail 3. mushroom cap and slab detail. Author.
- figure 136. detail 4. slab and gutter detail. Author.
- figure 137. detail 5. floor and foundation detail. Author.
- figure 138. detail 6. shading device detail. Author.
- figure 139. detail 7. roof and gutter detail. Author.
- figure 140. detail 8. foldable shading detail. Author.
- figure 141. roof development 1. single sheets. Author.
- figure 142. roof development 2. roof split for clerestories. Author.
- figure 143. roof development 3. two roofs connected over circulation core. Author.
- figure 144. roof development 4. roof wraps around building and extends above entrance. Author.



- figure 145. diagrammatic elevation of roof above entrance. Author. figure 147. example of re-used brick gabion wall. www.ipafes.com. 2010. figure 146. re-used brick gabion perimiter wall. www.ipafes.com. 2010.
- figure 149. example of timber screen wall
- figure 148. sketch showing application of re-used facebrick. Author.
- figure 150. typical ECOWOOD extrusion commonly used for decking. www.ecowood.co.za. 2010.
- figure 151. surface texture of ECOWOOD. www.ecowood.co.za. 2010
- figure 152. 3d showing ecowood louvres on facade. Author.
- figure 153. COOLVUE composition and transmittance information. www.smartglass.co.za. 2010.
- figure 154. sketch showing application of COOLVUE glazing. Author.
- figure 155. diagram showing location of fixed and operable windows. Author.
- figure 156. diagrammatic section showing natural ventilation through building. Author.
- figure 157. diagrammatic section showing mechanical ventilation through building. Author.
- figure 158. diagram showing position and sizes of roofs used for water harvesting
- figure 159. diagram showing water collection tanks and uses. Author.
- figure 160. diagrammatic section showing internal sanitary connections. Author.
- figure 161. diagrammatic section showing external sanitary connections. Author.
- figure 162. 3d diagram of evacuated tube system. Author.
- figure 163. direct vs. angled sunlight on ETHP. Author.
- figure 164. 3d diagram of heating system in the proposal. Author.
- figure 165. image of an air cooled chiller. Mc Quay International. Chiller Plant Design. 2010.
- figure 166. 3d diagram of cooling system in the proposal. Author.
- figure 167. sbat results chart. Sustainable Building Assessment Tool. CSIR. 2010.
- figure 168. 3d of proposal from north west corner. Author.



chapter 8 model and 3ds

figure 169. 3d view of entrance. Author. figure 171. photo of model from West. Author. figure 172. photo of model from Boom Street. Author. figure 170. 3d view of pedestrian entrance on first level. Author. figure 173. photo of model from East. Author. figure 174. 3d view of reptile enclosures. Author. figure 175. 3d view of public square. Author. figure 176. 3d view of open market. Author. figure 177. photo of model from South. Author. figure 178. photo of model above entrance. Author. figure 179. 3d view of pedestrian exit. Author. figure 180. 3d view of office circulation. Author. figure 181. 3d view of open plan office. Author.

chapter 9 conclusion

figure 182. 3d of proposal in context figure 183. zoogate logo. Author.

LIST OF TABLES

table 1. potential rainwater harvesting capacities. Author.
table 2. number of sanitary fittings in proposal. Author.
table 3. total water consumption of proposal. Author.
table 4. water catchment tank capacities required in project. Author.
table 5. water saved on an annual basis. Author.

