

BIBLIOGRAPHY BY CHAPTER

The nature and rate of vocalisation by southern right whales (*Eubalaena australis*), and the evidence for individually distinctive calls

CHAPTER ONE: ACOUSTIC REPERTOIRE OF SOUTHERN RIGHT WHALES IN SOUTH AFRICAN WATERS

- BAIN, D. E. (1986). Acoustic behaviour of *Orcinus*: sequences, periodicity, behavioural correlates and an automated technique for call classification. — In: Behavioural Biology of Killer Whales (B. C. Kirkeveld & J. S. Lockard, eds). Alan R. Liss Inc., New York, p. 945-961.
- BARKLOW, W. E. (1997). Some underwater sounds of the hippopotamus (*Hippopotamus amphibius*). — Marine and Freshwater Behavioural Physiology 29, 237-249.
- BEST, P. B. (1970). Exploitation and recovery of right whales *Eubalaena australis* off the Cape Province. — Investigational Reports of the Division of Sea Fisheries, South Africa 80, 1-20.
- . (1981). The status of right whales (*Eubalaena australis*) off South Africa, 1969-1979. — Investigational Report of the Sea Fisheries Institute, South Africa 123, 1-44.
- BEST, P. B., SCHAEFF, C. M., REEB, D. & PALSOLL. (2003). Composition and possible function of social groupings of southern right whales in South African waters. — Behaviour 140, 1469-1494.
- BEST, P. B. & SCOTT, H. A. (1993). The distribution, seasonality and trends in abundance of southern right whales *Eubalaena australis* off De Hoop nature reserve, South Africa. — South African Journal of Marine Science 13, 175-186.
- CLARK, C. W. (1982). The acoustic repertoire of the southern right whale: a quantitative analysis. — Animal Behaviour 30, 1060 - 1071.
- . (1983). Acoustic communication and behaviour of the southern right whale (*Eubalaena australis*). — In: Behavior and Communication of Whales. American Association for the Advancement of Science Selected Symposium 76 (R. Payne, ed). Westview Press, Boulder, Colorado, p. 163-198.
- . (1984). Acoustic communication and behaviour of southern right whales, *Eubalaena australis*. — National Geographic Society Research Reports 17, 897-907.
- . (1990). Acoustic behaviour of mysticete whales. — In: Sensory Abilities of Whales (J. A. Thomas & R. A. Kastelein, eds). Plenum Press, New York, p. 571-583.

- CLARK, C. W. & CLARK, J. M. (1980). Sound playback experiments with southern right whales (*Eubalaena australis*). — *Science* 207, 663-664.
- COX, D. R. & LEWIS, P. (1966). *The Statistical Analysis of Series of Events*. — Methuen, London.
- CUMMINGS, W. C., FISH, J. F. & THOMPSON, P. O. (1971). Bioacoustics of marine mammals off Argentina: R/V Hero Cruise 71-3. — *Antarctic Journal of the United States* VI, 266-268.
- . (1972). Sound production and other behaviour of southern right whales, *Eubalaena australis*. — *Transcripts of the San Diego Society of Natural History* 17, 1-14.
- CUMMINGS, W. C., THOMPSON, P. O. & FISH, J. F. (1974). Behaviour of southern right whales: R/V Hero cruise 72-3. — *Antarctic Journal of the United States* 9, 33-38.
- FICHTEL, C. & HAMMERSCHMIDT, K. (2003). Responses of squirrel monkeys to their experimentally modified mobbing calls. — *Journal of the Acoustical Society of America* 113, 2927-2932.
- FUJIWARA, M. & CASWELL, H. (2001). Demography of the endangered North Atlantic right whale. — *Nature* 414, 537-541.
- HOPP, S. L. & MORTON, E. S. (1998). Sound playback studies. — In: *Animal Acoustic Communication* (S. L. Hopp, M. J. Owren & C. S. Evans, eds). Springer, Berlin, p. 323-352.
- ILLMAN, G., SCHRADER, L., SPINKA, M. & SUSTR, P. (2002). Acoustical mother-offspring recognition in pigs (*Sus scrofa domestica*). — *Behaviour* 139, 487-505.
- KNOWLTON, A. R. & KRAUS, S. D. (2001). Mortality and serious injury of northern right whales (*Eubalaena glacialis*) in the western north Atlantic. — *Journal of Cetacean Research and Management (Special Issue)*, 193-208.
- KRAUS, S. D. & HATCH, J. J. (2001). Mating strategies in the North Atlantic right whale (*Eubalaena glacialis*). — *Journal of Cetacean Research and Management (Special Issue 2)*, 237-44.
- MARTIN, P. & BATESON, P. (1993). *Measuring Behaviour: an introductory guide*. — Cambridge University Press, Cambridge.
- MATTHEWS, J. N., BROWN, S., GILLESPIE, D., JOHNSON, M., MCLANAGHAN, R., MOSCROP, A., NOWACEK, D., LEAPER, R., LEWIS, T. & TYACK, P. (2001). Vocalisation rates of the North Atlantic right whale (*Eubalaena glacialis*). — *Journal of Cetacean Research and Management* 3, 271-282.

- PARKS, S. E. (2003a). Acoustic communication in the north Atlantic right whale (*Eubalaena glacialis*). — unpublished Ph D thesis, Massachusetts Institute of Technology & Woods Hole Oceanographic Institute.
- . (2003b). Response of North Atlantic right whales (*Eubalaena glacialis*) to playback of calls recorded from surface active groups in both the North and South Atlantic. — *Marine Mammal Science* 19, 563-580.
- PARKS, S. E., BROWN, M. B., CONGER, L., HAMILTON, P. K., KNOWLTON, A. R., KRAUS, S. D., SLAY, C. & TYACK, P. L. (2007a). Occurrence and composition of surface active groups in North Atlantic right whales (*Eubalaena glacialis*). — *Marine Mammal Science* 23, 868-887.
- PARKS, S. E., HAMILTON, P. K., KRAUS, S. D. & TYACK, P. L. (2005b). The Gunshot sound produced by male North Atlantic right whales (*Eubalaena glacialis*) and its potential function in reproductive advertisement. — *Marine Mammal Science* 21, 458-475.
- PARKS, S. E. & TYACK, P. L. (2005a). Sound production by North Atlantic right whales (*Eubalaena glacialis*) in surface active groups. — *Journal of the Acoustical Society of America* 117, 3297-3306.
- PAYNE, K., LANGBAUER, W. R. & THOMAS, E. (1998). Infrasonic calls of the Asian elephant (*Elephas maximus*). — *Behavioural Ecology and Sociobiology* 18, 297-301.
- PAYNE, R. & PAYNE, K. (1971). Underwater sounds of southern right whales. — *Zoologica* 56, 159-165.
- PHILLIPS, A. V. (2003). Behavioral cues used in reunions between mother and pup South American fur seals (*Arctocephalus australis*). — *Marine Ecology-Progress Series* 252, 524-535.
- PYE, J. D. & LANGBAUER, W. R. (1998). Ultrasound and infrasound. — In: *Animal acoustic communication. Sound analysis and research methods* (S. L. Hopp, M. J. Owren & C. S. Evans, eds). Springer-Verlag, Berlin, p. 421.
- REBY, D., CARGNELUTTI, B., JOACHIM, J. & AULAGNIER, S. (1998). Spectral acoustic structure of barking in roe deer (*Capreolus capreolus*). Sex-, age- and individual-related variations. — *C.R. Acad. Sci. Paris, Sciences de la vie* 322, 271-279.
- RICHARDSON, W. J., GREENE, C. R. J., MALME, C. I. & THOMSON, D. H. (1995). *Marine mammals and noise*. — Academic Press.
- RIEDE, T. & ZUBERBUHLER, K. (2003). Pulse register phonation in Diana monkey alarm calls. — *Journal of the Acoustical Society of America* 113, 2919-2926.

- SAAYMAN, G. S. & TAYLER, C. K. (1973). Some behaviour patterns of the southern right whale, *Eubalaena australis*. — *Z. F. Saugetierkunde* 38, 172-183.
- SCAMMON, C. M. (1874). The marine mammals of the north-western coast of North America, and the American whale fishery. — Manessier Publishing Co., Riversde, California.
- SCHEVILL, W. E. (1962). Whale music. — *Oceanus*, The Woods Hole Oceanographic Institution, Wood's hole, Massachusetts IX, 1-7.
- . (1964). Underwater sounds of cetaceans. — In: *Marine Bioacoustics - Proceedings of a Symposium*, Bimini, Bahamas. Pergamon Press, Oxford, London, New York, Paris, p. 307 - 316.
- SCHEVILL, W. E., BACKUS, R. H. & HERSEY, J. B. (1962). Sound production by marine animals. — In: *Bioacoustics* (M. N. Hill, ed). Wiley, New York, p. 540-566.
- SCHEVILL, W. E. & WATKINS, W. A. (1962). Whale and porpoise voices. — Woods Hole Oceanographic Institution, Woods Hole, Massachusetts: Woods Hole Oceanographic Institution, 24, and phonograph record.
- SEYFARTH, R. & CHENEY, D. (1992). Meaning and mind in monkeys. — *Scientific American* December 1992, 78-84.
- TYACK, P. (1983). Differential responses of humpback whales, *Megaptera novaeangliae*, to playback of song or social sounds. — *Behavioural Ecology and Sociobiology* 13, 49-55.
- TYACK, P. L. (1998). Acoustic communication under the sea. — In: *Animal Acoustic Communication* (S. L. Hopp, M. J. Owren & C. S. Evans, eds). Springer, Berlin, p. 163-220.
- . (2000). Dolphins whistle a signature tune. — *Science* 289, 1310-1311.
- URICK, R. J. (1986). Principles of underwater sound for engineers. — McGraw-Hill, New York.
- WAHLBERG, M., LUNNERYD, S. G. & WESTERBERG, H. (2002). The source level of harbour seal flipper slaps. — *Aquatic Mammals* 28, 90-92

CHAPTER TWO: ACOUSTIC BEHAVIOUR OF SOUTHERN RIGHT WHALES IN SOUTH AFRICAN WATERS IN RELATION TO NUMBERS OF WHALES PRESENT

- BALCOMB, K. C. & CLARIDGE, D. (2001). A mass stranding of cetaceans caused by naval sonar in the Bahamas. — *Bahamas Journal of Science* 5, 2-12.

- BARRET-LENNARD, L. G., FORD, J. K. B. & HEISE, K. A. (1996). The mixed blessing of echolocation: differences in sonar use by fish-eating and mammal-eating killer whales. — *Animal Behaviour* 51, 53-565.
- BEST, P. B. (1981). The status of right whales (*Eubalaena australis*) off South Africa, 1969-1979. — Investigational Report of the Sea Fisheries Institute, South Africa 123, 1-44.
- BEST, P. B., MËYER, M. A. & LOCKYER, C. (submitted). Killer whales in South African waters - a review of their biology. — *African Journal of Marine Science*.
- BEST, P. B., SCHAEFF, C. M., REEB, D. & PALSOLL. (2003). Composition and possible function of social groupings of southern right whales in South African waters. — *Behaviour* 140, 1469-1494.
- BEST, P. B. & SCOTT, H. A. (1993). The distribution, seasonality and trends in abundance of southern right whales *Eubalaena australis* off De Hoop nature reserve, South Africa. — *South African Journal of Marine Science* 13, 175-186.
- CLARK, C. W. (1982). The acoustic repertoire of the southern right whale: a quantitative analysis. — *Animal Behaviour* 30, 1060 - 1071.
- . (1983). Acoustic communication and behaviour of the southern right whale (*Eubalaena australis*). — In: *Behavior and Communication of Whales*. American Association for the Advancement of Science Selected Symposium 76 (R. Payne, ed). Westview Press, Boulder, Colorado, p. 163-198.
- CLARK, C. W., CHARIF, R., MITCHELL, S. & COLBY, J. (1996). Distribution and behaviour of the bowhead whale, *Balaena mysticetus*, based on analysis of acoustic data collected during the 1993 spring migration off Point Barrow, Alaska. — Report to the International Whaling Commission 46, 541-52.
- CORKERON, P. J. & CONNOR, R. C. (1999). Why do baleen whales migrate? — *Marine Mammal Science* 15, 1228-1245.
- COX, D. R. & LEWIS, P. (1966). *The Statistical Analysis of Series of Events*. — Methuen, London.
- CRUM, L. A., BAILEY, M. R., GUAN, J., HILMO, P. R., KARGL, S. G., MATULA, T. J. & SAPOZHNIKOV, O. A. (2005). Monitoring bubble growth in supersaturated blood and tissue ex vivo and the relevance to marine mammal bioeffects. — In: *Acoustics Research Letters Online*, p. 214-220.
- CUMMINGS, W. C., FISH, J. F. & THOMPSON, P. O. (1972). Sound production and other behaviour of southern right whales, *Eubalaena australis*. — *Transcripts of the San Diego Society of Natural History* 17, 1-14.

- CUMMINGS, W. C. & THOMPSON, P. O. (1971). Gray whales, *Eschrichtius robustus*, avoid underwater sounds of killer whales, *Orcinus orca*. — Fisheries Bulletin 69, 525-530.
- DOBSON, A. J. (1990). An introduction to generalized linear models. — Chapman and Hall, New York.
- ELWEN, S. & BEST, P. B. (2004). Environmental factors influencing the distribution of southern right whales (*Eubalaena australis*) on the south coast of South Africa II: within bay distribution. — Marine Mammal Science 20, 583-601.
- FISH, J. F. & VANIA, J. S. (1971). Killer whale, *Orcinus orca*, sounds repel white whales, *Delphinapterus leucas*. — Fisheries Bulletin 69, 531-535.
- FRANKEL, A. S. & CLARK, C. W. (2000). Behavioural responses of humpback whales (*Megaptera novaeangliae*) to full-scale ATOC signals. — Journal of the Acoustical Society of America 108, 1930-1937.
- FRANTZIS, A. (1998). Does acoustic testing strand whales? — Nature 392, 29.
- FUJIWARA, M. & CASWELL, H. (2001). Demography of the endangered North Atlantic right whale. — Nature 414, 537-541.
- GÖTZ, T., VERFUß, U. K. & SCHNITZLER, H. (2006). 'Eavesdropping' in wild rough-toothed dolphins (*Steno bredanensis*)? — Biological Letters of the Royal Society 2, 5-7.
- GREENE, C. R. & RICHARDSON, W. J. (1988). Characteristics of marine seismic survey sounds in the Beaufort Sea. — Journal of the Acoustical Society of America 83, 2246-54.
- IFAW. (2001). Report of the Workshop on Right Whale Acoustics: Practical Applications in Conservation. — International Fund for Animal Welfare, Yarmouth Port, MA 02675, USA.
- KRAUS, S. D. & HATCH, J. J. (2001). Mating strategies in the North Atlantic right whale (*Eubalaena glacialis*). — Journal of Cetacean Research and Management (Special Issue 2), 237-44.
- MACLENNAN, D. N. & SIMMONDS, E. J. (1992). Biological acoustics. — Chapman & Hall, London, Tokyo, Melbourne, Madras.
- MATTHEWS, J. N., BROWN, S., GILLESPIE, D., JOHNSON, M., MCLANAGHAN, R., MOSCROP, A., NOWACEK, D., LEAPER, R., LEWIS, T. & TYACK, P. (2001). Vocalisation rates of the North Atlantic right whale (*Eubalaena glacialis*). — Journal of Cetacean Research and Management 3, 271-282.
- MCCAULEY, R. D., JENNER, C., BANNISTER, J. L., BURTON, C. L. K., CATO, D. H. & DUNCAN, A. (2001). Blue whale calling in the Rottneest Trench - 2000, Western Australia. — Western Australian Museum: Centre for Marine Science and Technology, 1-56.

- MCCAULEY, R. D., SWAN, J. M., NEFF, J. M. & YOUNG, P. C., eds. (1994). Seismic surveys. — Australian Institute of Marine Science, Townsville, Queensland, APEA, Sydney.
- MCDONALD, M. A. & FOX, C. G. (1999). Passive acoustic methods applied to fin whale population density estimates. — *Journal of the Acoustical Society of America* 105, 2643-2651.
- PARKS, S. E. (2003a). Acoustic communication in the north Atlantic right whale (*Eubalaena glacialis*). — unpublished Ph D thesis, Massachusetts Institute of Technology & Woods Hole Oceanographic Institute.
- . (2003b). Response of North Atlantic right whales (*Eubalaena glacialis*) to playback of calls recorded from surface active groups in both the North and South Atlantic. — *Marine Mammal Science* 19, 563-580.
- PARKS, S. E., HAMILTON, P. K., KRAUS, S. D. & TYACK, P. L. (2005b). The Gunshot sound produced by male North Atlantic right whales (*Eubalaena glacialis*) and its potential function in reproductive advertisement. — *Marine Mammal Science* 21, 458-475.
- PARKS, S. E. & TYACK, P. L. (2005a). Sound production by North Atlantic right whales (*Eubalaena glacialis*) in surface active groups. — *Journal of the Acoustical Society of America* 117, 3297-3306.
- PAYNE, K., LANGBAUER, W. R. & THOMAS, E. (1998). Infrasonic calls of the Asian elephant (*Elephas maximus*). — *Behavioural Ecology and Sociobiology* 18, 297-301.
- SERRANO, A. & MILLER, E. H. (2000). How vocal are harp seals (*Pagophilus groenlandicus*)? A captive study of seasonal and diel patterns. — *Aquatic Mammals; Aquat. Mamm.* 26, 253-259.
- SIMMONDS, M. P. & LOPEZ-JURADO, L. F. (1991). Whales and the military. — *Nature* 351.
- SMULTEA, M. A. (1994). Segregation by humpback whale (*Megaptera novaeangliae*) cows with a calf in coastal habitat near the island of Hawaii. — *Canadian Journal of Zoology* 72, 805-811.
- STAFFORD, K. M., FOX, C. G. & CLARK, D. S. (1998). Long-range acoustic detection and localization of blue whale calls in the northeast Pacific Ocean. — *Journal of the Acoustical Society of America* 104, 3616-3625.
- THOMAS, P. O. (1984). Mother-infant interaction and behavioural development in southern right whales, *Eubalaena australis*. — *Behaviour* 88, 42-60.
- THORSON, R. F. & FINE, M. F. (2002). Acoustic competition in the gulf toadfish *Opsanus beta*. — *Journal of the Acoustical Society of America* 111, 2302-2307.

VAN PARIJS, S., SMITH, J. & CORKERON, P. J. (2002). Using calls to estimate the abundance of inshore dolphins: a case study with Pacific humpback dolphins *Sousa chinensis*. — *Journal of Applied Ecology* 39, 853-864.

WÜRSIG, B., DORSEY, E. M., FRAKER, M. A., PAYNE, R. S. & RICHARDSON, W. J. (1996). Behaviour of bowhead whales, *Balaena mysticetus*, summering in the Beaufort Sea: a summary. — Report to the International Whaling Commission (Special Issue 8), 167-175.

CHAPTER THREE: LOCALISING CALLING SOUTHERN RIGHT WHALES IN A NOISY ENVIRONMENT, USING A DUAL AXIS SUSPENDED HYDROPHONE ARRAY

AU, W. W. L. & BANKS, K. (1997). The acoustics of the snapping shrimp *Synalpheus parneomeris* in Kaneohe Bay. — *Journal of the Acoustical Society of America* 103, 41-47.

BEST, P. B. (2000). Coastal distribution, movements and site fidelity of right whales *Eubalaena australis* off South Africa, 1969-1998. — *South African Journal of Marine Science* 22, 43-55.

BEST, P. B., SCHAEFF, C. M., REEB, D. & PALSBOU. (2003). Composition and possible function of social groupings of southern right whales in South African waters. — *Behaviour* 140, 1469-1494.

BRP (BIOACOUSTICS RESEARCH PROGRAM), C. L. O. (2006). Autonomous Recording Units (ARUs) Pop-Up Ocean-Bottom Recorders, Cornell Lab of Ornithology, Ithaca, NY, <http://www.birds.cornell.edu/BRP/ARUMarine.html>. —

CLARK, C. W. (1980). A real-time direction finding device for determining the bearing to the underwater sounds of Southern Right whales, *Eubalaena australis*. — *Journal of the Acoustical Society of America* 68, 508-511.

—. (1982). The acoustic repertoire of the southern right whale: a quantitative analysis. — *Animal Behaviour* 30, 1060 - 1071.

CLARK, C. W. & ELLISON, W. T. (2000). Calibration and comparison of the acoustic location methods used during the spring migration of the bowhead whale, *Balaena mysticetus*, off Pt. Barrow, Alaska, 1984-1993. — *Journal of the Acoustical Society of America* 107, 3509-3517.

- CLARK, C. W., ELLISON, W. T. & BEEMAN, K. (1986). Acoustic tracking of migrating bowhead whales. — In: Proceedings of the IEEE Oceans '86, 23-25 Sept. 1986. Institute of Electrical and Electronics Engineers, Inc., Washington D.C., p. 341-346.
- COX, D. R. & HINKLEY, D. (1974). Theoretical Statistics. — Chapman & Hall, London.
- DUDZINSKI, K., CLARK, C. & WURSIG, B. (1995). A mobile video/acoustic system for simultaneous underwater recording of dolphin interactions. — Aquatic Mammals 21, 187-193.
- FREITAG, L. & TYACK, P. L. (1993). Passive acoustic localisation of the Atlantic bottlenose dolphin using whistles and clicks. — Journal of the Acoustical Society of America 93, 2197-2205.
- GÖTZ, T., VERFUß, U. K. & SCHNITZLER, H. (2006). 'Eavesdropping' in wild rough-toothed dolphins (*Steno bredanensis*)? — Biological Letters of the Royal Society 2, 5-7.
- HAVELOCK, D. I. (2003). Sensor array beamforming using random channel sampling: The aggregate beamformer. — Journal of the Acoustical Society of America 114, 1997-2006.
- HAYES, S. A., MELLINGER, D. K., COSTA, D., BORSANI, J. F. & CROLL, D. (1998). The poor boy buoy: a low cost sound recording and localization system. — The world marine mammal science conference, Monaco, 20-24 January 1998: Abstracts.
- JONES, G. J. & SAYIGH, L. S. (2002). Geographic variation in rates of vocal production of free-ranging bottlenose dolphins. — Marine Mammal Science 18, 374-393.
- KRAUS, S. D. & HATCH, J. J. (2001). Mating strategies in the North Atlantic right whale (*Eubalaena glacialis*). — Journal of Cetacean Research and Management (Special Issue 2), 237-44.
- MACPHERSON, E. A. & MIDDLEBROOKS, J. C. (2003). Vertical-plane sound localization probed with ripple-spectrum noise. — Journal of the Acoustical Society of America 113, 430-445.
- MATTHEWS, J. N., BROWN, S., GILLESPIE, D., JOHNSON, M., MCLANAGHAN, R., MOSCROP, A., NOWACEK, D., LEAPER, R., LEWIS, T. & TYACK, P. (2001).

- Vocalisation rates of the North Atlantic right whale (*Eubalaena glacialis*). — *Journal of Cetacean Research and Management* 3, 271-282.
- MILLER, P. J. & TYACK, P. L. (1998). A small towed beamforming array to identify vocalizing resident killer whales (*Orcinus orca*) concurrent with focal behavioural observations. — *Deep-Sea Research II*, 1389-1405.
- MOHL, B., WAHLBERG, M., MADSEN, P. & MILLER, L. (2000). Sperm whale clicks: Directionality and source level revisited. — *Journal of the Acoustical Society of America* 107, 638-648.
- OVAL (ORCA VOCALIZATION AND LOCALIZATION PROJECT), C. C. (2006). Colorado College OVAL Project homepage: Localization, <http://www.coloradocollege.edu/environment/Research/OVALItems/schematic.html>. —
- PARKS, S. E. (2003a). Acoustic communication in the north Atlantic right whale (*Eubalaena glacialis*). — unpublished Ph D thesis, Massachusetts Institute of Technology & Woods Hole Oceanographic Institute.
- PARKS, S. E. & TYACK, P. L. (2005a). Sound production by North Atlantic right whales (*Eubalaena glacialis*) in surface active groups. — *Journal of the Acoustical Society of America* 117, 3297-3306.
- SCHEVILL, W. E. (1964). Underwater sounds of cetaceans. — In: *Marine Bioacoustics - Proceedings of a Symposium, Bimini, Bahamas*. Pergamon Press, Oxford, London, New York, Paris, p. 307 - 316.
- SPIESBERGER, J. L. & FRISTRUP, K. M. (1990). Passive localization of calling animals and sensing of their acoustic environment using acoustic tomography. — *American Naturalist* 135, 107-153.
- STAFFORD, K. M., FOX, C. G. & CLARK, D. S. (1998). Long-range acoustic detection and localization of blue whale calls in the northeast Pacific Ocean. — *Journal of the Acoustical Society of America* 104, 3616-3625.
- TYACK, P. L. (1991). Use of a telemetry device to identify which dolphin produces a sound. — In: *Dolphin Societies: Discoveries and Puzzles* (K. Pryor & K. S. Norris, eds). University of California Press, Berkeley and Los Angeles, Oxford, p. 319-345.

- . (1998). Acoustic communication under the sea. — In: Animal Acoustic Communication. Sound Analysis and Research Methods (S. L. Hopp, Owren, M.J. and Evans, C.S., ed). Springer-Verlag, Berlin, p. 418.
- VAN PARIJS, S. M., HASTIE, G. D. & THOMPSON, P. M. (2000). A design for a two-dimensional boat-bound hydrophone array for studying harbor seals, *Phoca vitulina*. — Marine Mammal Science 16, 481-489.
- WATKINS, W. A. & SCHEVILL, W. E. (1972). Sound source location by arrival-times on a non-rigid three-dimensional hydrophone array. — Deep-Sea Research 19, 691-706.
- . (1974). Listening to Hawaiian spinner porpoises, *Stenella cf. longirostris*, with a three-dimensional hydrophone array. — Journal of Mammalogy 55, 319-328.

CHAPTER FOUR: INDIVIDUAL VARIATION IN THE CALLS OF SOUTHERN RIGHT WHALES

- ALLAN, S. E. & SIMMONS, A. M. (1994). Temporal features mediating call recognition in the green tree frog, *Hyla cinerea*: amplitude modulation. — Animal Behaviour 47, 1073-1086.
- BAYLY, K. L. & EVANS, C. S. (2003). Dynamic changes in alarm call structure: a strategy for reducing conspicuousness to avian predators? — Behaviour 140, 353-369.
- BECKERS, G. J. L., GOOSSENS, B. M. A. & TEN CATE, C. (2003). Perceptual salience of acoustic differences between conspecific and allospecific vocalizations in African collared-doves. — Animal Behaviour 65, 605-614.
- BELETSKY, D. L. (1983). Vocal mate recognition in red-winged blackbirds, *Agelaius phoeniceus*. — Behaviour 84, 124-134.
- BEST, P. B. (2000). Coastal distribution, movements and site fidelity of right whales *Eubalaena australis* off South Africa, 1969-1998. — South African Journal of Marine Science 22, 43-55.
- BEST, P. B., SCHAEFF, C. M., REEB, D. & PALSBOU. (2003). Composition and possible function of social groupings of southern right whales in South African waters. — Behaviour 140, 1469-1494.

- BRINDLEY, E. L. (1991). Response of European robins to playback of song: neighbour recognition and overlapping. — *Animal Behaviour* 41, 503-512.
- BURGESS, W. C., TYACK, P. L., LE BOEUF, B. J. & COSTA, D. P. (1998). A programmable acoustic recording tag and first results from free-ranging northern elephant seals. — *Deep-Sea Research II*, 1327-1351.
- CAMPBELL, M. & GREATED, C. (1987). Anatomy of a musical note. — In: *A Musician's Guide to Acoustics*. Schirmer Books, p. 140-164.
- CERCHIO, S. (1993). Geographic variation and cultural evolution in songs of humpback whales (*Megaptera novaengliaea*) in the eastern North Pacific. — unpublished thesis, MSc, San Jose State University.
- CHARIF, R. A., MITCHELL, S. & CLARK, C. W. (1995). Canary 1.12 User's Manual. — Cornell Laboratory of Ornithology, Ithaca, N.Y.
- CHARRIER, I., MATHEVON, N. & JOUVENTIN, P. (2003). Vocal recognition of mothers by fur seal pups. — *Animal Behaviour; Anim. Behav.* 65, 543-550.
- CHRISTIE, P. J., MENNILL, J. & RATCLIFFE, L. M. (2003). Chicadee song structure is individually distinctive over long broadcast distances. — *Behaviour* 141, 101-124.
- CLARK, C. W. (1982). The acoustic repertoire of the southern right whale: a quantitative analysis. — *Animal Behaviour* 30, 1060 - 1071.
- . (1983). Acoustic communication and behaviour of the southern right whale (*Eubalaena australis*). — In: *Behavior and Communication of Whales*. American Association for the Advancement of Science Selected Symposium 76 (R. Payne, ed). Westview Press, Boulder, Colorado, p. 163-198.
- CLARK, C. W., ELLISON, W. T. & BEEMAN, K. (1986). Acoustic tracking of migrating bowhead whales. — In: *Proceedings of the IEEE Oceans '86*, 23-25 Sept. 1986. Institute of Electrical and Electronics Engineers, Inc., Washington D.C., p. 341-346.
- DARWIN, C. J., BRUNGART, D. S. & SIMPSON, B. D. (2003). Effects of fundamental frequency and vocal-tract length changes on attention to one of two simultaneous talkers. — *Journal of the Acoustical Society of America* 114, 2913-2922.

- DE WINTER, A. J. (1992). The genetic basis and evolution of acoustic mate recognition signals in a *Ribautodelphax* planthopper (Homoptera, Delphacidae) 1. The female call. — *Journal of Evolutionary Biology* 5, 249-265.
- ELLERS, J. & SLABBEKOORN, H. (2003). Song divergence and male dispersal among bird populations: a spatially explicit model testing the role of vocal learning. — *Animal Behaviour* 65, 763-777.
- FISCHER, J. (2003). Emergence of individual recognition in young macaques. — *Animal Behaviour* 67, 655-661.
- FITCH, W. T., NEUBAUER, J. & HERZEL, H. (2002). Calls out of chaos: The adaptive significance of nonlinear phenomena in mammalian vocal production. — *Animal Behaviour* 2002, 407-418.
- FRANKEL, A. S. & CLARK, C. W. (2000). Behavioural responses of humpback whales (*Megaptera novaeangliae*) to full-scale ATOC signals. — *Journal of the Acoustical Society of America* 108, 1930-1937.
- FREITAG, L. & TYACK, P. L. (1993). Passive acoustic localisation of the Atlantic bottlenose dolphin using whistles and clicks. — *Journal of the Acoustical Society of America* 93, 2197-2205.
- FROMMOLT, K.-H., GOLTSMAN, M. E. & MACDONALD, D. W. (2003). Barking foxes, *Alopex lagopus*; Field experiments in individual recognition in a territorial mammal. — *Animal Behaviour* 65, 519-530.
- GOOLD, J. C. & JONES, S. E. J. (1995). Time and frequency domain characteristics of sperm whale clicks. — *Journal of the Acoustical Society of America* 98, 1279-1291.
- HAYES, S. A., KUMAR, A., COSTA, D. P., MELLINGER, D. K., HARVEY, J. T., SOUTHALL, B. L. & LE BOEUF, B. J. (2004). Evaluating the function of the male harbour seal, *Phoca vitulina*, roar through playback experiments. — *Animal Behaviour*, 1133 - 1139.
- HEIKE, I. V., FOLKOW, L. P. & BLIX, A. S. (2004). Click sounds produced by cod (*Gadus morhua*). — *Journal of the Acoustical Society of America* 115, 914-919.
- IKEDA, Y. (1998). Voice Analysis of Cattle. — In. *Agricultural Process Engineering Laboratory*, Kyoto University, Kyoto, p. 121-131.

- ILLMANN, G., SCHRADER, L., SPINKA, M. & SUSTR, P. (2002). Acoustical mother-offspring recognition in pigs (*Sus scrofa domestica*). — Behaviour 139, 487-505.
- JANIK, V. M. (2000). Whistle matching in wild bottlenose dolphins (*Tursiops truncatus*). — Science 289, 1355-1357.
- JURITZ, L. H. (1996). The singer, not the song: vocal identity of the humpback whale *Megaptera novaeangliae*. — unpublished thesis, MSc, University of Wales.
- KRAUS, S. D. & HATCH, J. J. (2001). Mating strategies in the North Atlantic right whale (*Eubalaena glacialis*). — Journal of Cetacean Research and Management (Special Issue 2), 237-44.
- LADICH, F., BISCHOF, C., SCHLEINZER, G. & FUCHS, A. (1992). Intra- and interspecific differences in agonistic vocalization in croaking gouramis (genus: *Trichopsis*, Anabantoidei, Teleostei). — Bioacoustics 4, 131-141.
- LAMMERS, M. O., AU, W. L. & HERZING, D. L. (2003). The broadband social acoustic signaling behaviour of spinner and spotted dolphins. — Journal of the Acoustical Society of America 114, 1629-1639.
- LIGOUT, S., SEBE, F. & PORTER, R. H. (2003). Vocal discrimination of kin and non-kin agemates among lambs. — Behaviour 141, 355-369.
- LOHR, B., WRIGHT, T. F. & DOOLING, R. J. (2003). Detection and discrimination of natural calls in masking noise by birds: estimating the active space of a signal. — Animal Behaviour 65, 875-882.
- MAROZEAU, J., DE CHEVEIGNE, A., MCADAMS, S. & WINSBERG, S. (2003). The dependency of timbre on fundamental frequency. — Journal of the Acoustical Society of America 114, 2946-2957.
- MASTERS, J. C. (1991). Loud calls of *Galago crassicaudatus* and *G. garnettii* and their relation to habitat structure. — Primates 12, 153-167.
- MATTHEWS, J. N., BROWN, S., GILLESPIE, D., JOHNSON, M., MCLANAGHAN, R., MOSCROP, A., NOWACEK, D., LEAPER, R., LEWIS, T. & TYACK, P. (2001). Vocalisation rates of the North Atlantic right whale (*Eubalaena glacialis*). — Journal of Cetacean Research and Management 3, 271-282.

- MATTHEWS, J. N., RENDELL, L. E., GORDON, J. C. D. & MACDONALD, D. W. (1999). A review of frequency and time parameters of cetacean tonal calls. — *Bioacoustics* 10, 47-71.
- MCCOMB, K., REBY, D., BAKER, L., MOSS, C. & SAYIALEL, S. (2003). Long-distance communication of acoustic cues to social identity in African elephants. — *Animal Behaviour* 66, 211-216.
- MCCOWAN, B. & REISS, D. (2001). The fallacy of 'signature whistles' in bottlenose dolphins: a comparative perspective of 'signature information' in animal vocalizations. — *Animal Behaviour* 62, 1151-1162.
- MCGREGOR, P. K. & BYLE, P. (1992). Individually distinctive bittern booms: potential as a census tool. — *Bioacoustics* 4, 93-109.
- MELLINGER, D. K. & CLARK, C. W. (2003). Blue whale (*Balaenoptera musculus*) sounds from the North Atlantic. — *Journal of the Acoustical Society of America* 114, 1108-1119.
- NOAD, M. (2002). Singing giants change their tune. — *Nature Australia Autumn*, 37-43.
- NOAD, M. J., CATO, D. H., BRYDEN, M. M., JENNER, M.-N. & JENNER, K. C. S. (2000). Cultural revolution in whale songs. — *Nature* 408, 537.
- NOWACEK, D. P., CASPER, D. A., WELLS, R. S., NOWACEK, S. M. & MANN, D. A. (2003). Intraspecific and geographic variation of West Indian manatee (*Trichechus manatus spp.*) vocalizations (L). — *Journal of the Acoustical Society of America* 114, 66-69.
- OWREN, M. J., SEYFARTH, R. M. & CHENEY, D. L. (1997). The acoustic features of vowel-like grunt calls in chacma baboons (*Papio cynocephalus ursinus*): implications for production processes and functions. — *Journal of the Acoustical Society of America* 101, 2951-2963.
- PARKS, S. E. (2003a). Acoustic communication in the north Atlantic right whale (*Eubalaena glacialis*). — unpublished Ph D thesis, Massachusetts Institute of Technology & Woods Hole Oceanographic Institute.
- . (2003b). Response of North Atlantic right whales (*Eubalaena glacialis*) to playback of calls recorded from surface active groups in both the North and South Atlantic. — *Marine Mammal Science* 19, 563-580.

- PARKS, S. E. & TYACK, P. L. (2005a). Sound production by North Atlantic right whales (*Eubalaena glacialis*) in surface active groups. — *Journal of the Acoustical Society of America* 117, 3297-3306.
- PAYNE, K., TYACK, P. L. & PAYNE, R. (1983). Progressive changes in the songs of humpback whales (*Megaptera novaeangliae*): a detailed analysis of two seasons in Hawaii. — In: *Communication and behaviour of whales* (R. Payne, ed). Westview Press, Boulder, Colorado, p. 9-57.
- PHILLIPS, A. V. & STIRLING, I. (2000). Vocal individuality in mother and pup South American fur seals, *Arctocephalus australis*. — *Marine Mammal Science* 16, 592-616.
- . (2001). Vocal repertoire of South American fur seals, *Arctocephalus australis*: structure, function and context. — *Canadian Journal of Zoology* 79, 420-437.
- PHILLMORE, L. S., STURDY, C. B. & WEISMAN, W. G. (2003). Does reduced social contact affect discrimination of distance cues and individual vocalizations? — *Animal Behaviour* 65, 957-969.
- PYE, J. D. & LANGBAUER, W. R. (1998). Ultrasound and infrasound. — In: *Animal acoustic communication. Sound analysis and research methods* (S. L. Hopp, M. J. Owren & C. S. Evans, eds). Springer-Verlag, Berlin, p. 421.
- REBY, D., CARGNELUTTI, B., JOACHIM, J. & AULAGNIER, S. (1998a). Spectral acoustic structure of barking in roe deer (*Capreolus capreolus*). Sex-, age- and individual-related variations. — *C.R. Acad. Sci. Paris, Sciences de la vie* 322, 271-279.
- REBY, D., JOACHIM, J., LAUGA, J., LEK, S. & AULAGNIER, S. (1998b). Individuality in the groans of fallow deer (*Dama dama*) bucks. — *Journal of Zoology, London* 245, 79-84.
- REBY, D. & MCCOMB, K. (2003). Anatomical constraints generate honesty: acoustic cues to age and weight in the roars of red deer stags. — *Animal Behaviour* 65, 605-614.
- RENDALL, D. (2003). Acoustic correlates of caller identity and affect intensity in the vowel-like grunt vocalizations of baboons. — *Journal of the Acoustical Society of America* 113, 3390-3402.

- RENDALL, D., OWREN, M. J., WEERTS, E. & HIENZ, R. D. (2004). Sex differences in the acoustic structure of vowel-like grunt vocalizations in baboons and their perceptual discrimination by baboon listeners. — *Journal of the Acoustical Society of America* 115, 411-421.
- RICHARDSON, W. J., GREENE, C. R. J., MALME, C. I. & THOMSON, D. H. (1995). *Marine mammals and noise*. — Academic Press.
- RIEDE, T. & ZUBERBUHLER. (2003). The relationship between acoustic structure and semantic information in Diana monkey alarm vocalization. — *Journal of the Acoustical Society of America* 114, 1132-1142.
- ROBISSON, P. (1992). Roles of pitch and duration in the discrimination of the mate's call in the king penguin *Aptenodytes patagonicus*. — *Bioacoustics* 4, 25-36.
- SAINO, N., GALEOTTI, P., SACCHI, R., BONCORAGLIO, G., MARTINELLI, R. & MØLLER, A. P. (2003). Sex differences in begging vocalizations of nestling barn swallows, *Hirundo rustica*. — *Animal Behaviour* 66, 1003-1010.
- SANVITO, S. & GALIMBERTI, F. (2000). Bioacoustics of southern elephant seals. II. Individual and geographic variation in male aggressive vocalisations. — *Bioacoustics* 10, 287-307.
- SAYIGH, L. S., TYACK, P. L., WELLS, R. S., SOLOWS, A. R., SCOTT, M. D. & IRVINE, A. E. (1998). Individual recognition in wild bottlenose dolphins: a field test using playback experiments. — *Animal Behaviour* 57, 41-50.
- SCHEVILL, W. E. (1964). Underwater sounds of cetaceans. — In: *Marine Bioacoustics - Proceedings of a Symposium, Bimini, Bahamas*. Pergamon Press, Oxford, London, New York, Paris, p. 307 - 316.
- SEARBY, A., JOUVENTIN, P. & AUBIN, T. (2004). Acoustic recognition in macaroni penguins: an original signature system. — *Animal Behaviour* 67, 655-661.
- SERRANO, A. & TERHUNE, J. M. (2002). Stability of the underwater repertoire of harp seals (*Pagophilus groenlandicus*). — *Aquatic Mammals* 28, 93-101.
- SIMMONS, A. M. (2004). Call recognition in the bullfrog, *Rana catesbeiana*: generalization along the duration continuum. — *National Academy of Sciences* 115, 1345-1355.

- SLATER, P. J. B. (2003). Fifty years of birdsong research: case study in animal behaviour studies. — *Animal Behaviour* 65, 613-619.
- STEVICK, P. T., PALSBOU, P. J., SMITH, T. D., BRAVINGTON, M. D. & HAMMOND, P. S. (2001). Errors in identification using natural markings: rates, sources and effects on capture-recapture estimates of abundance. — *Canadian Journal of Fisheries and Aquatic Sciences* 58, 1861-1870.
- STRIEDTER, G. F., FREIBOTT, L., A.G., H. & BURLEY, N. T. (2003). For whom the male calls: an effect of audience on contact call rate and repertoire in budgerigars, *Melopsittacus undulatus*. — *Animal Behaviour* 65, 911-922.
- TYACK, P. L. (1991). Use of a telemetry device to identify which dolphin produces a sound. — In: *Dolphin Societies: Discoveries and Puzzles* (K. Pryor & K. S. Norris, eds). University of California Press, Berkeley and Los Angeles, Oxford, p. 319-345.
- . (1998). Acoustic communication under the sea. — In: *Animal Acoustic Communication. Sound Analysis and Research Methods* (S. L. Hopp, Owren, M.J. and Evans, C.S., ed). Springer-Verlag, Berlin, p. 418.
- . (2000). Dolphins whistle a signature tune. — *Science* 289, 1310-1311.
- VESTER, H. I., FOLKOW, L. P. & BLIX, A. S. (2004). Click sounds produced by cod (*Gadus morhua*). — *Journal of the Acoustical Society of America* 115, 914-919.
- WATKINS, W. A. & SCHEVILL, W. E. (1974). Listening to Hawaiian spinner porpoises, *Stenella cf. longirostris*, with a three-dimensional hydrophone array. — *Journal of Mammalogy* 55, 319-328.