

---

## 7. REFERENCES

**Ayad, R., Konrad, J.M., and Soulié, M.** (1997). Desiccation of a sensitive clay: Application of the model CRACK. *Canadian Geotechnical Journal*, Vol. 34, pp 943-951.

**Barbour, S.L., and Wilson, G.W.** (1993). Evaluation of the saturated-unsaturated groundwater conditions of a thickened tailings deposit. *Canadian Geotechnical Journal*, Vol. 30, pp 935-946.

**Bishop, A.W., Alpan, I., Blight, G.E., and Donald, G.E.** (1960). Factors controlling the strength of partially saturated cohesive soils. In *ASCE Res. Conf. Shear Strength of Cohesive Soils (Univ. of Colorado, Boulder)*, pp 503-532.

**Blight, G.E.** (1998). Tailings beaches formed in air and water. *Tailings and mine waste '98 © 1998 Balema, Rotterdam, ISBN 90 5410 922 X*, pp 27-33.

**Blight, G.E., and Bentel, G.M.** (1983). The behavior of mine tailings during hydraulic deposition. *Journal of the South African Institute of Mining and Metallurgy*, pp 73-86.

**Blight, G.E., Thomson, R.R., and Voster, K.** (1985). Profiles of hydraulic-fill tailings beaches, and seepage through hydraulically sorted tailings. *Journal of the South African Institute of Mining and Metallurgy*, pp 157-161.

**Boshoff, J.C.J.** (2001). *Die voorspelling van die gedrag van 'n platinum slik tydens sedimentasie en uitdroging*. MSc Dissertation. University of Pretoria.

**Bouma, J., Rao, P.S.C., and Brown, R.B.** (1999). Soil as a porous Medium: Basics of Soil-Water Relationships. *Not published*. Research of the Soil and Water Science Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, *University of Florida*, Parts 1-3.

**Brandy, K.C.** (1988). Soil suction and the critical state. *Geotechnique*, Vol. 8, No. 1, pp 117-120.

**Chandler, R.J., and Gutierrez, C.I.** (1986). The filter-paper method of suction measurement. *Geotechnique*, Vol. 36, pp 265-268.

**Crilly, M.S., Schreiner, H.D., and Gourley, C.S.** (1991). A simple field suction measurement probe. *Proceedings of the 10<sup>th</sup> Regional Conference for Africa on Soil Mechanics and Foundation Engineering*, Maseru, pp 291-298.

**Drumrigh, E.E., and Nelson, J.D.** (1995). The shear strength of unsaturated tailings sand. *Proceedings of the 1<sup>st</sup> International Conference on Unsaturated Soils*, Paris, Alonso A.A and Delage P. (Ed.), pp 45-50.

**Emerson, W.W., Peter, P., McClure, S., and Weissmann, D.** (1994). Neutralized tailings and sulphates: Settlement, drying and consolidation. *Geotechnique*, Vol. 44, No. 3, pp 503-512.

**Fleureau, J., Khierbek-Saous, S., Soemitro, R., and Taibi, S.** (1993). Behavior of clayey soils on drying-wetting paths. *Canadian Geotechnical Journal*, Vol. 30, pp 287-296.

**Fleureau, J., Khierbek-Saous, S., and Taibi, S.** (1995). Experimental aspects and modeling of the behavior of soils with negative pressure. *Proceedings of the 1<sup>st</sup> International Conference on Unsaturated Soils*, Paris, Alonso A.A. and Delage P. (Ed.), pp 57-62.

**Fourie, A.B., Hofmann, B.A., Mikula, R.J., and Robertson, P.K.** (2001). Partially saturated tailings below the phreatic surface. *Geotechnique*, Vol. 51, No. 7, pp 577-585.

**Fredlund, D.G., and Morgenstern, N.R.** (1977). Stress State Variables for Unsaturated Soils. *ASCE Journal Geotechnical Engineering Division GT5*, Vol. 103, pp 447-466.

**Fredlund, D.G., and Rahardjo, H.** (1987). *Soil Mechanics for Unsaturated Soils*, 1<sup>st</sup> Ed., John Wiley and Sons, Inc.

**Fredlund, D.G., Rahardjo, H., and Gan, J.K.M.** (1987). Non-linearity of Strength envelope for unsaturated soils. *The 6<sup>th</sup> International Conference on Expansive Soils*, pp 49-54.

- Fredlund, D.G., Vanapali, S.K., Xing, A., and Pufahl, D.E.** (1995). Predicting the shear strength function for unsaturated soils using the soil-water characteristics curve, *Proceedings of the 1<sup>st</sup> International Conference on Unsaturated Soils*, Vol. 2, Paris, Alonso A.A. and Delage P. (Ed.), pp 63-69.
- Fredlund, D.G., and Xing, A.** (1994). Equations for the soil-water characteristic curve. *Canadian Geotechnical Journal*, Vol. 31, pp 521-532.
- Fredlund, M.D., Fredlund, D.G., and Wilson, G.W.** (1997). Prediction of the Soil-Water Characteristic Curve from Grain-Size Distribution and Volume-Mass Properties. *The 3<sup>rd</sup> Brazilian Symposium on Unsaturated Soils*, Rio de Janeiro, April 22-25, pp 1-12.
- Fredlund, M.D., Wilson, G.W., and Fredlund, D.G.** (1997). Indirect procedure to determine unsaturated soil property functions. *Proceedings of the 50<sup>th</sup> Canadian Geotechnical Conference*, Ottawa, Ontario, Canada, October 20-22, pp 1-9.
- Fredlund, M.D., Wilson, G.W., and Fredlund, D.G.** (1997). Estimation of Hydraulic Properties of An Unsaturated Soil Using a Knowledge-Based System. *Proceedings of Characterization and Measurement of the Hydraulic Properties of Unsaturated Porous Media*, Riverside, California, October 22-24, pp 1-13.
- Fredlund, M.D., Wilson, G.W., and Fredlund, D.G.** (1998). Estimation of Hydraulic Properties of An Unsaturated Soil Using a Knowledge-Based System. *Proceedings of the Second International Conference on Unsaturated Soils, UNSAT'98*, Beijing, China, August 27-30, pp 1-7.
- Fujiyasu, Y., Fahey, M., and Newson, T.** (2000). Field Investigation of the evaporation from freshwater tailings. *Journal of Geotechnical and Geoenvironmental Engineering*, pp 556-567.
- Fujiyasu, Y., and Fahey, M.** (2000), Experimental study of evaporation from saline tailings. *Journal of Geotechnical and Geoenvironmental Engineering*, pp 18-27.
- Hanafy, E.A.D.E.** (1999). Relative Moisture and Moisture Deficiency of Desiccated Expansive Cohesive Soil Deposits. *The American Society for Testing and Materials*, pp 334-341.

- Herkal, R.N., Vatsala, A., and Srinivasa Murthy, B.R.** (1995). Triaxial compression and shear tests on partly saturated soils, *Proceedings of the 1<sup>st</sup> International Conference on Unsaturated Soils*, Paris, Alonso A.A. and Delage P. (Ed.), pp 109-115.
- Ho, D.Y.F., and Fredlund, D.G.** (1995). Determination of the volume change moduli and respective inter-relationships for two unsaturated soils. . *Proceedings of the 1<sup>st</sup> International Conference on Unsaturated Soils*, Paris, Alonso A.A. and Delage P. (Ed.), pp 117-121.
- Holtz, R.D., and Kovacs, W.D.** (1981). *An Introduction to Geotechnical Engineering*, Prentice Hall, New York, pp 167-185.
- Horn, R., Baumgartl, T., and Gräsle, W.** (1995). Stress induced changes of hydraulic properties in soils. *Proceedings of the 1<sup>st</sup> International Conference on Unsaturated Soils*, Paris, Alonso A.A. and Delage P. (Ed.), pp 123-127.
- Konrad, J.M., and Ayad, R.** (1997). An idealized framework for the analysis of cohesive soils undergoing desiccation. *Canadian Geotechnical Journal*, Vol. 34, pp 477-488.
- Konrad, J.M., and Ayad, R.** (1997). Desiccation of a sensitive clay: Field experimental observations. *Canadian Geotechnical Journal*, Vol. 34, pp 929-942.
- Kynch, G.J.** (1951). A theory of sedimentation. *Royal Society of Chemistry, Faraday Div*, Vol 48, pp 166-176.
- Lambe, T.W.** (1967). Stress Path Method. *ASCE J. Soil Mech. Found. Eng. Div.*, Vol 93, SM6, pp 309-331.
- Leong, E.C., and Rahardjo, H.** (1997). Review of soil-water characteristics curve equations. *Journal of Geotechnical and Geoenvironmental Engineering*, pp 1106-1117.
- Lim, T.T., Rahardjo, H., Chang, M.F., and Fredlund, D.G.** (1996). Effect of rainfall on matric suctions in a residual soil slope. *Canadian Geotechnical Journal*, Vol. 33, pp 618-628.

**Luyt, A.J.** (2010). *Measurement of Suction Pressures in Mine Tailings*. BEng Project Report. University of Pretoria.

**Mendoza, M.J., and Orozco, M.** (1999). Fast and accurate techniques for determination of water content in soils. *Geotechnical Testing Journal*, pp 301-307.

**Miao, L., Yin, Z. and Liu, S.** (2001). Empirical Function Representing the Shear Strength of Unsaturated Soils. *Geotechnical Testing Journal*, Vol. 24, No. 2, pp 220-223.

**Morris, P.H., Graham, J., and Williams, D.J.** (1992). Cracking in drying soil. *Canadian Geotechnical Journal*, Vol. 29, pp 263-277.

**Muraleetharan, K.K., and Granger, K.K.** (1999). The Use of Miniature Pore Pressure Transducers in Measuring Matric Suction in Unsaturated Soils. *The American Society for Testing and Materials*, pp 226-234.

**Neukirchner, R.J.** (1998). Mine tailings consolidation – A case study. *Tailings and mine waste '98 © 1998 Balema, Rotterdam, ISBN 90 5410 922*, pp 289-298.

**Newson, T., Fujiyasu, Y., and Fahey, M.** (1996). A field study of the consolidation behavior of saline gold tailings. *Tailings and mine waste '96 © 1995 Balema, Rotterdam, ISBN 90 5410 922 X*, pp 179-189.

**Öberg, A.L., and Sällfors, G.** (1995). A rational approach to the determination of the shear strength parameters of unsaturated soils. *Proceedings of the 1<sup>st</sup> International Conference on Unsaturated Soils*, Paris, Alonso A.A. and Delage P. (Ed), pp 151-157.

**Penman, A.D.M.** (1994). Tailings Dams – Some aspects of their design and construction. *Geotechnical Engineering emerging trends in design and practice, A.A. Balkema/Rotterdam 1994*, Chapter 10, pp 247-277.

**Prunty, L., and Casey, F.X.M.** (2002). Soil Water Retention Curve Description Using a Flexible Smooth Function. *Vadosa Zone Journal*, Vol. 1, pp 179-185.

- Rahardjo, H., and Fredlund, D.G.** (1995). Pore pressure and volume change behavior during undrained and drained loadings of an unsaturated soil. *Proceedings of the 1<sup>st</sup> International Conference on Unsaturated Soils*, Paris, Alonso A.A. and Delage P. (Ed.), pp 177-181.
- Rakotondratsima, L.Y.G., Masrouri, F., and Tisot, J.P.** (1995). Influence of initial suction on volumetric variations of a special shale: Schistes carton. *Proceedings of the 1<sup>st</sup> International Conference on Unsaturated Soils*, Paris, Alonso A.A. and Delage P. (Ed.), pp 183-187.
- Rassam, D.W.** (2002). Variation of evaporative and shear strength parameters along tailings delta. *Canadian Geotechnical Journal*, Vol. 39, pp 32-45.
- Rassam, D.W., and Cook, F.** (2002). Predicting the Shear Strength Envelope of Unsaturated Soil. *Geotechnical Testing Journal*, Vol. 25, No. 2, pp 215-520.
- Rassam, D.W., and Williams, D.J.** (1999). Bearing capacity of desiccated tailings. *Journal of Geotechnical and Geoenvironmental Engineering*, pp 600-609.
- Rassam, D.W., and Williams, D.J.** (2000). A Dynamic Method for Determining the Soil-Water Characteristic Curve for Coarse-Grained Soils. *Geotechnical Testing Journal*, Vol. 23, No. 1, pp 67-71.
- Ridley, A.M., and Burland, J.B.** (1993). A new instrument for the measurement of soil moisture suction. *Geotechnique*, Vol. 43, No. 2, pp 321-324.
- Röhm, S.A., and Vilar, O.M.** (1995). Shear strength of an unsaturated sandy soil. *Proceedings of the 1<sup>st</sup> International Conference on Unsaturated Soils*, Paris, Alonso A.A. and Delage P. (Ed.), pp 189-193.
- Rykaart, M., Fredlund, M.D., and Sitarson, J.** (2001). Solving Tailing Impoundment Water Balance Problems with 3-D seepage Software. *Geotechnical News*, December 2001, pp 50-54.

- Shimada, K., Fujii, H., and Nishimura, S.** (1995). Stability analysis on the unsaturated slopes considering changes of matric suction, *Proceedings of the 1<sup>st</sup> International Conference on Unsaturated Soils*, Paris, Alonso A.A. and Delage P. (Ed.), pp 293-299.
- Sillers, W.S.** (1997). The mathematical representation of the soil-water characteristics curve. *M Sc Thesis University of Saskatchewan*.
- Simms, P.H, and Yanful, E.K.** (2002). Predicting soil-water characteristics curves of compacted plastic soils from measured pore-size distributions. *Geotechnique*, Vol. 52, No. 4, pp 269-278.
- Swanson, D.A., Savci, G., and Danziger, G.** (1999). Predicting the soil-water characteristics of mine soils. *Tailings and Mine Waste*, pp 345-349.
- Theron, M.** (2000). *Soil suction in mine tailings*. MSc Dissertation. University of Pretoria.
- Thevanayagam, S.** (1998). Effect of fines and confining stress on undrained shear strength of silty sands. *Journal of Geotechnical and Geoenvironmental Engineering*, pp 479-491.
- Toll, D.G.** (1990). A framework for unsaturated soil behavior. *Geotechnique*, Vol. 1, No. 1, pp 31-44.
- Truscott, S.J.** (1923). *A Text-Book of Ore Dressing*, Macmillan and Co.
- Vanapalli, S.K., and Fredlund, D.G.** (2002). Comparison of different procedures to predict unsaturated soil shear strength. *Not Published*. Research of the Department of Civil Engineering, University of Saskatchewan, SK, Canada, pp 1-15.
- Vanapalli, S.K., Fredlund, D.G., and Pufahl, D.E.** (2002). Comparison of saturated-unsaturated shear strength and hydraulic conductivity behaviour of a compacted sandy-clay till. *Not Published*. Research of the Department of Civil Engineering, University of Saskatchewan, SK, Canada, pp 1-9.

**Vanapalli, S.K., Fredlund, D.G., Pufahl, D.E., and Clifton, A.W.** (1996). Model for the prediction of shear strength with respect to soil suction. *Canadian Geotechnical Journal*, Vol. 33, pp 379-392.

**Vanapalli, S.K., and Lane, L.L.** (2002). A simple technique for determining the shear strength of fine-grained unsaturated soils using the conventional direct shear apparatus. *Not Published*. Research of the Department of Civil Engineering, University of Saskatchewan, SK, Canada, pp 1-8.

**Vanapalli, S.K., Sillers, W.S., and Fredlund, M.D.** (1998). The meaning and relevance of residual state to unsaturated soils. The *51<sup>st</sup> Canadian Geotechnical Conference*, Edmonton, Alberta, October 4-7, pp 1-8.

**Vatsala, A., and Srinivasa, Murthy, B.R.** (2002). Suction in compacted states. *Geotechnique*, Vol. 52, No. 4, pp 279-283.

**Vermeulen, N.J.** (2001). *The composition and state of gold tailings*. PhD thesis. University of Pretoria.

**Vick, S.G.** (1983). *Planning, design and analysis of tailings dams*, New York: Wiley.

**Wan, A.W.L., and Grey, M.N.** (1995). On the relations of suction, moisture content, and soil structure in compacted clays. *Proceedings of the 1<sup>st</sup> International Conference on Unsaturated Soils*, Paris, Alonso A.A. and Delage P. (Ed.), pp 215-217.

**Wang, Q., Pufahl, D.E., and Fredlund, D.G.** (2002). A study of critical state on an unsaturated silty soil, Vol. 39, pp 213-218.

**Williamson, J.R.G.** (1994). *Tailings Dams*, pp 150-159.

**Wills, B.A.** (1992). *Mineral Processing Technology*, Fifth Edition, Pergamon Press.

**Wilson, G.W., Fredlund, D.G., and Barbour, S.L.** (1994). Coupled soil-atmosphere modeling for soil evaporation. *Canadian Geotechnical Journal*, Vol. 31, pp 151-161.



**Yesiller, N., Miller, C.J, Inci, G., and Yaldo, K.** (2000). Desiccation and cracking behavior of three compacted landfill liner soils. *Engineering Geology*, pp 1-15.