

REFERENCES

- AHRENS, W.H., 1989. Uptake and action of metribuzin in soybeans (*Glycine max* L.) and two weed species as monitored by chlorophyll fluorescence. *Weed Sci.* 37: 631-638.
- ARC - GRAIN CROP INSTITUTE & NAMPO, 1996. Marketing and market potential for various products. In: A key to succesfull farming, pp. 43-46.
- ARNOLD, R.N., MURRAY, M.W., GREGORY, E.J. & SMEAL, D., 1993. Weed control in Pinto beans (*Phaseolus vulgaris* L.) with imazethapyr combinations. *Weed Technol.* 7: 361-364.
- ASHTON, F.M., 1965. *Weeds.* 13:164.
- ASHTON, F.M. & CRAFT, A.S., 1973. Mode of Action of Herbicides. John Wiley & Sons, Canada.
- ASHTON, F.M., DE VILLIERS, O.T., GLENN, R.K. & DUKE, W.B., 1977. Localization of metabolic sites of action of herbicides. *Pesticide Biochem. Physiol.* 7: 122-141.
- ASHTON, F.M. & MONACO, T.J., 1991. Weed science: Principles and Practices, 3rd edn. John Wiley & Sons inc., New York.
- BARRENTINE, W.L., HARTWIG, E.E., EDWARDS Jr., C.J. & KILEN, T.C., 1982. Tolerance of three soybean (*Glycine max* L.) cultivars to metribuzin. *Weed Sci.* 30: 344-348.

- BARTELS, P.G., 1985. Effects of herbicides on chloroplasts and cellular development. In: *Weed Physiology: Herbicide Physiology* (ed. S.O. Duke), vol. II, pp. 63-90. Boca Raton, FL.
- BAUER, T.A., RENNER, K.A., PENNER, D. & KELLY, J.D., 1995. Pinto bean (*Phaseolus vulgaris* L.) varietal tolerance to imazethapyr. *Weed Technol.* 43: 417-424.
- BIDWELL, R.G.S., 1974. *Plant Physiology*, 2nd edn. Collier Macmillan, London.
- BLACK, C.C., Jr., 1985. Effects of herbicides on photosynthesis. In: *Weed Physiology: Herbicide Physiology* (ed. S.O. Duke), vol. II, pp. 1-36. Boca Raton, FL.
- BLACKSHAW, R.E. & ESAU, R., 1991. Control of broadleaf weeds in pintobean (*Phaseolus vulgaris* L.). *Weed Technol.* 5: 532-538.
- BUZZELL, R.I. & HAMILL, A.S., 1988. Improved tolerance of soybean (*Glycine max* L.) to metribuzin. *Weed Technol.* 2: 170-171.
- CARR, J.E., DAVIES, L.G., COBB, A.H. & PALLETT, K.E., 1985. Proc. Br. Crop Protection Conf. *Weeds* 1:155.
- CHAMBERS, A., 1997. *Field Crop Herbicide Guide*, 5th edn. p. 167. Kondinin Group, Australia.
- CLELAND, R.E., MELIS, A. & NEALE, P.J., 1986. *Photosynth. Res.* 9: 79.
- COBB, A., 1992. *Herbicides and Plant Physiology*. Chapman & Hall, London.
- COLE, D.J., 1983. Oxidation of Xenobiotics in Plants. In: *Progress in Pesticide Biochemistry and Toxicology* (ed. D. Hutson & T.R Roberts), vol. 3, pp. 199-254. Chichester: Wiley.

- COLE, D.J., EDWARDS, R. & OWEN, W.J., 1987. The Role of Metabolism in Herbicide Selectivity. In: Progress in Pesticide Biochemistry and Toxicology (ed. D. Hutson & T.R. Roberts), vol. 6, pp. 57-104. Chichester: Wiley.
- DANIELL, H., SAROJINI, G., KUMARACHINNAYAN, P. & KULANDAIVELU, G., 1981. Action of propanil on *in vivo* chlorophyll *a* fluorescence in *Echinochloa crus-galli* and rice. *Weed Res.* 21: 171-177.
- DAWSON, J.H., 1963. *Weeds*, 11:60.
- DAWSON, J.H., 1964. Competition between irrigated field beans and annual weeds. *Weeds* 12: 206-208.
- DE BEER, A.P.J., 1988. Die invloed van alachlor en metolachlor op *Phaseolus vulgaris*. L. M Sc. thesis, Univ. Pretoria.
- DERRICK, P.M., COBB, A.H. & PALLETT, K.E., 1988. Ultrastructural effects of the diphenylether herbicide Acifluorfen and the experimental herbicide M & B 39279. *Pest. Biochem. and Phys.* 32: 153-163.
- DODGE, A.D., 1991. Photosynthesis. In: Target Sites for Herbicide Action (ed. R.C. Kirkwood), pp. 1-27. Plenum Press, London & New York.
- DRIVER, J.E., PEEPER, T.F. & GUENZI, A.C., 1992. *In vitro* selection for increased wheat tolerance to metsulfuron. *Proc. South. Weed Sci. Soc.* 45: 316.
- DUKE, S.O., 1985. Weed Physiology: Herbicide Physiology (vol II). CRC Press, Boca Raton, FL.

- DUYENS, L.M.W. & SWEERS, H.E., 1963. Mechanisms in the two photochemical reactions in algae as studied by means of fluorescence. In: Studies on Microalgae and Photosynthetic Bacteria (edited by Japan Soc. of Plant Physiology), pp. 353-372. Univ. Tokyo Press, Tokyo.
- FEDTKE, C., 1979. Plant physiological adaptation induced by low rates of photosynthesis. *Z. Naturforsch.* 34: 932-935.
- FOCKE, M. & LICHTENTHALER, H.K., 1987. *Z. Naturforsch.* 42c: 93.
- FOURIE, M.P., ROTHMAN, J.F. & DE BEER, A.P.J., 1990. Verdraagsaamheid van drie sojaboon (*Glycine max*, L.) cultivars teenoor metribusin en alachlor. *Appl. Plant Sci.* 4(1): 29-31.
- FOUCHÉ, D., 1996. Tolerance of a white canning bean type (cv. Helderberg) to dimethenamid, imazethapyr, flumetsulam + metolachlor, metolachlor and metazachlor. Unpublished report, ARC – GCI.
- GRUNNING, B.E.S. & STEER, M.W., 1975. Ultrastructure and the Biology of Plant Cells. Edward Arnold, London.
- HABASH, D., PERCIVAL, M.P. & BAKER, N.R., 1985. Rapid chlorophyll fluorescence technique for the study of penetration of photosynthetically active herbicides into leave tissue. *Weed Res.* 389-395.
- HARRIS, C.I., 1969. Movements of herbicides in soil. *J. Agr. Food Chem.* 17: 80-82.
- HATHWAY, D.E., 1986. Herbicide selectivity. *Biol. Rev.* 61: 435-486.
- LAVOREL, J. & ETICHNE, A.L., 1977. In vivo chlorophyll fluorescence. In: *Photosynthesis: Processes of Photosynthesis* (ed. J. Barber), pp. 203-268. Elsevier, Amsterdam.

- HESS, F.D., 1985. Herbicide Absorption and Translocation and their Relationship to Plant Tolerance and Susceptibility. In: *Weed Physiology: Herbicide Physiology* (vol. II), pp. 191-214. Boca Raton: CRC Press.
- JENSEN, K.I.N., 1982. The Roles of Uptake, Translocation and Metabolism in the Differential Intraspecific Response to Herbicides. In: *Herbicide Resistance in Plants* (ed. LeBaron, H.M. & Gressel, J.), pp. 133-162. J. Wiley & Sons, New York.
- JOHNSON III, W.C. & MULLINIX, JR., B.G., 1996. Phytotoxicity of flumetsulam in peanut (*Arachis hypogaea*, L.). *Weed Technol.* 10: 481-487.
- KEARNEY, P.C. & HELLING, C.S., 1969. Reactions of pesticides in soil. *Residue Rev.* 25:25-44.
- KETCHERSID, M.L., NORTON, K. & MERKLE, M.G., 1981. Influence of soil moisture on the safening effect of CGA-43089 in grain sorghum (*Sorghum bicolor*). *Weed Sci.*, 29: 281-287.
- KRAUSE, G.H. & WEIS, E., 1984. Chlorophyll fluorescence as a tool in plant physiology. II. Interpretation of fluorescence signals. *Photosynthesis Research* 5: 139-157.
- KUNERT, K.J., SANDMANN, G. & BOGER, 1987. *Rev. Weed Sci.*, 3: 35.
- LAMBERT, S.M., PORTER, P.E. & SCHIEFERSTEIN, R.H., 1965. Movement and sorption of chemicals applied to the soil. *Weeds* 13: 185-190.
- LAVOREL, J. & ETIENNE, A.L., 1977. *In vivo* chlorophyll fluorescence. In: *Primary Processes of Photosynthesis* (ed. J. Barber), pp. 203-268. Elsevier, Amsterdam.

- LICHTENTHALER, H.K., BURKARD, G., GRUMBACH, K.H. & MEIER, D., 1980. Physiological effects of photosystem II herbicides on the development of the photosynthesis apparatus. *Photosynt. Res.* 1: 29-43.
- LIEBENBERG, A.J. & STEENEKAMP, W.A.J., 1997. Dry bean cultivar recommendations for 1997/1998. Pamphlet. ARC-Grain crops institute, Pretoria.
- LLOYD, E.D. & LIEBENBERG, A.J., 1986. Algemene riglyne vir droëboonverbouing. Bladskrif Droëbone A.1. Departement van Landbou en Watervoorsiening, Pretoria.
- MATRINGE, M. & SCALLA, R., 1988. *Plant Physiol.*, 86: 619.
- MATTOO, A.K., SOPER, S.K., GREENBERG, B.M., CALLAHAN, F.E., GHIRARDI, M.L. & EDELMAN, M., 1989. Herbicides active in the chloroplast. L4, Monheim, Germany.
- McTAVISH, H., PICOREL, R. & SEIBERT, M., 1989. *Plant Physiol.* 89: 452.
- MEIER, D., LICHTENTHALER, H.K. & BURKARD, G., 1980. Change of chloroplast ultrastructure in radish seedlings under the influence of the photosystem II herbicide bentazon. *Z. Naturforsch.* 35: 656-664.
- MEISSNER, R., NEL, P.C. & BEYERS, E.A., 1987. Effect of alachlor on young sunflower (*Helianthus annuus*, L.) plants. *Appl. Plant Sci.* 1(2): 92-93.
- MENNEGA, R., NEL, P.C. & LE COURT DE BILLOT, M.R., 1990. Chlorofilfluoresensie as tegniek vir die opsporing van residuele atrasien in grond. *Appl. Plant Sci.* 4(2): 84-85.

- MENNEGA, R., NEL, P.C. & LE COURT DE BILLOT, M.R., 1990. Verdraagsaamheid van verskillende droëbooncultivars teenoor atrasien. *Appl. Plant Sci.* 4(2): 78-81.
- MINSHALL, W.H., 1957. *Weeds.* 5:29.
- MOLIN, W.T., ANDERSON, E.J. & PORTER, C.A., 1985. Effects of alachlor on anthocyanin and lignin synthesis in etiolated sorghum (*Sorghum bicolor*, L Moench) mesocotyls. *Pestic. Biochem. and Physiol.* 25: 105-111.
- MORELAND, D.E., 1967. Mechanisms of action of herbicides. *Ann. Rev. Plant Physiol.* 18: 365-386.
- MULLET, J.E. & ARNTZEN, C.J., 1981. Identification of a 32-34 kDa polypeptide as herbicide receptor protein in photosystem II. *Biochem. Biophys. Acta* 635: 236-248.
- NEL, P.C., 1973. Weed control in agronomic crops in South Africa and some recent research results. *1 st Nat. Weed Sci. Conf. S. Afr.*, 78-91.
- NKWEN-TAMO, E., JEFFERY, L.S., ROBISON, L.R. & JOLLEY, V.D., 1989. Soil-applied herbicide and soil-temperature effects in pinto beans (*Phaseolus vulgaris*, L.) *Weed Technol.* 3: 573-578.
- OSBORNE, B.T., SHAW, D.R. & RATLIFF, R.L., 1995. Response of selected soybean (*Glycine max*, L.) cultivars to dimethenamid and metolachlor in hydroponic conditions. *Weed Technol.* 9: 178-181.
- OWEN, W.J., 1989. Metabolism of Herbicides. In: *Herbicides and Plant Metabolism* (edited by A.D. Dodge for Soc. of Exp. Biol.), pp. 171-198. Cambridge University Press.

- PALLET, K.E. & DODGE, A.D., 1980. Studies into the action of some photosynthetic inhibitor herbicides. *J. Exp. Bot.* 31: 1051- 1066.
- PARKER, C., 1963. *Weed Res.*, 3:259.
- PARKER, C. & FRYER, J.D., 1975. Weed control problems causing major reductions in world food supplies. *Food Agric. Organ. Plant Prot. Bull.* 23: 83-95.
- PFISTER, K. & URBACH, W., 1983. Effects of biocides and growth regulators: Physiological basis. In: O.L. Lange, P.S.Nobel, C.B. Osmond & H. Ziegler (eds). *Encyclopedia of Plant Physiology. Physiological Plant Ecology. IV: Ecosystem processes: Mineral Cycling, Productivity and Man's Influence.* Springer Verlag, Berlin, Heidelberg, New York.
- REINHARDT, C.F. & NEL, P.C., 1986. Alachlor-geïnduseerde veranderinge in sekere membrane van *Sorghum bicolor* (L.) Moench-plant. *S. Afr. Tydskr. Plant en Grond*, 3(4): 200-203.
- RENDINA, A.R. & FELTS, J.M., 1988. *Plant Physiol.*, 86:983.
- RENNER, K.A., MEGGITT, W.F. & PENNER, D., 1988. Response of corn (*Zea mays*, L.) cultivars to imazaquin. *Weed Sci.* 36: 625-628.
- RENNER, K.A., 1996. Frontier receives registration for use in dry edible beans. *Michigan Dry Bean Digest* 20(3): 13.
- RENNER, K.A., 1997. Weed management in dry edible beans - Update for 1997. *Michigan Dry Bean Digest* 21 (2): 3.
- REYNOLDS, E.S., 1963. The use of lead citrate at high pH as an electron-opaque stain in electron microscopy. *J. Cell Biol.* 17: 208-221.

- RUNYAN, T.J., McNEILL, W.K. & PEEPER, T.F., 1982. Differential tolerance of wheat (*Triticum aestivum*, L.) cultivars to metribuzin. *Weed Sci.* 30: 94-97.
- SANDERS, G.E. & PALLETT, K.E., 1986. Studies into the differential activity of the hydroxybenzimidazole herbicides. *Pest. Biochem. and Phys.* 26: 116-127.
- SHANER, D.L., 1991. Mechanisms of resistance to acetolactate synthase / acetohydroxyacid synthase inhibitors. In: *Herbicide Resistance in Weeds and Crops* (ed. J.C. Caseley, G.W. Cussans and R.K. Atkin). Oxford, England: Butterworth-Heinemann, pp. 187-198.
- SHIMABUKURO, R.H., LAMOUREUX, G.L. & FREAR, D.S., 1982. Pesticide Metabolism in Plants – Reactions and Mechanisms. In: *Biodegradation of Pesticides* (ed. F. Matsumura & C.R. Krishna Murti), pp. 21-66. Plenum, New York.
- SHIMABUKURO, R.H., 1985. Detoxification of Herbicides. In: *Weed Physiology: Herbicide Physiology* (ed. S.O. Duke), vol. II, pp. 215-240. Boca Raton: CRC Press.
- SNIPES, C.E., STREET, J.E. & BOYKIN, D.L., 1987. Influence of flood interval and cultivar on rice (*Oryza sativa*, L.) tolerance to fenoxaprop. *Weed Sci.* 35: 842-845.
- STEVENSON, F.J., 1972. Role and function of humus in soil with emphasis on adsorption of herbicides and chelation of micronutrients. *Bio. Sci.* 22: 643-650.
- TALBERT, R.E., 1965. Effects of trifluralin on soybean root development. *Proc. 18th Southern Weed Control Conf.*, p. 652.

- TREBST, A., 1980. Inhibitors in electron flow: Tools for the functional and structural localization of carriers and energy conserving sites. In: *Methods in Enzymology* (ed. A. San Pietro). Academic Press, New York.
- TZAGOLOFF, A., 1982. *Mitochondria*. Plenum Press, New York.
- URWIN, C.P., WILSON, R.G. & MORTENSEN, D.A., 1996. Response of dry edible bean (*Phaseolus vulgaris*, L.) cultivars to four herbicides. *Weed Technol.* 10: 512-518.
- VAN DER MERWE, C.F. & COETZEE, J., 1992. Quetol 651 for general use: A revised formulation. *Comm. E. M. Soc. S. Afr.* 22: 31-32.
- VAN RENSBURG, L., KRÜGER, G.H.J. & NOLTE, C.R., 1994. Use of chlorophyll a fluorescence in screening for herbicide susceptibility in several *Nicotiana tabacum* L. cultivars and breeding lines. *S. Afr. J. Plant and Soil.* 11(2): 101-106.
- VAN RENSEN, J.J.S., 1989. Herbicides interacting with photosystem II. In: *Herbicides and plant metabolism* (ed. A.D. Dodge), pp. 31-36. Cambridge University Press.
- VERMEULEN, J.B., DREYER, M., GROBLER, H. & VAN ZYL, K., 1998. *A Guide to the Use of Herbicides*. National Dept. of Agriculture, 16th edition.
- VOSS, M., RENGER, G., KOTTER, C. & GRABER, P., 1984. Fluorometric detection of photosystem II herbicide penetration and detoxification in whole leaves. *Weed Sci.* 32:675-680.
- WILSON, R.G. & MILLER, S.D., 1991. Dry edible bean (*Phaseolus vulgaris*, L.) response to imzethapyr. *Weed Technol.* 5: 22-26.

WITKOWSKI, D.A. & HALLING, B.P., 1988. Plant Physiol., 87: 632.

WOOD, POWELL & ANDERSON, 1977. Weed Science: Principles. West Publishing Company, New York.

ZIMDAHL, R.L., 1993. Properties and Uses of Herbicides. In: Fundamentals of Weed Science, pp. 225 – 267. Academic Press, New York.

Table 14. Effect of various herbicides on grain yield (g per plant) of two wheat lines

Herbicide (g ha ⁻¹)	Grain yield									
	C1	C2	C3	C4	C5	C6	C7	C8	C9	C10
Control	25.17	22.02	36.96	34.28	21.16	20.11	1.98	2.13	11.14	15.57
Dimethenamid										
1125.0	23.74	26.15	27.10	32.03	17.05	24.41	14.25	17.26	11.14	11.14
2250.0	23.54	19.91	25.02	34.29	21.47	19.04	15.11	15.12	11.14	11.14
Fluroxypyr + metolachlor										
1500.0	17.13	20.38	22.55	28.94	18.75	21.74	19.17	10.11	11.14	11.14
3000.0	16.75	22.89	21.80	26.83	13.16	21.09	8.41	11.14	11.14	11.14
Metolachlor										
600.0	24.22	21.61	24.01	26.56	17.30	25.08	15.79	21.76	11.14	11.14
1200.0	19.98	21.14	26.15	27.00	21.54	23.51	12.11	21.73	11.14	11.14
Metolachlor + fluroxypyr										
800.0	25.11	21.53	17.25	24.63	20.80	25.81	12.10	21.11	15.11	11.14
1600.0	23.91	18.74	18.76	23.31	17.63	22.97	11.11	21.11	11.14	11.14
Metolachlor										
1500.0	20.17	19.26	33.67	35.38	17.91	25.17	12.11	10.43	11.14	11.14
3000.0	17.44	18.03	23.94	27.66	16.94	25.02	11.11	10.43	11.14	11.14