

## References

- Akey JM, Eberle MA, Rieder MC, Carlson CS, Shriver MD, Nickerson DA and Kruglyak L (2004) Population history and natural selection shape patterns of genetic variation in 132 genes. *PLoS Biology* **2**(10), 286-291.
- Allen PJ, Amos W, Pomeroy PP and Twiss SD (1995) Microsatellite variation in grey seals (*Halichoerus grypus*) shows evidence of genetic differentiation between two Scottish breeding colonies. *Molecular Ecology* **4**, 653–662.
- Alpers DL, van Vuuren BJ, Arctander P and Robinson TJ (2004) Population genetics of the roan antelope (*Hippotragus equinus*) with suggestions for conservation. *Molecular Ecology* **13**, 1771–1784.
- Anderson EC, Doughty WJ, Anderson J and Pauling R (1979) The pathogenesis of foot-and-mouth disease in the African buffalo (*Syncaerus caffer*) and the role of this species in the epidemiology of the diseases in Kenya. *Journal of Comparative Pathology* **89**, 541-549.
- Arctander P, Johansen C and Coutellec-Vreto MA (1999) Phylogeography of three closely related African bovids (Tribe Alcelaphini). *Molecular Biology and Evolution* **16**, 1724-1739.
- Ardlie KG, Kruglyak L and Seielstad M (2002) Patterns of linkage disequilibrium in the human genome. *Nature Reviews of Genetics* **3**, 299–309.
- Árnason Ú and Gullberg A (1996) Cytochrome *b* nucleotide sequences and the identification of five primary lineages of extant cetaceans. *Molecular Biology and Evolution* **13**, 407–417.

- Arranz J-J, Bayón Y and Primitivo FS (2001) Differentiation among Spanish sheep breeds using microsatellites. *Genetics Selection and Evolution* **33**, 529-542.
- Avise JC (1994) *Molecular Markers, Natural History and Evolution* Chapman and Hall.
- Avise JC, Arnold J, Ball RM, Bermingham E, Lamb T, Neigel JE, Reeb CA and Saunders NC (1987) Intraspecific Phylogeography: The mitochondrial DNA bridge between population genetics and systematics. *Annual Review of Ecology and Systematics* **18**, 489-522.
- Avise JC, Neigel JE and Arnold J (1984) Demographic influences on mitochondrial DNA lineage survivorship in animal populations. *Journal of Molecular Evolution* **20**, 99–105.
- Baker CS, Perry A, Bannister JL, Weinrich MT, Abernethy RB, Calambokidis J, Lien J, Lambertsen RH, Urbán Ramírez J, Vasquez O, Clapman PJ, Alling A, O'Brien SJ and Palumbi SR (1993) Abundant mitochondrial DNA variation and world-wide population structure in humpback whales. *Proceedings of the National Academy of Sciences, USA* **90**, 8239–8243.
- Balloux F, Brunner HH, Lugon-Moulin N, Hausser J and Goudet J (2000) Microsatellites can be misleading: An empirical and simulation study *Evolution* **54**, 414–422.
- Barendse W, Armitage SM, Kossarek LM, Shalom A, Kirkpatrick BW, Ryan AM, Clayton D, Li L, Neibergs HL, Zhang N, Grosse WM, Weiss J, Creighton P, McCarthy F, Ron M, Teale AJ, Fries R, McGraw RA, Moore SS, Georges M, Soller M, Womack JE and Hetzel DJS (1994) A genetic linkage map of the bovine genome. *Nature Genetics* **6**, 227-235.
- Barker JSF, Moore SS, Hetzel DJS, Evans D, Tan SG and Byrne K (1997) Genetic diversity of Asian water buffalo (*Bubalus bubalus*): microsatellite variation and a comparison with protein coding loci. *Animal Genetics* **28**, 103-115.

- Barret T and Rossiter PB (2000) Rinderpest: Impact on humans and animals. *Advances in Virus Research* **53**, 89-110.
- Bastos ADS (2001) Molecular epidemiology and diagnosis of SAT-type foot-and-mouth disease in southern Africa. PhD thesis, University of Pretoria, Pretoria, South Africa.
- Bastos ADS, Haydon DT, Forsberg R, Knowles NJ, Anderson EC, Bengis RG, Nel LH and Thomson GR (2001) Genetic heterogeneity of SAT-1 type foot-and-mouth disease viruses in southern Africa. *Archives of Virology* **146**(8), 1537–1551.
- Beaumont MA and Bruford MW (1999) Microsatellites in conservation genetics. *In* Microsatellites: Evolution and Applications. (edited by Goldstein DB and Schlotterer C). Oxford University Press. pp. 165-182.
- Beckmann JS and Weber JL (1992) Survey of human and rat microsatellites. *Genomics* **12**, 627–631.
- Bengis RG, Kriek NPJ, Keet DF, Raath JP, de Vos V and Huchzermeyer HFKA (1996) An outbreak of bovine tuberculosis in a free-living African buffalo (*Syncerus caffer*-Sparrman) population in the Kruger National Park - a preliminary report. *Onderstepoort Journal of Veterinary Research* **63**, 15–18.
- Bergh L and Gerhard R (2000) Bonsmara. *In* Beef breeding in South Africa (edited by Scholtz M, Bergh L and Borman DJ). Agricultural Research Council, Irene, South Africa. pp. 123.
- Berry O, Tocher MD and Sarre SD (2004) Can assignment tests measure dispersal? *Molecular Ecology* **13**, 551–561.
- Bijlsma R, Bundgard J and Boerema AC (2000) Does inbreeding affect the extinction risk of small populations? Predictions from *Drosophila*. *Journal of Evolutionary Biology* **13**, 502–514.

- Birungi J and Arctander P (2000) Large sequence divergence of mitochondrial DNA genotypes of the control region within populations of the African antelope, kob (*Kobus kob*). *Molecular Ecology* **9**, 1997–2008.
- Bishop MD, Kappes SM, Keele JW, Stone RT, Sunden SLF, Hawkins GA, Toldo AS, Fries R, Grosz MD, Yoo J and Beattie CW (1994) A genetic linkage map for cattle. *Genetics* **136**, 619-639.
- Björklund M (2003) The risk of inbreeding due to habitat loss in the lion (*Panthera leo*). *Conservation Genetics* **4**, 515–523.
- Bodmer WF and Cavalli-Sforza LL (1976) *Genetics, Evolution, and Man*. Freeman WH and Company. San Francisco.
- Bonnell M and Selander RK (1974) Elephant seals: genetic variation and near extinction. *Science* **184**, 908–909.
- Bowen BW, Meylan AB, Ross JP, Limpus CJ, Balzs GH and Avise JC (1992) Global population structure and natural history of the green turtle (*Chelonia mydas*) in terms of matriarchal phylogeny. *Evolution* **46**, 865–881.
- Brocklesby DW and Vidler BO (1966) Haematozoa found in the wild members of the order Artiodactyla in East Africa. *Bulletin of Epizootic Diseases in Africa* **14**, 285-299.
- Brooks PM and Macdonald IAW (1983) The Hluhluwe-Umfolozi reserve: An ecological case history. *In* Management of large mammals in African conservation areas (edited by Owen-Smith RN). Proceedings of a symposium held in Pretoria, South Africa, 29-30 April 1982. pp. 51-77.
- Brown WM, Prager EM, Wang A and Wilson AC (1982) Mitochondrial DNA sequences of primates: tempo and mode of evolution. *Journal of Molecular Evolution* **18**, 225–239.

- Bruford MW and Wayne RK (1993) Microsatellites and their application to population genetic studies. *Current Opinion in Genetics and Development* **3**, 939–943.
- Buchholtz C (1990) Cattle. In Grzimek's Encyclopedia of Mammals (edited by Parker SP). Volume 5. New York, McGraw-Hill. pp. 360-417.
- Buntjer JB, Hoff, IA and Lenstra JA (1997) Artiodactyl interspersed DNA repeats in cetacean genomes. *Journal of Molecular Evolution* **45**, 66-69.
- Burridge MJ (1975) The role of wild mammals in the epidemiology of bovine theilerioses in East Africa. *Journal of Wildlife Diseases* **11**(1), 68-75
- Burridge MJ, Morzaria SP, Cunningham MP and Brown CGD (1972) Duration of immunity to East Coast fever (*Theileria parva* infection of cattle). *Parasitology* **64**(3), 511-515.
- Burzynska B, Olech W and Topczewski J (1999) Phylogeny and genetic variation of the European bison *Bison bonasus* based on mitochondrial DNA D-loop sequences. *Acta Theriologica* **44**, 253-262.
- Caballero A (1994) Developments in the prediction of effective population size. *Heredity* **73**, 657-679.
- Callen DF, Thompson AD, Shen Y, Phillips HA, Richards RI, Mulley JC and Sutherland GR (1993) Incidence and origin of “null” alleles in the (AC)<sub>n</sub> microsatellite markers. *American Journal of Human Genetics* **52**, 922–927.
- Caron A, Cross PC and du Toit J (2003) Ecological implications of bovine tuberculosis in African buffalo herds. *Ecological Applications* **13**(5), 1338–1345.
- Cavalli-Sforza LL (1966) Population structure and human evolution. *Proceedings of the Royal Society of London, Series B: Biological Sciences* **164**, 362–379.

- Cavalli-Sforza LL and Edwards AWF (1967) Phylogenetic analysis: models and estimation procedures. *American Journal of Human Genetics* **19**, 233–257.
- Charlesworth D and Charlesworth B (1987) Inbreeding depression and its evolutionary consequences. *Annual Review of Ecology and Systematics* **18**, 237–268.
- Chesser RK (1991a) Influence of gene flow and breeding tactics on gene diversity within populations. *Genetics* **129**, 573–583.
- Chikhi L and Bruford M (2005) Mammalian Population Genetics and Genomics. Chapter 21. *In Mammalian Genomics* (edited by Ruvinsky A and Graves JM). pp. 539-584.
- Clement M, Posada D and Crandall KA (2000) TCS: a computer program to estimate gene genealogies. *Molecular Ecology* **9**, 1657–1659.
- Comstock KE, Georgiadis N, Pecon-Slattery J, Roca AL, Ostrander EA, O'Brien SJ and Wasser SK (2002) Patterns of molecular genetic variation among African elephant populations. *Molecular Ecology* **11**, 2489–2498.
- Condy JB, Hedger RS, Hamblin C and Barnett ITR (1985) The duration of the foot-and-mouth disease carrier state in African buffalo (i) in the individual animal and (ii) in a free-living herd. *Comparative Immunology Microbiology and Infectious Diseases* **8**, 259–265.
- Conrad PA, ole-MoiYoi OK, Baldwin CL, Dolan TT, O'Callaghan CJ, Njamunggeh REG, Grootenhuis JG, Stagg DA, Leitch BL and Young AS (1988) Characterization of buffalo-derived theilerial parasites with monoclonal antibodies and DNA probes. *Parasitology* **98**, 179-188.
- Conrad PA, Stagg DA, Grootenhuis JG, Irvin AD, Newson J, Njamunggeh REG, Rossiter PB and Young AS (1987) Isolation of *Theileria* parasites from African buffalo (*Syncerus caffer*) and characterization with anti-schizont monoclonal antibodies. *Parasitology* **94**, 413-423.

- Cooper D (1998) Tuberculosis in wildlife in the Hluhluwe/Umfolozzi complex Proceedings of the Southern African Tuberculosis Indaba. Nelspruit, South Africa.
- Cornuet J-M and Luikart G (1996) Description and power analysis of two tests for detecting recent population bottlenecks from allele frequency data. *Genetics* **144**, 2001-2014.
- Cornuet J-M, Piry S, Luikart G, Estoup A and Solignac M (1999) New methods employing multilocus genotypes to select or exclude populations as origins of individuals. *Genetics* **153**, 1989–2000.
- Crandall KA, Bininda-Emonds ORP, Mace GM and Wayne RK (2000) Considering evolutionary processes in conservation biology. *TREE* **15**, 290–295.
- Crandall KA and Templeton AR (1993) Empirical tests of some predictions from coalescent theory with applications to intraspecific phylogeny reconstruction. *Genetics* **134**, 959–969.
- Cribiu EP and Popescu CP (1980) Chromosome constitution of a hybrid between east African buffalo (*Syncerus caffer caffer*) and dwarf forest buffalo (*Syncerus caffer nanus*). *Annales de Genetique et de Selection Animale* **12**(3), 291-293.
- Crnokrak P and Roff DA (1999) Inbreeding depression in the wild. *Heredity* **83**, 260-270.
- Cronin MA, Patten JC, Balmysheva N and MacNeil MD (2003) Genetic variation in caribou and reindeer (*Rangifer tarandus*). *Animal Genetics* **34**, 33-41.
- Crooks KR, Sanjayan MA and Doak DF (1998) New Insights on Cheetah Conservation through Demographic Modeling. *Conservation Biology* **12**(4), 889–895.
- Crow JF, Kimura M (1970) An Introduction to Population Genetics Theory (edited by Harper and Row). New-York, USA. pp.591.

- Daborn C (1995) Tb in humans and domestic animals in the developing world. *In* Tuberculosis in wildlife and domestic animals (edited by Griffin, de Lisle and Dunedin). University of Otago Press.
- Dallimer M, Blackburn C, Jones PJ and Pemberton JM (2002) Genetic evidence for male biased dispersal in the red-billed quelea *Quelea quelea*. *Molecular Ecology* **11**, 529–533.
- Dawe PS, Flanagan FO, Madekurozwa RL, Sorenson KJ, Anderson EC, Foggin CM, Ferris NP and Knowles NJ (1994) Natural transmission of foot-and-mouth disease from African buffalo (*Syncerus caffer*) to cattle in a wildlife area of Zimbabwe. *Veterinary Record* **134**(10), 230–232.
- Dawe PS, Sorenson K, Ferris NP, Barnett ITR, Armstrong RM and Knowles NJ (1994) Experimental transmission of foot-and-mouth disease virus from carrier African buffalo (*Syncerus caffer*) to cattle in Zimbabwe. *Veterinary Record* **134**, 211–215.
- De Vos V, Bengis RG and Coetzee HJ (1983) Population control of large animals in the Kruger National Park. *In* Management of large mammals in African conservation areas (edited by Owen-Smith, RN). Proceedings of a symposium held in Pretoria, South Africa. 29-30 April, 1982. pp. 213- 231.
- De Vos V, Bengis RG, Kriek NPJ, Michel A, Keet DF, Raath JP and Huchzermeyer HFKA (2001) The epidemiology of tuberculosis in free-ranging African buffalo (*Syncerus caffer*) in the Kruger National Park, South Africa. *Onderstepoort Journal of Veterinary Research* **69**, 119-130.
- Degnan SM (1993) The perils of single gene trees—mitochondrial versus single-copy nuclear DNA variation in white-eyes (Aves: Zosteropidae). *Molecular Ecology* **2**, 219–225.
- DeRose MA and Roff DA (1999) A comparison of inbreeding depression in life-history and morphological traits in animals. *Evolution* **53**, 1288–1292.



- Di Rienzo A, Peterson AC, Garza JC, Valdes AM, Slatkin M, Freimer NB (1994) Mutational processes of simple-sequence repeat loci in human populations. *Proceedings of the National Academy of Sciences, USA* **91**, 3166–3170.
- Diez-Tascon C, Littlejohn RP, Almeida PAR and Crawford AM (2000) Genetic variation within the Merino sheep breed: analysis of closely related populations using microsatellites. *Animal Genetics* **31**, 243-251.
- Dolan TT, Teale AJ, Stagg DA, Kemp SJ, Cowan KM, Young AS, Grocock CM, Leitch BL, Spooner RL and Brown CGD (1984) Histocompatibility barrier to immunization against East Coast fever using *Theileria parva* infected lymphoblastoid cell lines. *Parasite Immunology* **6**, 243-250.
- Donnelly MJ, Licht MC and Lehmann T (2001) Evidence for a recent population expansion in the evolutionary history of the malaria vectors *Anopheles arabiensis* and *Anopheles gambiae*. *Molecular Biology and Evolution* **18**, 1353-1364.
- Duran S, Pascual M, Estoup A and Turon X (2004) Strong population structure in the marine sponge *Crambe crambe* (Poecilosclerida) as revealed by microsatellite markers. *Molecular Ecology* **13**, 511–522.
- East R (1999) African Antelope Database (1998) IUCN/SSC Antelope Specialist Group Gland, Switzerland and Cambridge, UK: IUCN.
- Edwards A, Hammond HA, Jin L, Caskey CT and Chakraborty R (1992) Genetic variation at five trimeric and tetrameric tandem repeat loci in four human population groups. *Genomics* **12**, 241–253.
- Eizerik E, Kim J-H, Marilyn M-R, Crawshaw PG, O'Brien SJ and Johnson W (2001) Phylogeography, population history and conservation genetics of jaguars (*Panthera onca*, Mammalia, Felidae). *Molecular Ecology* **10**, 65-79.

- Eldridge MDB, King JM, Loupis AK, Spencer PBS, Taylor AC, Pope LC and Hall GP (1999) Unprecedented low levels of genetic variation and inbreeding depression in an island population of the black-footed rock-wallaby. *Conservation Biology* **13**, 531–541.
- Ellegren H (2002) Differentiation and levels of genetic variation in northern European lynx (*Lynx lynx*) populations revealed by microsatellites and mitochondrial DNA analysis. *Conservation Genetics* **3**(2), 97-111.
- Ellegren H (2000) Microsatellite mutations in the germline: implications for evolutionary inference. *Trends in Genetics* **16**(12), 551-558.
- Ellegren H, Primmer CR and Sheldon BC (1995) Microsatellite evolution: directionality or bias in locus selection. *Nature Genetics* **11**, 360–362.
- Eltringham SK and Malpas RC (1980) The decline in elephant numbers in Rwenzori and Kabalega Falls National Parks, Uganda. *African Journal of Ecology* **18**, 73–86.
- Engh AL, Funk SM, Van Horn RC, Scribner KT, Bruford MW, Libants S, Szykman M, Smale L and Holekamp KE (2002) Reproductive skew among males in a female dominated society. *Behavioural Ecology* **13**(2), 193-200.
- Estes RD (1991) *The Behavior Guide to African mammals*. University of California Press, Berkeley.
- Estoup A and Angers B (1998) Microsatellites and minisatellites for molecular ecology: theoretical and empirical considerations. *In: Advances in Molecular Ecology* (edited by Carvalho G). NATO Press, Amsterdam.
- Estoup A, Largiadere CR, Perrot E and Chourrout D (1996) Rapid one tube DNA extraction for reliable PCR detection of fish polymorphic markers and transgenes. *Molecular Marine Biology and Biotechnology* **5**, 295–298.

- Estoup A, Scholl A, Pouvreau A and Solignac M (1995) Monoandry and polyandry in bumble bees (Hymenoptera: Bombinae) as evidenced by highly variable microsatellites. *Molecular Ecology* **4**, 89–93.
- Estoup A, Garnery L, Solignac M and Cornuet J-M (1995) Microsatellite variation in honey bee (*Apis mellifera* L) populations: hierarchical genetic structure and test of the infinite allele and stepwise mutation models. *Genetics* **140**, 679–695.
- Estoup A, Jarne P and Cornuet J-M (2002) Homoplasmy and mutation model at microsatellite loci and their consequences for population genetics analysis. *Molecular Ecology* **11**, 1591–1604.
- Ewens WJ (1979) *Mathematical Population Genetics*. Springer-Verlag, Berlin.
- Ewens WJ (1972) The sampling theory of selective neutral alleles. *Theoretical Population Biology* **3**, 87-112.
- Excoffier L, Smouse PE, Quattro JM (1992) Analysis of molecular variance inferred from metric distances among DNA haplotypes: application to human mitochondrial DNA restriction data. *Genetics* **131**(2), 479-91.
- Fairall N (1968) The reproductive seasons of some mammals in the Kruger National Park. *African Zoology* **3**(2), 189-210.
- Fay JC and Wu C-I (1999) A human population bottleneck can account for the discordance between patterns of mitochondrial versus nuclear DNA variation. *Molecular Biology and Evolution* **16**(7), 1003–1005.
- Felsenstein J (1992) Estimating effective population size from samples of sequences: inefficiency of pairwise and segregating sites as compared to phylogenetic estimates. *Genetic Research* **59**, 139–147.

- Flagstad Ø, Syfertsen OP, Stenseth CN and Jakobsen SK (2001) Environmental changes and rates of evolution: the phylogeographic pattern within the hartebeest complex as related to climatic variation. *Proceedings of the Royal Society of London, Series B: Biological Sciences* **268**, 667-677.
- Forbes SH and Hogg J T (1999) Assessing population structure at high levels of differentiation: microsatellite comparisons of bighorn sheep and large carnivores. *Animal Conservation* **2**, 223–2333.
- Frankel OH and Soulé ME (1981) Conservation and Evolution. Cambridge University Press, Cambridge.
- Frankham R (1995) Conservation Genetics. *Annual Reviews of Genetics* **29**, 305-327.
- Frankham R (1995a) Inbreeding and extinction: a threshold effect. *Conservation Biology* **9**, 792-799.
- Fraser DJ and Bernatchez L (2001) Adaptive evolutionary conservation: towards a unified concept for defining conservation units. *Molecular Ecology* **10**, 2741–2752.
- Freeman AR, Machugh DE, Mckeown S, Walzer C, Mcconnell DJ and Bradley DG (2001) Sequence variation in the mitochondrial DNA control region of wild African cheetahs (*Acinonyx jubatus*). *Heredity* **86**, 355-362.
- Fu Y-X (1997) Statistical tests of neutrality of mutations against population growth, hitchhiking and background selection. *Genetics* **147**, 915–925.
- Fu Y-X (1994a) A phylogenetic estimator of effective population size or mutation rate. *Genetics* **136**, 685-692.
- FU Y-X and LI W-H (1993) Statistical tests of neutrality of mutations. *Genetics* **133**, 693-709.

- Funston PJ, Skinner JD and Dott HM (1994) Seasonal variation in movement patterns, home range and habitat selection of buffalos in a semiarid habitat. *African Journal of Ecology* **32**, 100–114.
- Gainaru MD, Thomson GR, Bengis RG, Esterhuysen JJ, Bruce W and Pini A (1986) Foot-and-mouth disease and the African buffalo (*Syncerus caffer*). II. Virus excretion and transmission during acute infection. *Onderstepoort Journal of Veterinary Research* **53**, 75–85.
- Gallagher DS, Jr. and Womack JE (1992) Chromosome Conservation in the Bovidae. *Journal of Heredity* **83**, 287-298.
- Garza JC and Williamson EG (2001) Detection of reduction in population size using data from microsatellite loci. *Molecular Ecology* **10**, 305–318.
- Gatesy J, Amoto G, Vrba E, Schaller G and DeSalle R (1997) A cladistic analysis of mitochondrial ribosomal DNA from the Bovidae. *Molecular Phylogenetics and Evolution* **7**, 303-319.
- Gloster J, Sellers RF and Donaldson AI (1982) Long distance transport of foot-and-mouth disease virus over the sea. *Veterinary Record* **110**, 47-52.
- Goldsworthy S, Francis J, Boness D and Fleischer R (2000) Variation in the mitochondrial control region in the Juan Fernandez fur seal (*Arctocephalus philippi*). *Journal of Heredity* **91**(5),371–377.
- Gotelli D, Sillero-Zubiri C, Applebaum GD, Roy MS, Girman DJ, Garcia-Moreno J, Ostrander EA and Wayne RK (1994) Molecular genetics of the most endangered canid – the Ethiopian wolf *Canis simensis*. *Molecular Ecology* **3**, 301-312.
- Goudet J (1995) Fstat, a Program for IBM PC Compatible to Calculate Weir and Cockerham's (1984) Estimators of F-Statistics. Institut de Zoologie et d'Ecologie Animale Universite de Lausanne, Lucerne.

- Goudet J (2001) FSTAT, a Program to Estimate and Test Gene Diversities and Fixation Indices. Version 293. Institut de Zoologie et d'Ecologie Animale, Universite de Lausanne, Lucerne.
- Goudet J, Perrin N and Waser P (2002) Tests for sex-biased dispersal using bi-parentally inherited genetic markers. *Molecular Ecology* **11**, 1103–1114.
- Grimsdell JJR (1973) Age Determination of the African buffalo, *Syncerus caffer* Sparrman. *East African Wildlife Journal* **11**, 31-53.
- Grobler JP and Van der Bank FH (1996) Genetic diversity and isolation in African buffalo (*Syncerus caffer*). *Biochemical Systematics and Ecology* **7**, 757-761.
- Grootenhuis JG (1989) The role of wildlife in the epidemiology of cattle Theileriosis. In Proceedings of a workshop on east coast fever immunisation (edited by Dolan TT). Lilongwe, Malawi. 20–22 September, 1988. pp. 129–136.
- Grootenhuis JG, Young AS, Kimber CD and Drevemo SA (1975) Investigations on a *Theileria* species from an impala. *Journal of Wildlife Diseases* **11**(1) 122-127.
- Grootenhuis JG, Young AS, Stagg DA, Leitch BL, Dolan TT and Conrad PA (1987) Infection of African buffalo (*Syncerus caffer*) and cattle with *Theileria parva lawrencei* after serial passage in cattle. *Research in Veterinary Science* **42**, 326–30.
- Grubb P (1972) Variation and incipient speciation in the African buffalo. *Saugetierkunde* **37**, 121-144.
- Guo SW and Tompson EA (1992) Performing the exact test of Hardy-Weinberg proportions for multiple alleles. *Biometrics* **48**, 361-372.
- Halley DJ and M Mari (2004) Dry season social affiliation of African buffalo bulls at the Chobe riverfront, Botswana. *South African Journal of Wildlife Research* **34**(2), 105–111.

- Halley DJ, Vandewalle MEJ, Mari M and Taolo C (2002) Herd-switching and long-distance dispersal in female African buffalo *Syncerus caffer*. *African Journal of Ecology* **40**(1), 97-99.
- Hamilton WD (1971) Selection of selfish and altruistic behavior in some extreme models *In* Man and Beast: comparative social behaviour (edited by Eisenberg JF and Dillon WS). Smithsonian Institution Press, Washington. pp. 58–91.
- Hanotte O and Jianlin H (2005) Genetic characterization of livestock populations and its use in conservation decision-making. *In* The role of biotechnology (edited by Schearf B). World Watch List for Domestic Animal Diversity. pp. 131-136.
- Hanslik S, Harr B, Brem G and Schlotterer C (2000) Microsatellite analysis reveals substantial genetic differentiation between contemporary New World and Old World Holstein Friesian populations. *Animal Genetics* **31**, 31-38.
- Hardy OJ and Vekemans X (2002) SPAGeDi : a versatile computer program to analyse spatial genetic structure at the individual or population levels. *Molecular Ecology Notes* **2**, 618-620.
- Harley EH (2002) AGARST version 28, a computer program for calculating allele frequencies, Gst and Rst from microsatellite data Wildlife Genetics Unit, University of Cape Town, South Africa.
- Harley EH, Baumgarten I, Cunningham J and O’Ryan C (2005) Genetic variation and population structure in remnant populations of black rhinoceros, *Diceros bicornis*, in Africa. *Molecular Ecology* **14**, 2981-2990.
- Hartl D and Clark AG (1989) Principles of population genetics. Sinauer Associates, Sunderland, MA. p.301.

- Hasegawa M, Dirienzo A, Kocher TD and Wilson AC (1993) Toward a more accurate time scale for the human mitochondrial DNA tree. *Journal Molecular Evolution* **37**, 347–354.
- Hayashi JI, Tagashira Y and Yoshida MC (1985) Absence of extensive recombination between inter- and intraspecies mitochondrial DNA in mammalian cells. *Experimental Cell Research* **160**, 387-395.
- Hedger RS (1976) Foot-and-mouth disease in wildlife with particular reference to the African buffalo (*Syncerus caffer*). In *Wildlife Diseases* (edited by Page LA). New York, Plenum Publishing. pp. 235–244.
- Hedger RS (1981) Foot-and-mouth disease. In *Infectious diseases of wild mammals*. 2<sup>nd</sup> edition (edited by Davis JW, Karstad LH and Trainer DO). Ames, USA. Iowa State University Press. pp. 87–96.
- Hedger RS and Condy JB (1985) Transmission of foot-and-mouth disease from African buffalo virus carriers to bovines. *Veterinary Record* **117**, 205.
- Hedger RS, Condy JB and Golding SM (1972) Infection of some species of African wildlife with foot-and-mouth disease virus. *Journal of Comparative Pathology* **82**, 455–461.
- Hedrick PW (1999) Perspective: Highly variable loci and their interpretation in evolution and conservation. *Evolution* **53**, 313–318.
- Hedrick PW and Kalinowski ST (2000) Inbreeding depression in conservation biology. *Annual Review of Ecology and Systematics* **31**, 139–162.
- Hellborg L, Christopher W, Walker E, Rueness K, Stacy JE, Kojola I, Valdmann H, Vilà C, Zimmermann B, Jakobsen KS and Ellegren H (2002) Differentiation and levels of genetic variation in northern European lynx (*Lynx lynx*) populations revealed by microsatellites and mitochondrial DNA analysis. *Conservation Genetics* **3**(2), 97-111.



- Hirano T, Nakane S, Mizoshita K, Yamakuchi H, Inoue-Murayama M, Watanabe T, Barendse W and Sugimoto Y (1996) Characterization of 42 highly polymorphic bovine microsatellite markers. *Animal Genetics* **27**, 365-368.
- Hoelzel AR, Halley J, O'Brien SJ, Campagna C, Arnbom T, Le Boeuf B, Ralls K. and Dover GA (1993). Elephant seal genetic variation and the use of simulation models to investigate historical population bottlenecks. *Journal of Heredity* **84**, 443-449.
- Hofmeyr M (2005) The disease-free buffalo breeding project of the State Veterinary Services and South African National Parks. *In Conservation and development interventions at the wildlife/livestock interface. Implications for Wildlife, Livestock and Human Health* (edited by Osofsky SA). p. 140.
- Hood GM (2005) PopTools version 271. Available on the internet URL <http://www.cse.csiro.au/poptools>.
- Hsu TC and Benirschke K (1970) An Atlas of Mammalian Chromosomes. Volume 4. Springer-Verlag, New York. p.192.
- Huchzermeyer HFKA, Bruckner GK, van Heerden A, Kleeberg HH, van Rensburg IBJ, Koen P and Loveday RK (1994) Tuberculosis *In Infectious diseases of livestock with special reference to southern Africa* (edited by Coetzer JAW, Thomson GR and Tustin RC). Oxford University Press. pp. 1425-1444.
- Hudson RR (1990) Gene genealogies and the coalescent process. *In Survey in Evolutionary Biology. Volume 7* (edited by Futuyama D and Antonovics J). Oxford University Press, Oxford. pp. 1-42.
- Hughes CR and Queller DC (1993) Detection of highly polymorphic microsatellite loci in a species with little allozyme polymorphism. *Molecular Ecology* **2**, 131-137.
- Hunter CG (1996) Land uses on the Botswana/Zimbabwe border and their effects on buffalo. *South African Journal of Wildlife Research* **26**(4), 136-150.

- Hunter P, Bastos ADS, Esterhuysen JJ and van Vuuren CD (1996) Appropriate foot-and-mouth disease vaccines for southern Africa. *In* All Africa Conference on Animal Agriculture, Pretoria, South Africa. 2.2.7, p. 1–4.
- Irvin AD and Mwanachi DM (1983) Clinical and diagnostic features of East Coast fever (*Theileria parva*) infection of cattle. *Veterinary Record* **113**, 191-198.
- Ivankovic A, Kavar T, Caput P, Mioc B, Pavic V and Dovc P (2002) Genetic diversity of three donkey populations in the Croatian coastal region. *Animal Genetics* **33**, 169-177.
- Jae-Heup K, Eizirik E, O'Brien SJ and Johnson WE (2001) Structure and patterns of sequence variation in the mitochondrial DNA control region of the great cats. *Mitochondrion* **12**, 279-292.
- Jarne P and Lagoda PJJ (1996) Microsatellites, from molecule to populations and back. *Trends in Ecology and Evolution* **11**, 424-429.
- Jolles AE (2004) Disease ecology of tuberculosis in African buffalo. PhD thesis. Princeton University.
- Jolles AE, Ezenwa V, Corvallis OR and Missoula MT (2006a) Macroparasite-microparasite interactions: worms and TB in African buffalo. Proceedings of the annual meeting of the Ecological Society of America. Memphis, Tennessee.
- Jolles AE, Rampal SE and Olf H (2006b) Independent and competing disease risks: implications for host populations in variable environments. *The American Naturalist* **167**, 745-757.
- Kalinowski ST (2002) How many alleles per locus should be used to estimate genetic distances? *Heredity* **88**, 62–65.

- Keet DF, Kriek NPJ, Penrith M-L, Michel A and Huchzermeyer H (1996) Tuberculosis in buffaloes (*Syncerus caffer*) in the Kruger National Park: spread of the disease to other species. *Onderstepoort Journal of Veterinary Research* **69**, 239–244.
- Keet DF, Boomker J, Kriek NPJ, Zakrisson G and Meltzer DGA (1997) Parafilariosis in African buffaloes (*Syncerus caffer*). *Onderstepoort Journal of Veterinary Research* **64**, 217-225.
- Kemp SJ, Hishida O, Wambugu J, Rink A, Longeri ML, Ma RZ, Da Y, Lewin HA, Barendse W and Teale AJ (1995) A panel of polymorphic bovine, ovine and caprine microsatellite markers. *Animal Genetics* **26**, 299-306.
- Kimura M and Ohta T (1978) Stepwise mutation model and distribution of allelic frequencies in a finite population. *Proceedings of the National Academy of Sciences, USA* **75**, 2868–2872.
- Kimura M and Crow JF (1964) The number of alleles that can be maintained in a finite population. *Genetics* **49**, 725–738.
- Kimura M (1983) *The neutral theory of Molecular Evolution* Cambridge University Press, Cambridge, Massachusetts.
- Kingdon J (1997) *The Kingdon field guide to African mammals* Academic Press Ltd, London.
- Knechtel C (1993) Brunstverhalten bei Kaffernbuffeln (*Syncerus caffer caffer*) im Tierpark Berlin-Friedrichsfelde. *Der Zoologische Garten* **63**, 32-58.
- Koskinen MT (2003) Individual assignment using microsatellite DNA reveals unambiguous breed identification in the domestic dog. *Animal Genetics* **34**, 297–301.

- Kuehn R, Schroeder W, Pirchner F and O Rottmann (2003) Genetic diversity, gene flow and drift in Bavarian red deer populations (*Cervus elaphus*). *Conservation Genetics* **4**, 157–166.
- Kumar S, Tamura K and Nei M (2004) MEGA3: Integrated software for Molecular Evolutionary Genetics Analysis and sequence alignment. *Briefings in Bioinformatics* **5**, 150-163.
- Kumar S, Tamura K and Nei M (1993) MEGA: Molecular Evolutionary Genetics Analysis, version 1.0 The Pennsylvania State University, University Park, PA.
- Larson S, Jameson R, Bodkin J, Staedler M and Bentzen P (2002) Microsatellite DNA and mitochondrial DNA variation in remnant and translocated sea otter (*Enhydra lutris*) populations. *Journal of Mammalogy* **83**(3), 893–906,
- Lehmann T, Hawley WA, Grebert H and Collins FH (1998) The Effective Population size of *Anopheles gambiae* in Kenya: Implications for Population Structure. *Molecular Biology and Evolution* **15**(3), 264–276.
- Lessard P, L'Eplattenier R, Norval RAI, Kundert K, Dolan T, Croze H, Walker JB, Irvin AD and Perry BD (1990) Geographical information systems for studying the epidemiology of cattle diseases caused by *Theileria parva*. *Veterinary Record* **126**, 255-262.
- Levinson G and G A Gutman (1987) Slipped strand mispriming: a major mechanism for DNA sequence evolution. *Molecular Biology and Evolution* **4**, 203–221.
- Lewis RM, Grundy B and Kuehn LA (2004) Predicting population gene frequency from sample data. *Animal Genetics* **78**, 3-11.
- Lewontin RC and Kojima K (1964) The evolutionary dynamics of complex polymorphisms. *Evolution* **14**, 458-472.

- Li S-J, Yang S-H, Zhao S-H, Fan B, Yu M, Wang H-S, Li M-H, Liu B, Xiong T-A and Li K (2004) Genetic diversity analysis of 10 indigenous Chinese pig populations based on 20 microsatellites *Journal of Animal Science* **82**, 368-374.
- Li H, Meng S-J, Men Z-M, Fu Y-X and Zhang Y-P (2003) Genetic diversity and population history of golden monkeys (*Rhinopithecus roxellana*). *Genetics* **164**, 269-275.
- Louis EJ and Dempster ER (1987) An exact test for Hardy-Weinberg and multiple alleles. *Biometrics* **43**, 805-811.
- Luikart G and Cornuet J (1998) Empirical evaluation of a test for identifying recently bottlenecked populations from allele frequency data. *Conservation Biology* **12**(1), 228-237.
- Luikart G, Allendorf FW, Cornuet J-M and Sherwin WB (1998) Distortion of allele frequency distributions provides a test for recent population bottlenecks. *Journal of Heredity* **89**, 238-247.
- Luikart G, Biju-Duval M-P, Ertugrul O, Zagdsuren Y, Maudet C and Taberlet P (1999) Power of 22 microsatellite markers in fluorescent multiplexes for parentage testing in goats (*Capra hircus*). *Animal Genetics* **30**, 431-438.
- Lynch M and Lande R (1998) The critical effective size for a genetically secure population. *Animal Conservation* **1**, 70-72.
- Lynch M and Ritland K (1999) Estimation of pairwise relatedness with molecular markers. *Genetics* **152**, 1753-1766.
- Mabunda D, Pienaar DJ and Verhoef J (2003) The Kruger National Park: a century of management and research. *In* The Kruger experience. Ecology and management of savanna heterogeneity (edited by du Toit JT, Rogers KH and Biggs HC). Island Press, Washington. pp. 3-21.

- Macandza VA, Owen-Smith N and Cross P (2004) Forage selection by African buffalo in the late dry season in two landscapes. *South African Journal of Wildlife Research* **34**(2), 113–121.
- Macaulay JW (1963) Foot-and-mouth disease in non-domestic animals. *Bulletin of Epizootic Diseases in Africa* **11**, 143–146.
- Malone CL, Knapp CR, Taylor JF and Davis SF (2003) Genetic consequences of Pleistocene fragmentation: Isolation, drift, and loss of diversity in rock iguanas (*Cyclura*). *Conservation Genetics* **4**(1), 1-15.
- Manel S, Berthier P, Luikart G (2002) Detecting wildlife poaching: identifying the origin of individuals with Bayesian assignment tests and multilocus genotypes. *Conservation Biology* **16**, 650–659.
- Marjoram P and Donnelly P (1994) Pairwise comparisons of mitochondrial DNA sequences in subdivided populations and implications for early human evolution. *Genetics* **136**, 673–683.
- Marshall TC, Slate J, Kruuk LEB and Pemberton JM (1998) Statistical confidence for likelihood-based paternity inference in natural populations *Molecular Ecology* **7**, 639–655.
- Maruyama T and Fuerst PA (1985) Population bottlenecks and non equilibrium models in population genetics. II. Number of alleles in a small population that was formed by a recent bottleneck. *Genetics* **111**, 675-689.
- Mavale AP (1996) Epidemiology of ticks and tick-borne diseases in Mozambique: future research needs and priorities. *In* Epidemiology of ticks and tick-borne diseases in eastern, central and southern Africa (edited by Irvin AD, McDermott JJ and Perry BD). Proceedings of a workshop held in Harare, 12–13 March, 1996. pp. 44-46.

- Mburu DN, Ochieng JW, Kuria SG, Jianlin H, Kaufman B, Rege JEO and Hanotte O (2002) Genetic diversity and relationships of Kenyan camel (*Camelus dromedarius*) populations: implications for their classification. *Animal Genetics* **34**, 26-32.
- McPeck MS and Sun L (2000) Statistical Tests for Detection of Misspecified Relationships by Use of Genome-Screen Data. *American Journal of Human Genetics* **66**, 1076-1094.
- Mills LS and Smouse PE (1994) Demographic consequences of inbreeding in remnant populations. *American Naturalist* **144**, 412-431.
- Mills LS and Allendorf FW (1996) The one-migrant-per-generation rule in conservation and management. *Conservation Biology* **10**, 1509-1518.
- Miyata T, Hayashida H, Kikuno R, Hagesagawa M, Kobayashi M and Koike K (1982) Molecular clock of silent substitution: at least six fold preponderance of silent changes in mitochondrial genes over those of nuclear genes. *Journal Molecular Evolution* **19**, 28-35.
- Mloszewski MJ (1983) The behaviour and ecology of the African buffalo Cambridge University Press, Cambridge.
- Mommens G, van Zeveren A and Peelman LJ (1998) Effectiveness of bovine microsatellites in resolving paternity cases in American bison, *Bison bison*. *Animal Genetics* **29**, 12-18.
- Moodley Y, Baumgarten I and Harley EH (2006) Horse microsatellites and their amenability to comparative equid genetics. *Animal Genetics* **37**(3), 258-261.
- Moore SS, Sargeant LL, King TJ, Mattick JS, Georges M and Hetzel DJS (1991) The conservation of dinucleotide microsatellites among mammalian genomes allows the use of heterologous PCR primer pairs in closely related species. *Genomics* **10**, 654-660.

- Morin PA, Moore JJ, Chakraborty R, Jin L, Goodall J and Woodruff DS (1994b) Kin selection, social structure, gene flow and the evolution of chimpanzees. *Science* **265**, 1193-1201.
- Moritz C (1994) Defining 'evolutionarily significant units' for conservation. *Trends in Ecology and Evolution* **9**, 373–375.
- Mukhebi AW, Perry BD and Kruska R (1992) Estimated economics of Theileriosis control in Africa. *Preventive Veterinary Medicine* **12**, 73-85.
- Muwanika VB, Nyakaana S, Siegismund HR and Arctander P (2003) Phylogeography and population structure of the common warthog (*Phacochoerus africanus*) inferred from variation in mitochondrial DNA sequences and microsatellite loci. *Heredity* **91**, 361–372.
- Nei M and Li W (1979) Mathematical model for studying genetic variation in terms of restriction endonucleases. *Proceedings of the National Academy of Science, USA* **76**, 5269-5273.
- Nei M, Tajima F and Tatenno Y (1983) Accuracy of estimated phylogenetic trees from molecular data. *Journal of Molecular Evolution* **19**, 153-170.
- Nei M (1987) *Molecular evolutionary genetics* Columbia University Press, New York NY.
- Nei M (2005) Bottlenecks, genetic polymorphism and speciation. *Genetics* **170**, 1-4.
- Nei M, Maruyama T and Charkraborty R (1975) The bottleneck effect and genetic variability in populations. *Evolution* **29**, 1–10.
- Nene V, Gobright E, Bishop R, Morzaria S and Musoke A (1999) Linear peptide specificity of bovine antibody responses to p67 of *Theileria parva* and sequence diversity of sporozoite-neutralizing epitopes: implications for a vaccine. *Infection and Immunity* **67**(3), 1261–1266.



- Nielsen R (2001) Statistical tests of selective neutrality in the age of genomics. *Heredity* **86**, 641-647.
- Nieminen M, Singer MC, Fortelius W, Schöps K, Hanski I (2001) Experimental confirmation that inbreeding depression increases extinction risk in butterfly populations. *American Naturalist* **157**, 237–244.
- Nordborg M and Tavaré S (2002) Linkage disequilibrium: what history has to tell us. *Trends in Genetics* **18**, 83–90.
- Norton JE and Ashley MV (2004) Genetic variability and population structure among wild Baird's tapirs. *Animal Conservation* **7**, 211–220.
- Norval RAI, Barrett JC, Perry BD and Mukhebi AW (1992a) Economics, epidemiology and ecology: a multidisciplinary approach to the planning and appraisal of tick and tick-borne disease control in southern Africa. *In* Tick vector biology, medical and veterinary aspects (edited by Fivaz B, Petney T and Horak IG). Springer-Verlag. pp. 35-55.
- Nyakaana S, Arctander P and Siegismund HR (2002) Population structure of the African savanna elephant inferred from mitochondrial control region sequences and nuclear microsatellite loci. *Heredity* **89**, 90-98.
- Nyakaana S, Ebe EL, Arctander P and Siegismund HR (2001) DNA evidence for elephant social behaviour breakdown in Queen Elizabeth National Park, Uganda. *Animal Conservation* **4**, 231-237.
- O'Brien SJ (1994) The cheetahs conservation controversy. *Conservation Biology* **8**(4), 1153-1155.
- O'Brien SJ and Evermann JF (1988) Interactive influence of infectious disease and genetic diversity in natural populations. *Trends in Ecology and Evolution* **3**, 254-259.

- O'Brien SJ, Wildt DE, Bush M, Caro TM, Fitzgibbon C, Aggundey I and Leakey RE (1987) East African cheetahs: Evidence for two population bottlenecks? *Proceedings of the National Academy of Sciences USA* **84**, 508-511.
- O'Brien SJ, Wildt DE, Goldman D, Merrill CR and Bush M (1983). The cheetah is depauperate in genetic variation. *Science* **221**, 459-462.
- Ohta T (1982) Allelic and nonallelic homology of a supergene family. *Proceedings of the National Academy of Science, USA* **79**, 3251–3254.
- Okello JBA, Nyakaana S, Masembe C, Siegismund HR and Arctander P (2005) Mitochondrial DNA variation of the common hippopotamus: evidence for a recent population expansion. *Heredity* **95**, 206-215.
- O’Ryan C, Harley EH, Bruford MW, Beaumont M, Wayne RK and Cherry MI (1998) Microsatellite analysis of genetic diversity in fragmented South African buffalo populations. *Animal Conservation* **1**, 85-94.
- Owen-Smith N and Ogutu J (2003) Rainfall influences on ungulate population dynamics. *In* The Kruger experience. Ecology and management of savanna heterogeneity (edited by du Toit JT, Rogers KH and Biggs HC). Island Press, Washington. pp. 310-331.
- Paabo S (1989) Ancient DNA: Extraction, characterization, molecular cloning, and enzymatic amplification. *Proceedings of the National Academy of Science, USA* **86**(6), 1939–1943.
- Paetkau D, Calvert W, Stirling I and Strobeck C (1995) Microsatellite analysis of population structure in Canadian polar bears. *Molecular Ecology* **4**, 347–354.
- Paetkau D and Strobeck C (1994) Microsatellite analysis of genetic variation in black bear populations. *Molecular Ecology* **3**, 489–495.

- Paetkau D and Strobeck C (1995) The molecular basis and evolutionary history of a microsatellite null allele in bears. *Molecular Ecology* **4**, 519-520.
- Pålsson S (2004) Isolation by distance, based on microsatellite data, tested with spatial autocorrelation (SPAIDA) and assignment test (SPASSIGN). *Molecular Ecology Notes* **4**, 143–145.
- Palumbi SR and Baker CS (1994) Contrasting population structure from nuclear intron sequences and mtDNA of humpback whales. *Molecular Biology and Evolution* **11**, 426–435.
- Park S (2001) Microsatellite toolkit. Available online at <http://acergentcdie/~sdepark/ms-toolkit/>.
- Perrin N and Mazalov V (2000) Local competition, inbreeding, and the evolution of sex-biased dispersal. *American Naturalist* **155**, 116–127.
- Pienaar U de V (1969a) Observations on developmental biology, growth and some aspects of the population ecology of African buffalo (*Syncerus caffer caffer* Sparrman) in the Kruger National Park. *Koedoe* **123**, 29-53.
- Pienaar U de V, Joubert SCJ, Hall-Martin A, de Graaff G and Rautenbach IL (1987) Field guide to the mammals of the Kruger National Park. Cape Town. Struik.
- Plowright W (1982) The effects of rinderpest and rinderpest control on wildlife in Africa. *Symposia of the Zoological Society of London* **50**, 1-28.
- Posada D and Crandall KA (1998) Modeltest: Testing the model of DNA substitution. *Bioinformatics* **14**, 817–818.
- Potgieter FT (1996) Epidemiology of ticks and tick-borne diseases in South Africa: future research needs and priorities. *In* Epidemiology of ticks and tick-borne diseases in

eastern, central and southern Africa (edited by Irvin AD, McDermott JJ and Perry BD). Proceedings of a workshop held in Harare, 12–13 March, 1996. pp. 47-63.

Potgieter FT, Stoltz WH, Blouin EF and Roos JA (1988) Corridor disease in South Africa: a review of current status. *Journal of the South African Veterinary Association* **59**, 155–160.

Prins HHT (1996) Ecology and Behaviour of the African Buffalo: Social Inequality and Decision Making, Wildlife Ecology and Behaviour Series Vol 1 Chapman and Hall, London.

Pritchard JK and Przeworski M (2001) Linkage disequilibrium in humans: models and data. *American Journal of Human Genetics* **69**, 1–14.

Przeworski M, Hudson RR and Di Rienzo A (2000) Adjusting the focus on human variation. *Trends in Genetics* **16**, 296–302.

Ptak SE and Przeworski M (2002) Evidence for population growth in humans is confounded by fine-scale population structure. *Trends in Genetics* **18**, 559–563.

Purnell RE, Schiemann B, Brown CGD, Irvin AD, Ledger MA, Payne RC and Young AS (1973) Attempted transmission of *Theileria gorgonis* (Brocklesby and Vidler, 1961) from the blue wildebeest (*Connochaetes taurinus*) to cattle. *Zeitschrift für Tropenmedizin und Parasitologie* **24**, 181-185.

Queller DC and Goodnight KF (1989) Estimating relatedness using genetic markers. *Evolution* **43**, 258–275.

Queller DC, Strassmann JE and Hughes CR (1993) Microsatellites and kinship. *Trends in Ecology and Evolution* **8**, 285–288.

Ramel C (1997) Mini- and microsatellites. *Environmental and Health Perspectives* **105**, 781-789.

- Randi E and Lucchini V (2002) Detecting rare introgression of domestic dog genes into wild wolf (*Canis lupus*) populations by Bayesian admixture analyses of microsatellite variation. *Conservation Genetics* **3**, 31–45.
- Rannala B and Mountain JL (1997) Detecting immigration by using multilocus genotypes. *Proceedings of the National Academy of Sciences, USA* **94**, 9197–9201.
- Raymond M and Rousset F (1995) GENEPOP (version 12): population genetics software for exact tests and ecumenicism. *Journal of Heredity* **86**, 248-249.
- Reynolds J, Weir BS and Cockerham CC (1983) Estimation of the coancestry coefficient: Basis for a short-term genetic distance. *Genetics* **105**, 767-779.
- Rice WR (1989) Analyzing tables of statistical tests. *Evolution* **43**, 223–225.
- Richard M and Thorpe RS (2001) Can microsatellites be used to infer phylogenies? Evidence from Population Affinities of the Western Canary Island Lizard. (*Gallotia galloti*). *Molecular Phylogenetics and Evolution* **20**, 351–360.
- Ritz LR, Glowatzki-Mullis M-L, MacHugh DE and Gaillard C (2000) Phylogenetic analysis of the tribe Bovini using microsatellites. *Animal Genetics* **31**, 178-85.
- Rodwell TC, Kriek NP, Bengis RG, Whyte IJ, Viljoen PC, de Vos V and WM Boyce (2000) Prevalence of bovine tuberculosis in African buffalo at Kruger National Park. *Journal of Wildlife Diseases* **37**, 258–264.
- Rogers AR and Harpending (1992) Population growth makes waves in the distribution of pairwise genetic differences. *Molecular Biology and Evolution* **9**, 552-569.
- Rooney AP, Honeycutt RL, Davis SK and Derr JM (1999) Evaluating a putative bottleneck in a population of bowhead whales from patterns of microsatellite diversity and genetic disequilibria. *Journal of Molecular Evolution* **49**, 682–690.

- Rossiter PB (1994) Rinderpest. *In* Infectious Diseases of Livestock, Volume 2 (edited by Coetzer JAW, Thompson GR and Tustin RC). Oxford University Press. pp. 735-757.
- Rozas J, Sánchez-DelBarrio JC, Messeguer X and Rozas R (2003) DnaSP, DNA polymorphism analyses by the coalescent and other methods. *Bioinformatics* **19**, 2496-2497.
- Rubinstein DC, Amos W, Leggo J, Goodburn S, Jain S, Li SH, Margolis RL, Ross CA and Ferguson-Smith MA (1995) Microsatellite evolution - evidence for directionality and variation in rate between species. *Nature Genetics* **10**, 337-343.
- Saccheri IJ, Wilson IJ, Nichols RA, Bruford MW and PM Brakefield (1999) Inbreeding of bottlenecked butterfly populations: estimation using the likelihood of changes in marker allele frequencies. *Genetics* **151**, 1053-1063.
- Saitbekova N, Gaillard C, Obexer-Ruff G and Dolf G (1999) Genetic diversity in Swiss goat breeds based on microsatellite analysis. *Animal Genetics* **30**, 36-41.
- Saitou N and Nei M (1987) The neighbor-joining method: A new method for reconstructing phylogenetic trees. *Molecular Biology and Evolution* **4**, 406-425.
- Samuel AR and Knowles NJ (2001) Foot-and-mouth disease type O viruses exhibit genetically and geographically distinct evolutionary lineages (topotypes). *Journal of General Virology* **82**, 609-621.
- Sangare O, Bastos AD, Marquardt O, Venter EH, Vosloo W and Thomson GR (2001) Molecular epidemiology of serotype O foot-and-mouth disease virus with emphasis on West and South Africa. *Virus Genes* **22**, 343-350.
- Schearf B (2003) World Watch List for Domestic Animal Diversity FAO 2003.
- Schlotterer C (2000) Evolutionary dynamics of microsatellite DNA. *Chromosoma* **109**, 365-371.

- Schlotterer C and Tautz D (1992) Slippage synthesis of simple sequence DNA. *Nucleic Acids Research* **20**(2), 211-215.
- Schlotterer C, Amos B and Tautz D (1991) Conservation of polymorphic simple sequence loci in cetacean species. *Nature* **354**, 63-65.
- Schnabel RD, Ward TJ and Derr JN (2000) Validation of 15 microsatellites for parentage testing in North American bison, *Bison bison* and domestic cattle. *Animal Genetics* **31**, 360-366.
- Schneider S, Roessli D, Excoffier L (2000) ARLEQUIN, Version 2.0: a Software for Population Genetic Data Analysis University of Geneva, Switzerland.
- Schneider S, and Excoffier L (1999) Estimation of past demographic parameters from the distribution of pairwise differences when the mutation rates vary among sites: application to human mitochondrial DNA. *Genetics* **152**, 1079–1089.
- Schneider S, Kueffer JM, Roessli D and Excoffier L (1997) Arlequin, Version 1.1 A software for population genetic data analysis Genetics and Biometry Laboratory, University of Geneva, Switzerland.
- Shigesada N and Kawasaki K (1997) Biological invasions: theory and practice. Oxford series in ecology and evolution. Oxford University Press, New York.
- Shimshony A, Orgad U, Baharav D, Prudovsky S, Yakobson B, Bar Moshe B and Dagan D (1986) Malignant foot-and-mouth disease in mountain gazelles. *Veterinary Record* **119**(8), 175-176.
- Simon C, Frati F, Beckenbach A, Crespi B, Liu H and Flook P (1994) Evolution, weighting, and phylogenetic utility of mitochondrial gene sequences and a compilation of conserved polymerase chain reaction primers. *Annals of the Entomological Society of America* **87**(6), 651-686.

- Simonsen BT, Siegismund HR and Arctander P (1998) Population structure of African buffalo inferred from mtDNA sequences and microsatellite loci: high variation but low differentiation. *Molecular Ecology* **7**, 225-237.
- Sinclair ARE (1977) The African buffalo – a study of resource limitation of populations. University of Chicago Press, Chicago, Ill.
- Slade WS, Moritz C, Hoelzel AR, Burton HR (1998) Molecular population genetics of the Southern Elephant Seal (*Mirounga leonine*). *Genetics* **149**, 1945–1957.
- Slatkin M (1995) A measure of population subdivision based on microsatellite allele frequencies. *Genetics* **139**, 457–462.
- Slatkin M (1994) Linkage disequilibrium in growing and stable populations. *Genetics* **137**, 331–336.
- Slatkin M and Hudson RR (1991) Pairwise comparisons of mitochondrial DNA sequences in stable and exponentially growing populations. *Genetics* **129**, 555-562.
- Smith M and Haigh J (1974) The hitch-hiking effect of a favorable gene. *Genetic Research* **23**, 23-35.
- Sokal RR and Rohlf FJ (1981) Biometry Second Edition W H Freeman and Company New York.
- Spinage CA and Brown WAB (1988) Age determination of the West African buffalo *Syncerus caffer brachyceros* and the constancy of tooth wear. *African Journal of Ecology* **26**, 221-227.
- Spong G, Johansson M and Bjorklund M (2000) High genetic variation in leopards indicates large and long-term stable effective population size. *Molecular Ecology* **9**, 1773-1782.



- Stevens TA, Duffield DA, Asper ED, Hewlett KG, Bolz A, Gaga LJ, and Bossart GD (1989) Preliminary findings of restriction fragment differences in mitochondrial DNA among killer whales (*Orcinus orca*). *Canadian Journal of Zoology* **67**, 2592–2595.
- Stevenson-Hamilton J (1957) Tsetse fly and the Rinderpest epidemic of 1896. *Suid Afrikaanse Joernaal vir Wetenskap* 216-218.
- Storfer A (1999) Gene flow and endangered species translocations: a topic revisited. *Biological Conservation* **87**, 173-180.
- Strobeck C (1987) Average number of nucleotide differences in a sample from a single subpopulation: a test for population subdivision. *Genetics* **117**, 149-153.
- Su B and Shi LM (1995) Genetic diversity in the snub-nosed monkey (*Rhinopithecus bieti*) as estimated by protein electrophoresis. *Conservation Biology* **9**, 947-951.
- Swofford DL (1998) PAUP\*. Phylogenetic Analyses using Parsimony. Beta version 4.0b1. Computer program distributed by the Illinois Natural History Survey, Champaign, Illinois.
- Tajima F (1989a) Statistical method for testing the neutral mutation hypothesis by DNA polymorphism. *Genetics* **123**, 585–595.
- Tajima F (1989b) The effect of change in population size on DNA polymorphism. *Genetics* **123**, 597–601.
- Tajima F (1983) Evolutionary relationships of DNA sequences in finite populations. *Genetics* **105**, 437–460.
- Tajima F (1993) Simple methods for testing molecular clock hypothesis. *Genetics* **135**, 599-607.

- Tajima F (1995) Effect of non random sampling on the estimation of parameters in population genetics. *Genetical Research* **66**, 267–276.
- Tajima F (1996) The amount of DNA polymorphism maintained in a finite population when the neutral mutation rate varies among sites. *Genetics* **143**, 1457–1465
- Takezaki N and Nei M (1996) Genetic distances and reconstruction of phylogenetic trees from microsatellite DNA. *Genetics* **144**, 389–399.
- Tamura K (1992) Estimation of the number of nucleotide substitutions when there are strong transition-transversion and G + C-content biases. *Molecular Biology and Evolution* **9**, 678-687.
- Tamura K and Nei M (1993) Estimation of the number of nucleotide substitutions in the control region of mitochondrial DNA in humans and chimpanzees. *Molecular Biology and Evolution* **10**, 512–526.
- Taylor AC, Sherwin WB and Wayne RK (1994) Genetic variation of microsatellite loci in a bottlenecked species: the northern hairy-nosed wombat *Lasiorhinus krefftii*. *Molecular Ecology* **3**, 277–290.
- Templeton ARK, Crandall A and Sing CF (1992) A cladistic analysis of phenotypic associations with haplotypes inferred from restriction endonuclease mapping and DNA sequence data. III. Cladogram estimation. *Genetics* **132**, 619-633.
- Thomson GR (1996) The role of carrier animals in the transmission of foot and mouth disease. In OIE Comprehensive Reports on Technical Items Presented to the International Committee or to Regional Commissions. pp. 87–103.
- Thomson GR (1994) Foot-and-mouth disease. In Infectious diseases of livestock with special reference to southern Africa. (edited by Coetzer JAW, Thomson GR and Tustin RC). Cape Town, South Africa. Oxford University Press. pp. 825–952.

- Thomson GR, Vosloo W and Bastos ADS (2003) Foot and mouth disease in wildlife. *Virus Research* **91**, 145–161.
- Uilenberg G (1999) Immunization against diseases caused by *Theileria parva*: a review. *Tropical Medicine and International Health* **4**(9), 12–20.
- Uzzell T and Corbin KW (1971) Fitting discrete probability distribution to evolutionary events. *Science* **172**, 1089–1096.
- Vaiman D, Mercier D, Moazami-Goudarzi Eggen, A, Ciampolini R, Lepingle A, Velmala R, Kaukinen J, Varvio SL, Martin P, Leveziel H and Guerin G (1994b) A set of 99 cattle microsatellites: characterization, synteny mapping and polymorphism. *Mammalian Genome* **5**, 288-297.
- Valière N (2002) GIMLET: a computer program for analysing genetic individual identification data. *Molecular Ecology Notes* **2**, 377-379.
- Van Hooft WF, Groen AF and Prins HHT (2002) Phylogeography of the African buffalo based on mitochondrial and Y-chromosomal loci: Pleistocene origin and population expansion of the Cape buffalo subspecies *Molecular Ecology* **11**, 267-279.
- Van Hooft WF, Groen AF and Prins HHT (2003) Genetic structure of African buffalo herds based on variation at the mitochondrial D-loop and autosomal microsatellite loci: Evidence for male-biased gene flow. *Conservation Genetics* **4**, 467–477.
- Van Hooft WF, Hanotte O, Wenink PW, Groen AF, Sugimoto Y, Prins HHT and Teale A (1999) Applicability of bovine microsatellite markers for population genetic studies on African buffalo (*Syncerus caffer*). *Animal Genetics* **30**, 214–220.
- Van Hooft WF, Groen AF and Prins HHT (2000) Microsatellite analysis of genetic diversity in African buffalo (*Syncerus caffer*) populations throughout Africa. *Molecular Ecology* **9**, 2017-2025.

- Vigilant LA (1986) Control region sequences from African populations and the evolution of human mitochondrial DNA PhD thesis, University of California, Berkeley.
- Vigilant A, Stoneking M, Harpending H, Hawkes K and Wilson AC (1991) African populations and the evolution of mitochondrial DNA. *Science* **253**, 1503–1507.
- Vosloo W, Bastos AD, Kirkbride E, Esterhuysen JJ, Janse van Rensburg D, Bengis RG, Keet DW and Thomson GR (1996) Persistent infection of African buffalo (*Syncerus caffer*) with SAT-type foot-and-mouth disease viruses: rate of fixation of mutations, antigenic change and interspecies transmission. *Journal of General Virology* **77**, 1457–1467.
- Vosloo W, Bastos ADS, Sangare O, Hargreaves SK and Thomson GR (2002) Review of the status and control of foot and mouth disease in sub-Saharan Africa. *Scientific and Technical Review* **21**, 437–449.
- Vosloo W, Boshoff K, Dwarka R and Bastos A (2002) The possible role that buffalo played in the recent outbreaks of foot-and-mouth disease in South Africa. *Annals of the New York Academy of Science* **969**, 187–190.
- Vucetich JA and Waite TA (2003) Spatial patterns of demography and genetic processes across the species range: Null hypotheses for landscape conservation genetics. *Conservation Genetics* **4**, 639–645.
- Waits LP, Taberlet P, Swenson JE, Sandgren F and Franzen R (2000) Nuclear DNA microsatellite analysis of genetic diversity and gene flow in the Scandinavian brown bear (*Ursus arctos*). *Molecular Ecology* **9**, 421–431.
- Waits LP, Luikart G and Taberlet P (2001) Estimating the probability of identity among genotypes in natural populations: cautions and guidelines. *Molecular Ecology* **10**, 249–256.

- Wakeley J (1993) Substitution rate variation among sites in hypervariable region I of human mitochondrial DNA. *Journal of Molecular Evolution* **37**, 613–623.
- Waldick RC, Kraus S, Brown M and White BN (2002) Evaluating the effects of historic bottleneck events: an assessment of microsatellite variability in the endangered, North Atlantic right whale. *Molecular Ecology* **11**, 2241–2249.
- Wang J (2005) Estimation of effective population sizes from data on genetic markers. *Philosophical Transactions of the Royal Society of London, Series B: Biological Sciences* **360**, 1395–1409.
- Waples RS (1998) Separating the wheat from the chaff: Patterns of genetic differentiation in high gene flow species. *Journal of Heredity* **89**, 438–450.
- Warren JL (1960) The relationship of the viruses of measles, canine distemper and rinderpest. *Advances in Virus Research* **7**, 27-60.
- Watterson GA (1975) On the number of segregating sites in genetical models without recombination. *Theoretical Population Biology* **7**, 256-276.
- Weber DS, Stewart BS, Garza JC, Lehman N (2000) An empirical genetic assessment of the severity of the northern elephant seal population bottleneck. *Current Biology* **10**, 1287–1290.
- Webster MT, Smith NGC and Ellegren H (2002) Microsatellite evolution inferred from human-chimpanzee genomic sequence alignments. *Proceedings of the National Academy of Sciences, USA* **99**, 8748-8753.
- Weir BS and Cockerham CC (1984) Estimating F-statistics for the analysis of population structure. *Evolution* **38**, 1358–1370.

- Weissenbach J, Gyapay G, Dib C, Vignal A, Morissette J, Millasseau P, Vaysseix G and Lathrop M (1992) A second-generation linkage map of the human genome. *Nature* **359**, 794–801.
- Wenink PW, Groen AF, Roelke-Parker ME and Prins HHT (1998) African buffalo maintain high genetic diversity in the major histocompatibility complex in spite of historically known population bottlenecks. *Molecular Ecology* **7**, 1315-1322.
- Whelan S, Liò P and Goldman N (2001) Molecular phylogenetics: state-of-the-art methods for looking into the past. *Trends in Genetics* **17**(5), 362-372.
- Whitehouse AM and Harley EH (2001) Post-bottleneck genetic diversity of elephant populations in South Africa, revealed using microsatellite analysis. *Molecular Ecology* **10**, 2139–2149.
- Wilson AC, Cann RL, Carr SM, George M, Gyllenstein UB, Helm-Bychowski KM, Higuchi RG, Palumbi SR, Prager EM, Sage RD and Stoneking M (1985) Mitochondrial DNA and two perspectives on evolutionary genetics. *Biological Journal of the Linnean Society* **26**, 375-400.
- Wilson GA, Nishi JS, Elkin BT and Strobeck C (2005) Effects of a recent founding event and intrinsic population dynamics in genetic diversity in an ungulate population. *Conservation Genetics* **6**, 905-916.
- Winterbach HEK (1998) Research review: The status and distribution of Cape buffalo *Syncerus caffer caffer* in southern Africa. *South African Journal of Wildlife Research* **28**(3), 82-87.
- Wright S (1931) Evolution in Medelian populations. *Genetics* **16**, 97-159.
- Wurster DH and Benirschke K (1968) Chromosome studies in the superfamily Bovidae. *Chromosoma* **25**, 152-171.

- Yang, Z (1996a) Among-site variation and its impact on phylogenetic analyses. *Trends in Ecology and Evolution* **11**, 367–372.
- Young AS, Branagan D, Brown CGD, Burrridge MJ, Cunningham MP and Purnell RE (1973) Preliminary observations on a Theilerial species pathogenic to cattle isolated from buffalo (*Syncerus caffer*) in Tanzania. *British Veterinary Journal* **129**, 382-389.
- Young AS, Brown CGD, Burrridge MJ, Grootenhuis JG, Kanhai GK, Purnell RE and Stagg DA (1978a) The incidence of theilerial parasites in East Africa buffalo (*Syncerus caffer*). *Zeitschrift für Tropenmedizin und Parasitologie* **29**, 281-288.
- Young AS, Brown CGD, Burrridge MJ, Cunningham MP, Payne RC and Purnell RE (1977) Establishment of an experimental field population of *Theileria lawrencei*-infected ticks maintained by African buffalo (*Syncerus caffer*). *Journal of Parasitology* **63**(5), 903-907.
- Young AS, Brown CGD, Cunningham MP and Radley DE (1978b) Evaluation of methods of immunizing cattle against *Theileria lawrencei*. In Tick-borne diseases and their vectors (edited by Wilde JKH). Edinburgh, Centre for Tropical Veterinary Medicine, University of Edinburgh. pp. 293-296.
- Young AS and Purnell RE (1973) Observations on *Babesia equi* in the salivary glands of *Rhipicephalus evertsi*. *Bulletin of Epizootic Diseases in Africa* **21** (4), 377-383.