

Objectivity in stratification, sampling and classification of vegetation

by

ROBERT HOWARD WESTFALL

Submitted in partial fulfilment of the requirements for the degree

PHILOSOPHIAE DOCTOR (BOTANY)

in the Faculty of Science
(Department of Botany)

University of Pretoria

Pretoria

October 1992

Promoter: Prof. Dr G.K. Theron

Co-promoter: Dr N. van Rooyen



Objectivity in stratification, sampling and classification of vegetation

by

ROBERT HOWARD WESTFALL

Promoter: Prof. Dr G.K. Theron

Co-promoter: Dr N. van Rooyen

in the

Department of Botany

for the degree

PHILOSOPHIAE DOCTOR (BOTANY)

The aims of this study are to increase objectivity in stratification, sampling and classification of vegetation, thereby, improving repeatability, predictability and relevancy of vegetation classifications.

The aims are achieved by: relating stratification, sampling and classification to scale; improved small-scale vegetation mapping using, satellite imagery; improved plant cover estimations; and vegetation classification by minimum entropy. A comprehensive computer program package was developed to facilitate the aims of this study and reduce time spent on vegetation analyses. It is recommended that the vegetation resource be given the highest national priority because correct vegetation management can also ensure conservation of soil and soil water.



CONTENTS

Page No.

1.	INT	1	
	1.1	AIMS	1
	1.2	JUSTIFICATION	2
	1.3	HYPOTHESES	6
	1.4	THESIS ARRANGEMENT	6
	1.5	7	
2.	STUI	DY AREAS	11
	2.1	PHYSIOGRAPHY	11
	2.2	GEOLOGY	13
	2.3	SOILS	13
	2.4	CLIMATE	14
	2.5	BIOTIC FACTORS	15
	2.6	PREVIOUS RESEARCH	17
	2.7	REFERENCES	19
3.	METE	24	
	3.1	PREPARATORY WORK	25
		3.1.1 Scale	25
		3.1.1.1 Background	25
		3.1.1.2 Methods applied	27
		3.1.2 Stand area	28
		3.1.2.1 Background	28
		3.1.2.2 Methods applied	29
		3.1.3 Reconnaissance	30
		3.1.3.1 Background	30
		3.1.3.2 Methods applied	31



	3.1.4	Stratifi	cation	32
		3.1.4.1	Background	33
		3.1.4.2	A method for vegetation stratifica-	
			tion using scale-related, vegetation-	
			enhanced satellite imagery	35
	3.1.5	Stand lo	ocation	41
		3.1.5.1	Background	41
		3.1.5.2	Methods applied	41
		3.1.5.3	PHYTOLOC - A random number generator	
			and sample-set location program for	
			stratified random vegetation sampling	44
	3.1.6	Sampling	g unit area	45
		3.1.6.1	Background	45
		3.1.6.2	Predictive species-area relations and	
			determination of subsample size for	
			vegetation sampling in the Transvaal	
			Waterberg	47
3.2	FIELD	SAMPLING	g	52
	3.2.1	Sampling	g unit location	52
		3.2.1.1	Background	52
		3.2.1.2	Methods applied	54
	3.2.2	Plant id	dentification and verification	55
		3.2.2.1	Background	55
		3.2.2.2	A new identification aid combining	
			the features of a polyclave and an	
			analytical key	56
			3.2.2.2.1 Improvements	66
	3.2.3	Species	cover	67



	3.2.3.1	Background	6/	
	3.2.3.2	The plant number scale - an improved		
		method of cover estimation using		
		variable-sized belt transects	69	
		3.2.3.2.1 Improvements	73	
3.2.4	Florist	ic data recording	74	
	3.2.4.1	Background	74	
	3.2.4.2	Methods applied	74	
	3.2.4.3	PHYTOCAP. A field-data capture pro-		
		gram for the PHYTOTAB program package	77	
		3.2.4.3.1 Improvements	78	
3.2.5	Habitat	data	78	
	3.2.5.1	Background	78	
	3.2.5.2	Methods applied	80	
	3.2,5.2	A) Field data	80	
		a) Stand data	80	
		b) Sampling unit data	86	
	3.2.5.2	B) Derived data	89	
		a) Input	90	
		b) Output	92	
CLASSIFICATION				
3.3.1 Background			94	
3.3.2	Methods	applied	98	
	3.3.2.1	Relevè sequencing	99	
	3.3.2.1	A) Commonality sequence	101	
	3.3.2.1	B) Similarity sequence	103	
	3.3.2.1	C) Separation unit sequence	104	
	3.3.2.2	Relevè grouping	105	
	CLASS. 3.3.1	3.2.3.2 3.2.4.1 3.2.4.2 3.2.4.3 3.2.5.1 3.2.5.2 3.2.5.2 CLASSIFICATION 3.3.1 Backgrow 3.3.2 Methods 3.3.2.1 3.3.2.1 3.3.2.1 3.3.2.1	variable-sized belt transects 3.2.3.2.1 Improvements 3.2.4 Floristic data recording 3.2.4.1 Background 3.2.4.2 Methods applied 3.2.4.3 PHYTOCAP. A field-data capture program for the PHYTOTAB program package 3.2.4.3.1 Improvements 3.2.5 Habitat data 3.2.5.1 Background 3.2.5.2 Methods applied 3.2.5.2 A) Field data a) Stand data b) Sampling unit data 3.2.5.2 B) Derived data a) Input b) Output CLASSIFICATION 3.3.1 Background 3.3.2.1 Relevè sequencing 3.3.2.1 Rommonality sequence 3.3.2.1 B) Similarity sequence 3.3.2.1 C) Separation unit sequence	



		3.3.2.3	Species sequencing	106
3.4	VERIF.	ICATION		109
	3.4.1	Backgrou	und	109
	3.4.2	Methods	applied	110
		3.4.2.1	Classification efficiency	110
		3.4.2.2	Spatial relationships	111
		3.4.2.3	Floristic and habitat relationships	113
		3.4.2.4	Classification and field relation-	
			ships	115
3.5	DERIV	ATIVES		116
	3.5.1	Backgro	and	117
	3.5.2	Methods	applied	117
		3.5.2.1	Primary derivatives	118
		3.5.2.1	A) Plant communities	118
		3.5.2.1	B) Community definition	121
		3.5.2.1	C) Gradients	123
		3.5.2.2	Secondary derivatives	125
		3.5.2.2	A) Structure	125
		3.5.2.2	B) Community composition analysis	125
		3.5.2.2	C) Stand phase analysis	127
		3.5.2.2	D) Community cover assessment	128
3.6	PHYTO	TAB-PC		129
	3.6.1	Classif	ication and data processing	130
	3.6.2	Data bar	nk	139
	3.6.3	Externa	l utility programs	141
3.7 REI	FERENC	ES		142
4. REST	JLTS A	ND DISCU	SSION	149
4 1	DDFDA	DATORY W	OPV.	1/0



		4.1.1	Scale	150	
		4.1.2	Stand area	152	
		4.1.3	Reconnaissance	154	
		4.1.4	Stratification	155	
		4.1.5	Stand location	158	
		4.1.6	Sampling unit area	160	
	4.2	FIELD	SAMPLING	162	
		4.2.1	Sampling unit location	162	
		4.2.2	Plant identification and verification	164	
		4.2.3	Species cover	166	
		4.2.4	Floristic data recording	169	
		4.2.5	Habitat data	171	
			4.2.5.1 Field data	173	
			4.2.5.2 Derived data	181	
	4.3	CLASS	IFICATION	185	
	4.4	VERIF.	ICATION	222	
	4.5	DERIV	ATIVES	225	
	4.6	PHYTO	TAB-PC	228	
	4.7	REFER	ENCES	230	
5.	CRIT	CICAL I	EVALUATION AND CONCLUSIONS	233	
	OPSO	OMMING		245	
	SUM	MARY		247	
	ACK	OWLED	GEMENTS	249	
	CURRICULUM VITAE				
	REFE	RENCE	S	256	
	APPE	NDIX	I	269	

5.