

REFERENCES

- Albright, A.L. 1997. Diabetes In: Exercise Management for persons with chronic Diseases and disabilities. USA: Human Kinetics (Braun-Brumfield).pp 94-100.
- Ali, H.; Houghton, P.J. & Soumyanath, A. 2006. α -Inhibitory activity of some Malaysian plants used to treat diabetes; with reference to *Phyllanthus amarus*. *Journal of Ethnopharmacology* 107: 449-455.
- Basch, E., Dacey, C., Hammerness, P., Hashmi, S., Ulbricht, C., Vora, M. and Weissner, W. 2006. Blessed thistle (*Cnicus benedictus* L.). Monograph Natural Standard Research Collaboration, U.S. National Library of Medicine, National Institute of Health/Department of Health & Human Services, Bethesda. Available at: <http://www.nlm.nih.gov/medlineplus/druginfo/natural/patient-blessedthistle.html> (2008 /03/03).
- Bell, E.A., Lackey, J.A. and Polhill, R.M. 1978. Systematic significance of canavanine in the Papilionoideae (Faboideae). *Biochemical Systematics and Ecology* 6: 201-212.
- Bernfeld, P. 1955. Amylase, alpha and beta. *Methods in Enzymology*. 1: 149-158.
- Berregi, I, Santos, J.I., Del Campo, G. and Miranda, J.I. 2003. Quantitative determination of (-)-epicatechin in cider apple juice by ¹H NMR. *Talanta* 61. 139-145.
- Bohlman, F., Scheidges, C., Misra, L.N. and Jakupovic, J. 1984. Further glaucolides from South African *Vernonia* species. *Phytochemistry* 23: 1795-1798.
- Bombardelli, E., Bonati, A., Gabetta, B. and Mustich, G. 1974. Triterpenoids of *Terminalia sericea*. *Phytochemistry* 13: 2559-2562.

- Botha, D.J.1980. The identity of *Antizoma harveyana* Miers ex Harv. and *A. capensis* (L.f.) Diels. *Journal of South African Botany* 46: 1-5.
- Bromilow, C. 1995. Problem Plants of South Africa. Briza Publications CC. Arcadia, pp. 1-315.
- Bruce, W.G.G. 1975. Medicinal properties of *Aloe. Excelsa* 5: 57-68.
- Bruneton, J. 1995. Pharmacognosy, Phytochemistry, Medicinal Plants. 2^{ed} Intercept. Hampshire, England, U.K, pp. 1-915.
- Chadwick, W.A., Roux, S. Van de Venter, M. Low, J. and Oelofsen, W. 2007. Anti-diabetic effects of *Sutherlandia frutescens* in Wistar rats fed on a diabetogenic diet. *Journal of Ethnopharmacology*. 109: 121 -127.
- Charlson, A.J. 1980. Antineoplastic constituents of some Southern African plants. *Journal of Ethnopharmacology* 2: 323-335.
- Cho, S. Y., Park, P.J., Shin, H.J., Kim, Y., Shin, D.W.S., Shin, E.S., Lee, H.H., Lee, B.G., Baik, J. and Lee, T.R. 2006. (-)-Catechin suppresses expression of Kruppel-like factor 7 and increases expression and secretion of adiponectin protein in 3T3-L1 cells. *American Journal of Physiology, Endocrinology and Metabolism*. 292: 1166-1172.
- Chrubasik, S., Zimpfer, C.H., Schutt, U. and Ziegler, R. 1996. Effectiveness of *Harpagophytum procumbens* in the treatment of acute lower back pain. *Phytomedicine* 3: 1-10.
- Coates Palgrave, K. 1984. Trees of Southern Africa. Struik. Cape Town, South Africa, pp. 1-959.
- Coates Palgrave, K. 2002. Trees of Southern Africa (3rd edition). Struik, Cape Town, South Africa, pp. 1-1212.

- Collins, R.A.; Ng, T.B., Fong, W.P.; Wan, C.C. and Yeung, H.W. 1997. Inhibition of glycohydrolase enzymes by aqueous extracts of Chinese medicinal herbs in a microplate format. *Biochemistry and Molecular Biology International*. 42,1163-1169.
- Costa, M.A.C., Paul, M.I., Alves, A.A.C. and Van der Vyver, L.M. 1978. Aliphatic and triterpenoid compounds of *Ebenaceae* species. *Revista Portuguesa de Farmacia* 28: 171-174.
- Cunningham, A.B. 1997. An African-wide overview of medicinal plant harvesting, conservation and health care. *Non-wood Forest Products 11*: 116-129.
- Czygan, F.C. and Krüger, A. 1977. Pharmazeutisch-biologische Untersuchungen der Gattung *Harpagophytum*. *Planta Medica* 31: 305-307.
- Davis, S.N. and Granner, D.K. 1996. Insulin, oral hypoglycaemic agents and the pharmacology of the endocrine pancreas in Goodman & Gilman's The Pharmacological basis of Therapeutics, 9th edition. Hardman J.G. & Limbird L.E. The McGraw-Hill Companies Inc, USA. pp. 1487-1518.
- Deuschländer, MS., Lall, N, and Van De Venter, M. 2009. Plant species used in the treatment of diabetes by South African traditional healers: An inventory. *Pharmaceutical Biology* 47 : 348 - 365.
- Deuschländer, M.S. Van de Venter, M, Roux, S, Louw, J and Lall, N. 2009. Hypoglycaemic activity of four plant extracts traditionally used in South Africa for diabetes. *Journal of Ethnopharmacology* 124: 619-624.
- Dold, A.P. and Cocks, M.L. 2002. The trade in medicinal plants in the Eastern Cape Province, South Africa. *South African Journal of Science* 98: 589-597.
- Drewes, S.E. and Mashimbye, M.J. 1993. Flavanoids and triterpenoids from *Cassine papillosa* and the absolute configuration of 11,11-dimethyl-1,3,8,10 - tetrahydroxyl-9-mathoxypeltogyan. *Phytochemistry* 32: 1041-1044.

- Dune Foods, 2005. Manna: Blood sugar support leaflet.
- Dyer, R.A., Codd, L.E. and Rycroft, H.B. 1963. Flora of Southern Africa. 26. Government Printers, Pretoria, pp. 1-307.
- Etken, N.L. 1986. Multi-disciplinary perspectives in the interpretation of plants used in indigenous medicine and diet. In: N.L.Etken (Eds.) Plants in Indigenous Medicine and Diet. Redgrave Publishing Company, New York. pp. 2-29.
- Farnsworth, N.R., 1993. Biological approaches to the screening and evaluation of natural products. In: P. Rasoanaivo and S. Ratsimamanga-Urverg, (Eds.) Biological Evaluation of Plants with Reference to the Malagasy Flora, Monograph from the IFS-NAPRECA Workshop on Bioassays, Madagascar. pp. 35-43.
- Ferreira, M.A., Alves, A.C., Costa, M.A.C. and Paul, M.I. 1977. Naphthoquinone dimers and trimers from *Euclea natalensis*. *Phytochemistry* 16: 117-120.
- Frost, C. 1941. An investigation of the active constituents and pharmacological effects of the bark of *Pseudocassine transvaalensis*. *South African Medicinal Science* 6: 57-58.
- Ganapaty, S., Thomas, P.S., Fotso, S. and Laatsch, H. 2004. Antitermitic quinones from *Diospyros sylvatica*. *Phytochemistry* 65: 1265-1271.
- Galvez, J., Crespo, M.E., Zarzuelo, A., De Witte, P. and Spiessens, C. 1993. Pharmacological activity of a procyanidin isolated from *Sclerocarya birrea* bark: Antidiarrhoeal activity and effects on isolated guinea-pig ileum. *Phytotherapy Research* 7: 25-28.
- Garson, J. and Garson M.J. 2006. Secondary metabolites from the wood bark of *Durio zibethinus* and *Durio kutejensis*. *Journal of Natural Products*. 69: 1218-1221.
- Gerich, J.E. 2001. Matching Treatment to Pathophysiology in type 2 Diabetes. *Clinical Therapeutics*. 23 (5): 646-659.

- Gorelik, S., Ligumsky, M., Kohen, R. and Kanner, J. 2008. A novel function of red wine polyphenols in humans: prevention of absorption of cytotoxic lipid peroxidation products. *FASEB Journal*. 22: 41-46.
- Grabandt, K. 1985. *Weeds of Crops and Gardens in Southern Africa*. Seal Publishing (Pty) Limited, Johannesburg, pp. 1-135.
- Graven, E., Deans, S., Mavi, S., Gundidza, M.G. and Svoboda, K.P. 1992. Antimicrobial and antioxidative properties of the volatile (essential) oil of *Artemisia afra* Jacq. *Flavour Fragrance Journal* 7: 121-123.
- Grover, J.K, Yadav, S and Vats, V .2002 Medicinal plants of India with anti-diabetic potential. *Journal of Ethnopharmacology*. 81(1) : 81-100.
- Gruendel, S., Otto, B., Garcia, A.L., Wagner, K. Mueller, C., Weickert, M.O., Heldwein, W. And Koebnick, C. 2007. Carob pulp preparation rich in soluble dietary fibre and polyphenols increases plasma glucose and serum insulin responses in combination with a glucose load in humans. *British Journal of Nutrition* 98: 102-105.
- Harris, M.I. and Zimmet, P. 1997. Classification of Diabetes Mellitus and other categories of glucose intolerance. In: International Textbook of Diabetes Mellitus, Second Edition. Ed. K.G.M.M. Alberti, P. Zimmet, R.A. DeFronzo and H.Keen. John Wiley & Sons Ltd. New York. pp. 9 -23.
- Health 24. 2006. Diabetes, Living with diabetes. Diabetes South Africa. Available at: [http://www.health24.com/medical/Condition_centres/777-792-808-1662,35771.asp] (2009/06/08).
- Heartfoundation. 2003. [www.heartfoundation.co.za] (20/10/2003)
- Henderson, L. 2001. *Alien Weeds and Invasive Plants: A Complete Guide to Declared*

Weeds and Invaders in South Africa. Agricultural Research Council, Paarl Printers, Cape Town, pp. 1-300.

Henderson, M. and Anderson, J.G. 1966. Common weeds in South Africa. *Memoirs of the Botanical Survey of South Africa* 37. Botanical Research Institute, Pretoria, pp. 1-440.

Hilliard, O.M. 1977. *Compositae in Natal*. University of Natal Press, Pietermaritzburg, South Africa, pp. 360-361.

Hiroyuki, F., Tomohide, Y & Kazunori, O. 2001. Efficacy and safety of Touchi Extract, an α -glucosidase inhibitor derived from fermented soybeans, in non-insulin-dependent diabetic mellitus. *Journal of Nutritional Biochemistry*. 12: 351-356.

Holford, P. 2009. Health Products; Cinnachrome [<http://www.bioharmony.co.za/StoreFrontProduct.aspx/CATID=4&PID=100>] (2009/05/25).

Holmstedt, B.R. and Bruhn, J.G. 1995. Ethnopharmacology – a challenge. In: Schultes RE, Von Reis S, eds., *Ethnobotany. Evolution of a Discipline*. Dioscorides Press, Portland, pp. 338-343.

Houghton, J. and Raman, A., 1998. *Laboratory Handbook for the Fractionation of Natural Extracts*. Chapman & Hall, London. pp. 1-196.

Hutchings, A. 1989. Observations on plant usage in Xhosa and Zulu medicine. *Bothalia* 19: 225-235.

Hutchings, A., Scott, A.H., Lewis, G. and Cunningham, A. 1996. *Zulu Medicinal Plants: An inventory*. University of Natal Press, Pietermaritzburg, South Africa, pp. 1-450.

International Diabetes Federation. 2006. *Diabetes Atlas*. 3rd ed. Brussels International Diabetes Federation.

- Iwu, M.M. 1993. Handbook of African Medicinal Plants. CRC Press, Boca Raton, Florida, USA, pp.1-435.
- Jakupovic, J., Klenmeyer, H., Bohlmann, F. and Graven, E. 1988. Glaucolides and guaianolides from *Artemisia afra*. *Phytochemistry* 27: 1129-1134.
- Jalil, A.M.M, Ismail, A., Chong, P.P., Hamid, M. and Kamaruddin, S.H.S., 2009. Effects of cocoa extract containing polyphenols and methylxanthines on biochemical parameters of obese-diabetic rats. *Journal of Scientific Food and Agriculture*. 89: 130-137.
- Khan, A., Safdar, M., Kahn, M.M.A., Khattak, K.N. and Anderson, R.A. 2003. Cinnamon improves glucose and lipids of people with type 2 diabetes. *Diabetes Care* 26: 3215-3218.
- Khan, M.R. 1985. Isolation of 4,8-dihydroxy-6-methyl-1-tetralone from the root bark of *Euclea natalensis*. *Planta Medica*. 5: 356.
- Khan, M.R. and Rwekika, E. 1992. Triterpenoids from the leaves of four species of the family Ebenaceae. *Fitoterapia* 63: 375-376.
- King, H. and Rewers, M. 1993. Global estimates for prevalence of diabetes mellitus and impaired glucose tolerance in adults. *Diabetes Care* 16: 157-177.
- Klöppel, G. and In't Veld, P.A. 1997. Morphology of the pancreas in normal and diabetes states. In: International Textbook of Diabetes Mellitus, Second Edition. K.G.M.M Alberti, P. Zimmet, R.A. DeFronzo & H. Keen. John Wiley & Sons Ltd. New York. pp. 287-313.
- Kobayashi, Y., Suzuki, M., Satsu, H., Arai, S., Hara, Y., Suzuki, K., Miyamoto, Y. and Shimizu. 2000. Green tea polyphenols inhibit the sodium-dependent glucose transporter of intestinal epithelial cells by a competitive mechanism. *Journal of Agricultural and Food Chemistry*. 48. 5618-5623.

- Kong, Y.H., Zhang, L., Yang, Z.Y., Han, C., Hu, L.H., Jiang, H.L. and Shen, X. 2008. Natural product juglone targets three key enzymes from *Helicobacter pylori*: inhibition assay with crystal structure characterization. *Acta Pharmacologia Sinica*. 29. 870-876.
- Lall, N. and Meyer, J.M.M. 1999. *In vitro* inhibition of drug-resistant and drug-sensitive strains of *Mycobacterium tuberculosis* by ethnobotanically selected South African plants. *Journal of Ethnopharmacology* 66: 347-354.
- Lall, N. and Meyer, J.M.M. 2001. Antibacterial activity of water and acetone extracts of the roots of *Euclea natalensis*. *Journal of Ethnopharmacology* 72: 313-316.
- Le Roux, A. 2005. Namakwaland Veldblomgids van Suid-Afrika 1. Botaniese Vereniging van Suid-Afrika, Kaapstad, pp. 1-336.
- Lonergan, G., Routsis, E., Georgiadis, T., Agelis, G., Hondrelis, J., Matsoukas, J., Larsen, L.K. and Caplan, F.R. 1992. Isolation, NMR studies and biological activities of onopordopicrin from *Centaurea sonchifolia*. *Journal of Natural Products*. 55: 225-228.
- Luna, B. and Feinglos, M.N. 2001. Oral agents in the management of type 2 diabetes Mellitus. American Academy of Family Physicians [<http://www.aafp.org/aafp/20010501/1747.html>] (2009/03/02).
- Mabogo, D.E.N. 1990. The Ethnobotany of the Vhavenda. M.Sc. Thesis, University of Pretoria, Pretoria, pp. 1-260.
- Mallavadhani, U.V., Panda, A.K. and Rao, Y.R. 1998. Pharmacology and chemotaxonomy of *Diospyros*. *Phytochemistry*. 49. 901-951.
- Mander, M. 1998. Marketing of Medicinal Plants in South Africa. A Case Study in KwaZulu-Natal. Report published by the Food and Agricultural Organisation of the United Nations, Rome, pp. 1-151.

- Manning, J. and Goldblatt, P. 2000. West Coast. South African Wild Flower. Guide 7. Botanical Society series of Wild Flower Guides, Botanical Society of South Africa, Cape Town, pp. 1-240.
- Mathabe, M.C., Hussein, A.A., Nikolova, R.V., Basson, A.E., Meyer, J.J.M. and Lall, N. 2008. Antibacterial activities and cytotoxicity of terpenoids isolated from *Spirostachys africana*. *Journal of Ethnopharmacology*. 116.:194-197.
- Mbanya, J. and Gwangwa, S.T. 1997. Dietary Management of Diabetes Mellitus in Africa. In: Alberti KGMM, Zimmet P, DeFronzo RA, Keen H. International Textbook of Diabetes Mellitus, 2nd.eds. John Wiley & Sons Ltd, New York, pp. 785-790.
- Mbaze, L.M., Poumale, H.M.P., Wansi, J.U., Lado, J.A., Kahn, S.N., Iqbal, M.C., Ngadjui, B.T. and Laatsch, H. 2007. α -Glucosidase inhibitory pentacyclic triterpenes from the stem bark of *Fagara tessmannii* (Rutaceae). *Phytochemistry* 68. 591-595.
- Momordica balsamina* L. 2006. *Momordica balsamina* L., pp. 1-3. Available at: <http://www.geocities.com/bionaturalza/momordica.html> (2008/03/03).
- Mosmann, H.M. T., 1983. Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxic assays. *Journal of Immunological Methods* 65: 55-63.
- Motala, A.A., Esterhuizen, T, Gouws, E., Pirie, F.J. and Omar, M.A.K. 2008. Diabetes and other disorders of glycemia in a rural South African community; Prevalence and associated risk factors. pp1-10. Available at: <http://care.diabetesjournals.org>. (2009/06/08).
- Mulholland, D.A., and Drewes, S.E. 2004. Global phytochemistry: indigenous medicinal chemistry on track in southern Africa. *Phytochemistry* 65: 769-782.
- Mushtaq, A., Khan, M.A., Arshad, M. and Zafar, M.. 2007. Ethnophytotherapical

approaches for the treatment of diabetes by the local inhabitants of district Attock (Pakistan). Available at: <http://www.siu.edu/~ebl/leaflets/phyto.htm> (2008/03/07).

Muthaura, C.N., Rukunga, G.M., Chhabra, S.C., Omar, S.A., Guantai, A.N., Gathirwa, J.W., Tolo, F.M., Mwitari, P.G., Keter, L.K., Kirira, P.G., Kimani, C.W., Mungai, G.M. and Mjagi, E.N.M. 2007. Antimalarial activity of some plants traditionally used in Meru district of Kenya. *Phytotherapy Research* 21: 860-867.

Nakagawa, H., Takaishi, Y., Fujimoto, Y., Duque, C., Garzon, C., Sato, M., Okamoto, M., Oshikawa, T. and Ahmed, S.U. 2004. Chemical Constituents from the Colombian Medicinal Plant *Maytenus laevis*. *Journal of Natural Products* 67.: 1919-1924.

Nkobole, N.K. 2009. Anti-diabetic activity of pentacyclic triterpenes and flavonoids isolated from stem bark of *Terminalia sericea* Burch. Ex DC. Msc dissertation. University of Pretoria. Pretoria. 1- 141.

Nolte, M.S. and Karam, J.H. 2001. Pancreatic hormones & anti-diabetic drugs. In Basic and Clinical Pharmacology 8th edition. Katzung B.G. Lange Medical Books. Mc Graw-Hill, San Francisco. USA. pp. 711- 734.

Ohsaki, A., Imai, Y., Naruse, M., Ayabe, S., Komiyama, K. and Takashima, J. 2004. Four new Triterpenoids from *Maytenus ilicifolia*. *Journal of Natural Products*. 67: 469-471.

Okushio, K., Suzuki, M, Matsumoto, N, Nanja, F and Hara, Y. 1998 Identification of (-) epicatechin metabolites and their metabolic fate in the rat. *Drug Metabolism and Disposition*. 27.: 309-316.

Orzalesi, G., Mezzetti, T., Rossi, C. & Bellavita, V. 1970-71. *Planta Medica* 19: 30-36.

Parimaladevi, B.R., Boominathan, B, Dewanjee, S., Mandal, S.C. 2004. Evaluation of antidiabetic activity of pentacyclic triterpenoidal compound betulin from *Cleome viscosas* L. in rats. Poster. The International Society of Ethnobiology – Ninth

International Congress, Department of Anthropology, University of Kent, Canterbury, UK. 13th - 17th June.

Park, J.T. and Johnson, M.J. 1949. A submicrodetermination of glucose. *Journal of Biological Chemistry*. 149-151.

Paul, Y. 2002. Exercise practices, dietary habits and medication usage among persons with type-I diabetes. MSc Thesis. Faculty of humanities. University of Pretoria. pp 1-190.

Perry E.K., Ashton H. and Young A.H. 2002. Neurochemistry of consciousness: Neurotransmitters in the mind. John Benjamins Publishing Company. pp 1- 344.

Phillipson, J.D. 1999. New drugs from nature – it could be yew. *Phytotherapy Research* 13: 2-8.

Phillipson, J.D. 2001. Phytochemistry and medicinal plants. *Phytochemistry* 56: 237-243.

Phytochemicals. 2007a. Ellagic acid. Available at: <http://www.phytochemicals.info/phytochemicals/ellagic-acid.php> (2007/08/21).

Phytochemicals.2007b. Gallic acid. Available at: <http://www.phytochemicals.info/phytochemicals/gallic-acid.php> (2007/08/21).

Pooley, E. 1998. A Field Guide to Wild Flowers KwaZulu-Natal and the Eastern Region. Natal Flora Publications Trust, Natal Herbarium, Durban, pp. 1-630.

Pourrat, H., Texier, O. and Venatt, B. 1986. Study of the stability of *Harpagophytum procumbens* DC. iridoids during the preparation of drug powders and atomized extracts. *Annales Pharmaceutiques Francaises* 43: 601-606.

PubChem. Public Chemical Database. 2009. [<http://pubchem.ncbi.nlm.gov/summary/summary.cgi?cid=>] (2009/05/26).

- Pujol, J. 1990. *Natur Africa-the Herbalist Handbook: African Flora, Medicinal Plants*. Jean Pujol Natural Healers Foundation, Durban, pp. 1-192.
- Pyke, D.A. 1997. Preamble: the History of Diabetes. In: *International Textbook of Diabetes Mellitus, Second Edition*. Ed. K.G.M.M. Alberti, P. Zimmet, R.A. DeFronzo & H.Keen. John Wiley & Sons Ltd. New York. pp. 1-6.
- Rabe, T. and Van Staden, J. 1997. Antibacterial activity of South African plants used for medicinal purposes. *Journal of Ethnopharmacology* 56: 81 – 87.
- Rabe, T. and Van Staden, J. 2000. Isolation of an antibacterial sesquiterpenoid from *Warburgia salutaris*. *Journal of Etnopharmacology* 73: 171-174.
- Rahman, A., Zareen, S., Choudhary, M.I. Akhatar, M.N. and Khan, S.N. 2008. α -Glucosidase inhibitory activity of triterpenoids from *Cichorium intybus*. *Journal of Natural Products*. 71: 910-913
- Range, H.P. and Dale, M.M. 1991. In: *The Endocrine System Pharmacology*. Second ed. Longman Group Ltd. UK. pp. 1-329.
- Rogers, C.B. 1996. Chemistry and biological properties of the African Combretaceae. Lecture presented at the IOCD Symposium, 25 to 28 February 1996, Victoria Falls, Zimbabwe.
- Rood, B. 1994. *Uit die Veldapteeke*. Tafelberg-Uitgewers Bpk, Cape Town, pp. 1- 115.
- Roussel, M. 1998. *Handbook on how to control diabetes*. South Africa. Hoechst Marion Roussel.
- Schmidt, E, Lötter, M. and McClelland, W. 2002. *Trees and shrubs of Mpumalanga and Kruger National Park*. Jacana, Johannesburg. pp. 1- 702.
- Silbernagel, E., Spreitzer, H. and Buchbauer, G. 1990. Non-volatile constituents of

Artemisia afra. *Monatshefte fuer Chemie* 121: 433-436.

Slaughter, S.L., Ellis, P.R. and Butterworth, P.J. 2001. An investigation of the action of porcine α -amylase on native and gelatinised starches. *Biochimica et Biophysica Acta* 1525: 29-36.

Smith, C.A. 1966. Common Names of South African Plants. *Memoirs of the Botanical Survey of South Africa* 35. Government Printer, Pretoria, pp. 1-642.

Society of endocrinology, metabolism and diabetes in South Africa, 2003. Prevalence Data. [www.semda.org.za/prevamencedata.htm].

Soumyanath, A. 2006. Traditional Medicines for modern times: Antidiabetic plants. CRC Press. Taylor & Francis Group LLC. pp. 1 - 314.

South African Government Information, 2007. South Africa's deaths on the rise. Available at: <http://www.info.gov.za/speeches/2007/070615101004.htm>. (2009/06/08).

South African National Biodiversity Institute, South African Medical Research Council, University of the Western Cape. 2005. *E. undulata* Herba. Available at: <http://www.plantzafrica.com/medmonographs/eucleaundulata.pdf> (2005/11/28).

South African National Biodiversity Institute, South African Medical Research Council, University of the Western Cape. 2006a. *Artemisia afra* Herba. Available at: <http://www.plantzafrica.com/medmonographs/artemisiaafra.pdf> (2006/04/04).

South African National Biodiversity Institute, South African Medical Research Council, University of the Western Cape. 2006b. *Sutherlandia frutescens* Herba. Available at: <http://www.plantzafrica.com/medmonographs/sutherlandiafrutescens.pdf> (2006/04/03).

South African Traditional Medicines Research Unit . 2005. Traditional Medicines.

Department of Pharmacology, Faculty of Health Sciences, University of Cape Town, South Africa. Available at: <http://www.sahealthinfo.org/traditionalmeds/traditionalmeds.htm> (2005/11/25).

- Southon, I.W. 1994. *Phytochemical Dictionary of the Leguminosae*. Chapman & Hall, London, pp. 1-1180.
- Subramanian, R., Asmawi, M.Z. and Sadikun, A., 2008. In vitro α -glucosidase and α -amylase enzyme inhibitory effects of *Andrographis paniculata* extract and andrographolide. *Acta Biochimica Polonica* 55: 391-398.
- Sudhakar, V., Kumar, S.A. and Varalakshmi, P. 2006. Role of lupeol and lupeol linoleate on lipemic-oxidative stress in experimental hypercholesterolemia. *Life Science* 78, 1329-1335.
- Sun, J, Jiang, Y., Wei, X., Shi, J., You, Y., Lui, H., Kakuda, Y and Zhou, M. 2006. Identification of (-)-epicatechin as the direct substrate for polyphenol oxidase isolated from litchi pericarp. *Food Research International* 39: 864-870.
- Suttie, J.M. 2007. *Trigonella foenum-graecum* L. pp. 1-3 Available at: <http://www.fao.org/AG/AGP/agpc/doc/Gbase/DATA/pf000412.htm> (2007/07/30).
- Suzuki, I. 1981. Antiinflammatory agent. *Eur Pat Apl* 25, 873 (CIA61K35/78), 01 April 1981.
- Szava-Kovats, G and Johnson, J.A. 1997. A review of diabetes costs of illness studies. Institute of Pharmaco-Economics Working Paper 97-3, Edmonton. Canada.
- Tannock, J. 1973. Naphthoquinones from *Diospyros* and *Euclea* species. *Phytochemistry* 12: 2066-2067.
- Taylor, L., 2006. Tropical Plant Database: Database for Chanchalangua (*Schkuhria pinnata*), Raintree nutrition. [http://www.botanicalreservationcorps.com/botanicals_1.htm (2008/03/03)].

- Taylor, J.L.S., Rabe, T., McGaw, L.J., Jäger, A.K. and Van Staden, J., 2001. Towards the scientific validation of traditional medicinal plants. *Plant Growth Regulation* 34: 23-37.
- Thiboldeaux, R.L., Lindroth, R.L. and Tracy, J.W. 1994. Differential toxicity of juglone(5 hydroxy-1,4 naphthoquinone and related naphthoquinones to Saturniid moths. *Journal of Chemical Ecology*. 20. 1631-1641.
- Tshikalange, E.T., 2007. In vitro anti-HIV-1 properties of ethnobotanically selected South African plants used in the treatment of sexually transmitted diseases. PhD thesis, University of Pretoria, Pretoria. p. 1- 112.
- Van de Venter, M., Roux, S., Bungu, L.C., Louw, J., Crouch, N.R., Grace, O. M., Maharaj, V. Pillay, P., Sewnarian, P., Bhagwandin, N., and Folb, P. 2008. Antidiabetic screening and scoring of 11 plants traditionally used in South Africa. *Journal of Ethnopharmacology* 119: 81-86.
- Van der Vyver, L.M. and Gerritsma, K.W. 1973: Napthoquinones of *Euclea* and *Diospyros* species. *Phytochemistry* 12: 230-231.
- Van der Vyver, L.M. and Gerritsma, K.W. 1974: Napthoquinones of *Euclea* and *Diospyros* species. *Phytochemistry* 13: 2322-2323.
- Van Huyssteen, M.2003. Evaluation of African Traditional Healing in the Management of Diabetes Mellitus in the Nelson Mandela Metropole. MSc Thesis, Nelson Mandela Metropolitan University, Port Elizabeth, pp. 1-128.
- Van Huyssteen, M. 2007. Collaborative research with traditional African health practitioners of the Nelson Mandela Metropole; antimicrobial, anticancer activities of five medicinal plants. PhD thesis. Nelson Mandela Metropolitan University. Port Elizabeth. pp. 1-255.
- Van Rooyen, N. 2001. Blomplante van die Kalahari-duineveld. Ekotrust BK,

- Lynnwood, Pretoria, pp. 1-216.
- Van Staden, L.F. and Drewes, S.E. 1994. Knipholone from *Bulbine latifolia* and *Bulbine frutescens*. *Phytochemistry* 35: 685-686.
- Van Wyk, A.E. and Malan, S.J. 1988. Veldgids tot die veldblomme van die Witwatersrand- & Pretoriagebied. Struik, Kaapstad, pp. 1-352.
- Van Wyk, B-E. and Gericke, N. 2000. Peoples Plants. Briza Publications, Pretoria, pp. 1-351.
- Van Wyk, B-E. and Smith, G. 1996. Guide to the Aloes of South Africa. Briza Publications, Pretoria, pp. 1-302.
- Van Wyk, B-E., Van Heerden, F. and Van Oudtshoorn, B. 2002 Poisonous plants of South Africa. Briza Publications, Pretoria, pp. 1-288.
- Van Wyk, B-E., Van Oudtshoorn, B. and Gericke, N. 2005. Medicinal Plants of South Africa. Briza Publications, Pretoria, pp. 1-304.
- Van Wyk, B-E. and Wink, M. 2004. Medicinal Plants of the World. Briza Publications, Pretoria, pp. 1-480.
- Van Wyk B-E, Yenesew A, Dagne E (1995): Chemotaxonomic significance of anthraquinones in the roots of Asphodeloideae (Asphodelaceae). *Biochemical Systematics and Ecology* 23: 277-281.
- Van Wyk ,B. and Van Wyk, P. 1997. Field Guide to Trees of Southern Africa. Struik Publishers, Cape Town, pp. 1-536.
- Van Wyk, B., Van Wyk, P. and Van Wyk, B-E. 2000. Photographic guide to Trees of Southern Africa. Briza Publications, Pretoria, pp. 1-356.
- Venter, F. and Venter, J-A. 1996. Making the Most of Indigenous Trees. Briza

Publications CC, Pretoria, pp. 1-304.

- Viljoen, C. and Notten, A. 2002. *Nymphaea nouchali* Burm. F. var. *caerulea* (Sav.) Verdc. Kirstenboch National Botanical Gardens, Cape Town, pp. 1-6. Available at: [http:// www.plantzafrica.com/plantnop/nympnouch.htm](http://www.plantzafrica.com/plantnop/nympnouch.htm) (2007/06/12).
- Von Koenen, E. 2001. Medicinal, Poisonous, and Edible Plants of Namibia. Klaus Hess Publishers/ Verlag, Windhoek, pp. 1-335.
- Watt, J.M. and Breyer-Brandwijk, M.G. 1962. The Medicinal and Poisonous Plants of Southern and Eastern Africa. 2nd edition. Livingston, London, pp. 1-1457.
- Weigenand, O., Hussein, A.A., Lall, N. and Meyer J.J.M. 2004. Antibacterial activity of Naphtoquinones and Triterpenoids from *Euclea natalensis* root bark. *Journal of Natural Products* 67: 1936-1938.
- Wild, S., Roglic, G., Green, A., Sicree, R. and King, H., 2004. Global Prevalence of Diabetes: Estimates for the year 2000 and projections for 2030. *Diabetes Care* 27: 1047-1053.
- World Health Organization study group on diabetes mellitus, 1985. Technical report series No. 727. World Health Organization, Geneva. pp.1-108.
- World Health Organization: Prevention of Diabetes Mellitus: Report of a WHO study group on diabetes mellitus (1994): WHO Technical report series No. 844, World Health Organization, Geneva. pp.1-108.
- World Health Organization, 2005. Preventing chronic diseases: A vital investment, World Health Organization Global report, Geneva. 3 October 2005. pp. 1-200.
- World Health Organization, 2007. Diabetes Prevention and Control: A Strategy for the WHO African Region: Report of the Regional Director: Fifty-seventh session, Brazzaville, Republic of Congo, 27-31 Augustus 2007.

- Wolfender, J-L., Hamburger, M., Hostettman, K., Msonthi, J.D. and Mavi, S. 1993
Search for bitter principles in *Chironia* species by LC-MS and isolation of a new secoiridoid diglycoside from *Chironia krebsii*. *Journal of Natural Products* 56: 682-689.
- Wollenweber, E., Mann, K. and Valant-Vetschera, K.M. 1989. External flavonoid aglycones in *Artemisia* and some further Anthemidae (Asteraceae). *Fitoterapia* 60: 460-463.
- Yajnik, C.S. 1990. Diabetes in tropical developing countries In: Diabetes annual 5. K.G.G.M. Alberti, Krall L.P (eds) Elsevier, Amsterdam. pp. 72-87.
- Zaid, M.A., Sharma, K.K. and Rizvi, S.I. 2002. Effect of (-)-epicatechin in modulating calcium-ATPase activity in normal and diabetic human erythrocytes. *Indian Journal of Clinical Biochemistry*. 17. 27-32.
- Zdero, C, Jakupovic, J. and Bohlmann, F. 1990. Diterpenes and other constituents from *Pteronia* species. *Phytochemistry* 29: 1231-1245.