

REFERENCES

- Adams, L.D., *Problems involving the analysis and use of fly ash in the cement industry*, Paper 9-T-80P, presented at the American Ceramic Society Pacific Coast regional meeting, 1980.
- Adamson, A.W., *Physical Chemistry of Surfaces*, Wiley, New York, 1990.
- Aggarwal, D., Goyal, M., and Bansal, R.C., *Adsorption of chromium by activated carbon from aqueous solution*, Carbon, 37, 1989-1997, 1999.
- Ajmal, M., Khan, A.H., Ahmad, S., and Ahmad, A., *Role of sawdust in the removal of copper (II) from industrial wastes*, Water Research, 32, 3085-3091, 1998.
- Akgerman, A., and Zardkoohi, M., *Adsorption of phenolic compounds on fly ash*, Journal of Chemical Engineering Data, 41, 185-187, 1996.
- Aldrich, *A handbook of fine chemicals and laboratory equipment*, Sigma-Aldrich Corporation, 2003/2004.
- Allen, T., *Particle size measurement*, Chapman and Hall, New York, 1974.

American Association of State Highway and Transportation Officials, *Standard specification for materials, Ground iron blast furnace slag for use in concrete and mortars*, AASHTO Designation: M302-86, 14th ed., 1986.

American Coal Ash Association (ACAA), *2000 Coal Combustion Product (CCP) Production and Use*, <http://www.ACAA-USA.org/>

American Concrete Institute, *Ground granulated blast-furnace slag as a cementitious constituent in concrete*, ACI Manual of Concrete Practice, ACI 226.1R, 1990.

Annachhatre, A.P., Win, N.N., Chadrkrachang, In: Stevens, W.J., Rao, M.S., and Chandkrachang (Eds.), *Proceedings of the Second Asia-Pacific Symposium*, Asian Institute of Technology, Bangkok, Thailand, 169-173, 1996.

Annapragada, A., and Adjei, A., *An analysis of the Fraunhofer diffraction method for particle size distribution analysis and its application to aerosolized sprays*, International Journal of Pharmaceutics, 127, 219-227, 1996.

Apaka, R., Tutema, E., Hugula, M., and Hizala, J., *Heavy metal cation retention by unconventional sorbents (red muds and fly ashes)*, Water Research, 32(2), 430-440, 1998.

Aptak, R., Atun, G., Guclu, K., Tutem, R., *Sorptive removal of caesium-137 and strontium-90 from water by unconventional sorbents II*, Journal of the Atomic Energy Association of Japan, 33, 396-402, 1996.

Arnold, E., *Phosphorous*, In: Standard Methods For The Examination of Water and Wastewater, American Public Health Association, 1985.

Babcock and Wilcox Company, *Steam: its generation and use*, New York, NY, 1978.

Babi, B.M., Milonji, S.K., Plovina, M.J., Upi, S., and Kaludjerovi, B.V., *Adsorption of zinc, cadmium and mercury ions from aqueous solutions on activated carbon cloth*, Carbon, 40, 1109-1115, 2002.

Bailey, R.P., Bennet, T., and Benjamin, M.M., *Sorption onto and recovery of Cr(VI) using iron oxide-coated sand*, Water Science and Technology, 26, 1239-1244, 1992.

Bark, K., Spenner, A., Kampfer, P., Grund, S., and Dott, W., *Differences in polyphosphate adsorption by Acinetobacter isolates from wastewater producing phosphate: AMP phosphotransferase*, Water Research, Vol. 26(10), 1379-1388, 1992.

Bauer, H.H., Christian, G.D., and O'Reilly, J.E., Eds., *Instrumental analysis*, Allyn and Bacon, Inc., Massachusetts, 1978.

Bayvel, L.P., and Jones, A.R., *Electromagnetic scattering and its applications*, Applied Science, London, 1981.

Berry, E.E., and Malhorta, V.M., *Fly ash for use in concrete, Part II- A critical review of the effects of fly on the properties of concrete*, CANMET Report 78-16, Ottawa, Canada Centre for Mineral and Energy Technology, 1978.

Bhattacharya, A.K., and Venkobachar, C., *Removal of cadmium (III) by low cost adsorbents*, Journal of Environmental Engineering, ASCE, 110(1), 110-122, 1984.

Black, L.B., McQuay, M.Q., and Bonin, M.P., *Laser-based techniques for particle size measurement: a review of sizing methods and their industrial applications*, Progress in Energy and Combustion Science, 22, 267-306, 1996.

Bockris, J.O'M., and Khan, S.U.M., *Surface Electrochemistry: A Molecular Level Approach*, Plenum Press, New York, 1993.

Bogue, R.H., *The chemistry of Portland cement*, 2nd ed., Reinhold, New York, 1955.

Borhen, C.F., and Huffman, D.R., *Adsorption and scattering of light by small particles*, Wiley, New York, 1983.

Bouck, D.W., *Nutrient removal in three-stage processing*, In: *Advances in water and wastewater treatment: Biological nutrient removal*, Wanielista, W.W., and Eckenfelder (Eds.), Ann Arbor Science, Michigan, pg. 65, 1978.

Bragg, W.L., *Proceedings of the Cambridge Philosophical Society*, v. 17, 43, 1913.

Braun, R.D., *Introduction to instrumental analysis*, McGraw-Hill, New York, 1987.

Brina, R., and de Battisti, A., *Determination of the specific surface area of solids by means of adsorption data*, *Journal of Chemical Education*, Vol. 64(2), 175-176, 1987.

Britannica, *Eutrophication*, 15th Edition, Encyclopaedia Britannica Inc., London, 1989.

Cabrera, J.G., and Gray, M.N., *Specific surface, pozzolanic activity and composition of pulverized fuel ash*, *Fuel*, Vol. 52, 213-219, 1973.

Campbell, W.J., *X-ray spectroscopy*, In: Instrumental Analysis, Bauer, H.H., Christian, G.D., and O'Reilly, J.E., Eds., Allyn and bacon, Inc., Boston, 1978.

Meeting, Boston, 1981, p.12-23.

Chakaravarty S., Dureja, V., Bhattacharyya G., Maity, S., and Bhattacharjee, S., *Removal of arsenic from groundwater using low cost ferruginous manganese ore*, Water Research, 36, 625-632, 2002.

Chantawong, V., Harvey, N.W., and Bashkin, V.N., Asian Journal of Energy and the Environment, 1, 33-48, 2001.

Chern, J-M., and Chien, Y-W., *Adsorption of nitrophenol onto carbon: isotherms and breakthrough curves*, Water Research, Vol. 36(3), 647-655, 2002.

Curkovic, L., Stefanovic, S.C., and Filipan, T., *Metal ion exchange by natural and modified zeolites*, Water Research, 31, 1379-1382.

Dasmahapatra, G.P., Pal, T.K., Bhadra, A.K., and Bhattacharya, B., *Studies on separation characteristics of hexavalent chromium from aqueous solution by fly ash*, Separation Science Technology, 31(14), 2001-2009, 1996.

Garrett, L., and Tittlebaum, M.E., Investigation of leachability of sub-bituminous fly ash enhanced road base materials, In: Fly ash and coal conversion by

Diamond, S., *The characterisation of fly ashes*, In: *Effects of fly ash incorporation in cement and concrete*, Proceedings Materials Research Symposium Annual Meeting, Boston, 1981, s.12-23.

Droste, R.L., *Theory and Practice of Water and Wastewater Treatment*, John Wiley & Sons, Inc., New York, 1997.

Eckenfelder, W.W., *Principles of Water Quality Management*, CBI Publishing Company, Inc., Boston, Massachusetts, 1980.

Emery, J.J., *Pelletized lightweight slag aggregate*, Proceedings of Concrete International 1980, Concrete Society, 1980.

Erdogan, Y., and Demirbas, A., *Partly-refined chemical by-product gypsums as cement additives*, Cement and Concrete Research, 24(4), 601-604, 1994.

Freundlich, H., *Colloid and Capillary Chemistry*, Methuen, London, 1926.

Frumkin, A.N., *Z. Phys. Chem. (Leipzig)*, 166, p. 466, 1925.

Garcez, I., and Tittlebaum, M.E., *Investigation of leachability of sub-bituminous fly ash enhanced road base materials*, In: *Fly ash and coal conversion by-*

products: characterization, utilization, and disposal, Materials Society Symposia Proceedings, Vol. 43, p. 237, Pennsylvania, 1985.

Guibal, E., Saucedo, I., Jansson-Charrier, M., Delanghe, B., and Cloirec, P., *Uranium and vanadium sorption by chitosan and derivatives*, Water Science and Technology, 30, 183-190, 1994.

Gupta, G.S., Prasad, G, and Singh, V.N., *Removal of colour from wastewater by sorption for water reuse*, Journal of Environmental science and Health, A23(3), 205-217, 1988.

Goodwin, D.G., and Mitchner, M., *Fly ash radiative properties and effects on radiative heat transfer in coal-fired systems*, International Journal of Heat and Mass Transfer, 32, 627-638, 1989.

Gouesbet, G., Grehan, G., and Maheu, B., *Generalised Lorentz-Mie theory and applications to optical sizing*, Combustion Measurements, N. Chigier, (Ed.), 339-382, Hemisphere, Washington DC, 1991.

Groenewold, G.H., Hassett, D.J., Koor, R.D., and Manz, O.E., *Disposal of western fly ash in the northern great plains*, In: *Fly ash and coal conversion by-products:*

characterization, utilization, and disposal, Materials Society Symposia Proceedings, Vol. 43, p. 213, Pennsylvania, 1985.

Guiner, A., *X-ray crystallographic technology*, Hilger and Watts, London, 1952.

Han, I., Schlautman, M.A., and Batchelor, B., *Removal of hexavalent chromium from groundwater by granular activated carbon*, Water Environment Research, 72, 29-39, 2000.

Hayward, D.O., and Trapnell, B.M.W., *Chemisorption*, 2nd ed., Butterworth & Co., London, 1964.

Helfferich, F., *Ion Exchange*, McGraw Hill Book Company Inc., New York, 1962.

Helmuth, R., *Fly ash in cement and concrete*, Portland Cement Association, Illinois, 1987.

Hirleman, E.D., Oechsle, V., and Chigier, N.A., *Response characteristics of laser diffraction particle size analyzers: optical sample volume extent and lens effects*, Optical Engineering, 23, 610-619, 1984.

Hooton, R.D., *Permeability and pore structure of cement pastes containing fly ash, slag, and silica fume*, Blended Cements, ASTM STP 897, Fronhnsdorff, G., ed., American Society for Testing and Materials, Philadelphia, 128-143, 1986.

Huang, C.-P., and Blankkenschap, D.W., *The removal of mercury (II) from dilute aqueous solution by activated carbon*, Water Research, 18, 37-46, 1984.

Huang, C.-P., Chung, Y.-C., and Liou, M.-R., *Adsorption of Cu(II) and Ni(II) by pelletized biopolymer*, Journal of Hazardous Materials, 45, 265-277, 1996.

Huang, C.P., and Ostovic, F.B., *Removal of cadmium (II) by activated carbon adsorption*, Journal of the Environmental Engineering Division, EE5, 863-878, 1978.

van de Hultz, H.C., *Light scattering by small particles*, Wiley, New York, 1957.

Ibrahim, K.M., NasserEd-Deen, T., and Khoury, H., *Use of natural chabazite-phillipsite tuff in wastewater treatment from electroplating factories in Jordan*, Environmental Geology, 41, 547-551, 2002.

Jarrige, A., *Les cendres volantes*, Paris, Editions Eyrolles, 1971.

Johansson, L., and Gustafsson, J.P., *Phosphate removal using blast furnace slags and opaka: mechanisms*, Water Research, 34(1), 259-265, 2000.

Joshi, R.C., Natt, G.S., Day, R.L., and Tilleman, D.D., *Scanning electron microscopy and X-ray diffraction analysis of various size fractions of fly ash*, In: *Fly ash and coal conversion by-products: characterisation, utilization and disposal*, Materials Research Society, Symposium Proceedings, Vol. 43, p. 31, Pennsylvania, 1985.

Joshi, A., and Chaudhuri, M., *Removal of arsenic from ground water by iron oxide-coated sand*, Journal of Environmental Engineering, 122, 769-771, 1996.

Kao, P.C., Tzeng, J.H., and Huang, T.L., *Removal of chlorophenols from aqueous solution by fly ash*, Journal of Hazardous Materials, 76(2-3), 237-249, 2000.

Khan, S.A., Rehman, R., and Khan, M.A., *Adsorption of chromium (III), chromium (VI) and silver (I) on bentonite*, Waste Management, 15, 271-282, 1995.

Knight, J.C., Ball, D., and Robertson, G.N., *Analytical inversion for laser diffraction spectrometry giving improved resolution and accuracy in size distribution*, Applied Optics, 30, 4795-4799, 1991.

Ko, D.C.K., Porter, J.F., and McKay, S., *Optimised correlations for the fixed-bed adsorption of metal ions on bone char*, Chemical Engineering Science, Vol. 55(3), 5819-5829, 2000.

Kocirik, M., Jiri, S., and Smutek, A., *The role of inert material in an adsorption bed*, Collect. Czech. Chem. Commun. Vol. 47(12), 3221-3229, 1982.

Kouloumbi, N., and Batis, G., *The anticorrosive effect of fly ash, slag and a Greek pozzolan in reinforced concrete*, Cement and Concrete Composites, 16, 253-260, 1994.

Kruger, R., South African Coal Ash Association, Personal Communication, Johannesburg, 2002.

Langmuir, I., *The adsorption of gases on plane surfaces of glass, mica and platinum*, Journal of the American Chemical Society, 40, 1361-1402, 1918.

Lea, F.M., *The chemistry of cement and concrete*, 3rd Edition, Edward Arnold (Publishers) Ltd, London, UK, 1970.

Leyva-Ramos, R., Rangel-Mendez, J.R., Mendoza-Barron, J., Fuentes-Rubio, L., and Guerrero-Coronado, *Adsorption of cadmium (II) from aqueous solution onto activated carbon*, Water Science and Technology, 35, 205-211, 1997.

Luke, W.I., *Nature and distribution of particles of various sizes in fly ash*, U.S. Army Engineers, Waterways Experiment Station, Technical Report No. 6-583, 21 pp., 1961.

Mantel, D.G., *The manufacture, properties and applications of Portland cements, cement additives and blended cements*, Pretoria Portland Cement (PPC), The Penrose Press, Johannesburg, South Africa, 1991.

Malliou, E., Loizidou, M., and Spyrellis, N., *Uptake of lead and cadmium by clinoptilolite*, Science of the Total Environment, 149, 139-144, 1994.

Malliou, E., Malamis, M., and Sakellarides, P.O., *Lead and cadmium removal by ion exchange*, Water Science and Technology, 25, 133-138, 1992.

McKay, G., Blair, H.S., and Findon, A., *Equilibrium studies for the sorption of metal ions onto chitosan*, Indian Journal of Chemistry Section A, 28, 356-360, 1989.

Michaels, A.S., *Simplified methods of interpreting kinetic data in fixed-bed ion exchange*, Industrial Engineering and Chemistry, 44(8), 1922-1930, 1952.

Michelsen, D.L., Gideon, J.A., Griffith, G.P., Pace, J.E., and Kutat, H.L., *Removal of soluble mercury from wastewater by complexing techniques*, Govt. Rep. Announce. Index (U.S.A), 75(24), 102, 1975.

Miller, J.C., and Miller, J.N., *Statistics for Analytical Chemistry*, 3rd ed., Ellis Horwood Ltd., Chichester, 1993.

Montemor, M.F., Simoes, A.M.P., Salta M.M., and Ferreira, M.G.S., *Carbonation of fly ash-containing concrete. Electrochemical studies*, Material Science Forum, 192-194:867, 1995.

Montemor, M.F., Simoes, A.M.P., and Salta, M.M., *Effect of fly ash on concrete reinforcement corrosion studied by EIS*, Cement and Concrete Composites, 22, 175-185, 2000.

Murakami, K., *By-product gypsum from various chemical industries as a retarder for the setting of cement*, Proc. 5th International Conference on the chemistry of cement, Tokyo, 457-510, 1968.

- Namasivayam, C., and Ranganathan, K., *Waste iron (III)/chromium (III) sludge as flocculant for the treatment of dairy wastewater*, Environmental Pollution, 82, 255-261, 1992.
- Netzer, A., and Hughes, D.E., *Adsorption of copper, lead and cobalt by activated carbon*, Water Research, 18, 927-933, 1984.
- Noureldin, A.S., and McDaniel, R.S., *Evaluation of steel slag asphalt surface mixtures*, Presented at the 69th Annual Meeting, Transportation Research Board, Washington, 1990.
- Nowacki, P., *Lignite Technology*, Noyes Data Corp., New Jersey, USA, 1980.
- Ouki, S.K., Cheeseman, C.R., and Perry, R., *Effects of conditioning and pre-treatment of chabazite and clinoptilolite prior to lead and cadmium removal*, Environmental Science and Technology, 27, 1108-1116, 1993.
- Ouki, S.K., and Kavanagh, M., *Performance of natural zeolites for the treatment of mixed metal-contaminated effluents*, Waste Management & Research, 15, 383-394, 1997.

Panday, K.K., Prasad, G., and Singh, V.N., *Removal of Cr (VI) from aqueous solution by adsorption on fly ash-wollastonite*, Journal of Chemical Technology and Biotechnology, 34(A), 367-374, 1984.

Panday, K.K., Prasad, G., and Singh, V.N., *Mixed adsorbents for Cu(II) removal from aqueous solution*, Environmental Technology Letters, 7, 547-554, 1986.

Pansini, M., Colella, C., and De'Gennaro, M., *Chromium removal from water by ion exchange using zeolite*, Desalination, 83, 145-157, 1991.

Pettijohn, F.J., *Sedimentary rocks*, Harper and Bros., New York, 1957.

Piekos, R., and Paslawska, S., *Fluoride uptake characteristics of fly ash*, Fluoride, 32(1), 14-19, 1999.

Piekos, R. and Paslawska, S., *Fluoride uptake characteristics of fly ash*, Research Report, International Society for Fluoride Research, 32(1), 1-6, 1999.

Portland Cement Association, PCA: *Take a virtual plant tour*, <http://www.portcement.org>, 2002.

Pusch, R., *Use of bentonite for isolation of radioactive waste products*, Clay Minerals, 37, 353-361, 1992.

Rangel-Mendez, J.R., and Streat, M., *Adsorption of cadmium by activated carbon cloth: influence of surface oxidation and solution pH*, Water Research, 36, 1244-1252, 2002.

Simpson, M.J., and Martin, W.P., *The influence of pre-treatment on the dewaterability of activated sludge*, Water Research, Vol. 28(2), 417-425, 1994.

Ray, S.S., and Parker, F.G., *Characterisation of ash from coal-fired power plants*, EPA 600/7-77-010, Chattanooga, Tennessee Valley Authority, 1977.

Recycled materials Resource Centre (RMRC), University of New Hampshire, <http://www.rmrc.unh.edu>, 2002.

Reed, B.E., and Arunachalam, S., *Use of granular activated carbon columns for lead removal*, Journal of Environmental Engineering, 120, 416-436, 1994.

Sakadevan, K., and Bavor, H.J., *Phosphate adsorption characteristics of soils, slags and zeolite to be used as substrates in constructed wetlands systems*, Water Research, 32, 393-399, 1998.

- Schmuhl, R., Krieg, H.M., and Keizer, K., *Adsorption of Cu(II) and Cr(VI) ions by chitosan: Kinetics and equilibrium studies*, Water S.A., 27, 1-7, 2001.
- Semmens, M.J., and Martin, W.P., *The influence of pre-treatment on the capacity and selectivity of clinoptilolite for metal ions*, Water Research, 22, 537-542, 1988.
- Sen, A.K., and Arnad, K.D., *Adsorption of mercury (II) by coal fly ash*, Water Research, 21, 885-888, 1987.
- Sharma, D.C., and Forster, C.F., *Removal of hexavalent chromium from aqueous solutions by granular activated carbon*, Water SA, 22, 153-160, 1996.
- Shimadzu Corporation, *Instruction manual: Shimadzu digital double-beam spectrophotometer UV-150*, Kyoto, 1994.
- Skoog, D.A., and Leary, J.J., *Principles of instrumental analysis*, 4th ed., Saunders College Publishing, Orlando, 1992.
- Smethurst, G., *Basic Water Treatment*, Thomas Telford Ltd., London, 1979.
- South African Bureau of Standards, *Compressive strength for concrete masonry units*, Standard No. SABS 1215-1984.

Spackman, W., Davis, A., Walker, P.L., Lovell, H.L., Essenhigh, R.H.; Vastola, F.J.; and Given, P.H., *Characteristics of American coals in relation to their conversion into clean energy fuels*, Quarterly Progress Report Fe-2030-3, ERDA, Pennsylvania State University, 1976.

Srivastava, S.K., Bhattacharjee, G., Tyagi, R., Pant, N., and Pal, N., *Studies on the removal of some toxic metal ions from aqueous solutions and industrial waste Part I (Removal of lead and cadmium by hydrous iron and aluminium oxide)*, Environmental Technology Letters, 9, 1173-1185, 1988.

Srivastava, S.K., Tyagi, R., and Pal, N., *Studies on the removal of some toxic metal ions Part(II) (removal of lead and cadmium by montmorillonite and kaolinite)*, Environmental Technology Letters, 10, 275-282, 1989.

Srivastava, S.K., Tyagi, R., and Pal, N., *Adsorption of heavy metal ions on carbonaceous material developed from the waste slurry generated in local fertilizer plants*, Water Research, 23, 1161-1165, 1989.

Srivastava, S.K., Singh, A.K., and Sharma, A., *Studies on the uptake of lead and zinc by lignin obtained from black liquor- a paper industry waste material*, Environmental Technology, 15, 353-361, 1994.

Srivastava, S.K., Gupta, V.K., and Mohan, D., *Removal of lead and chromium by activated slag- a blast furnace waste*, Journal of Environmental Engineering, 123, 461-468, 1997.

Strong, F.C., *Theoretical basis of the Bouger-Beer law of radiation absorption*, Analytical Chemistry, 24, 338-342, 1952.

Stout, F.C., and Jensen, L.H., *X-ray structure determination*, John Wiley & Sons, New York, 1989.

Sundstrom, D.W., and Klei, H.E., *Wastewater Treatment*, Prentice Hall Inc., London, 1979.

Swithenbank, J., Beer, J.M., Taylor, M., Abbot, D., and McCreath, G.C., *A laser diagnostic technique for the measurement of droplet and particle size distributions*, Progress in Astronautics and Aeronautics, 53, 421-447, 1977.

Tabikh, A.A., and Miller, F.M., *The nature of phosphogypsum impurities and their influence on cement hydration*, Cement and Concrete Research, 1(6), 663-678, 1971.

Torrey, S., *Coal ash utilization: fly ash, bottom ash and slag*, Noyes Data Corp., New Jersey, USA, 1978.

Turriziani, R., *Aspects of the chemistry of pozzolans*, pp 69-86, In: *The chemistry of cements*, Taylor, H.F.W., Ed., Academic Press, New York, 1964.

Ulrich, G.D., *Theory of particle formation and growth in oxide synthesis flames*, Combustion Science Technology, Vol. 4, 47-57, 1971.

Ulrich, G.D., Milnes, B.A., and Subramanian, N.S., *Particle growth in flames, II. Experimental results for silica particles*, Combustion Science Technology, Vol. 14, 243-249, 1976.

Undaybeytia, T., Morillo, E., and Maqueda, C., *Adsorption of Cd and Zn on montmorillonit in the presence of a cationic pesticide*, Clay Minerals, 31, 485-490, 1996.

U.S. Department of the Interior, Bureau of Mines, Mineral Commodity Summaries 1993, Washington, DC, 1993.

Vorres, K., *Coal*, Kirk-Othmer Encyclopedia of Chemical Technology, 3rd ed., Vol. 6, 224-282, John Wiley & Sons, New York, 1979.

Wan-Ngah, W.S., Endud, C.S., and Mayanar, R., *Removal of copper(II) ions from aqueous solution onto chitosan and cross-linked chitosan beads*, *Reactive and Functional Polymers*, 50, 181-190, 2002.

Wan-Ngah, W.S., and Isa. I.M., *Comparison study of copper ion adsorption on chitosan*, *Journal of Applied Polymer Science*, 67, 1067-1070, 1998.

Washington, C., *Particle size analysis in pharmaceuticals and other industries: theory and practice*, Ellis Horwood, London, 1992.

Watt, J.D., and Thorne, D.J., *Composition and pozzolanic properties of pulverised fuel ashes*, *Journal of Applied Chemistry*, Vol. 15, 585-594, 1965.

Williams, K.L., *Introduction to X-ray spectrometry*, Allen & Unwin, Boston, 1987.

Yadawa, K.P., Tyagi, B.S., and Singh, V.N., *Effect of temperature on the removal of lead(II) by adsorption on China clay and wollastonite*, *Journal of Chemical Technology and Biotechnology*, 51, 47-60, 1991.

Yamada, H., Kayama, M., Saito, K., and Hara, M., *A fundamental research on phosphate removal by slag*, *Water Research*, 20, 547-557, 1986.