List of figures

- Fig. 1: Accommodation author
- Fig. 2: Accommodation list author
- Fig. 3: Community response to an increase in ambient dBA level. Van Zyl, 2001: 4-4
- Fig. 4: Customer per sqm for selected groups of listed retailers. Prince, 2003: 10
- Fig. 5: Zoning. Brian Rose, RPP Developments, 2003.
- Fig. 6: Average trading densities in South Africa and minimum land values of Linbro Park. Prince, 2003: 11
- Fig. 7: Site Linbro Business Park author
- Fig. 8: Building costs and escalation forecasting. Prince, 2002: 5
- Fig. 9: Johannesburg Industrial Rentals and land values. Prince, 2003: 17
- Fig. 10: Climatic data for Johannesburg. Holm, 1996: 67
- Fig. 11: Vertical sun angle at 12:00 solar time. Holm, 1996: 67
- Fig. 12: Road network Region 7. LIDP, 2002: 26
- Fig. 13: Reservoir supply zones. LIDP, 2002: 31
- Fig. 14: Landfill sites serving area and estimated year of closure. LIDP, 2002: 30
- Fig. 15: Substation supply zones. LIDP, 2002: 31
- Fig. 16: Criteria provided for good site-responsive design. LIDP, 2002: 48
- Fig. 17: Interventions and guidelines for Administrative Region 7. LIDP, 2002: 66
- Fig. 18: Ground floor plan of Vitra Design Museum. Boissière, Filler, 1990: 45
- Fig. 19: Top five purchasing countries and sales countries. www.ikea.co.uk
- Fig. 20: Turnover of IKEA. www.ikea.co.uk
- Fig. 21: Purchasing of IKEA per region and turnover per region. www.ikea.co.uk
- Fig. 22: Solar access for building spacing in Johannesburg. Holm, 1996: 66
- Fig. 23: Roof overhang, window height and positioning for Johannesburg. Holm, 1996: 67
- Fig. 24: Transmission of heat through clear glass. Holm, Viljoen, 1996: 12
- Fig. 25: Transmission of heat through double glazing. Holm, Viljoen, 1996: 12
- Fig. 26: Transmission of heat through reflective glass. Holm, Viljoen, 1996: 12
- Fig. 27: Design of external solar control devices according to vertical sun angles. Holm, Viljoen, 1996: 12
- Fig. 28: Façade heat gain analysis: Wall vs. Clear glass. Raats, 2002: 38
- Fig. 29: Façade heat gain analysis: Wall vs. Glass types. Raats, 2002: 38
- Fig. 30: Rule of thumb day lighting-design. Gibberd, 2000: 38
- Fig. 31: Daylight near window and artificial light deeper in room. Tutt, Adler, 1998: 418
- Fig. 32: Daylight an indoor working plane. Tutt, Adler, 1998: 418
- Fig. 33: Direction of illumination vector under a downlighter. Tutt, Adler, 1998: 417
- Fig. 34: Recommended illuminances, glare indexes and lamp colours. Tutt, Adler, 1998: 34
- Fig. 35: Horizontal overhangs and louvers northern façade author
- Fig. 36: Psychrometric chart with ventilation. Holm, 1996: 13
- Fig. 37: Psychrometric chart with evaporative cooling. Holm, 1996: 13
- Fig. 38: Air cavity. Hope, 2001: 23
- Fig. 39: "Jalousie window". Watson, Labs, 1983: 198
- Fig. 40: "Jalousie window". Watson, Labs, 1983: 198
- Fig. 41: Open plan interior to promote air flow. Watson, Labs, 1983: 142
- Fig. 42: Recommended design values for internal environmental temperatures. Tutt, Adler, 1998: 385-386
- Fig. 43: Effect of internal wind speed in warm, humid climates. Tutt, Adler, 1998: 406
- Fig. 44: Climatic data for Johannesburg. Carter, 1997: 75
- Fig. 45: Operating hours of lighting in DiD Warehouse author
- Fig. 46: Region 7, existing peak period passenger volumes. LIDP, 2002: 34
- Fig. 47: Attenuation by screen. Van Zyl, 2001: 5-11
- Fig. 48: Attenuation by screen the principle. Van Zyl, 2001: 5-11
- Fig. 49: Influence of the N3 highway on DiD Warehouse. Van Zyl, 2001: 5-13, author
- Fig. 50: Panel absorber. Van Zyl, 2001: 6-3
- Fig. 51: Sound absorpsion. Van Zyl, 2001: 6-4
- Fig. 52: Cavity walls. Van Zyl, 2001: 7-3
- Fig. 53: Improvement of the average isolation value of a 110 wall. Van Zyl, 2001: 7-5
- Fig. 54: Isolation values against noise. Van Zyl, 2001: 7-11
- Fig. 55: Noise rating curves. Tutt, Adler, 1998: 435
- Fig. 56: Comfort zone for occupation with 0,1m/s air velocity. Tutt, Adler, 1998: 390
- Fig. 57: Room temperature in relation to activity and clothing. Tutt, Adler, 1998: 390
- Fig. 58: Psychrometric chart for reduction in humidity by cooling. Tutt, Adler, 1998: 396
- Fig. 59: Stick and crutch users. Tutt, Adler, 1998: 31
- Fig. 60: Dimensions of different percentiles of adult male wheelchair users. Tutt, Adler, 1998: 25
- Fig. 61: Dimensions of adult female wheelchair users. Tutt, Adler, 1998: 25
- Fig. 62: Relationship between crime and building type. Tutt, Adler, 1998: 487

University of Pretoria etd - Brand, A (2003)

- Fig. 63: Recommended flow chart by Fire Association. Raubenheimer, 2002 (1): 17
- Fig. 64: Useable space on ground floor level of DiD Warehouse author
- Fig. 65: Proportion-figure of space occupation in DiD Warehouse author
- Fig. 66: Floor-to-ceiling heights of DiD Warehouse author
- Fig. 67: Access flooring. Hope, 2002: 17
- Fig. 68: A typical drywall construction. Grobbelaar, 1997: 67
- Fig. 69: Glass partition manufacturers. Raats, 2002
- Fig. 70: Life-time maintenance plan for building components author
- Fig. 71: Water storage in various building types. Tutt, Adler, 1998: 399
- Fig. 72: Daily domestic water supply standards. Tutt, Adler, 1998: 409
- Fig. 73: Reservoir supply zones serving Region 7. LIDP, 2002: 27-29
- Fig. 74: Diagrammatic representation of rainwater catchment and distribution of DiD Warehouse. Gibberd, 2002, author
- Fig. 75: "Hydrozone Planting". Gibberd, 2002, author
- Fig. 76: Waster recycle diagram author
- Fig. 77: Waste recycle diagram author
- Fig. 78: Energy content of building materials. Holm, 1996: 83
- Fig. 79: Energy content of building materials. Gibberd, 2002
- Fig. 80: Advertising board louver panel author
- Fig. 81: Glass curtain north façade author
- Fig. 82: Louvre panel on north and west façade author
- Fig. 83: Steel shading device author
- Fig. 84: Rock-bin system author
- Fig. 85: Diagrammatic presentation of "rock-bin system" author
- Fig. 86: Conceptual section through floor author
- Fig. 87: Drywall construction detail author
- Fig. 88: Model six stools. www.dwr.com
- Fig. 89: Parking requirements. Tutt, Adler, 1998: 44
- Fig. 90: Sustainable building materials. Anink, Boonstra, Mak, 1995: 31
- Fig. 91: Waste recycle diagram author
- Fig. 92: Sustainability assessment. Gibberd, 2000: SBAT
- Fig. 93: Assessment table in terms of sustainability for DiD Warehouse. Gibberd, 2000: SBAT
- Fig. 94: Target and assessment tool for DiD Warehouse. Gibberd, 2000: SBAT
- Fig. 95: Conceptual design and space planning for DiD Warehouse author
- Fig. 96: Sketch design and space investigation author
- Fig. 97: Graphic presentation of interaction between space author
- Fig. 98: Conceptual west elevation author
- Fig. 99: Conceptual north elevation author
- Fig. 100: Conceptual south elevation author
- Fig. 101: Conceptual east elevation author
- Fig. 102: Three dimensional view of "chairwall" (design development) author
- Fig. 103: Three dimensional view of north façade and louver panel author
- Fig. 104: Northern view of DiD Warehouse (design development) author
- Fig. 105: Shop front on north façade author
- Fig. 106: Three dimensional model of DiD Warehouse in development phase author
- Fig. 107: Three dimensional model of DiD Warehouse in development phase author
- Fig. 108: Three dimensional view of DiD Warehouse (east façade) author
- Fig. 109: North elevation glass curtain wall author
- Fig. 110: North-east perspective of DiD Warehouse author
- Fig. 111: North elevation author
- Fig. 112: North-east perspective author
- Fig. 113: Advertising louver panel east elevation author
- Fig. 114: North elevation author
- Fig. 115: North-west perspective view from N3-highway author
- Fig. 116: East elevation advertising louver panel author
- Fig. 117: Three dimensional detail of louver panel author
- Fig. 118: East elevation "glass box" on the right (shops) author
- Fig. 119: North-west perspective author
- Fig. 120: Three dimensional detail of glass curtain and louver panel author
- Fig. 121: Detail of water tank and louver panel author
- Fig. 122: A three dimensional model of DiD Warehouse author
- Fig. 123: Model roof plan author
- Fig. 124: North elevation author
- Fig. 125: South-west elevation author
- Fig. 126: South elevation natural dry-packed stone walls author
- Fig. 127: North-west elevation author
- Fig. 128: "Glass box" north elevation author
- Fig. 129: Model of DiD Warehouse author

University of Pretoria etd - Brand, A (2003)

- Fig. 130: Curved roof north façade author
- Fig. 131: Balconies at corner north-west author
- Fig. 132: Ramp to west entrance author
- Fig. 133: Stone walls, louver panel and service box author
- Fig. 134: DiD Warehouse south-west isometric author Fig. 135: View from N3-highway a reflection of the function and activities of DiD Warehouse author
- Fig. 136: North-east perspective author
- Fig. 137: South-west perspective author
- Fig. 138: North-west isometric author
- Fig. 139: North-east perspective author
- Fig. 140: South elevation author Fig. 141: Sunset views of DiD Warehouse author



List of sources

Anink, D., Boonstra, C., Mak, J. 1995. Handbook of Sustainable Building. South Africa. Asensio, P., Montes, C. 2002. *Furniture Design.* TeNeues Publishing Group, New York. Baroni, D. 1978. Gerrit Thomas Rietveld Furniture. Academy Editions, London. Boissière, O., Filler, M. 1990. Frank Gehry - Vitra Design Museum. Thames & Hudson, London. Button, D., Pye, B. 1990. Glass in Building. South Africa. Carter, T. 1997. ABSA Towers North Building, Design Report, Vol. 3. Johannesburg. Foster, N. 1984. Norman Foster: Architect. Whitworth Art Gallery, University of Manchester, Oxford. Gibberd, J. 2002. Sustainable Assessment Tool, Assessment Criteria and Guidelines. CSIR Boutek, South Africa. Grobbelaar, A. 1997. Building Construction and Graphic Standards. Anglo-Rand Publications, South Africa. Habegger, J., Osman, J. 1989. Sourcebook of Modern Furniture. Van Nostrand Reinhold, New York. Holm, D. 1996. *Manual for Energy Conscious Design.* Department Minerals and Energy, Pretoria. Holm, D., Viljoen, R. 1996. Primer for Energy Conscious Design. Department Minerals and Energy, Pretoria. Hope, G. July/August 2002. Architect and Specificator. Promech Publishing, Johannesburg. Hope, G. November/Desember 2001. Architect and Specificator. Promech Publishing, Johannesburg. Iovine, J. 2002. Micheal Graves. Cronicle Books, San Francisco. Kalman, T. 1997. Chairman - Rolf Fehlbaum. Lars Muller Publishers, Germany. Kromhout, J., Kritzinger, M. 1998. *Mini Dictionary.* Pharos Dictionaries, Cape Town. LIDP, Developing Planning and Facilitation. 2002. Local Integrated Development Plan. Bambanani Consortium, Johannesburg. Margolius, M. 1999. South African Dècor and Design – the complete buyers' guide. South Africa. Matthews, G. 1991. Design and Development Guides, Museums and Art Galleries. Butterworths Architecture, London. Prince, R. 2002. The SAMCO Report 2002/3. Ince (Pty) Ltd, Johannesburg. Picchi, F. 1999. Santachair, a folding chair for Vitra. DOMUS. Raats, J. 2002. *Building.* Johnnic Publishing Limited, Cape Town. Raubenheimer, M. 2002. Walls & Roofs, Vol. 3, No. 3. Iphansi Publications, Pretoria. Rowlands, P. 2002. *Eileen Gray.* Cronicle Books, San Francisco. Rowlands, P. 2002. Jean Prouve. Cronicle Books, San Francisco. S.A. Bureau of Standards. 1990. South African Standard Code of Practice for: the application of the National Building Regulations. The Council of the South African Bureau of Standards, South Africa. Schulz, B. 1986. *Climate of South Africa, Part 8.* General Survey, Pretoria. Smith, E. 2000. *Furniture – A Concise History.* Thames & Hudson, London. Sorrell, J. November 2002. House and Leisure. South Africa. Tutt, P., Adler, D. 1998. New Metric Handbook – Planning and Design Data. Architectural Press. Johannesburg. [Van Zyl, B. 2001. Acoustics for Architectural Students. Department Architecture, Pretoria. Watson, D., Labs, K. 1983. Climatic Building Design, Energy-efficient Building Principles and Practice. McGraw-Hill Book Company, New York. mm www.anray-designs.com www.design-museum.de www.dwr.com www.ikea.co.ukl www.twiice.com [Domus No 819-820, 1999:44]