

CITY MANIFEST

A Manifestation of the contemporary urban condition through the use of computational architecture

Thomas Ludwich Ackermann

Submitted in partial fulfillment of the degree Magister Architecture (Prof.)

Department of Architecture in the Faculty of Engineering, Built Environment and
Information Technology, University of Pretoria

Supervisor: Gary White Course coordinator: Jacques Laubscher

November 2009

Executive Summary





Executive Summary

The theoretical focus of this study is *Meaning in Architecture*. The study does not draw from *history* or *popular culture* for meaning, but will aim to transcend Post-modern concepts by focusing on the contemporary condition and archetypal forms as a *result* of history and popular culture.

This is done through he use of fractal geometry and deals with the questions that arise regarding signification. Fractals can be considered a subdivision of the language of mathematics and will be utilised as mediation between the reality of our world and the generation of form for the purpose of design. This is explored in two analogies, Architecture and Mathematics; and Architecture and Language.

Through this process, subjectivity relating to form is removed as the design was developed in conjunction with the area in which it manifests, through the transformation of quantifiable entities into form. The programme and the process have become a *unified whole* in that mathematical concepts were utilised to design a building to house people involved with mathematics.

The aim of the design proposal is to contribute to the urban landscape of Tshwane by allowing access to facilities in which training in mathematics and computer science can be achieved and to allow individuals to come to a place of self-actualization.

The design is defined as a snapshot of the contemporary condition and therefore makes use of passive and active technologies to create a habitable environment.

It is imperative to realise that society is in a process of transition and this can be embraced by combining 'green' and 'non-green' design approaches, while working towards more energy-efficient design solutions.



Table of contents



City Manifest - A Manifestation of the contemporary urban condition through the use of computational architecture

	Chapter 1: Introduction	1
	Chapter 2: Normative Position	3
	Chapter 3: Programme	15
	Chapter 4: Precedents	21
	Chapter 5: Framework	29
	Chapter 6: Design development	53
	Chapter 7: Technical Investigation	69
	Chapter 8: Technical Documentation	87
10 30 S.	Addendum & References	113



Table of Contents











Chapter 1: Introduction

1.1 Introduction	1
1.2 Background and context	1
1.3 Objective	2
1.4 Approach	2







2.5.1 The City as Fractal

2.5.2 Where to now, Application

Chapter 2: Normative Position

2.1 Introdu	ction	3
2.2 Language		
2.3 Archited	cture and language	5
2.3.1	Why does it exist? Aspects of	
	function and literature	5
2.3.2	Symbolism, literature and	
	Architecture	5
2.4 Archited	cture and Mathematics	8
2.5 Fractals	5	9

-38	2.76
200	
Jun 30	AND
7	900





Chapter 3: Programme

3.1 Objective		15
3.2 Motivatio	n	15
3.2.1	The Digital Divide remedied	
	through a Cybercafé	15
3.2.2	The problem of Mathematics	
	education in South Africa	17

3.3 The client



10

12





Chapter 4: Precedents

I.1 Introduction	21
I.2 Möbius House	21
I.3 Living Tomorrow Pavilion	24
1.4 Beachness	26







Table of contents









Chapter 5: Framework

5.1	Introduct	ion	29		5.4.5	Berea Park	40
5.2	Macro Sc	ale Analysis	29		5.4.6	Muckleneuk and Lukasrand	40
					5.4.7	Salvokop	41
	5.2.1	Climate	29		5.4.8	Summary	41
	5.2.2	Topography	30				
	5.2.3	Geology	31	5.5	Proposed	urban framework	41
	5.2.4	Surface Hydrology	31				
	5.2.5	Biomes	32		5.5.1	Objectives	42
	5.2.6	Protected and sensitive Areas	32		5.5.2	Preliminary design guidelines	42
					5.5.3	Continuation of Urban Fabric	44
5.3	Meso-sca	le analysis			5.5.4	Districts	44
					5.5.5	Public open Space	47
	5.3.1	Re Kgabisa Framework	33		5.5.6	Links	47
	5.3.2	Salvokop Framework	34		5.5.7	Circulation	50
5.4	Micro-sca	ale analysis	35				
	5.4.1	Site selection	35				
	5.4.2	Land tenure	38				
	5.4.3	Palimpsest and					
		Architectural Character	38				
	5.4.4	Pretoria Station	39				



Table of Contents









Chapter 6: Design development







Chapter 7: Technical Investigation

6 1	Assigning	symbols	53	7.1	Introduct	tion	69
	2 Discussion on each shape		54		Water St		69
	6.2.1	Population Group	54		7.2.1	Assumptions regarding the	
	6.2.2	Gender by Age	55			calculations	70
	6.2.3	Education Levels	55				
	6.2.4	Labour Force	55	7.3	Ventilatio	on	72
	6.2.5	Language	56				
	6.2.6	Mode of travel	56		7.3.1	Mechanical HVAC system	72
	6.2.7	Dwelling type	56		7.3.2	Natural Ventilation	76
	6.2.8	Source of energy	57				
	6.2.9	Water Source	57	7.4	Shading		79
	6.2.10	Annual household income	57	7.5	Parking a	and Sanitary Fitting calculations	84
	6.2.11	Closing Remarks	58	7.6	SBAT Rat	ting	84
				7.7	Conclusio	on	86
6.3	The Shap	es as Fractals	58				
6.4	Utilising t	he models as a Form vocabulary	58				
	6.4.1	Process	59				
6.5	Conclusio	n	68				







Table of contents









Chapter 8: Technical Documentation

8.1 Introduction	87	Addendum	113
ori introduction	0,	Model Photos	113
8.2 Documentation	88		
		Deferences	117
Ground Floor	88	References	117
First Floor	89		
Second Floor	90		
Roof Plan	91		
Section A-A	92		
Section C-C	94		
Section B-B	96		
Site Plan	97		
North Elevation	98		
East Elevation	99		
South Elevation	100		
West Elevation	101		
Basement	102		
Basement Wall Detail	103		
Central Core detail	104		
Central Core detail	105		
Roof Detail	106		
Expansion Joint Detail	107		
First Floor Slab Detail	108		
Second Floor Slab Detail	109		
Shading Device Detail	110		
Shading Device Isometric	111		
Balustrade	112		









Table 2-1:		Table 6-1:	
Levels of ambiguity within Architecture,		Summary of the assignment of shapes	
Normal Language and Mathematics as languages		(Source: Own Table)	54
(Source: Own Table)	4		
		Table 7-1:	
Table 3-1:		Rain water harvest calculations	
Internet users and population statistics for Africa		(Source: Own Table)	68
(Source: IWS, 2009)	16		
		Table 7-2:	
Table 3-2:		Parking and Sanitary requirements	
Schedule of areas		(according to SANS 0400)	80
(Source: Own Table)	20		
Table 5-1:			
Climate of City of Tswhane, 1961 – 1990			
(Source: Weather SA, 2003)	30		
Table 5-2:			
Ownership of the land in question			
(Source: Compiled from WinDeed)	38		
•			





Figure 2-1:		Figure 4-4:	
Ricardo Bofill's Pyramid Le Perthus, 1976,		Mobius Strip House Interior Photograph	
Catalonia		(Source : Un Studio)	22
(Source: Norberg-Schulz, 2000:112)	6		
		Figure 4-5:	
Figure 2-2:		Mobius Strip House Exterior Photograph	
The proposed distribution of towns in A pattern language		(Source : Un Studio)	22
(Source: Alexander, 1977:20)	10	Figure 4-6:	
		Mobius Strip House Exterior Photograph	
Figure 2-3:		(Source : Stories of Houses)	22
Sierpinski Carpet: Pattern as defined by Waclaw			
Sierpinski		Figure 4-7:	
(Source: Anton & Rorres, 1994: 709)	11	Mobius Strip House Plan	
		(Source : Emap)	23
Figure 4-1:			
Möbius strip		Figure 4-8:	
(Source: Stories of Houses, 2003)	21	Mobius Strip House Plan	
		(Source : Emap)	23
Figure 4-2:			
Mobius Strip House Cardbord Model		Figure 4-9:	
(Source : Un Studio)	22	Mobius Strip House Section	
		(Source : Emap)	23
Figure 4-3:			
Mobius Strip House Interior Photograph		Figure 4-10:	
(Source : Stories of Houses)	22	Mobius Strip House Interior Photograph	
		(Source : Emap)	23





	Figure 4-18:	
	Living Tomorrow Pavilion Design Model	
23	(Source: Bahamon)	25
	Figure 4-19:	
	Living Tomorrow Pavilion Interior Photograph	
24	(Source: Arcspace)	25
	Figure 4-20:	
	Living Tomorrow Interior Photograph	
24	(Source: Arcspace)	25
	Figure 4-21:	
	Living Tomorrow Interior Photograph	
24	(Source: Arcspace)	25
	Figure 4-22:	
	Living Tomorrow Pavilion Exterior Photograph	
25	(Source: Krajewski)	25
	Figure 4-23:	
	Living Tomorrow Pavilion Exterior Photograph	
25	(Source: Krajewski)	25
25		
	24242425	Figure 4-19: Living Tomorrow Pavilion Interior Photograph (Source: Arcspace) Figure 4-20: Living Tomorrow Interior Photograph (Source: Arcspace) Figure 4-21: Living Tomorrow Interior Photograph (Source: Arcspace) Figure 4-22: Living Tomorrow Pavilion Exterior Photograph (Source: Krajewski) Figure 4-23: Living Tomorrow Pavilion Exterior Photograph (Source: Krajewski)





Figure 4-24:		Figure 5-1:	
NOX Beecness Conceptual Model		Average Air Temperatures for Pretoria	
(Source: NOX)	26	(Source: Adapted from Weather SA, 2003)	29
Figure 4-25:		Figure 5-2:	
NOX Beecness Conceptual Model		Prevailing Wind Direction	
(Source: Vividvormgeving)	26	(Source: Adapted from Weather SA, 2003)	31
Figure 4-26:		Figure 5-3:	
NOX Beecness Computer Rendering		Site location	
(Source: Arcspace)	26	(Source: CTGIS, 2009)	35
Figure 4-27:		Figure 5-4:	
NOX Beecness Computer Rendering		Aerial view of site	
(Source: Steele, 2004)	26	(Source: Railways Africa, 2009)	36
Figure 4-28:		Figure 5-5:	
NOX Beecness Computer Rendering		Overview of the site	
(Source: Spuybroek, 1999)	26	(Source: CTGIS, 2009)	37
Figure 4-29:		Figure 5-6:	
NOX Beecness Computer Rendering		View from Northwest	
(Source: Steele, 2004)	27	(Source: Own Image)	37
Figure 4-30:		Figure 5-7:	
NOX Beecness Computer Rendering		View from East	
(Source: Steele, 2004)	27	(Source: Own Image)	37
•		(Coaroc. Own mago)	57







Figure 5-8:		Figure 5-15:	
View from South		Links	
(Source: Own Image)	37	(Source: Own Image)	49
Figure 5-9:		Figure 5-16:	
Stand numbers		Circulation	
(Source: CTGIS, 2009)	38	(Source: Own Image)	51
Figure 5-10:		Figure 6-1:	
Pretoria Station Precinct		Hexagon - Population group	
(Source: Own Image)	39	(Source: Own Image)	54
Figure 5-11:		Figure 6-2:	
Rendering of the new Gautrain Station in Pretoria	1	Circular Disc - Male and female	
(Source: Africa Railways, 2009)	44	(Source: Own Image)	55
Figure 5-12:		Figure 6-3:	
Continuation of urban fabric		Sphere Education levels	
(Source: Own Image)	45	(Source: Own Image)	55
Figure 5-13:		Figure 6-4:	
Districts		Square disk Labour force	
(Source: Own Image)	46	(Source: Own Image)	55
Figure 5-14:		Figure 6-5:	
Public space		Half sphere - Language	
(Source: Own Image)	48	(Source: Own Image)	56
((





Figure 6-6:		Figure 6-14:	
Coil - Mode of travel		Design development (3)	
(Source: Own Image)	56	(Source: Own Image)	61
igure 6-7:		Figure 6-15:	
Hexagon - Dwelling type		'Words' utilized for plan generation	
(Source: Own Image)	56	(Source: Own Image)	62
igure 6-8:		Figure 6-16:	
Prism - Source of energy		A Ground Floor	
(Source: Own Image)	57	B First Floor	
		C Second Floor	
igure 6-9:		(Source: Own Image)	62
Jpside down prism - Water source			
(Source: Own Image)	57	Figure 6-17:	
		Greater Context	
igure 6-10:		(Source: Own Image)	63
Octahedron - Annual household income			
(Source: Own Image)	57	Figure 6-18:	
		Site	
Figure 6-11:		(Source: Own Image)	63
Combined Xenodream™ model			
(Source: Own Image)	59	Figure 6-19:	
		North Eastern Perspective	
Figure 6-12: Design development (1)		(Source: Own Image)	63
(Source: Own Image)	60		
		Figure 6-20:	
Figure 6-13: Design development (2)		View From Gautrain Station	
(Source: Own Image)	60	(Source: Own Image)	64









	YUNIB	ESITHI YA PRETORIA	
Figure 6-21:		Figure 6-29:	
North Western Perspective		Public Space on Northern Side	
(Source: Own Image)	64	(Source: Own Image)	69
Figure 6-22:		Figure 7-1: Water Storage Tanks	
Southern Perspective		(Source: Own Image)	69
(Source: Own Image)	65		
		Figure 7-2:	
Figure 6-23:		HVAC-System Ducting	
North Eastern perspective with Gautrai Background	n Station in the	(Source: Own Image)	72
(Source: Own Image)	65	Figure 7-3:	
· ·		HVAC-System Ducting	
Figure 6-24:	66	(Source: Own Image)	73
View of the Context from South -West		<u>-</u>	
(Source: Own Image)		Figure 7-4:	
		Airflow on the Ground Floor	
Figure 6-25:North Western Perspective	!	(Source: Own Image)	76
(Source: Own Image)	66	Figure 7-5:	
Figure 6-26: South-Eastern Perspective	2	Airflow on the First Floor	
(Source: Own Image)	67	(Source: Own Image)	76
Figure 6-27: North Eastern perspective	e 67	Figure 7-6:	
with Gautrain Station in the Backgroun	d	Airflow on the Second Floor	
(Source: Own Image)		(Source: Own Image)	77
Figure 6-28: Eastern perspective			
with Gautrain Station in the Backgroun	d		
(Source: Own Image)	68		





Figure 7-7:	UNIVERSITY OF YUNIBESITHI YA	PRETORIA PRETORIA Figure 7-14:		
Airflow on Eastern Side between the three floors to the		Winter noon solstice sunlight penetration on the East-		
clerestory windows		ern Wing		
(Source: Own Image)	77	(Source: Own Image)	81	
Figure 7-8: Airflow on the Western side through the		Figure 7-15:		
clerestory windows		Summer noon solstice sunlight penetration on the	East-	
(Source: Own Image)	77	ern Wing		
		(Source: Own Image)	81	
Figure 7-9:				
Airflow in the Central core between the three floors to		Figure 7-16:		
the clerestory windows		Winter noon solstice sunlight penetration on the W	est-	
(Source: Own Image)	77	ern Wing		
		(Source: Own Image)	81	
Figure 7-10:				
Repurposed Concrete palisades used as shading		Figure 7-17:		
(winter)		Summer noon solstice sunlight penetration on the		
(Source: Own Image)	79	Western Wing		
		(Source: Own Image)	81	
Figure 7-11:		(com con com mage)	-	
Repurposed Concrete palisades used as shading		Figure 7-18:		
(Summer)		SBAT Rating		
(Source: Own Image)	79	(Source: SBAT Spreadsheet)	85	
		(Course. Obiti opicadonest)	00	
Figure 7-12:		Chapter 8		
Detail of fixing of shading device		(Source: Own Images)	88	
(Source: Own Image)	80	(Source: Own Images)	00	
,		Addendum		
Figure 7-13: Rhoicissus tomentosa		(Source: Own images)	107	
(Source: Sheat, 1984)	80	(Jource: Own images)	10/	
	-			