

APPENDIX A

AXLE LOAD DISTRIBUTION BY TEST SECTION (40 TABLES)

SECTION 001 ON EPCT
 Direction SC - BR-020/Barragem
 Direction CS - Barragem BR-020

		DIRECTION SC		DIRECTION CS		DIRECTION SC		DIRECTION CS															
		WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.	WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.												
FRONT AXLES	< 2000 KG		13	68.4	10	76.9	< 2000 KG	2	42.1	3	23.1												
	2000 - 3000		4	21.1	3	23.1	2000 - 3000	4	21.1	5	46.2												
	3000 - 4000		2	10.5	0	0.0	3000 - 4000	1	5.3	2	15.4												
	4000 - 5000		0	0.0	0	0.0	4000 - 5000	0	0.0	2	15.4												
	5000 - 6000		0	0.0	0	0.0	5000 - 6000	0	0.0	0	0.0												
	6000 - 7000		0	0.0	0	0.0	6000 - 7000	0	0.0	0	0.0												
	> 7000		0	0.0	0	0.0	7000 - 8000	0	0.0	0	0.0												
	TOTAL		19			13																	
SINGLE REAR AXLES							8000 - 9000	0	0.0	0	0.0												
							9000 - 10000	3	15.2	0	0.0												
							10000 - 11000	0	0.0	0	0.0												
							11000 - 12000	2	10.5	0	0.0												
							12000 - 13000	1	5.3	0	0.0												
							13000 - 14000	0	0.0	0	0.0												
							14000 - 15000	0	0.0	0	0.0												
							15000 - 16000	0	0.0	0	0.0												
							> 16000	0	0.0	0	0.0												
							TOTAL	19			13												
	TRIPLE REAR AXLES	[Empty Box]																					
TANDEM REAR AXLES	[Empty Box]																						

SECTION 002 ON BR-251						SECTION 002 ON BR-251					
Direction SC - Unaf/Brasília						Direction SC - Unaf/Brasília					
Direction CS - Brasília/Unaf						Direction CS - Brasília/Unaf					
DIRECTION SC			DIRECTION CS			DIRECTION SC			DIRECTION CS		
WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.	WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.		
FRONT AXLES						SINGLE REAR AXLES					
< 2000 KG	3	4.4	0	0.0	< 2000 KG	1	1.6	0	0.0		
2000 - 3000	56	82.4	39	65.0	2000 - 3000	42	68.9	3	5.5		
3000 - 4000	8	11.8	17	28.3	3000 - 4000	10	16.4	1	1.8		
4000 - 5000	1	1.5	4	6.7	4000 - 5000	2	3.3	0	0.0		
5000 - 6000	0	0.0	0	0.0	5000 - 6000	0	0.0	1	1.8		
6000 - 7000	0	0.0	0	0.0	6000 - 7000	0	0.0	2	3.6		
> 7000	0	0.0	0	0.0	7000 - 8000	2	3.3	2	3.6		
TOTAL	68		60		8000 - 9000	0	0.0	3	5.5		
					9000 - 10000	1	1.6	11	20.0		
					10000 - 11000	2	3.3	18	32.7		
					11000 - 12000	1	1.6	11	20.0		
					12000 - 13000	0	0.0	3	5.5		
					13000 - 14000	0	0.0	0	0.0		
					14000 - 15000	0	0.0	0	0.0		
					15000 - 16000	0	0.0	0	0.0		
					> 16000	0	0.0	0	0.0		
					TOTAL	61		55			
TRIPLE REAR AXLES						TANDEM REAR AXLES					
					< 2000 KG	0	0.0	0	0.0		
					2000 - 3000	0	0.0	0	0.0		
					3000 - 4000	0	0.0	0	0.0		
					4000 - 5000	2	28.6	0	0.0		
					5000 - 6000	3	42.9	0	0.0		
					6000 - 7000	0	0.0	0	0.0		
					7000 - 8000	0	0.0	0	0.0		
					8000 - 9000	0	0.0	0	0.0		
					9000 - 10000	1	14.3	0	0.0		
					10000 - 11000	0	0.0	0	0.0		
					11000 - 12000	0	0.0	0	0.0		
					12000 - 13000	0	0.0	0	0.0		
					13000 - 14000	0	0.0	0	0.0		
					14000 - 15000	1	14.3	0	0.0		
					15000 - 16000	0	0.0	1	20.0		
					16000 - 17000	0	0.0	0	0.0		
					17000 - 18000	0	0.0	4	80.0		
					18000 - 19000	0	0.0	0	0.0		
					19000 - 20000	0	0.0	0	0.0		
					20000 - 21000	0	0.0	0	0.0		
					21000 - 22000	0	0.0	0	0.0		
					22000 - 23000	0	0.0	0	0.0		
					23000 - 24000	0	0.0	0	0.0		
					> 24000	0	0.0	0	0.0		
					TOTAL	7		5			

SECTION 002 ON BR-251
 Direction SC - Unaf/Brasília
 Direction CS - Brasília/Unaf

		DIRECTION SC		DIRECTION CS				DIRECTION SC		DIRECTION CS			
		WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.			WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES		< 2000 KG	16	11.6	11	12.1	SINGLE REAR AXLES		< 2000 KG	9	7.1	10	12.3
		2000 - 3000	55	39.9	51	56.0			2000 - 3000	17	13.4	16	44.4
		3000 - 4000	54	39.1	19	20.9			3000 - 4000	12	9.4	10	12.3
		4000 - 5000	9	6.5	8	8.8			4000 - 5000	2	1.6	0	0.0
		5000 - 6000	4	2.9	2	2.2			5000 - 6000	5	3.9	6	7.4
		6000 - 7000	0	0.0	0	0.0			6000 - 7000	7	5.5	5	6.2
		> 7000	0	0.0	0	0.0			7000 - 8000	4	3.1	0	0.0
									8000 - 9000	7	5.5	5	6.2
									9000 - 10000	10	7.9	3	3.7
		TOTAL		138		91			10000 - 11000	27	21.3	3	3.7
TRIPLE REAR AXLES								11000 - 12000	20	15.7	3	3.7	
								12000 - 13000	7	5.5	0	0.0	
								13000 - 14000	0	0.0	0	0.0	
								14000 - 15000	0	0.0	0	0.0	
								15000 - 16000	0	0.0	0	0.0	
								> 16000	0	0.0	0	0.0	
								TOTAL		127		91	
									< 2000 KG	0	0.0	0	0.0
									2000 - 3000	0	0.0	0	0.0
									3000 - 4000	0	0.0	0	0.0
									4000 - 5000	2	1.6	1	1.1
									5000 - 6000	3	2.3	3	3.3
									6000 - 7000	0	0.0	1	1.1
									7000 - 8000	0	0.0	0	0.0
									8000 - 9000	0	0.0	0	0.0
									9000 - 10000	0	0.0	0	0.0
									10000 - 11000	0	0.0	0	0.0
									11000 - 12000	0	0.0	0	0.0
									12000 - 13000	1	0.8	0	0.0
									13000 - 14000	0	0.0	0	0.0
								14000 - 15000	0	0.0	0	0.0	
								15000 - 16000	1	0.8	2	2.2	
								16000 - 17000	1	0.8	0	0.0	
								17000 - 18000	1	0.8	1	1.1	
								18000 - 19000	1	0.8	0	0.0	
								19000 - 20000	1	0.8	2	2.2	
								20000 - 21000	0	0.0	0	0.0	
								21000 - 22000	0	0.0	0	0.0	
								22000 - 23000	0	0.0	0	0.0	
								23000 - 24000	0	0.0	0	0.0	
								> 24000	0	0.0	0	0.0	
								TOTAL		11		10	

SECTION 003 ON BR-020						SECTION 003 ON BR-020					
Direction SC - Formosa/Sobradinho						Direction SC - Formosa/Sobradinho					
Direction CS - Sobradinho/Formosa						Direction CS - Sobradinho/Formosa					
DIRECTION SC			DIRECTION CS			DIRECTION SC			DIRECTION CS		
	WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.		WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG	64	32.8	74	31.1	SINGLE REAR AXLES	< 2000 KG	44	25.1	52	24.6
	2000 - 3000	62	31.8	51	21.4		2000 - 3000	39	22.3	15	7.1
	3000 - 4000	26	13.3	74	31.1		3000 - 4000	13	7.4	17	8.1
	4000 - 5000	41	21.0	77	32.5		4000 - 5000	22	12.5	24	11.4
	5000 - 6000	2	1.0	2	0.8		5000 - 6000	22	12.6	36	17.1
	6000 - 7000	0	0.0	0	0.0		6000 - 7000	17	9.7	21	10.0
	7000 - 8000	0	0.0	0	0.0		7000 - 8000	5	2.9	15	7.1
	8000 - 9000	0	0.0	0	0.0		8000 - 9000	2	1.1	4	1.9
	9000 - 10000	0	0.0	0	0.0		9000 - 10000	4	2.3	10	4.7
	TOTAL		193		238		TOTAL			175	
TRIPLE REAR AXLES	< 3000 KG	0	0.0	0	0.0	TANDEM REAR AXLES	< 2000 KG	0	0.0	0	0.0
	3000 - 4000	0	0.0	0	0.0		2000 - 3000	0	0.0	0	0.0
	4000 - 5000	0	0.0	0	0.0		3000 - 4000	1	4.5	0	0.0
	5000 - 6000	0	0.0	0	0.0		4000 - 5000	10	45.5	4	3.2
	6000 - 7000	0	0.0	0	0.0		5000 - 6000	0	0.0	0	0.0
	7000 - 8000	0	0.0	0	0.0		6000 - 7000	1	4.5	22	44.9
	8000 - 9000	0	0.0	0	0.0		7000 - 8000	1	4.5	0	0.0
	9000 - 10000	0	0.0	0	0.0		8000 - 9000	0	0.0	4	3.2
	10000 - 11000	0	0.0	0	0.0		9000 - 10000	0	0.0	0	0.0
	11000 - 12000	0	0.0	0	0.0		10000 - 11000	0	0.0	0	0.0
	12000 - 13000	0	0.0	0	0.0		11000 - 12000	0	0.0	4	3.2
	13000 - 14000	0	0.0	0	0.0		12000 - 13000	0	0.0	2	4.1
	14000 - 15000	0	0.0	0	0.0		13000 - 14000	0	0.0	2	4.1
	15000 - 16000	0	0.0	0	0.0		14000 - 15000	1	4.5	2	4.1
	16000 - 17000	0	0.0	0	0.0		15000 - 16000	1	4.5	3	6.1
	17000 - 18000	0	0.0	0	0.0		16000 - 17000	2	9.1	1	2.0
	18000 - 19000	0	0.0	0	0.0		17000 - 18000	1	4.5	2	4.1
	19000 - 20000	0	0.0	0	0.0		18000 - 19000	1	4.5	2	4.1
	20000 - 21000	0	0.0	0	0.0		19000 - 20000	1	4.5	1	2.0
	21000 - 22000	0	0.0	0	0.0		20000 - 21000	0	0.0	0	0.0
22000 - 23000	0	0.0	0	0.0	21000 - 22000	2	9.1	0	0.0		
23000 - 24000	0	0.0	0	0.0	22000 - 23000	0	0.0	0	0.0		
24000 - 25000	0	0.0	0	0.0	23000 - 24000	0	0.0	0	0.0		
25000 - 26000	0	0.0	0	0.0	> 24000	0	0.0	0	0.0		
26000 - 27000	0	0.0	0	0.0	TOTAL			22		49	
27000 - 28000	0	0.0	0	0.0							
28000 - 29000	0	0.0	0	0.0							
29000 - 30000	1	50.0	0	0.0							
30000 - 31000	0	0.0	0	0.0							
31000 - 32000	0	0.0	0	0.0							
32000 - 33000	1	50.0	0	0.0							
33000 - 34000	0	0.0	0	0.0							
34000 - 35000	0	0.0	0	0.0							
> 35000	0	0.0	0	0.0							
TOTAL		2		0							

SECTION 004 ON DF-20
 Direction SC - BR-060/Gama
 Direction CS - Gama/BR-060

		DIRECTION SC		DIRECTION CS				DIRECTION SC		DIRECTION CS																		
		WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.			WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.															
FRONT AXLES	< 2000 KG		3	12.0	4	13.3			< 2000 KG	1	4.2	2	7.7															
	2000 - 3000		13	52.0	20	66.7			2000 - 3000	3	12.5	20	76.9															
	3000 - 4000		9	36.0	4	13.3			3000 - 4000	1	4.2	0	0.0															
	4000 - 5000		0	0.0	2	6.7			4000 - 5000	0	0.0	2	7.7															
	5000 - 6000		0	0.0	0	0.0			5000 - 6000	0	0.0	1	3.8															
	6000 - 7000		0	0.0	0	0.0			6000 - 7000	0	0.0	0	0.0															
	> 7000		0	0.0	0	0.0			7000 - 8000	0	0.0	1	3.8															
	TOTAL		25		30				8000 - 9000	0	0.0	0	0.0															
TRIPLE REAR AXLES	[Empty Box]											9000 - 10000	1	4.2	0	0.0												
												10000 - 11000	6	25.0	0	0.0												
												11000 - 12000	6	25.0	0	0.0												
												12000 - 13000	4	16.7	0	0.0												
												13000 - 14000	2	8.3	0	0.0												
												14000 - 15000	0	0.0	0	0.0												
												15000 - 16000	0	0.0	0	0.0												
												> 16000	0	0.0	0	0.0												
												TOTAL	24		26													
												SINGLE REAR AXLES	[Empty Box]											< 2000 KG	0	0.0	0	0.0
																								2000 - 3000	0	0.0	0	0.0
																								3000 - 4000	0	0.0	0	0.0
																								4000 - 5000	0	0.0	1	25.0
																								5000 - 6000	0	0.0	0	0.0
																								6000 - 7000	0	0.0	0	0.0
																								7000 - 8000	0	0.0	2	50.0
																								8000 - 9000	0	0.0	0	0.0
																								9000 - 10000	0	0.0	0	0.0
																								10000 - 11000	0	0.0	0	0.0
																								11000 - 12000	0	0.0	0	0.0
12000 - 13000	0	0.0	0	0.0																								
13000 - 14000	0	0.0	0	0.0																								
14000 - 15000	0	0.0	0	0.0																								
15000 - 16000	0	0.0	0	0.0																								
16000 - 17000	0	0.0	0	0.0																								
17000 - 18000	1	100.0	1	25.0																								
18000 - 19000	0	0.0	0	0.0																								
19000 - 20000	0	0.0	0	0.0																								
20000 - 21000	0	0.0	0	0.0																								
21000 - 22000	0	0.0	0	0.0																								
22000 - 23000	0	0.0	0	0.0																								
23000 - 24000	0	0.0	0	0.0																								
> 24000	0	0.0	0	0.0																								
TOTAL	1		4																									
TANDEM REAR AXLES	[Empty Box]											< 2000 KG	0	0.0	0	0.0												
												2000 - 3000	0	0.0	0	0.0												
												3000 - 4000	0	0.0	0	0.0												
												4000 - 5000	0	0.0	0	0.0												
												5000 - 6000	0	0.0	0	0.0												
												6000 - 7000	0	0.0	0	0.0												
												7000 - 8000	0	0.0	0	0.0												
												8000 - 9000	0	0.0	0	0.0												
												9000 - 10000	0	0.0	0	0.0												
												10000 - 11000	0	0.0	0	0.0												
												11000 - 12000	0	0.0	0	0.0												
												12000 - 13000	0	0.0	0	0.0												
												13000 - 14000	0	0.0	0	0.0												
												14000 - 15000	0	0.0	0	0.0												
												15000 - 16000	0	0.0	0	0.0												
												16000 - 17000	0	0.0	0	0.0												
												17000 - 18000	0	0.0	0	0.0												
												18000 - 19000	0	0.0	0	0.0												
												19000 - 20000	0	0.0	0	0.0												
												20000 - 21000	0	0.0	0	0.0												
21000 - 22000	0	0.0	0	0.0																								
22000 - 23000	0	0.0	0	0.0																								
23000 - 24000	0	0.0	0	0.0																								
> 24000	0	0.0	0	0.0																								
TOTAL	1		4																									

SECTION 004 ON DF-20						SECTION 004 ON DF-20							
Direction SC - BR-060/Gama						Direction SC - BR-060/Gama							
Direction CS - Gama/BR-060						Direction CS - Gama/BR-060							
		DIRECTION SC		DIRECTION CS				DIRECTION SC		DIRECTION CS			
		WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.			WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG	14	15.6	12	15.6	< 2000 KG	10	12.5	9	14.3			
	2000 - 3000	32	35.6	52	67.5	2000 - 3000	4	5.0	37	58.7			
	3000 - 4000	42	46.7	11	14.3	3000 - 4000	3	3.7	4	6.3			
	4000 - 5000	0	0.0	2	2.6	4000 - 5000	3	3.7	8	12.7			
	5000 - 6000	2	2.2	0	0.0	5000 - 6000	1	1.2	2	3.2			
	6000 - 7000	0	0.0	0	0.0	6000 - 7000	0	0.0	0	0.0			
	> 7000	0	0.0	0	0.0	7000 - 8000	0	0.0	1	1.6			
	TOTAL	90		77		8000 - 9000	1	1.2	2	3.2			
TRIPLE REAR AXLES	< 8000 KG	0	0.0	1	100.0	9000 - 10000	5	6.3	0	0.0			
	8000 - 9000	0	0.0	0	0.0	10000 - 11000	18	22.5	0	0.0			
	9000 - 10000	0	0.0	0	0.0	11000 - 12000	20	25.0	0	0.0			
	10000 - 11000	0	0.0	0	0.0	12000 - 13000	12	15.0	0	0.0			
	11000 - 12000	0	0.0	0	0.0	13000 - 14000	3	3.7	0	0.0			
	12000 - 13000	0	0.0	0	0.0	14000 - 15000	0	0.0	0	0.0			
	13000 - 14000	0	0.0	0	0.0	15000 - 16000	0	0.0	0	0.0			
	14000 - 15000	0	0.0	0	0.0	> 16000	0	0.0	0	0.0			
	15000 - 16000	0	0.0	0	0.0	TOTAL	40		43				
	16000 - 17000	0	0.0	0	0.0	SINGLE REAR AXLES	< 2000 KG	0	0.0	0	0.0		
	17000 - 18000	0	0.0	0	0.0		2000 - 3000	0	0.0	0	0.0		
	18000 - 19000	0	0.0	0	0.0		3000 - 4000	0	0.0	0	0.0		
	19000 - 20000	0	0.0	0	0.0		4000 - 5000	0	0.0	8	44.4		
	20000 - 21000	0	0.0	0	0.0		5000 - 6000	0	0.0	2	11.1		
	21000 - 22000	0	0.0	0	0.0		6000 - 7000	0	0.0	0	0.0		
	22000 - 23000	0	0.0	0	0.0		7000 - 8000	0	0.0	3	16.7		
	23000 - 24000	0	0.0	0	0.0		8000 - 9000	0	0.0	1	5.6		
	24000 - 25000	0	0.0	0	0.0		9000 - 10000	0	0.0	0	0.0		
	25000 - 26000	0	0.0	0	0.0		10000 - 11000	0	0.0	0	0.0		
	26000 - 27000	0	0.0	0	0.0		11000 - 12000	2	20.0	0	0.0		
	27000 - 28000	0	0.0	0	0.0		12000 - 13000	1	10.0	1	5.6		
	28000 - 29000	0	0.0	0	0.0		13000 - 14000	0	0.0	1	5.6		
	29000 - 30000	0	0.0	0	0.0		14000 - 15000	0	0.0	0	0.0		
	30000 - 31000	0	0.0	0	0.0		15000 - 16000	0	0.0	1	5.6		
	31000 - 32000	0	0.0	0	0.0		16000 - 17000	0	0.0	0	0.0		
	32000 - 33000	0	0.0	0	0.0		17000 - 18000	2	20.0	1	5.6		
	33000 - 34000	0	0.0	0	0.0		18000 - 19000	1	10.0	0	0.0		
	> 35000	0	0.0	0	0.0		19000 - 20000	0	0.0	0	0.0		
	TOTAL	0		1			20000 - 21000	1	10.0	0	0.0		
							21000 - 22000	2	20.0	0	0.0		
							22000 - 23000	1	10.0	0	0.0		
							23000 - 24000	0	0.0	0	0.0		
							> 24000	0	0.0	0	0.0		
							TOTAL	10		10			

SECTION 006 ON BR-040
 Direction SC - Brasília/Luziânia
 Direction CS - Luziânia/Brasília

		DIRECTION SC		DIRECTION CS				DIRECTION SC		DIRECTION CS			
		WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.			WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG		45	11.7	68	14.2	SINGLE REAR AXLES	< 2000 KG	28	9.8	37	11.1	
	2000 - 3000	199	51.8	210	43.8	2000 - 3000		77	26.8	28	8.4		
	3000 - 4000	98	25.5	143	29.9	3000 - 4000		53	18.5	22	6.6		
	4000 - 5000	39	10.2	52	10.9	4000 - 5000		32	11.1	21	6.3		
	5000 - 6000	3	0.8	6	1.3	5000 - 6000		21	7.3	18	5.4		
	6000 - 7000	0	0.0	0	0.0	6000 - 7000		16	5.6	25	7.5		
	> 7000	0	0.0	0	0.0	7000 - 8000		9	3.1	27	8.1		
						8000 - 9000		10	3.5	19	5.7		
						9000 - 10000		13	4.5	18	5.4		
						10000 - 11000		8	2.8	25	7.5		
	TOTAL		384		479								
TRIPLE REAR AXLES	< 8000 KG	3	11.1	0	0.0	11000 - 12000	14	4.9	41	12.3			
	8000 - 9000	4	14.8	0	0.0	12000 - 13000	4	1.4	36	10.8			
	9000 - 10000	2	7.4	0	0.0	13000 - 14000	1	0.3	14	4.2			
	10000 - 11000	2	7.4	0	0.0	14000 - 15000	1	0.3	1	0.3			
	11000 - 12000	0	0.0	0	0.0	15000 - 16000	0	0.0	0	0.0			
	12000 - 13000	0	0.0	0	0.0	> 16000	0	0.0	0	0.0			
	13000 - 14000	0	0.0	0	0.0								
	14000 - 15000	0	0.0	0	0.0								
	15000 - 16000	0	0.0	0	0.0								
	16000 - 17000	1	3.7	0	0.0								
	17000 - 18000	0	0.0	0	0.0								
	18000 - 19000	0	0.0	0	0.0								
	19000 - 20000	2	7.4	1	3.4								
	20000 - 21000	0	0.0	0	0.0								
	21000 - 22000	0	0.0	1	3.4								
	22000 - 23000	1	3.7	1	3.4								
	23000 - 24000	1	3.7	1	3.4								
	24000 - 25000	1	3.7	2	6.9								
	25000 - 26000	0	0.0	1	3.4								
	26000 - 27000	0	0.0	1	3.4								
	27000 - 28000	2	7.4	6	20.7								
	28000 - 29000	2	7.4	0	0.0								
	29000 - 30000	2	7.4	7	24.1								
	30000 - 31000	1	3.7	2	6.9								
	31000 - 32000	2	7.4	2	6.9								
	32000 - 33000	0	0.0	1	3.4								
	33000 - 34000	0	0.0	1	3.4								
	34000 - 35000	1	3.7	1	3.4								
	> 35000	0	0.0	1	3.4								
		TOTAL		27		29							
	FRONT AXLES	< 2000 KG	28	9.8	37	11.1	TANDEM REAR AXLES	< 2000 KG	0	0.0	0	0.0	
		2000 - 3000	77	26.8	28	8.4		2000 - 3000	0	0.0	0	0.0	
		3000 - 4000	53	18.5	22	6.6		3000 - 4000	2	2.2	2	2.4	
		4000 - 5000	32	11.1	21	6.3		4000 - 5000	3	3.2	9	13.8	
		5000 - 6000	21	7.3	18	5.4		5000 - 6000	21	22.6	19	22.9	
6000 - 7000		16	5.6	25	7.5	6000 - 7000		17	18.3	3	3.6		
7000 - 8000		9	3.1	27	8.1	7000 - 8000		3	3.2	3	3.6		
8000 - 9000		10	3.5	19	5.7	8000 - 9000		4	4.3	0	0.0		
9000 - 10000		13	4.5	18	5.4	9000 - 10000		2	2.2	2	2.4		
10000 - 11000		8	2.8	25	7.5	10000 - 11000		1	1.1	6	7.2		
11000 - 12000	14	4.9	41	12.3	11000 - 12000	0	0.0	13	15.7				
12000 - 13000	4	1.4	36	10.8	12000 - 13000	3	3.2	2	2.4				
13000 - 14000	1	0.3	14	4.2	13000 - 14000	7	7.5	1	1.2				
14000 - 15000	1	0.3	1	0.3	14000 - 15000	2	2.2	3	3.6				
15000 - 16000	0	0.0	0	0.0	15000 - 16000	7	7.5	1	1.2				
> 16000	0	0.0	0	0.0	16000 - 17000	1	1.1	2	2.4				
	TOTAL		287		332								
FRONT AXLES	< 2000 KG	0	0.0	0	0.0	17000 - 18000	8	8.6	2	2.4			
	2000 - 3000	0	0.0	0	0.0	18000 - 19000	7	7.5	8	9.6			
	3000 - 4000	2	2.2	2	2.4	19000 - 20000	2	2.2	3	3.6			
	4000 - 5000	3	3.2	9	13.8	20000 - 21000	1	1.1	3	3.6			
	5000 - 6000	21	22.6	19	22.9	21000 - 22000	1	1.1	0	0.0			
	6000 - 7000	17	18.3	3	3.6	22000 - 23000	0	0.0	0	0.0			
	7000 - 8000	3	3.2	3	3.6	23000 - 24000	0	0.0	0	0.0			
	8000 - 9000	4	4.3	0	0.0	> 24000	1	1.1	1	1.2			
	9000 - 10000	2	2.2	2	2.4								
	10000 - 11000	1	1.1	6	7.2								
11000 - 12000	0	0.0	13	15.7									
12000 - 13000	3	3.2	2	2.4									
13000 - 14000	7	7.5	1	1.2									
14000 - 15000	2	2.2	3	3.6									
15000 - 16000	7	7.5	1	1.2									
16000 - 17000	1	1.1	2	2.4									
17000 - 18000	8	8.6	2	2.4									
18000 - 19000	7	7.5	8	9.6									
19000 - 20000	2	2.2	3	3.6									
20000 - 21000	1	1.1	3	3.6									
21000 - 22000	1	1.1	0	0.0									
22000 - 23000	0	0.0	0	0.0									
23000 - 24000	0	0.0	0	0.0									
> 24000	1	1.1	1	1.2									
	TOTAL		93		83								

SECTION 007 ON BR-020											
Direction SC - Sobradinho/Formosa											
Direction CS - Formosa/Sobradinho											
DIRECTION SC					DIRECTION CS						
WEIGHT		Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.	WEIGHT		Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG	142	32.9	121	33.2	< 2000 KG	112	31.8	94	31.5	
	2000 - 3000	152	35.2	133	36.4	2000 - 3000	31	8.8	59	19.8	
	3000 - 4000	105	24.3	77	21.1	3000 - 4000	26	7.4	24	8.1	
	4000 - 5000	29	6.7	33	9.0	4000 - 5000	28	8.0	18	6.0	
	5000 - 6000	4	0.9	1	0.3	5000 - 6000	59	16.8	25	8.4	
	6000 - 7000	0	0.0	0	0.0	6000 - 7000	24	6.8	28	9.4	
	> 7000	0	0.0	0	0.0	7000 - 8000	6	1.7	12	4.0	
	TOTAL	432		365		8000 - 9000	9	2.6	13	4.4	
TRIPLE REAR AXLES	< 2000 KG	0	0.0	0	0.0	9000 - 10000	15	4.3	4	1.3	
	2000 - 3000	0	0.0	0	0.0	10000 - 11000	22	6.3	7	2.3	
	3000 - 4000	0	0.0	0	0.0	11000 - 12000	9	2.6	9	3.0	
	4000 - 5000	0	0.0	0	0.0	12000 - 13000	4	1.1	4	1.3	
	5000 - 6000	0	0.0	0	0.0	13000 - 14000	3	0.9	1	0.3	
	6000 - 7000	0	0.0	0	0.0	14000 - 15000	4	1.1	0	0.0	
	7000 - 8000	0	0.0	0	0.0	15000 - 16000	0	0.0	0	0.0	
	8000 - 9000	0	0.0	0	0.0	> 16000	0	0.0	0	0.0	
	9000 - 10000	0	0.0	0	0.0	TOTAL	352		298		
	10000 - 11000	0	0.0	0	0.0	< 2000 KG	0	0.0	0	0.0	
	11000 - 12000	0	0.0	0	0.0	2000 - 3000	0	0.0	0	0.0	
	12000 - 13000	0	0.0	0	0.0	3000 - 4000	1	0.8	2	2.0	
	13000 - 14000	0	0.0	0	0.0	4000 - 5000	22	16.7	18	18.0	
	14000 - 15000	0	0.0	0	0.0	5000 - 6000	59	44.7	26	26.0	
	15000 - 16000	0	0.0	0	0.0	6000 - 7000	3	2.3	4	4.0	
	16000 - 17000	0	0.0	0	0.0	7000 - 8000	9	6.8	1	1.0	
	17000 - 18000	0	0.0	0	0.0	8000 - 9000	6	4.5	2	2.0	
	18000 - 19000	0	0.0	0	0.0	9000 - 10000	1	0.8	2	2.0	
	19000 - 20000	0	0.0	0	0.0	10000 - 11000	0	0.0	0	0.0	
	20000 - 21000	0	0.0	0	0.0	11000 - 12000	2	1.5	0	0.0	
21000 - 22000	0	0.0	0	0.0	12000 - 13000	3	2.3	2	2.0		
22000 - 23000	0	0.0	0	0.0	13000 - 14000	1	0.8	5	5.0		
23000 - 24000	0	0.0	0	0.0	14000 - 15000	2	1.5	9	9.0		
24000 - 25000	0	0.0	0	0.0	15000 - 16000	5	3.8	9	9.0		
25000 - 26000	1	100.0	0	0.0	16000 - 17000	8	6.1	6	6.0		
26000 - 27000	0	0.0	0	0.0	17000 - 18000	4	3.0	6	6.0		
27000 - 28000	0	0.0	0	0.0	18000 - 19000	1	0.8	2	2.0		
28000 - 29000	0	0.0	0	0.0	19000 - 20000	0	0.0	1	1.0		
29000 - 30000	0	0.0	0	0.0	20000 - 21000	2	1.5	3	3.0		
30000 - 31000	0	0.0	1	100.0	21000 - 22000	2	1.5	0	0.0		
31000 - 32000	0	0.0	0	0.0	22000 - 23000	0	0.0	0	0.0		
32000 - 33000	0	0.0	0	0.0	23000 - 24000	0	0.0	0	0.0		
33000 - 34000	0	0.0	0	0.0	> 24000	1	0.8	0	0.0		
34000 - 35000	0	0.0	0	0.0	TOTAL	132		100			
> 35000	0	0.0	0	0.0							
TOTAL	1		1								

SECTION 007 ON BR-020
 Direction SC - Sobradinho/Formosa
 Direction CS - Formosa/Sobradinho

		DIRECTION SC		DIRECTION CS				DIRECTION SC		DIRECTION CS			
		WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.			WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG		17	11.9	12	9.4	SINGLE REAR AXLES	< 2000 KG	4	3.7	2	2.2	
	2000 - 3000	57	39.9	62	48.4	2000 - 3000		13	11.9	25	28.1		
	3000 - 4000	54	37.8	33	25.8	3000 - 4000		16	14.7	11	12.4		
	4000 - 5000	14	9.8	20	15.6	4000 - 5000		7	6.4	9	10.1		
	5000 - 6000	1	0.7	1	0.8	5000 - 6000		20	18.3	14	15.7		
	6000 - 7000	0	0.0	0	0.0	6000 - 7000		10	9.2	13	14.6		
	> 7000	0	0.0	0	0.0	7000 - 8000		5	4.6	8	9.0		
	TOTAL		143		128			8000 - 9000	5	4.6	4	4.5	
TRIPLE REAR AXLES	< 8000 KG	0	0.0	0	0.0	9000 - 10000	9	8.3	1	1.1			
	8000 - 9000	0	0.0	0	0.0	10000 - 11000	11	10.1	0	0.0			
	9000 - 10000	0	0.0	0	0.0	11000 - 12000	4	3.7	0	0.0			
	10000 - 11000	0	0.0	0	0.0	12000 - 13000	3	2.8	1	1.1			
	11000 - 12000	0	0.0	0	0.0	13000 - 14000	0	0.0	1	1.1			
	12000 - 13000	0	0.0	0	0.0	14000 - 15000	2	1.8	0	0.0			
	13000 - 14000	0	0.0	0	0.0	15000 - 16000	0	0.0	0	0.0			
	14000 - 15000	0	0.0	0	0.0	> 16000	0	0.0	0	0.0			
	15000 - 16000	0	0.0	0	0.0	TOTAL	109		89				
	16000 - 17000	0	0.0	0	0.0	< 2000 KG	0	0.0	0	0.0			
	17000 - 18000	0	0.0	0	0.0	2000 - 3000	0	0.0	0	0.0			
	18000 - 19000	0	0.0	0	0.0	3000 - 4000	0	0.0	1	1.9			
	19000 - 20000	0	0.0	0	0.0	4000 - 5000	9	17.6	11	21.2			
	20000 - 21000	0	0.0	0	0.0	5000 - 6000	20	39.2	15	28.8			
	21000 - 22000	0	0.0	0	0.0	6000 - 7000	1	2.0	1	1.9			
	22000 - 23000	0	0.0	0	0.0	7000 - 8000	4	7.8	0	0.0			
	23000 - 24000	0	0.0	0	0.0	8000 - 9000	3	5.9	0	0.0			
	24000 - 25000	0	0.0	0	0.0	9000 - 10000	0	0.0	1	1.9			
	25000 - 26000	1	100.0	0	0.0	10000 - 11000	0	0.0	0	0.0			
	26000 - 27000	0	0.0	0	0.0	11000 - 12000	1	2.0	0	0.0			
	27000 - 28000	0	0.0	0	0.0	12000 - 13000	1	2.0	1	1.9			
	28000 - 29000	0	0.0	0	0.0	13000 - 14000	0	0.0	2	3.8			
	29000 - 30000	0	0.0	0	0.0	14000 - 15000	0	0.0	4	7.7			
	30000 - 31000	0	0.0	1	100.0	15000 - 16000	1	2.0	3	5.8			
	31000 - 32000	0	0.0	0	0.0	16000 - 17000	3	5.9	4	7.7			
	32000 - 33000	0	0.0	0	0.0	17000 - 18000	2	3.9	5	9.6			
	33000 - 34000	0	0.0	0	0.0	18000 - 19000	1	2.0	1	1.9			
	34000 - 35000	0	0.0	0	0.0	19000 - 20000	0	0.0	1	1.9			
	> 35000	0	0.0	0	0.0	20000 - 21000	2	3.9	2	3.8			
	TOTAL		1		1		21000 - 22000	2	3.9	0	0.0		
							22000 - 23000	0	0.0	0	0.0		
							23000 - 24000	0	0.0	0	0.0		
						> 24000	1	2.0	0	0.0			
						TOTAL	51		52				

SECTION 008 ON BR-020						SECTION 008 ON BR-020					
Direction SC - Sobradinho/Formosa						Direction SC - Sobradinho/Formosa					
Direction CS - Formosa/Sobradinho						Direction CS - Formosa/Sobradinho					
DIRECTION SC			DIRECTION CS			DIRECTION SC			DIRECTION CS		
WEIGHT		Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.	WEIGHT		Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG	17	11.9	12	9.4	< 2000 KG	4	3.7	2	2.2	
	2000 - 3000	57	39.9	62	48.4	2000 - 3000	13	11.9	25	28.1	
	3000 - 4000	54	37.8	33	25.8	3000 - 4000	16	14.7	11	12.4	
	4000 - 5000	14	9.8	20	15.6	4000 - 5000	7	6.4	9	10.1	
	5000 - 6000	1	0.7	1	0.8	5000 - 6000	20	18.3	14	15.7	
	6000 - 7000	0	0.0	0	0.0	6000 - 7000	10	9.2	13	14.6	
	> 7000	0	0.0	0	0.0	7000 - 8000	5	4.6	8	9.0	
	TOTAL	143		128		8000 - 9000	5	4.6	4	4.5	
TRIPLE REAR AXLES	< 8000 KG	0	0.0	0	0.0	9000 - 10000	9	8.3	1	1.1	
	8000 - 9000	0	0.0	0	0.0	10000 - 11000	11	10.1	0	0.0	
	9000 - 10000	0	0.0	0	0.0	11000 - 12000	4	3.7	0	0.0	
	10000 - 11000	0	0.0	0	0.0	12000 - 13000	3	2.8	1	1.1	
	11000 - 12000	0	0.0	0	0.0	13000 - 14000	0	0.0	1	1.1	
	12000 - 13000	0	0.0	0	0.0	14000 - 15000	2	1.8	0	0.0	
	13000 - 14000	0	0.0	0	0.0	15000 - 16000	0	0.0	0	0.0	
	14000 - 15000	0	0.0	0	0.0	> 16000	0	0.0	0	0.0	
	15000 - 16000	0	0.0	0	0.0	TOTAL	109		39		
	16000 - 17000	0	0.0	0	0.0	< 2000 KG	0	0.0	0	0.0	
	17000 - 18000	0	0.0	0	0.0	2000 - 3000	0	0.0	0	0.0	
	18000 - 19000	0	0.0	0	0.0	3000 - 4000	0	0.0	1	1.9	
	19000 - 20000	0	0.0	0	0.0	4000 - 5000	9	17.6	11	21.2	
	20000 - 21000	0	0.0	0	0.0	5000 - 6000	20	39.2	15	28.8	
	21000 - 22000	0	0.0	0	0.0	6000 - 7000	1	2.0	1	1.9	
	22000 - 23000	0	0.0	0	0.0	7000 - 8000	4	7.8	0	0.0	
	23000 - 24000	0	0.0	0	0.0	8000 - 9000	3	5.9	0	0.0	
	24000 - 25000	0	0.0	0	0.0	9000 - 10000	0	0.0	1	1.9	
	25000 - 26000	1	100.0	0	0.0	10000 - 11000	0	0.0	0	0.0	
	26000 - 27000	0	0.0	0	0.0	11000 - 12000	1	2.0	0	0.0	
27000 - 28000	0	0.0	0	0.0	12000 - 13000	1	2.0	1	1.9		
28000 - 29000	0	0.0	0	0.0	13000 - 14000	0	0.0	2	3.8		
29000 - 30000	0	0.0	0	0.0	14000 - 15000	0	0.0	4	7.7		
30000 - 31000	0	0.0	1	100.0	15000 - 16000	1	2.0	3	5.8		
31000 - 32000	0	0.0	0	0.0	16000 - 17000	3	5.9	4	7.7		
32000 - 33000	0	0.0	0	0.0	17000 - 18000	2	3.9	5	9.6		
33000 - 34000	0	0.0	0	0.0	18000 - 19000	1	2.0	1	1.9		
34000 - 35000	0	0.0	0	0.0	19000 - 20000	0	0.0	1	1.9		
> 35000	0	0.0	0	0.0	20000 - 21000	2	3.9	2	3.8		
TOTAL	1		1		21000 - 22000	2	3.9	0	0.0		
					22000 - 23000	0	0.0	0	0.0		
					23000 - 24000	0	0.0	0	0.0		
					> 24000	1	2.0	0	0.0		
					TOTAL	51		52			

SECTION 008 ON BR-020
 Direction SC - Sobradinho/Formosa
 Direction CS - Formosa/Sobradinho

		DIRECTION SC		DIRECTION CS				DIRECTION SC		DIRECTION CS			
		WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.			WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG	142	32.9	121	33.2			< 2000 KG	112	31.8	94	31.5	
	2000 - 3000	152	35.2	133	36.4			2000 - 3000	31	8.8	59	19.8	
	3000 - 4000	105	24.3	77	21.1			3000 - 4000	26	7.4	24	8.1	
	4000 - 5000	29	6.7	33	9.0			4000 - 5000	28	8.0	18	5.9	
	5000 - 6000	4	0.9	1	0.3			5000 - 6000	59	16.8	25	8.4	
	6000 - 7000	0	0.0	0	0.0			6000 - 7000	24	6.8	28	9.4	
	> 7000	0	0.0	0	0.0			7000 - 8000	6	1.7	12	4.0	
	TOTAL	432		365				8000 - 9000	9	2.6	13	4.4	
TRIPLE REAR AXLES	< 2000 KG	0	0.0	0	0.0			9000 - 10000	15	4.3	4	1.3	
	2000 - 3000	0	0.0	0	0.0			10000 - 11000	22	6.3	7	2.3	
	3000 - 4000	0	0.0	0	0.0			11000 - 12000	9	2.6	9	3.0	
	4000 - 5000	0	0.0	0	0.0			12000 - 13000	4	1.1	4	1.3	
	5000 - 6000	0	0.0	0	0.0			13000 - 14000	3	0.9	1	0.3	
	6000 - 7000	0	0.0	0	0.0			14000 - 15000	4	1.1	0	0.0	
	7000 - 8000	0	0.0	0	0.0			15000 - 16000	0	0.0	0	0.0	
	8000 - 9000	0	0.0	0	0.0			> 16000	0	0.0	0	0.0	
	9000 - 10000	0	0.0	0	0.0			TOTAL	352		298		
	10000 - 11000	0	0.0	0	0.0			< 2000 KG	0	0.0	0	0.0	
	11000 - 12000	0	0.0	0	0.0			2000 - 3000	0	0.0	0	0.0	
	12000 - 13000	0	0.0	0	0.0			3000 - 4000	1	0.8	2	2.0	
	13000 - 14000	0	0.0	0	0.0			4000 - 5000	22	16.7	18	18.0	
	14000 - 15000	0	0.0	0	0.0			5000 - 6000	59	44.7	26	26.0	
	15000 - 16000	0	0.0	0	0.0			6000 - 7000	3	2.3	4	4.0	
	16000 - 17000	0	0.0	0	0.0			7000 - 8000	9	6.8	1	1.0	
	17000 - 18000	0	0.0	0	0.0			8000 - 9000	6	4.5	2	2.0	
18000 - 19000	0	0.0	0	0.0			9000 - 10000	1	0.8	2	2.0		
19000 - 20000	0	0.0	0	0.0			10000 - 11000	0	0.0	0	0.0		
20000 - 21000	0	0.0	0	0.0			11000 - 12000	2	1.5	0	0.0		
21000 - 22000	0	0.0	0	0.0			12000 - 13000	3	2.3	2	2.0		
22000 - 23000	0	0.0	0	0.0			13000 - 14000	1	0.8	5	5.0		
23000 - 24000	0	0.0	0	0.0			14000 - 15000	2	1.5	9	9.0		
24000 - 25000	0	0.0	0	0.0			15000 - 16000	5	3.8	9	9.0		
25000 - 26000	1	100.0	0	0.0			16000 - 17000	8	6.1	8	8.0		
26000 - 27000	0	0.0	0	0.0			17000 - 18000	4	3.0	6	6.0		
27000 - 28000	0	0.0	0	0.0			18000 - 19000	1	0.8	2	2.0		
28000 - 29000	0	0.0	0	0.0			19000 - 20000	0	0.0	1	1.0		
29000 - 30000	0	0.0	0	0.0			20000 - 21000	2	1.5	3	3.0		
30000 - 31000	0	0.0	1	100.0			21000 - 22000	2	1.5	0	0.0		
31000 - 32000	0	0.0	0	0.0			22000 - 23000	0	0.0	0	0.0		
32000 - 33000	0	0.0	0	0.0			23000 - 24000	0	0.0	0	0.0		
33000 - 34000	0	0.0	0	0.0			> 24000	1	0.8	0	0.0		
34000 - 35000	0	0.0	0	0.0			TOTAL	132		100			
> 35000	0	0.0	0	0.0									
TOTAL	1		1										

SECTION 009 ON BR-060											
Direction SC - Brasília/Anápolis											
Direction CS - Anápolis/Brasília											
DIRECTION SC					DIRECTION CS						
WEIGHT		Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.	WEIGHT		Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG	62	16.3	53	11.9	SINGLE REAR AXLES	< 2000 KG	34	14.2	21	7.1
	2000 - 3000	251	65.9	170	37.9		2000 - 3000	103	43.1	15	5.1
	3000 - 4000	49	12.9	182	40.6		3000 - 4000	35	14.6	13	4.4
	4000 - 5000	17	4.5	36	8.0		4000 - 5000	16	6.7	16	5.4
	5000 - 6000	2	0.5	7	1.6		5000 - 6000	6	2.5	7	2.4
	6000 - 7000	0	0.0	0	0.0		6000 - 7000	11	4.6	9	3.1
	> 7000	0	0.0	0	0.0		7000 - 8000	9	3.8	13	4.4
	TOTAL	381		448			8000 - 9000	4	1.7	12	4.1
TRIPLE REAR AXLES	< 8000 KG	3	30.0	2	8.7	9000 - 10000	8	3.3	35	11.9	
	8000 - 9000	0	0.0	2	8.7	10000 - 11000	7	2.9	73	24.8	
	9000 - 10000	0	0.0	1	4.3	11000 - 12000	4	1.7	48	16.3	
	10000 - 11000	0	0.0	0	0.0	12000 - 13000	2	0.8	27	9.2	
	11000 - 12000	1	10.0	0	0.0	13000 - 14000	0	0.0	3	1.0	
	12000 - 13000	0	0.0	0	0.0	14000 - 15000	0	0.0	2	0.7	
	13000 - 14000	0	0.0	0	0.0	15000 - 16000	0	0.0	0	0.0	
	14000 - 15000	1	10.0	0	0.0	> 16000	0	0.0	0	0.0	
	15000 - 16000	0	0.0	0	0.0	TOTAL	239		294		
	16000 - 17000	0	0.0	0	0.0	TANDEM REAR AXLES	< 2000 KG	0	0.0	0	0.0
	17000 - 18000	0	0.0	0	0.0		2000 - 3000	0	0.0	0	0.0
	18000 - 19000	1	10.0	1	4.3		3000 - 4000	12	12.2	1	0.8
	19000 - 20000	0	0.0	0	0.0		4000 - 5000	14	14.3	5	3.9
	20000 - 21000	0	0.0	0	0.0		5000 - 6000	7	7.1	4	3.1
	21000 - 22000	0	0.0	2	8.7		6000 - 7000	9	9.2	10	7.8
	22000 - 23000	0	0.0	0	0.0		7000 - 8000	6	6.1	2	1.6
	23000 - 24000	0	0.0	1	4.3		8000 - 9000	3	3.1	5	3.9
	24000 - 25000	0	0.0	1	4.3		9000 - 10000	4	4.1	2	1.6
	25000 - 26000	0	0.0	2	8.7		10000 - 11000	0	0.0	3	2.3
	26000 - 27000	1	10.0	2	8.7		11000 - 12000	13	13.3	7	5.5
	27000 - 28000	1	10.0	1	4.3		12000 - 13000	1	1.0	0	0.0
	28000 - 29000	0	0.0	4	17.4		13000 - 14000	1	1.0	4	3.1
	29000 - 30000	1	10.0	3	13.0		14000 - 15000	3	3.1	9	7.0
30000 - 31000	1	10.0	0	0.0	15000 - 16000		5	5.1	15	14.8	
31000 - 32000	0	0.0	0	0.0	16000 - 17000		7	7.1	14	10.9	
32000 - 33000	0	0.0	0	0.0	17000 - 18000		7	7.1	1	0.8	
33000 - 34000	0	0.0	0	0.0	18000 - 19000		6	6.1	17	13.3	
34000 - 35000	0	0.0	0	0.0	19000 - 20000		0	0.0	11	8.6	
> 35000	0	0.0	0	0.0	20000 - 21000		0	0.0	9	7.0	
TOTAL	10		23		21000 - 22000		0	0.0	2	1.6	
					22000 - 23000		0	0.0	2	1.6	
					23000 - 24000		0	0.0	0	0.0	
					> 24000	0	0.0	1	0.8		
					TOTAL	98		128			

SECTION 010 ON DF-08
 Direction SC - Taguatinga/Brazlândia
 Direction CS - Brazlândia/Taguatinga

		DIRECTION SC		DIRECTION CS				DIRECTION SC		DIRECTION CS			
		WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.			WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG	181	66.5	124	68.1			< 2000 KG	152	59.6	96	53.5	
	2000 - 3000	46	16.9	33	18.1			2000 - 3000	25	9.8	21	12.8	
	3000 - 4000	21	7.7	17	9.3			3000 - 4000	17	6.7	12	7.3	
	4000 - 5000	18	6.5	4	2.2			4000 - 5000	13	5.1	11	6.7	
	5000 - 6000	1	0.4	4	2.2			5000 - 6000	16	6.3	11	6.7	
	6000 - 7000	5	1.8	0	0.0			6000 - 7000	9	3.5	3	1.8	
	> 7000	0	0.0	0	0.0			7000 - 8000	7	2.7	3	1.8	
	TOTAL	272		182				8000 - 9000	6	2.4	3	1.8	
TRIPLE REAR AXLES								9000 - 10000	2	0.8	3	1.8	
								10000 - 11000	5	2.0	1	0.6	
								11000 - 12000	2	0.8	0	0.0	
								12000 - 13000	0	0.0	0	0.0	
								13000 - 14000	1	0.4	0	0.0	
								14000 - 15000	0	0.0	0	0.0	
								15000 - 16000	0	0.0	0	0.0	
								> 16000	0	0.0	0	0.0	
								TOTAL	255		164		
								< 2000 KG	0	0.0	0	0.0	
								2000 - 3000	0	0.0	0	0.0	
								3000 - 4000	0	0.0	1	3.3	
								4000 - 5000	14	35.9	12	40.0	
								5000 - 6000	1	2.6	4	13.3	
								6000 - 7000	1	2.6	4	13.3	
								7000 - 8000	8	20.5	3	10.0	
								8000 - 9000	0	0.0	1	3.3	
								9000 - 10000	0	0.0	0	0.0	
							10000 - 11000	6	15.4	0	0.0		
							11000 - 12000	0	0.0	1	3.3		
							12000 - 13000	3	7.7	0	0.0		
							13000 - 14000	1	2.6	0	0.0		
							14000 - 15000	3	7.7	0	0.0		
							15000 - 16000	1	2.6	1	3.3		
							16000 - 17000	0	0.0	0	0.0		
							17000 - 18000	0	0.0	3	10.0		
							18000 - 19000	1	2.6	0	0.0		
							19000 - 20000	0	0.0	0	0.0		
							20000 - 21000	0	0.0	0	0.0		
							21000 - 22000	0	0.0	0	0.0		
							22000 - 23000	0	0.0	0	0.0		
							23000 - 24000	0	0.0	0	0.0		
							> 24000	0	0.0	0	0.0		
							TOTAL	39		50			

SECTION 011 ON BR-070											
Direction SC - Taguatinga/B. Descoberto											
Direction CS - B. Descoberto/Taguatinga											
DIRECTION SC					DIRECTION CS						
WEIGHT		Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.	WEIGHT		Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG	177	45.2	105	38.3	< 2000 KG	134	35.0	67	24.7	
	2000 - 3000	181	46.2	76	27.7	2000 - 3000	164	42.8	16	5.9	
	3000 - 4000	26	6.6	87	31.8	3000 - 4000	45	11.7	9	3.3	
	4000 - 5000	8	2.0	6	2.2	4000 - 5000	11	2.9	14	5.2	
	5000 - 6000	0	0.0	0	0.0	5000 - 6000	12	3.1	10	3.7	
	6000 - 7000	0	0.0	0	0.0	6000 - 7000	7	1.8	1	0.4	
	> 7000	0	0.0	0	0.0	7000 - 8000	4	1.0	3	1.1	
	TOTAL	392		274		8000 - 9000	1	0.3	29	10.7	
						9000 - 10000	3	0.8	38	14.0	
						10000 - 11000	1	0.3	44	16.2	
TRIPLE REAR AXLES						11000 - 12000	1	0.3	33	12.2	
						12000 - 13000	0	0.0	6	2.2	
						13000 - 14000	0	0.0	1	0.4	
						14000 - 15000	0	0.0	0	0.0	
						15000 - 16000	0	0.0	0	0.0	
						16000 - 17000	0	0.0	0	0.0	
						> 17000	0	0.0	0	0.0	
						TOTAL	383		271		
						< 2000 KG	0	0.0	0	0.0	
						2000 - 3000	0	0.0	0	0.0	
						3000 - 4000	1	5.3	0	0.0	
						4000 - 5000	3	15.8	0	0.0	
						5000 - 6000	13	68.4	1	33.3	
						6000 - 7000	1	5.3	0	0.0	
						7000 - 8000	0	0.0	1	33.3	
						8000 - 9000	0	0.0	0	0.0	
						9000 - 10000	0	0.0	0	0.0	
						10000 - 11000	0	0.0	0	0.0	
						11000 - 12000	0	0.0	0	0.0	
					12000 - 13000	0	0.0	0	0.0		
					13000 - 14000	1	5.3	0	0.0		
					14000 - 15000	0	0.0	0	0.0		
					15000 - 16000	0	0.0	0	0.0		
					16000 - 17000	0	0.0	1	33.3		
					17000 - 18000	0	0.0	0	0.0		
					18000 - 19000	0	0.0	0	0.0		
					19000 - 20000	0	0.0	0	0.0		
					20000 - 21000	0	0.0	0	0.0		
					21000 - 22000	0	0.0	0	0.0		
					22000 - 23000	0	0.0	0	0.0		
					23000 - 24000	0	0.0	0	0.0		
					> 24000	0	0.0	0	0.0		
					TOTAL	19		3			


SECTION 201 ON DF-21
 Direction SC - DF-10/BR-020
 Direction CS - BR-020/DF-10

		DIRECTION SC		DIRECTION CS				DIRECTION SC		DIRECTION CS			
		WEIGHT	N° OF OBS.	PERCENT.	N° OF OBS.	PERCENT.			WEIGHT	N° OF OBS.	PERCENT.	N° OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG	8	88.9	12	100.0	< 2000 KG	7	77.8	8	66.7			
	2000 - 3000	0	0.0	0	0.0	2000 - 3000	0	0.0	1	8.3			
	3000 - 4000	1	11.1	0	0.0	3000 - 4000	1	11.1	0	0.0			
	4000 - 5000	0	0.0	0	0.0	4000 - 5000	0	0.0	1	8.3			
	5000 - 6000	0	0.0	0	0.0	5000 - 6000	0	0.0	0	0.0			
	6000 - 7000	0	0.0	0	0.0	6000 - 7000	0	0.0	0	0.0			
	> 7000	0	0.0	0	0.0	7000 - 8000	1	11.1	0	0.0			
	TOTAL	9		12		8000 - 9000	0	0.0	1	8.3			
TRIPLE REAR AXLES						9000 - 10000	0	0.0	1	8.3			
						10000 - 11000	0	0.0	0	0.0			
						11000 - 12000	0	0.0	0	0.0			
						12000 - 13000	0	0.0	0	0.0			
						13000 - 14000	0	0.0	0	0.0			
						14000 - 15000	0	0.0	0	0.0			
						15000 - 16000	0	0.0	0	0.0			
						> 16000	0	0.0	0	0.0			
						TOTAL	9		12				
	TANDEM REAR AXLES												

SECTION 202 ON DF-21											
Direction SC - Unaf/BR-020											
Direction CS - BR-020/Unaf											
		DIRECTION SC		DIRECTION CS				DIRECTION SC		DIRECTION CS	
FRONT AXLES	WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.	SINGLE REAR AXLES	WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
	< 2000 KG	12	66.7	19	86.4		< 2000 KG	11	61.1	13	61.9
	2000 - 3000	3	16.7	1	4.5		2000 - 3000	1	5.6	4	19.0
	3000 - 4000	3	16.7	2	9.1		3000 - 4000	1	5.6	0	0.0
	4000 - 5000	0	0.0	0	0.0		4000 - 5000	3	16.7	2	9.5
	5000 - 6000	0	0.0	0	0.0		5000 - 6000	0	0.0	0	0.0
	6000 - 7000	0	0.0	0	0.0		6000 - 7000	0	0.0	0	0.0
	> 7000	0	0.0	0	0.0		7000 - 8000	1	5.6	0	0.0
TOTAL	18		22		8000 - 9000	1	5.6	1	4.8		
TRIPLE REAR AXLES						TANDEM REAR AXLES	9000 - 10000	0	0.0	0	0.0
							10000 - 11000	0	0.0	0	0.0
							11000 - 12000	0	0.0	0	0.0
							12000 - 13000	0	0.0	0	0.0
							13000 - 14000	0	0.0	0	0.0
							14000 - 15000	0	0.0	0	0.0
							15000 - 16000	0	0.0	0	0.0
							> 16000	0	0.0	0	0.0
							TOTAL	18		21	

SECTION 203 ON DF-12
 Direction SC - EPCT/Papuda
 Direction CS - Papuda/EPCT

		DIRECTION SC		DIRECTION CS		DIRECTION SC		DIRECTION CS			
		WEIGHT	N° OF OBS.	PERCENT.	N° OF OBS.	PERCENT.	WEIGHT	N° OF OBS.	PERCENT.	N° OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG		5	12.2	11	20.0	< 2000 KG	0	0.0	0	0.0
	2000 - 3000	36	87.8	29	52.7	2000 - 3000	36	92.3	2	3.6	
	3000 - 4000	0	0.0	15	27.3	3000 - 4000	2	5.1	2	3.6	
	4000 - 5000	0	0.0	0	0.0	4000 - 5000	0	0.0	4	7.3	
	5000 - 6000	0	0.0	0	0.0	5000 - 6000	0	0.0	1	1.8	
	6000 - 7000	0	0.0	0	0.0	6000 - 7000	0	0.0	2	3.6	
	> 7000	0	0.0	0	0.0	7000 - 8000	0	0.0	0	0.0	
	TOTAL	41		55		8000 - 9000	1	2.6	3	5.5	
SINGLE REAR AXLES						9000 - 10000	0	0.0	9	16.4	
						10000 - 11000	0	0.0	13	23.6	
						11000 - 12000	0	0.0	10	18.2	
						12000 - 13000	0	0.0	5	9.1	
						13000 - 14000	0	0.0	4	7.3	
						14000 - 15000	0	0.0	0	0.0	
						15000 - 16000	0	0.0	0	0.0	
						> 16000	0	0.0	0	0.0	
						TOTAL	39		55		
	TANDEM REAR AXLES						< 2000 KG	0	0.0	0	0.0
							2000 - 3000	0	0.0	0	0.0
							3000 - 4000	0	0.0	0	0.0
							4000 - 5000	2	100.0	0	0.0
							5000 - 6000	0	0.0	0	0.0
							6000 - 7000	0	0.0	0	0.0
						7000 - 8000	0	0.0	0	0.0	
						8000 - 9000	0	0.0	0	0.0	
						9000 - 10000	0	0.0	0	0.0	
						10000 - 11000	0	0.0	0	0.0	
						11000 - 12000	0	0.0	0	0.0	
						12000 - 13000	0	0.0	0	0.0	
						13000 - 14000	0	0.0	0	0.0	
						14000 - 15000	0	0.0	0	0.0	
						15000 - 16000	0	0.0	0	0.0	
						16000 - 17000	0	0.0	0	0.0	
						17000 - 18000	0	0.0	0	0.0	
						18000 - 19000	0	0.0	0	0.0	
						19000 - 20000	0	0.0	0	0.0	
						20000 - 21000	0	0.0	0	0.0	
					21000 - 22000	0	0.0	0	0.0		
					22000 - 23000	0	0.0	0	0.0		
					23000 - 24000	0	0.0	0	0.0		
					> 24000	0	0.0	0	0.0		
					TOTAL	2		0			



SECTION 204 ON DF-17
 Direction SC - Border DF-GO/BR-020
 Direction CS - BR-020/Border DF-GO

		DIRECTION SC		DIRECTION CS		DIRECTION SC		DIRECTION CS		
	WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.	
FRONT AXLES	< 2000 KG	2	7.1	1	3.4	0	0.0	0	0.0	
	2000 - 3000	17	60.7	10	34.5	6	28.6	1	6.7	
	3000 - 4000	4	14.3	14	48.3	6	28.6	0	0.0	
	4000 - 5000	5	17.9	4	13.8	1	4.8	0	0.0	
	5000 - 6000	0	0.0	0	0.0	2	9.5	1	6.7	
	6000 - 7000	0	0.0	0	0.0	1	4.8	1	6.7	
	> 7000	0	0.0	0	0.0	0	0.0	0	0.0	
	TOTAL		28		29					
	SINGLE REAR AXLES	< 2000 KG					0	0.0	0	0.0
		2000 - 3000					6	28.6	1	6.7
3000 - 4000						6	28.6	0	0.0	
4000 - 5000						1	4.8	0	0.0	
5000 - 6000						2	9.5	1	6.7	
6000 - 7000						1	4.8	1	6.7	
7000 - 8000						0	0.0	0	0.0	
8000 - 9000						1	4.8	4	26.7	
9000 - 10000						2	9.5	7	46.7	
10000 - 11000						1	4.8	1	6.7	
11000 - 12000						1	4.8	0	0.0	
12000 - 13000						0	0.0	0	0.0	
13000 - 14000						0	0.0	0	0.0	
14000 - 15000						0	0.0	0	0.0	
15000 - 16000						0	0.0	0	0.0	
> 16000					0	0.0	0	0.0		
TOTAL					21		15			
TANDEM REAR AXLES	< 2000 KG					0	0.0	0	0.0	
	2000 - 3000					0	0.0	0	0.0	
	3000 - 4000					0	0.0	1	6.3	
	4000 - 5000					0	0.0	4	25.0	
	5000 - 6000					0	0.0	5	31.3	
	6000 - 7000					0	0.0	2	12.5	
	7000 - 8000					0	0.0	0	0.0	
	8000 - 9000					0	0.0	0	0.0	
	9000 - 10000					0	0.0	0	0.0	
	10000 - 11000					0	0.0	0	0.0	
	11000 - 12000					1	14.3	1	6.3	
	12000 - 13000					0	0.0	1	6.3	
	13000 - 14000					0	0.0	1	6.3	
	14000 - 15000					0	0.0	0	0.0	
	15000 - 16000					0	0.0	0	0.0	
	16000 - 17000					0	0.0	1	6.3	
	17000 - 18000					1	14.3	0	0.0	
	18000 - 19000					0	0.0	0	0.0	
	19000 - 20000					2	28.6	0	0.0	
	20000 - 21000					2	28.6	0	0.0	
21000 - 22000					1	14.3	0	0.0		
22000 - 23000					0	0.0	0	0.0		
23000 - 24000					0	0.0	0	0.0		
> 24000					0	0.0	0	0.0		
TOTAL					7		16			

SECTION 021 ON BR-050
 Direction SC - Cristalina/Campo Alegre
 Direction CS - Campo Alegre/Cristalina

		DIRECTION SC		DIRECTION CS				DIRECTION SC		DIRECTION CS			
		WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.			WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG		6	9.2	5	5.7	SINGLE REAR AXLES	< 2000 KG	1	2.5	1	1.9	
	2000 - 3000	32	49.2	31	35.6	2000 - 3000		10	25.0	6	11.5		
	3000 - 4000	17	26.2	27	31.0	3000 - 4000		9	22.5	9	17.3		
	4000 - 5000	7	10.8	17	19.5	4000 - 5000		1	2.5	6	11.5		
	5000 - 6000	3	4.6	7	8.0	5000 - 6000		8	20.0	2	3.9		
	6000 - 7000	0	0.0	0	0.0	6000 - 7000		3	7.5	3	5.8		
	> 7000	0	0.0	0	0.0	7000 - 8000		3	7.5	0	0.0		
TOTAL		65		87		8000 - 9000	1	2.5	4	7.7			
TRIPLE REAR AXLES	< 8000 KG	0	0.0	1	8.3	9000 - 10000	1	2.5	4	7.7			
	8000 - 9000	1	50.0	3	25.0	10000 - 11000	2	5.0	9	17.3			
	9000 - 10000	1	50.0	0	0.0	11000 - 12000	1	2.5	4	7.7			
	10000 - 11000	0	0.0	0	0.0	12000 - 13000	0	0.0	1	1.9			
	11000 - 12000	0	0.0	0	0.0	13000 - 14000	0	0.0	3	5.8			
	12000 - 13000	0	0.0	0	0.0	14000 - 15000	0	0.0	0	0.0			
	13000 - 14000	0	0.0	0	0.0	15000 - 16000	0	0.0	0	0.0			
	14000 - 15000	0	0.0	0	0.0	> 16000	0	0.0	0	0.0			
	15000 - 16000	0	0.0	0	0.0	TOTAL	40		52				
	16000 - 17000	0	0.0	0	0.0	TANDEM REAR AXLES	< 2000 KG	0	0.0	0	0.0		
	17000 - 18000	0	0.0	0	0.0		2000 - 3000	0	0.0	0	0.0		
	18000 - 19000	0	0.0	0	0.0		3000 - 4000	0	0.0	0	0.0		
	19000 - 20000	0	0.0	0	0.0		4000 - 5000	2	8.3	3	8.6		
	20000 - 21000	0	0.0	0	0.0		5000 - 6000	2	8.3	2	5.7		
	21000 - 22000	0	0.0	0	0.0		6000 - 7000	3	12.5	0	0.0		
	22000 - 23000	0	0.0	0	0.0		7000 - 8000	1	4.2	2	5.7		
	23000 - 24000	0	0.0	0	0.0		8000 - 9000	1	4.2	1	2.9		
	24000 - 25000	0	0.0	0	0.0		9000 - 10000	1	4.2	2	5.7		
	25000 - 26000	0	0.0	0	0.0		10000 - 11000	0	0.0	1	2.9		
	26000 - 27000	0	0.0	0	0.0		11000 - 12000	1	4.2	1	2.9		
	27000 - 28000	0	0.0	1	8.3		12000 - 13000	4	16.7	2	5.7		
	28000 - 29000	0	0.0	2	16.7		13000 - 14000	2	8.3	2	5.7		
	29000 - 30000	0	0.0	1	8.3		14000 - 15000	1	4.2	4	11.4		
	30000 - 31000	0	0.0	1	8.3		15000 - 16000	0	0.0	2	5.7		
	31000 - 32000	0	0.0	1	8.3		16000 - 17000	1	4.2	5	17.1		
	32000 - 33000	0	0.0	0	0.0		17000 - 18000	1	4.2	5	14.3		
	33000 - 34000	0	0.0	1	8.3		18000 - 19000	3	12.5	1	2.9		
	34000 - 35000	0	0.0	1	8.3		19000 - 20000	1	4.2	1	2.9		
	> 35000	0	0.0	0	0.0		20000 - 21000	0	0.0	0	0.0		
	TOTAL		2		12			21000 - 22000	0	0.0	0	0.0	
								22000 - 23000	0	0.0	0	0.0	
								23000 - 24000	0	0.0	0	0.0	
								> 24000	0	0.0	0	0.0	
								TOTAL	24		35		

SECTION 022 ON BR-050						SECTION 022 ON BR-050					
Direction SC - Cristalina/Catalão						Direction SC - Cristalina/Catalão					
Direction CS - Catalão/Cristalina						Direction CS - Catalão/Cristalina					
DIRECTION SC			DIRECTION CS			DIRECTION SC			DIRECTION CS		
	WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.		WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG	6	9.2	5	5.7	SINGLE REAR AXLES	< 2000 KG	1	2.5	1	1.9
	2000 - 3000	32	49.2	31	35.6		2000 - 3000	10	25.0	6	11.5
	3000 - 4000	17	26.2	27	31.0		3000 - 4000	9	22.5	9	17.3
	4000 - 5000	7	10.8	17	19.5		4000 - 5000	1	2.5	6	11.5
	5000 - 6000	3	4.6	7	8.0		5000 - 6000	2	5.0	2	3.8
	6000 - 7000	0	0.0	0	0.0		6000 - 7000	3	7.5	3	5.8
	> 7000	0	0.0	0	0.0		7000 - 8000	3	7.5	0	0.0
TOTAL		65		87		8000 - 9000	1	2.5	4	7.7	
TRIPLE REAR AXLES	< 8000 KG	0	0.0	1	8.3	9000 - 10000	1	2.5	4	7.7	
	8000 - 9000	1	50.0	3	25.0	10000 - 11000	2	5.0	9	17.3	
	9000 - 10000	1	50.0	0	0.0	11000 - 12000	1	2.5	4	7.7	
	10000 - 11000	0	0.0	0	0.0	12000 - 13000	0	0.0	1	1.9	
	11000 - 12000	0	0.0	0	0.0	13000 - 14000	0	0.0	3	5.8	
	12000 - 13000	0	0.0	0	0.0	14000 - 15000	0	0.0	0	0.0	
	13000 - 14000	0	0.0	0	0.0	15000 - 16000	0	0.0	0	0.0	
	14000 - 15000	0	0.0	0	0.0	> 16000	0	0.0	0	0.0	
	15000 - 16000	0	0.0	0	0.0	TOTAL		40		52	
	16000 - 17000	0	0.0	0	0.0	TANDEM REAR AXLES	< 2000 KG	0	0.0	0	0.0
	17000 - 18000	0	0.0	0	0.0		2000 - 3000	0	0.0	0	0.0
	18000 - 19000	0	0.0	0	0.0		3000 - 4000	0	0.0	0	0.0
	19000 - 20000	0	0.0	0	0.0		4000 - 5000	2	8.3	3	8.6
	20000 - 21000	0	0.0	0	0.0		5000 - 6000	2	8.3	2	5.7
	21000 - 22000	0	0.0	0	0.0		6000 - 7000	3	12.5	0	0.0
	22000 - 23000	0	0.0	0	0.0		7000 - 8000	1	4.2	2	5.7
	23000 - 24000	0	0.0	0	0.0		8000 - 9000	1	4.2	1	2.9
	24000 - 25000	0	0.0	0	0.0		9000 - 10000	1	4.2	2	5.7
	25000 - 26000	0	0.0	0	0.0		10000 - 11000	0	0.0	1	2.9
	26000 - 27000	0	0.0	0	0.0		11000 - 12000	1	4.2	1	2.9
	27000 - 28000	0	0.0	0	0.0		12000 - 13000	4	15.7	2	5.7
28000 - 29000	0	0.0	0	0.0	13000 - 14000		2	8.3	2	5.7	
29000 - 30000	0	0.0	0	0.0	14000 - 15000		1	4.2	4	11.4	
30000 - 31000	0	0.0	0	0.0	15000 - 16000		0	0.0	2	5.7	
31000 - 32000	0	0.0	0	0.0	16000 - 17000		1	4.2	6	17.1	
32000 - 33000	0	0.0	0	0.0	17000 - 18000		1	4.2	5	14.3	
33000 - 34000	0	0.0	0	0.0	18000 - 19000		3	12.5	1	2.9	
34000 - 35000	0	0.0	0	0.0	19000 - 20000		1	4.2	1	2.9	
> 35000	0	0.0	0	0.0	20000 - 21000		0	0.0	0	0.0	
TOTAL		2		12			21000 - 22000	0	0.0	0	0.0
						22000 - 23000	0	0.0	0	0.0	
						23000 - 24000	0	0.0	0	0.0	
						> 24000	0	0.0	0	0.0	
						TOTAL		24		35	

SECTION 024 ON BR-060
 Direction SC - Rio Verde/Goiânia
 Direction CS - Goiânia/Rio Verde

		DIRECTION SC		DIRECTION CS				DIRECTION SC		DIRECTION CS			
		WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.			WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG	17	10.8	14	8.2			< 2000 KG	3	2.8	0	0.0	
	2000 - 3000	80	51.0	68	40.0			2000 - 3000	23	21.5	9	7.7	
	3000 - 4000	32	20.4	61	35.9			3000 - 4000	26	24.3	12	10.3	
	4000 - 5000	24	15.3	22	12.9			4000 - 5000	11	10.3	16	13.7	
	5000 - 6000	4	2.5	4	2.4			5000 - 6000	1	0.9	5	4.3	
	6000 - 7000	0	0.0	1	0.6			6000 - 7000	7	6.5	3	2.6	
	> 7000	0	0.0	0	0.0			7000 - 8000	10	9.3	7	6.0	
								8000 - 9000	3	2.8	8	6.8	
								9000 - 10000	5	4.7	15	12.3	
								10000 - 11000	8	7.5	19	16.2	
	TOTAL	157		170				11000 - 12000	7	6.5	9	7.7	
TRIPLE REAR AXLES	< 8000 KG	0	0.0	2	22.2			12000 - 13000	3	2.8	5	7.7	
	8000 - 9000	1	8.3	3	33.3			13000 - 14000	0	0.0	5	4.3	
	9000 - 10000	1	8.3	1	11.1			14000 - 15000	0	0.0	0	0.0	
	10000 - 11000	2	16.7	0	0.0			15000 - 16000	0	0.0	0	0.0	
	11000 - 12000	0	0.0	0	0.0			> 16000	0	0.0	0	0.0	
	12000 - 13000	0	0.0	0	0.0								
	13000 - 14000	0	0.0	0	0.0			TOTAL	107		117		
	14000 - 15000	0	0.0	0	0.0			< 2000 KG	0	0.0	0	0.0	
	15000 - 16000	0	0.0	0	0.0			2000 - 3000	0	0.0	0	0.0	
	16000 - 17000	0	0.0	0	0.0			3000 - 4000	0	0.0	1	1.9	
	17000 - 18000	0	0.0	0	0.0			4000 - 5000	6	12.0	13	24.1	
	18000 - 19000	0	0.0	0	0.0			5000 - 6000	12	24.0	3	5.6	
	19000 - 20000	0	0.0	0	0.0			6000 - 7000	6	12.0	3	5.6	
	20000 - 21000	0	0.0	0	0.0			7000 - 8000	4	8.0	0	0.0	
	21000 - 22000	0	0.0	0	0.0			8000 - 9000	2	4.0	0	0.0	
	22000 - 23000	0	0.0	0	0.0			9000 - 10000	0	0.0	0	0.0	
	23000 - 24000	0	0.0	0	0.0			10000 - 11000	1	2.0	1	1.9	
	24000 - 25000	1	8.3	0	0.0			11000 - 12000	2	4.0	0	0.0	
	25000 - 26000	0	0.0	0	0.0			12000 - 13000	2	6.0	3	5.6	
	26000 - 27000	2	16.7	0	0.0			13000 - 14000	1	2.0	4	7.4	
	27000 - 28000	0	0.0	0	0.0			14000 - 15000	3	5.0	2	3.7	
	28000 - 29000	2	16.7	1	11.1			15000 - 16000	5	10.0	0	0.0	
	29000 - 30000	1	8.3	2	22.2			16000 - 17000	3	6.0	4	7.4	
	30000 - 31000	1	8.3	0	0.0			17000 - 18000	1	2.0	4	7.4	
	31000 - 32000	1	8.3	0	0.0			18000 - 19000	1	2.0	7	13.0	
	32000 - 33000	0	0.0	0	0.0			19000 - 20000	0	0.0	2	3.7	
	33000 - 34000	0	0.0	0	0.0			20000 - 21000	0	0.0	2	3.7	
	34000 - 35000	0	0.0	0	0.0			21000 - 22000	0	0.0	4	7.4	
	> 35000	0	0.0	0	0.0			22000 - 23000	0	0.0	1	1.9	
		TOTAL	12		9				23000 - 24000	0	0.0	0	0.0
									> 24000	0	0.0	0	0.0
									TOTAL	50		54	
SINGLE REAR AXLES	< 2000 KG	3	2.8	0	0.0			< 2000 KG	0	0.0	0	0.0	
	2000 - 3000	23	21.5	9	7.7			2000 - 3000	0	0.0	0	0.0	
	3000 - 4000	26	24.3	12	10.3			3000 - 4000	0	0.0	1	1.9	
	4000 - 5000	11	10.3	16	13.7			4000 - 5000	6	12.0	13	24.1	
	5000 - 6000	1	0.9	5	4.3			5000 - 6000	12	24.0	3	5.6	
	6000 - 7000	7	6.5	3	2.6			6000 - 7000	6	12.0	3	5.6	
	7000 - 8000	10	9.3	7	6.0			7000 - 8000	4	8.0	0	0.0	
	8000 - 9000	3	2.8	8	6.8			8000 - 9000	2	4.0	0	0.0	
	9000 - 10000	5	4.7	15	12.3			9000 - 10000	0	0.0	0	0.0	
	10000 - 11000	8	7.5	19	16.2			10000 - 11000	1	2.0	1	1.9	
11000 - 12000	7	6.5	9	7.7			11000 - 12000	2	4.0	0	0.0		
12000 - 13000	3	2.8	5	7.7			12000 - 13000	2	6.0	3	5.6		
13000 - 14000	0	0.0	5	4.3			13000 - 14000	1	2.0	4	7.4		
14000 - 15000	0	0.0	0	0.0			14000 - 15000	3	5.0	2	3.7		
15000 - 16000	0	0.0	0	0.0			15000 - 16000	5	10.0	0	0.0		
> 16000	0	0.0	0	0.0			16000 - 17000	3	6.0	4	7.4		
	TOTAL	107		117				17000 - 18000	1	2.0	4	7.4	
								18000 - 19000	1	2.0	7	13.0	
								19000 - 20000	0	0.0	2	3.7	
								20000 - 21000	0	0.0	2	3.7	
								21000 - 22000	0	0.0	4	7.4	
								22000 - 23000	0	0.0	1	1.9	
								23000 - 24000	0	0.0	0	0.0	
								> 24000	0	0.0	0	0.0	
								TOTAL	50		54		

SECTION 025 ON GO-070											
Direction SC - Inhumas/Goiânia											
Direction CS - Goiânia/Inhumas											
DIRECTION SC					DIRECTION CS						
WEIGHT		Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.	WEIGHT		Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG	38	10.3	49	12.7	< 2000 KG	5	1.7	8	1.7	
	2000 - 3000	152	41.2	175	45.5	2000 - 3000	47	15.9	45	26.3	
	3000 - 4000	131	35.5	105	27.3	3000 - 4000	29	9.3	59	17.9	
	4000 - 5000	44	11.9	52	13.5	4000 - 5000	25	8.5	31	9.6	
	5000 - 6000	4	1.1	4	1.0	5000 - 6000	59	20.0	63	19.5	
	6000 - 7000	0	0.0	0	0.0	6000 - 7000	24	8.1	29	9.0	
	7000 - 8000	0	0.0	0	0.0	7000 - 8000	9	3.1	12	3.7	
	> 7000	0	0.0	0	0.0	8000 - 9000	9	3.1	3	0.9	
TOTAL	369		385		9000 - 10000	33	11.2	6	1.9		
TRIPLE REAR AXLES	< 6000 KG	0	0.0	1	20.0	10000 - 11000	32	10.8	13	4.0	
	6000 - 9000	1	50.0	0	0.0	11000 - 12000	14	4.7	10	3.1	
	9000 - 10000	0	0.0	0	0.0	12000 - 13000	7	2.4	0	0.0	
	10000 - 11000	0	0.0	0	0.0	13000 - 14000	2	0.7	2	0.6	
	11000 - 12000	0	0.0	0	0.0	14000 - 15000	0	0.0	0	0.0	
	12000 - 13000	0	0.0	0	0.0	15000 - 16000	0	0.0	0	0.0	
	13000 - 14000	0	0.0	0	0.0	> 16000	0	0.0	0	0.0	
	14000 - 15000	0	0.0	0	0.0	TOTAL	295		323		
	15000 - 16000	0	0.0	0	0.0	TANDEM REAR AXLES	< 2000 KG	0	0.0	0	0.0
	16000 - 17000	0	0.0	0	0.0		2000 - 3000	0	0.0	0	0.0
	17000 - 18000	0	0.0	0	0.0		3000 - 4000	0	0.0	0	0.0
	18000 - 19000	0	0.0	0	0.0		4000 - 5000	13	9.3	15	16.7
	19000 - 20000	0	0.0	0	0.0		5000 - 6000	60	42.9	3	3.3
	20000 - 21000	0	0.0	1	20.0		6000 - 7000	25	17.9	30	33.3
	21000 - 22000	0	0.0	0	0.0		7000 - 8000	16	11.4	0	0.0
	22000 - 23000	0	0.0	1	20.0		8000 - 9000	0	0.0	4	4.4
	23000 - 24000	1	50.0	0	0.0		9000 - 10000	1	0.7	0	0.0
	24000 - 25000	0	0.0	0	0.0		10000 - 11000	1	0.7	1	1.1
	25000 - 26000	0	0.0	0	0.0		11000 - 12000	1	0.7	0	0.0
	26000 - 27000	0	0.0	0	0.0		12000 - 13000	8	5.7	2	2.2
27000 - 28000	0	0.0	0	0.0	13000 - 14000		3	2.1	2	2.2	
28000 - 29000	0	0.0	0	0.0	14000 - 15000		1	0.7	2	2.2	
29000 - 30000	0	0.0	0	0.0	15000 - 16000		1	0.7	17	18.9	
30000 - 31000	0	0.0	1	20.0	16000 - 17000		1	0.7	5	5.6	
31000 - 32000	0	0.0	0	0.0	17000 - 18000		3	2.1	2	2.2	
32000 - 33000	0	0.0	0	0.0	18000 - 19000		5	3.6	5	5.6	
33000 - 34000	0	0.0	1	20.0	19000 - 20000		1	0.7	0	0.0	
34000 - 35000	0	0.0	0	0.0	20000 - 21000		0	0.0	2	2.2	
> 35000	0	0.0	0	0.0	21000 - 22000	0	0.0	0	0.0		
TOTAL	2		5		22000 - 23000	0	0.0	0	0.0		
					23000 - 24000	0	0.0	0	0.0		
					> 24000	0	0.0	0	0.0		
					TOTAL	140		90			

SECTION 026 ON BR-153
 Direction SC - Uruaçu/Ceres
 Direction CS - Ceres /Uruaçu

		DIRECTION SC		DIRECTION CS				DIRECTION SC		DIRECTION CS			
		WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.			WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG	13	6.0	17	6.1	< 2000 KG	0	0.0	0	0.0	0	0.0	
	2000 - 3000	63	29.0	105	37.5	2000 - 3000	7	5.9	9	6.3	9	6.3	
	3000 - 4000	90	41.5	119	42.5	3000 - 4000	17	14.3	10	6.9	10	6.9	
	4000 - 5000	44	20.3	30	10.7	4000 - 5000	14	11.8	14	9.7	14	9.7	
	5000 - 6000	6	2.8	9	3.2	5000 - 6000	10	8.4	9	6.3	9	6.3	
	6000 - 7000	1	0.5	0	0.0	6000 - 7000	10	8.4	5	3.5	5	3.5	
	> 7000	0	0.0	0	0.0	7000 - 8000	5	4.2	10	6.9	10	6.9	
						8000 - 9000	12	10.1	10	6.5	10	6.5	
						9000 - 10000	12	10.1	11	7.6	11	7.6	
						10000 - 11000	8	6.7	30	20.8	30	20.8	
	TOTAL	217		280		11000 - 12000	15	12.6	22	15.3	22	15.3	
TRIPLE REAR AXLES	< 8000 KG	0	0.0	1	11.1	12000 - 13000	6	5.0	9	6.3	9	6.3	
	8000 - 9000	0	0.0	0	0.0	13000 - 14000	1	0.8	4	2.8	4	2.8	
	9000 - 10000	0	0.0	0	0.0	14000 - 15000	2	1.7	0	0.0	0	0.0	
	10000 - 11000	0	0.0	0	0.0	15000 - 16000	0	0.0	1	0.7	1	0.7	
	11000 - 12000	0	0.0	0	0.0	> 16000	0	0.0	0	0.0	0	0.0	
	12000 - 13000	0	0.0	0	0.0								
	13000 - 14000	0	0.0	0	0.0	TOTAL	119		144				
	14000 - 15000	0	0.0	0	0.0	< 2000 KG	0	0.0	0	0.0	0	0.0	
	15000 - 16000	0	0.0	0	0.0	2000 - 3000	0	0.0	0	0.0	0	0.0	
	16000 - 17000	0	0.0	0	0.0	3000 - 4000	0	0.0	0	0.0	0	0.0	
	17000 - 18000	0	0.0	1	11.1	4000 - 5000	4	3.8	7	5.9	7	5.9	
	18000 - 19000	0	0.0	0	0.0	5000 - 6000	5	4.8	7	5.9	7	5.9	
	19000 - 20000	1	12.5	0	0.0	6000 - 7000	10	9.5	6	5.1	6	5.1	
	20000 - 21000	0	0.0	0	0.0	7000 - 8000	2	1.9	3	2.5	3	2.5	
	21000 - 22000	0	0.0	0	0.0	8000 - 9000	13	12.4	11	9.3	11	9.3	
	22000 - 23000	0	0.0	0	0.0	9000 - 10000	13	12.4	4	3.4	4	3.4	
	23000 - 24000	0	0.0	0	0.0	10000 - 11000	5	4.8	4	3.4	4	3.4	
	24000 - 25000	0	0.0	0	0.0	11000 - 12000	9	8.6	3	2.5	3	2.5	
	25000 - 26000	0	0.0	0	0.0	12000 - 13000	3	2.9	5	4.2	5	4.2	
	26000 - 27000	1	12.5	0	0.0	13000 - 14000	3	2.9	5	4.2	5	4.2	
27000 - 28000	0	0.0	1	11.1	14000 - 15000	2	1.9	6	5.1	6	5.1		
28000 - 29000	1	12.5	0	0.0	15000 - 16000	9	8.6	12	10.2	12	10.2		
29000 - 30000	0	0.0	0	0.0	16000 - 17000	16	15.2	23	19.5	23	19.5		
30000 - 31000	3	37.5	1	11.1	17000 - 18000	1	1.0	1	0.8	1	0.8		
31000 - 32000	1	12.5	0	0.0	18000 - 19000	1	1.0	1	0.8	1	0.8		
32000 - 33000	0	0.0	2	22.2	19000 - 20000	1	1.0	16	13.6	16	13.6		
33000 - 34000	0	0.0	0	0.0	20000 - 21000	1	1.0	2	1.7	2	1.7		
34000 - 35000	1	12.5	1	11.1	21000 - 22000	6	5.7	0	0.0	0	0.0		
> 35000	0	0.0	2	22.2	22000 - 23000	1	1.0	2	1.7	2	1.7		
	TOTAL	8		9		23000 - 24000	0	0.0	0	0.0	0	0.0	
						> 24000	0	0.0	0	0.0	0	0.0	
						TOTAL	105		112				

SECTION 029 ON GO-080						SECTION 029 ON GO-080						
Direction SC - BR-153/Goianésia						Direction SC - BR-153/Goianésia						
Direction CS - Goianésia/BR-153						Direction CS - Goianésia/BR-153						
DIRECTION SC			DIRECTION CS			DIRECTION SC			DIRECTION CS			
WEIGHT		Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.	WEIGHT		Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.	
FRONT AXLES	< 2000 KG	11	9.6	7	6.7	< 2000 KG	0	0.0	0	0.0		
	2000 - 3000	65	57.0	41	39.4	2000 - 3000	13	18.6	7	9.2		
	3000 - 4000	34	29.8	33	31.7	3000 - 4000	6	8.6	11	14.5		
	4000 - 5000	4	3.5	21	20.2	4000 - 5000	11	15.7	9	11.8		
	5000 - 6000	0	0.0	2	1.9	5000 - 6000	8	11.4	12	15.8		
	6000 - 7000	0	0.0	0	0.0	6000 - 7000	11	15.7	6	7.9		
	> 7000	0	0.0	0	0.0	7000 - 8000	2	2.9	1	1.3		
TOTAL	114		104		8000 - 9000	1	1.4	0	0.0			
TRIPLE REAR AXLES	< 8000 KG	0	0.0	0	0.0	9000 - 10000	6	8.6	3	3.9		
	8000 - 9000	3	100.0	0	0.0	10000 - 11000	5	7.1	16	21.1		
	9000 - 10000	0	0.0	0	0.0	11000 - 12000	7	10.0	9	11.8		
	10000 - 11000	0	0.0	0	0.0	12000 - 13000	0	0.0	0	0.0		
	11000 - 12000	0	0.0	0	0.0	13000 - 14000	0	0.0	2	2.6		
	12000 - 13000	0	0.0	0	0.0	14000 - 15000	0	0.0	0	0.0		
	13000 - 14000	0	0.0	0	0.0	15000 - 16000	0	0.0	0	0.0		
	14000 - 15000	0	0.0	0	0.0	> 16000	0	0.0	0	0.0		
	15000 - 16000	0	0.0	0	0.0	TOTAL	70		76			
	16000 - 17000	0	0.0	0	0.0	SINGLE REAR AXLES	< 2000 KG	0	0.0	0	0.0	
	17000 - 18000	0	0.0	0	0.0		2000 - 3000	0	0.0	0	0.0	
	18000 - 19000	0	0.0	0	0.0		3000 - 4000	4	5.1	0	0.0	
	19000 - 20000	0	0.0	0	0.0		4000 - 5000	25	56.8	2	7.1	
	20000 - 21000	0	0.0	0	0.0		5000 - 6000	5	11.4	2	7.1	
	21000 - 22000	0	0.0	0	0.0		6000 - 7000	1	2.3	2	7.1	
	22000 - 23000	0	0.0	0	0.0		7000 - 8000	0	0.0	1	3.6	
	23000 - 24000	0	0.0	0	0.0		8000 - 9000	1	2.3	2	7.1	
	24000 - 25000	0	0.0	0	0.0		9000 - 10000	0	0.0	1	3.6	
	25000 - 26000	0	0.0	0	0.0		10000 - 11000	0	0.0	0	0.0	
	26000 - 27000	0	0.0	1	100.0		11000 - 12000	0	0.0	1	3.6	
	27000 - 28000	0	0.0	0	0.0		12000 - 13000	2	4.5	0	0.0	
	28000 - 29000	0	0.0	0	0.0		13000 - 14000	2	4.5	1	3.6	
	29000 - 30000	0	0.0	0	0.0		14000 - 15000	0	0.0	4	14.3	
	30000 - 31000	0	0.0	0	0.0		15000 - 16000	2	4.5	3	10.7	
	31000 - 32000	0	0.0	0	0.0		16000 - 17000	1	2.3	3	10.7	
	32000 - 33000	0	0.0	0	0.0		17000 - 18000	1	2.3	3	10.7	
	33000 - 34000	0	0.0	0	0.0		18000 - 19000	0	0.0	2	7.1	
	34000 - 35000	0	0.0	0	0.0		19000 - 20000	0	0.0	1	3.6	
	> 35000	0	0.0	0	0.0		20000 - 21000	0	0.0	0	0.0	
	TOTAL	3		1			21000 - 22000	0	0.0	0	0.0	
							22000 - 23000	0	0.0	0	0.0	
							23000 - 24000	0	0.0	0	0.0	
							> 24000	0	0.0	0	0.0	
					TOTAL		44		28			

SECTION 030 ON BR-050
 Direction SC - Border MG/GO/Catalão
 Direction CS - Catalão/Border MG/GO/Catalão

		DIRECTION SC		DIRECTION CS				DIRECTION SC		DIRECTION CS			
		WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.			WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG	11	2.9	7	4.1			< 2000 KG	0	0.0	1	1.0	
	2000 - 3000	156	40.5	75	44.4			2000 - 3000	6	3.0	24	23.8	
	3000 - 4000	110	28.6	52	30.8			3000 - 4000	15	7.5	17	16.8	
	4000 - 5000	92	23.9	31	18.3			4000 - 5000	18	9.0	20	19.8	
	5000 - 6000	16	4.2	3	1.8			5000 - 6000	17	8.5	10	9.9	
	6000 - 7000	0	0.0	1	0.6			6000 - 7000	13	6.5	5	5.0	
	> 7000	0	0.0	0	0.0			7000 - 8000	15	7.5	6	5.9	
TOTAL	385		169				8000 - 9000	31	15.6	10	9.9		
TRIPLE REAR AXLES	< 8000 KG	0	0.0	2	14.3			9000 - 10000	32	16.1	1	1.0	
	8000 - 9000	0	0.0	2	14.3			10000 - 11000	24	12.1	4	4.0	
	9000 - 10000	0	0.0	3	21.4			11000 - 12000	11	5.5	3	3.0	
	10000 - 11000	2	5.6	2	14.3			12000 - 13000	10	5.0	0	0.0	
	11000 - 12000	1	2.8	0	0.0			13000 - 14000	5	2.5	0	0.0	
	12000 - 13000	0	0.0	0	0.0			14000 - 15000	2	1.0	0	0.0	
	13000 - 14000	0	0.0	0	0.0			15000 - 16000	0	0.0	0	0.0	
	14000 - 15000	0	0.0	0	0.0			> 16000	0	0.0	0	0.0	
	15000 - 16000	0	0.0	0	0.0			TOTAL	199		101		
	16000 - 17000	1	2.8	0	0.0			TANDEM REAR AXLES	< 2000 KG	0	0.0	0	0.0
	17000 - 18000	0	0.0	0	0.0				2000 - 3000	0	0.0	0	0.0
	18000 - 19000	0	0.0	0	0.0				3000 - 4000	0	0.0	2	3.8
	19000 - 20000	0	0.0	0	0.0				4000 - 5000	6	5.5	3	5.8
	20000 - 21000	1	2.8	0	0.0				5000 - 6000	6	5.5	9	17.3
	21000 - 22000	2	5.6	0	0.0				6000 - 7000	14	12.8	5	9.6
	22000 - 23000	1	2.8	0	0.0				7000 - 8000	3	2.8	7	13.5
	23000 - 24000	0	0.0	1	7.1				8000 - 9000	2	1.8	2	3.8
	24000 - 25000	3	8.3	0	0.0				9000 - 10000	5	4.6	0	0.0
	25000 - 26000	2	5.6	0	0.0				10000 - 11000	9	8.3	2	3.8
	26000 - 27000	3	8.3	2	14.3				11000 - 12000	10	9.2	1	1.9
27000 - 28000	3	8.3	1	7.1			12000 - 13000		9	8.3	0	0.0	
28000 - 29000	5	13.9	1	7.1			13000 - 14000		6	5.5	0	0.0	
29000 - 30000	3	8.3	0	0.0			14000 - 15000		6	5.5	6	11.5	
30000 - 31000	4	11.1	0	0.0			15000 - 16000		1	0.9	1	1.9	
31000 - 32000	2	5.6	0	0.0			16000 - 17000		1	0.9	5	9.6	
32000 - 33000	2	5.6	0	0.0			17000 - 18000		15	13.8	2	3.8	
33000 - 34000	1	2.8	0	0.0			18000 - 19000		8	7.3	3	5.8	
34000 - 35000	0	0.0	0	0.0			19000 - 20000		4	3.7	3	5.8	
> 35000	0	0.0	0	0.0			20000 - 21000		1	0.9	0	0.0	
TOTAL	36		14				21000 - 22000	1	0.9	0	0.0		
								22000 - 23000	2	1.8	1	1.9	
								23000 - 24000	0	0.0	0	0.0	
								> 24000	0	0.0	0	0.0	
								TOTAL	109		52		

SECTION 031 ON BR-060											
Direction SC - Anápolis/Brasília											
Direction CS - Brasília/Anápolis											
DIRECTION SC						DIRECTION CS					
WEIGHT		Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.	WEIGHT		Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG	3	2.5	7	3.7	< 2000 KG	1	1.2	3	2.5	
	2000 - 3000	19	15.6	113	59.5	2000 - 3000	1	1.2	30	25.4	
	3000 - 4000	66	54.1	45	23.7	3000 - 4000	4	4.7	44	37.3	
	4000 - 5000	26	21.3	20	10.5	4000 - 5000	7	8.1	10	8.5	
	5000 - 6000	7	5.7	4	2.1	5000 - 6000	2	2.3	4	3.4	
	6000 - 7000	1	0.8	0	0.0	6000 - 7000	7	8.1	5	4.2	
	> 7000	0	0.0	1	0.5	7000 - 8000	6	7.0	1	0.8	
						8000 - 9000	4	4.7	7	5.9	
	TOTAL	122		190		9000 - 10000	4	4.7	1	0.8	
						10000 - 11000	5	5.8	0	0.0	
						11000 - 12000	16	18.6	7	5.9	
					12000 - 13000	21	24.4	2	1.7		
					13000 - 14000	6	7.0	3	2.5		
					14000 - 15000	2	2.3	1	0.8		
					15000 - 16000	0	0.0	0	0.0		
					> 16000	0	0.0	0	0.0		
					TOTAL	86		118			
TRIPLE REAR AXLES	< 8000 KG	0	0.0	1	10.0	< 2000 KG	0	0.0	0	0.0	
	8000 - 9000	0	0.0	5	50.0	2000 - 3000	0	0.0	0	0.0	
	9000 - 10000	0	0.0	0	0.0	3000 - 4000	0	0.0	1	2.3	
	10000 - 11000	0	0.0	0	0.0	4000 - 5000	1	2.9	8	18.6	
	11000 - 12000	0	0.0	1	10.0	5000 - 6000	0	0.0	11	25.6	
	12000 - 13000	0	0.0	0	0.0	6000 - 7000	1	2.9	4	9.3	
	13000 - 14000	0	0.0	0	0.0	7000 - 8000	1	2.9	2	4.7	
	14000 - 15000	0	0.0	0	0.0	8000 - 9000	0	0.0	0	0.0	
	15000 - 16000	0	0.0	0	0.0	9000 - 10000	0	0.0	1	2.3	
	16000 - 17000	0	0.0	0	0.0	10000 - 11000	0	0.0	2	4.7	
	17000 - 18000	0	0.0	0	0.0	11000 - 12000	0	0.0	2	4.7	
	18000 - 19000	0	0.0	0	0.0	12000 - 13000	1	2.9	3	7.0	
	19000 - 20000	0	0.0	0	0.0	13000 - 14000	0	0.0	0	0.0	
	20000 - 21000	0	0.0	0	0.0	14000 - 15000	1	2.9	2	4.7	
	21000 - 22000	0	0.0	0	0.0	15000 - 16000	5	14.7	1	2.3	
	22000 - 23000	0	0.0	0	0.0	16000 - 17000	3	8.8	1	2.3	
	23000 - 24000	0	0.0	0	0.0	17000 - 18000	6	17.6	1	2.3	
	24000 - 25000	0	0.0	0	0.0	18000 - 19000	7	20.6	2	4.7	
	25000 - 26000	1	33.3	0	0.0	19000 - 20000	1	2.9	2	4.7	
	26000 - 27000	0	0.0	0	0.0	20000 - 21000	3	8.8	0	0.0	
	27000 - 28000	0	0.0	0	0.0	21000 - 22000	1	2.9	0	0.0	
	28000 - 29000	0	0.0	0	0.0	22000 - 23000	2	5.9	0	0.0	
	29000 - 30000	0	0.0	0	0.0	23000 - 24000	0	0.0	0	0.0	
	30000 - 31000	0	0.0	0	0.0	> 24000	1	2.9	0	0.0	
	31000 - 32000	0	0.0	1	10.0						
	32000 - 33000	2	66.7	1	10.0	TOTAL	34		43		
	33000 - 34000	0	0.0	0	0.0						
	34000 - 35000	0	0.0	1	10.0						
	> 35000	0	0.0	0	0.0						
	TOTAL	3		10							

SECTION 032 ON BR-060
 Direction SC - Brasília/Anápolis
 Direction CS - Anápolis/Brasília

		DIRECTION SC		DIRECTION CS				DIRECTION SC		DIRECTION CS			
		WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.			WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG		3	2.5	7	3.7	SINGLE REAR AXLES	< 2000 KG	1	1.2	3	2.5	
	2000 - 3000	19	15.6	113	59.5	2000 - 3000		1	1.2	30	25.4		
	3000 - 4000	66	54.1	45	23.7	3000 - 4000		4	4.7	44	37.3		
	4000 - 5000	26	21.3	20	10.5	4000 - 5000		7	8.1	10	8.5		
	5000 - 6000	7	5.7	4	2.1	5000 - 6000		2	2.3	4	3.4		
	6000 - 7000	1	0.8	0	0.0	6000 - 7000		7	8.1	5	4.2		
	> 7000	0	0.0	1	0.5	7000 - 8000		6	7.0	1	0.8		
TOTAL		122		190		8000 - 9000	4	4.7	7	5.9			
TRIPLE REAR AXLES	< 8000 KG	0	0.0	1	10.0	9000 - 10000	4	4.7	1	0.8			
	8000 - 9000	0	0.0	5	50.0	10000 - 11000	5	5.8	0	0.0			
	9000 - 10000	0	0.0	0	0.0	11000 - 12000	16	18.6	7	5.9			
	10000 - 11000	0	0.0	0	0.0	12000 - 13000	21	24.4	2	1.7			
	11000 - 12000	0	0.0	1	10.0	13000 - 14000	6	7.0	3	2.5			
	12000 - 13000	0	0.0	0	0.0	14000 - 15000	2	2.3	1	0.5			
	13000 - 14000	0	0.0	0	0.0	15000 - 16000	0	0.0	0	0.0			
	14000 - 15000	0	0.0	0	0.0	> 16000	0	0.0	0	0.0			
	15000 - 16000	0	0.0	0	0.0	TOTAL	86		119				
	16000 - 17000	0	0.0	0	0.0	< 2000 KG	0	0.0	0	0.0			
	17000 - 18000	0	0.0	0	0.0	2000 - 3000	0	0.0	0	0.0			
	18000 - 19000	0	0.0	0	0.0	3000 - 4000	0	0.0	1	2.3			
	19000 - 20000	0	0.0	0	0.0	4000 - 5000	1	2.9	8	18.6			
	20000 - 21000	0	0.0	0	0.0	5000 - 6000	0	0.0	11	25.6			
	21000 - 22000	0	0.0	0	0.0	6000 - 7000	1	2.9	4	9.3			
	22000 - 23000	0	0.0	0	0.0	7000 - 8000	1	2.9	2	4.7			
	23000 - 24000	0	0.0	0	0.0	8000 - 9000	0	0.0	0	0.0			
	24000 - 25000	0	0.0	0	0.0	9000 - 10000	0	0.0	1	2.3			
	25000 - 26000	1	33.3	0	0.0	10000 - 11000	0	0.0	2	4.7			
	26000 - 27000	0	0.0	0	0.0	11000 - 12000	0	0.0	2	4.7			
	27000 - 28000	0	0.0	0	0.0	12000 - 13000	1	2.9	3	7.0			
	28000 - 29000	0	0.0	0	0.0	13000 - 14000	0	0.0	0	0.0			
	29000 - 30000	0	0.0	0	0.0	14000 - 15000	1	2.9	2	4.7			
	30000 - 31000	0	0.0	0	0.0	15000 - 16000	5	14.7	1	2.3			
	31000 - 32000	0	0.0	1	10.0	16000 - 17000	3	8.8	1	2.3			
	32000 - 33000	2	66.7	1	10.0	17000 - 18000	6	17.6	1	2.3			
	33000 - 34000	0	0.0	0	0.0	18000 - 19000	7	20.6	2	4.7			
	34000 - 35000	0	0.0	1	10.0	19000 - 20000	1	2.9	2	4.7			
	> 35000	0	0.0	0	0.0	20000 - 21000	3	8.8	0	0.0			
	TOTAL		3		10		21000 - 22000	1	2.9	0	0.0		
							22000 - 23000	2	5.9	0	0.0		
							23000 - 24000	0	0.0	0	0.0		
							> 24000	1	2.9	0	0.0		
							TOTAL	34		43			

SECTION 033 ON GO-070						SECTION 033 ON GO-070					
Direction SC - Goianira/Inhumas						Direction SC - Goianira/Inhumas					
Direction CS - Inhumas/Goianira						Direction CS - Inhumas/Goianira					
DIRECTION SC			DIRECTION CS			DIRECTION SC			DIRECTION CS		
WEIGHT		Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.	WEIGHT		Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG	38	10.3	49	12.7	< 2000 KG	5	1.7	6	1.9	
	2000 - 3000	152	41.2	175	45.5	2000 - 3000	47	15.9	85	26.3	
	3000 - 4000	131	35.5	105	27.3	3000 - 4000	29	9.8	55	17.0	
	4000 - 5000	44	11.9	52	13.5	4000 - 5000	25	8.5	31	9.6	
	5000 - 6000	4	1.1	4	1.0	5000 - 6000	59	20.0	63	19.5	
	6000 - 7000	0	0.0	0	0.0	6000 - 7000	24	8.1	29	9.0	
	> 7000	0	0.0	0	0.0	7000 - 8000	5	3.1	12	3.7	
	TOTAL	369		385		8000 - 9000	9	3.1	3	0.9	
TRIPLE REAR AXLES	< 8000 KG	0	0.0	1	20.0	9000 - 10000	33	11.2	6	1.9	
	8000 - 9000	1	50.0	0	0.0	10000 - 11000	32	10.8	13	4.0	
	9000 - 10000	0	0.0	0	0.0	11000 - 12000	14	4.7	10	3.1	
	10000 - 11000	0	0.0	0	0.0	12000 - 13000	7	2.4	8	2.5	
	11000 - 12000	0	0.0	0	0.0	13000 - 14000	2	0.7	2	0.6	
	12000 - 13000	0	0.0	0	0.0	14000 - 15000	0	0.0	0	0.0	
	13000 - 14000	0	0.0	0	0.0	15000 - 16000	0	0.0	0	0.0	
	14000 - 15000	0	0.0	0	0.0	> 16000	0	0.0	0	0.0	
	15000 - 16000	0	0.0	0	0.0	TOTAL	295		323		
	16000 - 17000	0	0.0	0	0.0	TANDEM REAR AXLES	< 2000 KG	0	0.0	0	0.0
	17000 - 18000	0	0.0	0	0.0		2000 - 3000	0	0.0	0	0.0
	18000 - 19000	0	0.0	0	0.0		3000 - 4000	0	0.0	0	0.0
	19000 - 20000	0	0.0	0	0.0		4000 - 5000	13	9.3	15	16.7
	20000 - 21000	0	0.0	1	20.0		5000 - 6000	60	42.9	3	3.3
	21000 - 22000	0	0.0	0	0.0		6000 - 7000	25	17.9	30	33.3
	22000 - 23000	0	0.0	1	20.0		7000 - 8000	16	11.4	0	0.0
	23000 - 24000	1	50.0	0	0.0		8000 - 9000	0	0.0	4	4.4
	24000 - 25000	0	0.0	0	0.0		9000 - 10000	1	0.7	0	0.0
	25000 - 26000	0	0.0	0	0.0		10000 - 11000	1	0.7	1	1.1
	26000 - 27000	0	0.0	0	0.0		11000 - 12000	1	0.7	0	0.0
	27000 - 28000	0	0.0	0	0.0		12000 - 13000	8	5.7	2	2.2
	28000 - 29000	0	0.0	0	0.0		13000 - 14000	3	2.1	2	2.2
	29000 - 30000	0	0.0	0	0.0		14000 - 15000	1	0.7	2	2.2
	30000 - 31000	0	0.0	1	20.0		15000 - 16000	1	0.7	17	18.9
	31000 - 32000	0	0.0	0	0.0		16000 - 17000	1	0.7	5	5.6
	32000 - 33000	0	0.0	0	0.0		17000 - 18000	3	2.1	2	2.2
	33000 - 34000	0	0.0	1	20.0		18000 - 19000	5	3.6	5	5.6
	34000 - 35000	0	0.0	0	0.0		19000 - 20000	1	0.7	0	0.0
> 35000	0	0.0	0	0.0	20000 - 21000		0	0.0	2	2.2	
TOTAL	2		5		21000 - 22000		0	0.0	0	0.0	
					22000 - 23000		0	0.0	0	0.0	
					23000 - 24000		0	0.0	0	0.0	
					> 24000		0	0.0	0	0.0	
					TOTAL		140		90		

SECTION 034 ON GD-206
 Direction SC - BR-452/C. Dourada
 Direction CS - C. Dourada/BR-452

		DIRECTION SC		DIRECTION CS		DIRECTION SC		DIRECTION CS		
		WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.	WEIGHT	Nº OF OBS.	PERCENT.	
FRONT AXLES	< 2000 KG		13	13.5	16	17.6	< 2000 KG	0	0.0	
	2000 - 3000		50	52.1	42	46.2	2000 - 3000	22	29.3	
	3000 - 4000		11	11.5	20	22.0	3000 - 4000	6	8.0	
	4000 - 5000		21	21.9	13	14.3	4000 - 5000	3	4.0	
	5000 - 6000		1	1.0	0	0.0	5000 - 6000	18	24.0	
	6000 - 7000		0	0.0	0	0.0	6000 - 7000	7	9.3	
	> 7000		0	0.0	0	0.0	7000 - 8000	4	5.3	
							8000 - 9000	2	2.7	
							9000 - 10000	4	5.3	
							10000 - 11000	2	2.7	
TOTAL		96			91					
TRIPLE REAR AXLES	< 8000 KG		0	0.0	0	0.0	< 2000 KG	0	0.0	
	8000 - 9000		0	0.0	0	0.0	2000 - 3000	0	0.0	
	9000 - 10000		0	0.0	0	0.0	3000 - 4000	0	0.0	
	10000 - 11000		0	0.0	0	0.0	4000 - 5000	7	33.3	
	11000 - 12000		0	0.0	0	0.0	5000 - 6000	2	9.5	
	12000 - 13000		0	0.0	0	0.0	6000 - 7000	1	4.8	
	13000 - 14000		0	0.0	0	0.0	7000 - 8000	0	0.0	
	14000 - 15000		0	0.0	0	0.0	8000 - 9000	1	4.8	
	15000 - 16000		0	0.0	0	0.0	9000 - 10000	1	4.8	
	16000 - 17000		0	0.0	0	0.0	10000 - 11000	1	4.8	
	17000 - 18000		0	0.0	0	0.0	11000 - 12000	1	4.8	
	18000 - 19000		0	0.0	0	0.0	12000 - 13000	0	0.0	
	19000 - 20000		0	0.0	0	0.0	13000 - 14000	0	0.0	
	20000 - 21000		0	0.0	0	0.0	14000 - 15000	0	0.0	
	21000 - 22000		0	0.0	0	0.0	15000 - 16000	4	19.0	
	22000 - 23000		0	0.0	0	0.0	16000 - 17000	1	4.8	
	23000 - 24000		0	0.0	0	0.0	17000 - 18000	1	4.8	
	24000 - 25000		1	100.0	0	0.0	18000 - 19000	0	0.0	
	25000 - 26000		0	0.0	0	0.0	19000 - 20000	0	0.0	
	26000 - 27000		0	0.0	0	0.0	20000 - 21000	0	0.0	
	27000 - 28000		0	0.0	0	0.0	21000 - 22000	0	0.0	
	28000 - 29000		0	0.0	0	0.0	22000 - 23000	1	4.8	
	29000 - 30000		0	0.0	0	0.0	23000 - 24000	0	0.0	
	30000 - 31000		0	0.0	0	0.0	> 24000	0	0.0	
	31000 - 32000		0	0.0	0	0.0				
	32000 - 33000		0	0.0	0	0.0				
	33000 - 34000		0	0.0	0	0.0				
	34000 - 35000		0	0.0	0	0.0				
	> 35000		0	0.0	0	0.0				
	TOTAL		1			0				
	SINGLE REAR AXLES	< 2000 KG		0	0.0	0	0.0	< 2000 KG	0	0.0
		2000 - 3000		22	29.3	10	14.7	2000 - 3000	0	0.0
		3000 - 4000		6	8.0	7	10.3	3000 - 4000	0	0.0
		4000 - 5000		3	4.0	9	13.2	4000 - 5000	3	4.0
5000 - 6000			18	24.0	9	13.2	5000 - 6000	7	33.3	
6000 - 7000			7	9.3	16	23.5	6000 - 7000	2	8.7	
7000 - 8000			4	5.3	2	2.9	7000 - 8000	0	0.0	
8000 - 9000			2	2.7	1	1.5	8000 - 9000	0	0.0	
9000 - 10000			4	5.3	2	2.9	9000 - 10000	0	0.0	
10000 - 11000			2	2.7	8	11.8	10000 - 11000	0	0.0	
11000 - 12000		5	6.7	0	0.0	11000 - 12000	0	0.0		
12000 - 13000		1	1.3	0	0.0	12000 - 13000	0	0.0		
13000 - 14000		1	1.3	0	0.0	13000 - 14000	0	0.0		
14000 - 15000		0	0.0	0	0.0	14000 - 15000	0	0.0		
15000 - 16000		0	0.0	0	0.0	15000 - 16000	0	0.0		
> 16000		0	0.0	0	0.0	16000 - 17000	0	0.0		
TOTAL		75			58					
TANDEM REAR AXLES	< 2000 KG		0	0.0	0	0.0	< 2000 KG	0	0.0	
	2000 - 3000		0	0.0	0	0.0	2000 - 3000	0	0.0	
	3000 - 4000		0	0.0	3	13.0	3000 - 4000	0	0.0	
	4000 - 5000		7	33.3	9	39.1	4000 - 5000	0	0.0	
	5000 - 6000		2	9.5	2	8.7	5000 - 6000	0	0.0	
	6000 - 7000		1	4.8	0	0.0	6000 - 7000	0	0.0	
	7000 - 8000		0	0.0	0	0.0	7000 - 8000	0	0.0	
	8000 - 9000		1	4.8	0	0.0	8000 - 9000	0	0.0	
	9000 - 10000		1	4.8	0	0.0	9000 - 10000	0	0.0	
	10000 - 11000		1	4.8	2	8.7	10000 - 11000	0	0.0	
11000 - 12000		1	4.8	2	8.7	11000 - 12000	0	0.0		
12000 - 13000		0	0.0	0	0.0	12000 - 13000	0	0.0		
13000 - 14000		0	0.0	2	8.7	13000 - 14000	0	0.0		
14000 - 15000		0	0.0	1	4.3	14000 - 15000	0	0.0		
15000 - 16000		4	19.0	0	0.0	15000 - 16000	0	0.0		
16000 - 17000		1	4.8	1	4.3	16000 - 17000	0	0.0		
17000 - 18000		1	4.8	0	0.0	17000 - 18000	0	0.0		
18000 - 19000		0	0.0	1	4.3	18000 - 19000	0	0.0		
19000 - 20000		0	0.0	0	0.0	19000 - 20000	0	0.0		
20000 - 21000		0	0.0	0	0.0	20000 - 21000	0	0.0		
21000 - 22000		0	0.0	0	0.0	21000 - 22000	0	0.0		
22000 - 23000		1	4.8	0	0.0	22000 - 23000	0	0.0		
23000 - 24000		0	0.0	0	0.0	23000 - 24000	0	0.0		
> 24000		0	0.0	0	0.0	> 24000	0	0.0		
TOTAL		21			23					

SECTION 035 ON GO-206
 Direction SC - BR-452/C. Dourado
 Direction CS - C. Dourada/BR-452

		DIRECTION SC		DIRECTION CS		DIRECTION SC		DIRECTION CS				
	WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.		Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.		
FRONT AXLES	< 2000 KG	13	13.5	16	17.6	SINGLE REAR AXLES	< 2000 KG	0	0.0	4	5.9	
	2000 - 3000	50	52.1	42	46.2		2000 - 3000	22	29.3	10	14.7	
	3000 - 4000	11	11.5	20	22.0		3000 - 4000	6	8.0	7	10.3	
	4000 - 5000	21	21.9	13	14.3		4000 - 5000	3	4.0	9	13.2	
	5000 - 6000	1	1.0	0	0.0		5000 - 6000	18	24.0	9	13.2	
	6000 - 7000	0	0.0	0	0.0		6000 - 7000	7	9.3	16	23.5	
	> 7000	0	0.0	0	0.0		7000 - 8000	4	5.3	2	2.9	
							8000 - 9000	2	2.7	1	1.5	
	TOTAL		96		91			9000 - 10000	4	5.3	2	2.9
								10000 - 11000	2	2.7	8	11.8
TRIPLE REAR AXLES	< 8000 KG	0	0.0	0	0.0	11000 - 12000	5	6.7	0	0.0		
	8000 - 9000	0	0.0	0	0.0	12000 - 13000	1	1.3	0	0.0		
	9000 - 10000	0	0.0	0	0.0	13000 - 14000	1	1.3	0	0.0		
	10000 - 11000	0	0.0	0	0.0	14000 - 15000	0	0.0	0	0.0		
	11000 - 12000	0	0.0	0	0.0	15000 - 16000	0	0.0	0	0.0		
	12000 - 13000	0	0.0	0	0.0	> 16000	0	0.0	0	0.0		
	13000 - 14000	0	0.0	0	0.0	TOTAL	75		58			
	14000 - 15000	0	0.0	0	0.0	TANDEM REAR AXLES	< 2000 KG	0	0.0	0	0.0	
	15000 - 16000	0	0.0	0	0.0		2000 - 3000	0	0.0	0	0.0	
	16000 - 17000	0	0.0	0	0.0		3000 - 4000	0	0.0	3	13.0	
	17000 - 18000	0	0.0	0	0.0		4000 - 5000	7	33.3	9	39.1	
	18000 - 19000	0	0.0	0	0.0		5000 - 6000	2	9.5	2	8.7	
	19000 - 20000	0	0.0	0	0.0		6000 - 7000	1	4.8	0	0.0	
	20000 - 21000	0	0.0	0	0.0		7000 - 8000	0	0.0	0	0.0	
	21000 - 22000	0	0.0	0	0.0		8000 - 9000	1	4.8	0	0.0	
	22000 - 23000	0	0.0	0	0.0		9000 - 10000	1	4.8	0	0.0	
	23000 - 24000	0	0.0	0	0.0		10000 - 11000	1	4.8	2	8.7	
	24000 - 25000	1	100.0	0	0.0		11000 - 12000	1	4.8	2	8.7	
	25000 - 26000	0	0.0	0	0.0		12000 - 13000	0	0.0	0	0.0	
	26000 - 27000	0	0.0	0	0.0		13000 - 14000	0	0.0	2	8.7	
	27000 - 28000	0	0.0	0	0.0		14000 - 15000	0	0.0	1	4.3	
	28000 - 29000	0	0.0	0	0.0		15000 - 16000	4	15.0	0	0.0	
	29000 - 30000	0	0.0	0	0.0		16000 - 17000	1	4.8	1	4.3	
	30000 - 31000	0	0.0	0	0.0		17000 - 18000	1	4.8	0	0.0	
	31000 - 32000	0	0.0	0	0.0		18000 - 19000	0	0.0	1	4.3	
	32000 - 33000	0	0.0	0	0.0		19000 - 20000	0	0.0	0	0.0	
	33000 - 34000	0	0.0	0	0.0		20000 - 21000	0	0.0	0	0.0	
	34000 - 35000	0	0.0	0	0.0		21000 - 22000	0	0.0	0	0.0	
	> 35000	0	0.0	0	0.0		22000 - 23000	1	4.8	0	0.0	
	TOTAL		1		0		TOTAL	21		23		

SECTION 251 ON BR-414

Direction SC - Anápolis/Corumbá

Direction CS - Corumbá/Anápolis

		DIRECTION SC		DIRECTION CS				DIRECTION SC		DIRECTION CS			
		WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.			WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG	22	21.6	16	22.5			< 2000 KG	13	18.1	5	10.0	
	2000 - 3000	38	37.3	26	36.6			2000 - 3000	24	33.3	4	8.0	
	3000 - 4000	26	25.5	19	26.8			3000 - 4000	8	11.1	14	28.0	
	4000 - 5000	14	13.7	9	12.7			4000 - 5000	2	2.8	4	8.0	
	5000 - 6000	2	2.0	1	1.4			5000 - 6000	3	4.2	3	6.0	
	6000 - 7000	0	0.0	0	0.0			6000 - 7000	7	9.7	3	6.0	
	> 7000	0	0.0	0	0.0			7000 - 8000	2	2.8	1	2.0	
									8000 - 9000	1	1.4	0	0.0
									9000 - 10000	2	2.8	1	2.0
		TOTAL	102		71				10000 - 11000	0	0.0	3	6.0
TRIPLE REAR AXLES	< 8000 KG	0	0.0	0	0.0			11000 - 12000	4	5.6	5	10.0	
	8000 - 9000	0	0.0	0	0.0			12000 - 13000	4	5.6	6	12.0	
	9000 - 10000	1	25.0	0	0.0			13000 - 14000	2	2.8	1	2.0	
	10000 - 11000	0	0.0	0	0.0			14000 - 15000	0	0.0	0	0.0	
	11000 - 12000	0	0.0	0	0.0			15000 - 16000	0	0.0	0	0.0	
	12000 - 13000	0	0.0	0	0.0			> 16000	0	0.0	0	0.0	
	13000 - 14000	0	0.0	0	0.0								
	14000 - 15000	0	0.0	0	0.0			TOTAL	72		50		
	15000 - 16000	0	0.0	0	0.0								
	16000 - 17000	0	0.0	0	0.0								
	17000 - 18000	0	0.0	0	0.0								
	18000 - 19000	0	0.0	0	0.0								
	19000 - 20000	0	0.0	0	0.0								
	20000 - 21000	0	0.0	0	0.0								
	21000 - 22000	0	0.0	0	0.0								
	22000 - 23000	0	0.0	0	0.0								
	23000 - 24000	0	0.0	0	0.0								
	24000 - 25000	0	0.0	0	0.0								
	25000 - 26000	0	0.0	0	0.0								
	26000 - 27000	1	25.0	0	0.0								
27000 - 28000	0	0.0	0	0.0									
28000 - 29000	0	0.0	0	0.0									
29000 - 30000	1	25.0	0	0.0									
30000 - 31000	0	0.0	0	0.0									
31000 - 32000	0	0.0	0	0.0									
32000 - 33000	0	0.0	0	0.0									
33000 - 34000	0	0.0	3	100.0									
34000 - 35000	0	0.0	0	0.0									
> 35000	1	25.0	0	0.0									
	TOTAL	4		3									
SINGLE REAR AXLES	< 2000 KG	0	0.0	0	0.0			< 2000 KG	0	0.0	0	0.0	
	2000 - 3000	0	0.0	0	0.0			2000 - 3000	0	0.0	0	0.0	
	3000 - 4000	0	0.0	0	0.0			3000 - 4000	0	0.0	0	0.0	
	4000 - 5000	0	0.0	0	0.0			4000 - 5000	8	25.8	0	0.0	
	5000 - 6000	0	0.0	0	0.0			5000 - 6000	5	16.1	3	14.3	
	6000 - 7000	0	0.0	0	0.0			6000 - 7000	0	0.0	1	4.8	
	7000 - 8000	0	0.0	0	0.0			7000 - 8000	0	0.0	1	4.8	
	8000 - 9000	0	0.0	0	0.0			8000 - 9000	0	0.0	0	0.0	
	9000 - 10000	0	0.0	0	0.0			9000 - 10000	0	0.0	1	4.8	
	10000 - 11000	0	0.0	0	0.0			10000 - 11000	0	0.0	0	0.0	
11000 - 12000	0	0.0	0	0.0			11000 - 12000	0	0.0	0	0.0		
12000 - 13000	0	0.0	0	0.0			12000 - 13000	0	0.0	0	0.0		
13000 - 14000	1	3.2	0	0.0			13000 - 14000	1	3.2	0	0.0		
14000 - 15000	0	0.0	0	0.0			14000 - 15000	0	0.0	0	0.0		
15000 - 16000	0	0.0	0	0.0			15000 - 16000	0	0.0	0	0.0		
16000 - 17000	2	6.5	0	0.0			16000 - 17000	2	6.5	0	0.0		
17000 - 18000	5	16.1	0	0.0			17000 - 18000	5	16.1	0	0.0		
18000 - 19000	7	22.6	3	14.3			18000 - 19000	7	22.6	3	14.3		
19000 - 20000	3	9.7	4	19.0			19000 - 20000	3	9.7	4	19.0		
20000 - 21000	0	0.0	2	9.5			20000 - 21000	0	0.0	2	9.5		
21000 - 22000	0	0.0	4	19.0			21000 - 22000	0	0.0	4	19.0		
22000 - 23000	0	0.0	2	9.5			22000 - 23000	0	0.0	2	9.5		
23000 - 24000	0	0.0	0	0.0			23000 - 24000	0	0.0	0	0.0		
> 24000	0	0.0	0	0.0			> 24000	0	0.0	0	0.0		
	TOTAL	31		21									

SECTION 252 ON BR-414											
Direction SC - Anápolis/Corumbá											
Direction CS - Corumbá/Anápolis											
DIRECTION SC					DIRECTION CS						
WEIGHT		Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.	WEIGHT		Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG	22	21.6	16	22.5	< 2000 KG	13	18.1	5	10.0	
	2000 - 3000	30	37.3	26	36.6	2000 - 3000	24	33.3	4	8.0	
	3000 - 4000	26	25.5	19	26.8	3000 - 4000	8	11.1	14	28.0	
	4000 - 5000	14	13.7	9	12.7	4000 - 5000	2	2.8	4	8.0	
	5000 - 6000	2	2.0	1	1.4	5000 - 6000	3	4.2	3	6.0	
	6000 - 7000	0	0.0	0	0.0	6000 - 7000	7	9.7	3	6.0	
	> 7000	0	0.0	0	0.0	7000 - 8000	2	2.8	1	2.0	
	TOTAL	102		71		8000 - 9000	1	1.4	0	0.0	
TRIPLE REAR AXLES	< 8000 KG	0	0.0	0	0.0	9000 - 10000	2	2.8	1	2.0	
	8000 - 9000	0	0.0	0	0.0	10000 - 11000	0	0.0	3	6.0	
	9000 - 10000	1	25.0	0	0.0	11000 - 12000	4	5.6	5	10.0	
	10000 - 11000	0	0.0	0	0.0	12000 - 13000	4	5.6	6	12.0	
	11000 - 12000	0	0.0	0	0.0	13000 - 14000	2	2.8	1	2.0	
	12000 - 13000	0	0.0	0	0.0	14000 - 15000	0	0.0	0	0.0	
	13000 - 14000	0	0.0	0	0.0	15000 - 16000	0	0.0	0	0.0	
	14000 - 15000	0	0.0	0	0.0	> 16000	0	0.0	0	0.0	
	15000 - 16000	0	0.0	0	0.0	TOTAL	72		50		
	16000 - 17000	0	0.0	0	0.0	TANDEM REAR AXLES	< 2000 KG	0	0.0	0	0.0
	17000 - 18000	0	0.0	0	0.0		2000 - 3000	0	0.0	0	0.0
	18000 - 19000	0	0.0	0	0.0		3000 - 4000	0	0.0	0	0.0
	19000 - 20000	0	0.0	0	0.0		4000 - 5000	8	25.8	0	0.0
	20000 - 21000	0	0.0	0	0.0		5000 - 6000	5	16.1	3	14.3
	21000 - 22000	0	0.0	0	0.0		6000 - 7000	0	0.0	1	4.8
	22000 - 23000	0	0.0	0	0.0		7000 - 8000	0	0.0	1	4.8
	23000 - 24000	0	0.0	0	0.0		8000 - 9000	0	0.0	0	0.0
	24000 - 25000	0	0.0	0	0.0		9000 - 10000	0	0.0	1	4.8
	25000 - 26000	0	0.0	0	0.0		10000 - 11000	0	0.0	0	0.0
	26000 - 27000	1	25.0	0	0.0		11000 - 12000	0	0.0	0	0.0
27000 - 28000	0	0.0	0	0.0	12000 - 13000		0	0.0	0	0.0	
28000 - 29000	0	0.0	0	0.0	13000 - 14000		1	3.2	0	0.0	
29000 - 30000	1	25.0	0	0.0	14000 - 15000		0	0.0	0	0.0	
30000 - 31000	0	0.0	0	0.0	15000 - 16000		0	0.0	0	0.0	
31000 - 32000	0	0.0	0	0.0	16000 - 17000		2	6.5	0	0.0	
32000 - 33000	0	0.0	0	0.0	17000 - 18000		5	16.1	0	0.0	
33000 - 34000	0	0.0	3	100.0	18000 - 19000		7	22.6	3	14.3	
34000 - 35000	0	0.0	0	0.0	19000 - 20000		3	9.7	4	19.0	
> 35000	1	25.0	0	0.0	20000 - 21000	0	0.0	2	9.5		
TOTAL	4		3		21000 - 22000	0	0.0	4	19.0		
					22000 - 23000	0	0.0	2	9.5		
					23000 - 24000	0	0.0	0	0.0		
					> 24000	0	0.0	0	0.0		
					TOTAL	31		21			

SECTION 101 ON MG-188
 Direction SC - Paracatu/Unai
 Direction CS - Unai/Paracatu

		DIRECTION SC		DIRECTION CS				DIRECTION SC		DIRECTION CS			
		WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.			WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG		13	13.8	11	10.3	SINGLE REAR AXLES	< 2000 KG	2	2.7	1	1.3	
	2000 - 3000	65	69.1	62	57.9	2000 - 3000		42	57.5	5	6.3		
	3000 - 4000	7	7.4	24	22.4	3000 - 4000		8	11.0	4	5.1		
	4000 - 5000	9	9.6	10	9.3	4000 - 5000		3	4.1	8	10.1		
	5000 - 6000	0	0.0	0	0.0	5000 - 6000		8	11.0	12	15.2		
	6000 - 7000	0	0.0	0	0.0	6000 - 7000		3	4.1	3	3.8		
	> 7000	0	0.0	0	0.0	7000 - 8000		3	4.1	2	2.5		
TOTAL		94		107		8000 - 9000	0	0.0	8	10.1			
TRIPLE REAR AXLES							9000 - 10000	1	1.4	23	29.1		
							10000 - 11000	2	2.7	10	12.7		
							11000 - 12000	1	1.4	2	2.5		
							12000 - 13000	0	0.0	1	1.3		
							13000 - 14000	0	0.0	0	0.0		
							14000 - 15000	0	0.0	0	0.0		
							15000 - 16000	0	0.0	0	0.0		
							> 16000	0	0.0	0	0.0		
							TOTAL	73		79			
							< 2000 KG	0	0.0	0	0.0		
							2000 - 3000	0	0.0	0	0.0		
							3000 - 4000	2	9.5	0	0.0		
							4000 - 5000	7	33.3	5	17.9		
							5000 - 6000	1	4.8	0	0.0		
							6000 - 7000	4	19.0	3	10.7		
						7000 - 8000	1	4.8	0	0.0			
						8000 - 9000	3	14.3	0	0.0			
						9000 - 10000	1	4.8	0	0.0			
						10000 - 11000	0	0.0	0	0.0			
						11000 - 12000	0	0.0	0	0.0			
						12000 - 13000	0	0.0	3	10.7			
						13000 - 14000	0	0.0	1	3.6			
						14000 - 15000	0	0.0	3	10.7			
						15000 - 16000	2	9.5	7	25.0			
						16000 - 17000	0	0.0	2	7.1			
						17000 - 18000	0	0.0	3	10.7			
						18000 - 19000	0	0.0	1	3.6			
						19000 - 20000	0	0.0	0	0.0			
						20000 - 21000	0	0.0	0	0.0			
						21000 - 22000	0	0.0	0	0.0			
						22000 - 23000	0	0.0	0	0.0			
						23000 - 24000	0	0.0	0	0.0			
						> 24000	0	0.0	0	0.0			
						TOTAL	21		28				

SECTION 104 ON BR-050											
Direction SC - Araguari/Border MG/GO											
Direction CS - Border MG/GO/Araguari											
DIRECTION SC					DIRECTION CS						
WEIGHT		Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.	WEIGHT		Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG	11	2.9	7	4.1	< 2000 KG	0	0.0	1	1.0	
	2000 - 3000	156	40.5	75	44.4	2000 - 3000	6	3.0	24	23.8	
	3000 - 4000	110	28.6	52	30.8	3000 - 4000	15	7.5	17	16.8	
	4000 - 5000	92	23.9	31	18.3	4000 - 5000	18	9.0	20	19.8	
	5000 - 6000	16	4.2	3	1.8	5000 - 6000	17	8.5	10	9.9	
	6000 - 7000	0	0.0	1	0.6	6000 - 7000	13	6.5	5	5.0	
	> 7000	0	0.0	0	0.0	7000 - 8000	15	7.5	6	5.9	
						8000 - 9000	31	15.6	10	9.9	
	TOTAL	385		169		9000 - 10000	32	16.1	1	1.0	
						10000 - 11000	24	12.1	4	4.0	
TRIPLE REAR AXLES	< 8000 KG	0	0.0	2	14.3	11000 - 12000	11	5.5	3	3.0	
	8000 - 9000	0	0.0	2	14.3	12000 - 13000	10	5.0	0	0.0	
	9000 - 10000	0	0.0	3	21.4	13000 - 14000	5	2.5	0	0.0	
	10000 - 11000	2	5.6	2	14.3	14000 - 15000	2	1.0	0	0.0	
	11000 - 12000	1	2.8	0	0.0	15000 - 16000	0	0.0	0	0.0	
	12000 - 13000	0	0.0	0	0.0	> 16000	0	0.0	0	0.0	
	13000 - 14000	0	0.0	0	0.0	TOTAL	199		101		
	14000 - 15000	0	0.0	0	0.0	< 2000 KG	0	0.0	0	0.0	
	15000 - 16000	0	0.0	0	0.0	2000 - 3000	0	0.0	0	0.0	
	16000 - 17000	1	2.8	0	0.0	3000 - 4000	0	0.0	2	3.8	
	17000 - 18000	0	0.0	0	0.0	4000 - 5000	6	5.5	3	5.8	
	18000 - 19000	0	0.0	0	0.0	5000 - 6000	6	5.5	9	17.3	
	19000 - 20000	0	0.0	0	0.0	6000 - 7000	14	12.8	5	9.6	
	20000 - 21000	1	2.8	0	0.0	7000 - 8000	3	2.8	7	13.5	
	21000 - 22000	2	5.6	0	0.0	8000 - 9000	2	1.8	2	3.8	
	22000 - 23000	1	2.8	0	0.0	9000 - 10000	5	4.6	0	0.0	
	23000 - 24000	0	0.0	1	7.1	10000 - 11000	9	8.3	2	3.8	
	24000 - 25000	3	8.3	0	0.0	11000 - 12000	10	9.2	1	1.9	
	25000 - 26000	2	5.6	0	0.0	12000 - 13000	9	8.3	0	0.0	
	26000 - 27000	3	8.3	2	14.3	13000 - 14000	6	5.5	0	0.0	
	27000 - 28000	3	8.3	1	7.1	14000 - 15000	6	5.5	6	11.5	
	28000 - 29000	5	13.9	1	7.1	15000 - 16000	1	0.9	1	1.9	
	29000 - 30000	3	8.3	0	0.0	16000 - 17000	1	0.9	5	9.6	
	30000 - 31000	4	11.1	0	0.0	17000 - 18000	15	13.8	2	3.8	
	31000 - 32000	2	5.6	0	0.0	18000 - 19000	8	7.3	3	5.8	
	32000 - 33000	2	5.6	0	0.0	19000 - 20000	4	3.7	3	5.8	
	33000 - 34000	1	2.8	0	0.0	20000 - 21000	1	0.9	0	0.0	
	34000 - 35000	0	0.0	0	0.0	21000 - 22000	1	0.9	0	0.0	
	> 35000	0	0.0	0	0.0	22000 - 23000	2	1.8	1	1.9	
	TOTAL	36		14		23000 - 24000	0	0.0	0	0.0	
						> 24000	0	0.0	0	0.0	
						TOTAL	109		52		
	SINGLE REAR AXLES	< 2000 KG	0	0.0	1	1.0	FRONT AXLES				
		2000 - 3000	6	3.0	24	23.8	WEIGHT				
		3000 - 4000	15	7.5	17	16.8	Nº OF OBS.				
		4000 - 5000	18	9.0	20	19.8	PERCENT.				
5000 - 6000		17	8.5	10	9.9	Nº OF OBS.					
6000 - 7000		13	6.5	5	5.0	PERCENT.					
7000 - 8000		15	7.5	6	5.9	WEIGHT					
8000 - 9000		31	15.6	10	9.9	< 2000 KG					
9000 - 10000		32	16.1	1	1.0	2000 - 3000					
10000 - 11000		24	12.1	4	4.0	3000 - 4000					
11000 - 12000	11	5.5	3	3.0	4000 - 5000						
12000 - 13000	10	5.0	0	0.0	5000 - 6000						
13000 - 14000	5	2.5	0	0.0	6000 - 7000						
14000 - 15000	2	1.0	0	0.0	7000 - 8000						
15000 - 16000	0	0.0	0	0.0	8000 - 9000						
> 16000	0	0.0	0	0.0	9000 - 10000						
TOTAL	199		101		10000 - 11000						
					11000 - 12000						
TANDEM REAR AXLES	< 2000 KG	0	0.0	0	0.0	12000 - 13000					
	2000 - 3000	0	0.0	0	0.0	13000 - 14000					
	3000 - 4000	0	0.0	2	3.8	14000 - 15000					
	4000 - 5000	6	5.5	3	5.8	15000 - 16000					
	5000 - 6000	6	5.5	9	17.3	16000 - 17000					
	6000 - 7000	14	12.8	5	9.6	17000 - 18000					
	7000 - 8000	3	2.8	7	13.5	18000 - 19000					
	8000 - 9000	2	1.8	2	3.8	19000 - 20000					
	9000 - 10000	5	4.6	0	0.0	20000 - 21000					
	10000 - 11000	9	8.3	2	3.8	21000 - 22000					
11000 - 12000	10	9.2	1	1.9	22000 - 23000						
12000 - 13000	9	8.3	0	0.0	23000 - 24000						
13000 - 14000	6	5.5	0	0.0	> 24000						
14000 - 15000	6	5.5	6	11.5	TOTAL						
15000 - 16000	1	0.9	1	1.9	WEIGHT						
16000 - 17000	1	0.9	5	9.6	Nº OF OBS.						
17000 - 18000	15	13.8	2	3.8	PERCENT.						
18000 - 19000	8	7.3	3	5.8	Nº OF OBS.						
19000 - 20000	4	3.7	3	5.8	PERCENT.						
20000 - 21000	1	0.9	0	0.0	WEIGHT						
21000 - 22000	1	0.9	0	0.0	< 2000 KG						
22000 - 23000	2	1.8	1	1.9	2000 - 3000						
23000 - 24000	0	0.0	0	0.0	3000 - 4000						
> 24000	0	0.0	0	0.0	4000 - 5000						
TOTAL	109		52		5000 - 6000						

SECTION 105 ON BR-365

Direction SC - Uberlândia/Patrocínio

Direction CS - Patrocínio/Uberlândia

		DIRECTION SC		DIRECTION CS				DIRECTION SC		DIRECTION CS			
		WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.			WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG	18	6.5	19	6.7			< 2000 KG	1	0.5	5	2.5	
	2000 - 3000	170	61.6	173	61.3			2000 - 3000	78	42.2	28	13.8	
	3000 - 4000	68	24.6	66	23.4			3000 - 4000	23	12.4	19	9.4	
	4000 - 5000	17	6.2	23	8.2			4000 - 5000	10	5.4	11	5.4	
	5000 - 6000	3	1.1	1	0.4			5000 - 6000	12	6.5	9	4.4	
	6000 - 7000	0	0.0	0	0.0			6000 - 7000	5	2.7	3	1.5	
	> 7000	0	0.0	0	0.0			7000 - 8000	9	4.9	10	4.9	
	TOTAL	276		282				8000 - 9000	6	3.2	27	13.3	
TRIPLE REAR AXLES	< 8000 KG	0	0.0	0	0.0			9000 - 10000	19	10.3	43	21.2	
	8000 - 9000	0	0.0	1	100.0			10000 - 11000	15	8.1	30	14.8	
	9000 - 10000	0	0.0	0	0.0			11000 - 12000	5	2.7	7	3.4	
	10000 - 11000	0	0.0	0	0.0			12000 - 13000	2	1.1	10	4.9	
	11000 - 12000	0	0.0	0	0.0			13000 - 14000	0	0.0	1	0.5	
	12000 - 13000	0	0.0	0	0.0			14000 - 15000	0	0.0	0	0.0	
	13000 - 14000	0	0.0	0	0.0			15000 - 16000	0	0.0	0	0.0	
	14000 - 15000	0	0.0	0	0.0			> 16000	0	0.0	0	0.0	
	15000 - 16000	0	0.0	0	0.0			TOTAL	185		203		
	16000 - 17000	0	0.0	0	0.0			< 2000 KG	0	0.0	0	0.0	
	17000 - 18000	0	0.0	0	0.0			2000 - 3000	0	0.0	0	0.0	
	18000 - 19000	0	0.0	0	0.0			3000 - 4000	4	4.4	2	2.6	
	19000 - 20000	0	0.0	0	0.0			4000 - 5000	25	27.5	11	14.5	
	20000 - 21000	0	0.0	0	0.0			5000 - 6000	13	14.3	7	9.2	
	21000 - 22000	0	0.0	0	0.0			6000 - 7000	6	6.6	12	15.8	
	22000 - 23000	0	0.0	0	0.0			7000 - 8000	2	2.2	8	10.5	
	23000 - 24000	0	0.0	0	0.0			8000 - 9000	0	0.0	2	2.6	
	24000 - 25000	0	0.0	0	0.0			9000 - 10000	4	4.4	1	1.3	
	25000 - 26000	0	0.0	0	0.0			10000 - 11000	1	1.1	1	1.3	
	26000 - 27000	2	66.7	0	0.0			11000 - 12000	0	0.0	1	1.3	
	27000 - 28000	1	33.3	0	0.0			12000 - 13000	0	0.0	0	0.0	
28000 - 29000	0	0.0	0	0.0			13000 - 14000	4	4.4	3	3.9		
29000 - 30000	0	0.0	0	0.0			14000 - 15000	8	8.8	4	5.3		
30000 - 31000	0	0.0	0	0.0			15000 - 16000	1	1.1	6	7.9		
31000 - 32000	0	0.0	0	0.0			16000 - 17000	12	13.2	4	5.3		
32000 - 33000	0	0.0	0	0.0			17000 - 18000	10	11.0	8	10.5		
33000 - 34000	0	0.0	0	0.0			18000 - 19000	1	1.1	4	5.3		
34000 - 35000	0	0.0	0	0.0			19000 - 20000	0	0.0	1	1.3		
> 35000	0	0.0	0	0.0			20000 - 21000	0	0.0	1	1.3		
	TOTAL	3		1				21000 - 22000	0	0.0	0	0.0	
SINGLE REAR AXLES	< 2000 KG	0	0.0	0	0.0			22000 - 23000	0	0.0	0	0.0	
	2000 - 3000	0	0.0	0	0.0			23000 - 24000	0	0.0	0	0.0	
	3000 - 4000	4	4.4	2	2.6			> 24000	0	0.0	0	0.0	
	4000 - 5000	25	27.5	11	14.5			TOTAL	91		76		
	5000 - 6000	13	14.3	7	9.2			< 2000 KG	0	0.0	0	0.0	
	6000 - 7000	6	6.6	12	15.8			2000 - 3000	0	0.0	0	0.0	
	7000 - 8000	2	2.2	8	10.5			3000 - 4000	4	4.4	2	2.6	
	8000 - 9000	0	0.0	2	2.6			4000 - 5000	25	27.5	11	14.5	
	9000 - 10000	4	4.4	1	1.3			5000 - 6000	13	14.3	7	9.2	
	10000 - 11000	1	1.1	1	1.3			6000 - 7000	6	6.6	12	15.8	
	11000 - 12000	0	0.0	1	1.3			7000 - 8000	2	2.2	8	10.5	
	12000 - 13000	0	0.0	0	0.0			8000 - 9000	0	0.0	2	2.6	
	13000 - 14000	4	4.4	3	3.9			9000 - 10000	4	4.4	1	1.3	
14000 - 15000	8	8.8	4	5.3			10000 - 11000	1	1.1	1	1.3		
15000 - 16000	1	1.1	6	7.9			11000 - 12000	0	0.0	1	1.3		
16000 - 17000	12	13.2	4	5.3			12000 - 13000	0	0.0	0	0.0		
17000 - 18000	10	11.0	8	10.5			13000 - 14000	4	4.4	3	3.9		
18000 - 19000	1	1.1	4	5.3			14000 - 15000	8	8.8	4	5.3		
19000 - 20000	0	0.0	1	1.3			15000 - 16000	1	1.1	6	7.9		
20000 - 21000	0	0.0	1	1.3			16000 - 17000	12	13.2	4	5.3		
21000 - 22000	0	0.0	0	0.0			17000 - 18000	10	11.0	8	10.5		
22000 - 23000	0	0.0	0	0.0			18000 - 19000	1	1.1	4	5.3		
23000 - 24000	0	0.0	0	0.0			19000 - 20000	0	0.0	1	1.3		
> 24000	0	0.0	0	0.0			20000 - 21000	0	0.0	1	1.3		
	TOTAL	91		76				21000 - 22000	0	0.0	0	0.0	
								22000 - 23000	0	0.0	0	0.0	
								23000 - 24000	0	0.0	0	0.0	
								> 24000	0	0.0	0	0.0	

SECTION 106 ON BR-365						SECTION 106 ON BR-365					
Direction SC - Patrocínio/Guimarânia						Direction SC - Patrocínio/Guimarânia					
Direction CS - Guimarânia/Patrocínio						Direction CS - Guimarânia/Patrocínio					
DIRECTION SC			DIRECTION CS			DIRECTION SC			DIRECTION CS		
	WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.		WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG	17	13.9	13	15.9	REAR AXLES	< 2000 KG	2	2.0	1	1.8
	2000 - 3000	50	41.0	52	63.4		2000 - 3000	14	14.3	21	36.8
	3000 - 4000	44	36.1	11	13.4		3000 - 4000	7	7.1	11	19.3
	4000 - 5000	8	6.6	5	6.1		4000 - 5000	5	5.1	4	7.0
	5000 - 6000	3	2.5	1	1.2		5000 - 6000	7	7.1	3	5.3
	6000 - 7000	0	0.0	0	0.0		6000 - 7000	15	15.3	4	7.0
	> 7000	0	0.0	0	0.0		7000 - 8000	7	7.1	2	3.5
	TOTAL	122		82			8000 - 9000	6	6.1	2	3.5
TRIPLE REAR AXLES	< 8000 KG	1	25.0	0	0.0	TANDEM REAR AXLES	< 2000 KG	0	0.0	0	0.0
	8000 - 9000	0	0.0	1	50.0		2000 - 3000	0	0.0	0	0.0
	9000 - 10000	0	0.0	0	0.0		3000 - 4000	0	0.0	2	8.0
	10000 - 11000	0	0.0	0	0.0		4000 - 5000	5	15.2	11	44.0
	11000 - 12000	0	0.0	0	0.0		5000 - 6000	8	24.2	6	24.0
	12000 - 13000	0	0.0	0	0.0		6000 - 7000	1	3.0	0	0.0
	13000 - 14000	0	0.0	0	0.0		7000 - 8000	3	9.1	0	0.0
	14000 - 15000	0	0.0	0	0.0		8000 - 9000	1	3.0	0	0.0
	15000 - 16000	0	0.0	0	0.0		9000 - 10000	0	0.0	0	0.0
	16000 - 17000	0	0.0	0	0.0		10000 - 11000	0	0.0	1	4.0
	17000 - 18000	0	0.0	0	0.0		11000 - 12000	1	3.0	0	0.0
	18000 - 19000	0	0.0	0	0.0		12000 - 13000	0	0.0	0	0.0
	19000 - 20000	0	0.0	0	0.0		13000 - 14000	1	3.0	0	0.0
	20000 - 21000	0	0.0	0	0.0		14000 - 15000	1	3.0	0	0.0
	21000 - 22000	0	0.0	0	0.0		15000 - 16000	3	9.1	2	8.0
	22000 - 23000	0	0.0	0	0.0		16000 - 17000	6	18.2	1	4.0
	23000 - 24000	1	25.0	0	0.0		17000 - 18000	2	6.1	1	4.0
	24000 - 25000	0	0.0	0	0.0		18000 - 19000	1	3.0	0	0.0
	25000 - 26000	2	50.0	0	0.0		19000 - 20000	0	0.0	1	4.0
	26000 - 27000	0	0.0	0	0.0		20000 - 21000	0	0.0	0	0.0
27000 - 28000	0	0.0	0	0.0	21000 - 22000	0	0.0	0	0.0		
28000 - 29000	0	0.0	0	0.0	22000 - 23000	0	0.0	0	0.0		
29000 - 30000	0	0.0	1	50.0	23000 - 24000	0	0.0	0	0.0		
30000 - 31000	0	0.0	0	0.0	> 24000	0	0.0	0	0.0		
31000 - 32000	0	0.0	0	0.0	TOTAL	33		25			
32000 - 33000	0	0.0	0	0.0							
33000 - 34000	0	0.0	0	0.0							
34000 - 35000	0	0.0	0	0.0							
> 35000	0	0.0	0	0.0							
TOTAL	4		2								

SECTION 107 ON MG-428
 Direction SC - Araxá/Border MG/SP
 Direction CS - Border MG/SP/Araxá

		DIRECTION SC		DIRECTION CS				DIRECTION SC		DIRECTION CS			
		WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.			WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.
FRONT AXLES	< 2000 KG		7	9.2	8	8.5	SINGLE REAR AXLES	< 2000 KG	0	0.0	1	1.2	
	2000 - 3000	33	43.4	58	61.7	2000 - 3000		8	12.7	30	36.6		
	3000 - 4000	28	36.8	24	25.5	3000 - 4000		4	6.3	18	22.0		
	4000 - 5000	7	9.2	4	4.3	4000 - 5000		3	4.8	13	15.9		
	5000 - 6000	1	1.3	0	0.0	5000 - 6000		7	11.1	10	12.2		
	6000 - 7000	0	0.0	0	0.0	6000 - 7000		2	3.2	1	1.2		
	> 7000	0	0.0	0	0.0	7000 - 8000		2	3.2	0	0.0		
TOTAL	76		94		8000 - 9000	1	1.6	4	4.9				
TRIPLE REAR AXLES	< 8000 KG	0	0.0	6	54.5	9000 - 10000	7	11.1	1	1.2			
	8000 - 9000	0	0.0	4	36.4	10000 - 11000	4	6.3	2	2.4			
	9000 - 10000	0	0.0	1	9.1	11000 - 12000	8	12.7	1	1.2			
	10000 - 11000	0	0.0	0	0.0	12000 - 13000	10	15.9	1	1.2			
	11000 - 12000	0	0.0	0	0.0	13000 - 14000	6	9.5	0	0.0			
	12000 - 13000	0	0.0	0	0.0	14000 - 15000	1	1.6	0	0.0			
	13000 - 14000	0	0.0	0	0.0	15000 - 16000	0	0.0	0	0.0			
	14000 - 15000	0	0.0	0	0.0	> 16000	0	0.0	0	0.0			
	15000 - 16000	1	33.3	0	0.0	TOTAL	63		82				
	16000 - 17000	0	0.0	0	0.0	TANDEM REAR AXLES	< 2000 KG	0	0.0	0	0.0		
	17000 - 18000	0	0.0	0	0.0		2000 - 3000	0	0.0	0	0.0		
	18000 - 19000	0	0.0	0	0.0		3000 - 4000	0	0.0	1	5.6		
	19000 - 20000	0	0.0	0	0.0		4000 - 5000	2	13.3	6	33.3		
	20000 - 21000	0	0.0	0	0.0		5000 - 6000	3	20.0	0	0.0		
	21000 - 22000	0	0.0	0	0.0		6000 - 7000	3	20.0	2	11.1		
	22000 - 23000	0	0.0	0	0.0		7000 - 8000	1	6.7	1	5.6		
	23000 - 24000	0	0.0	0	0.0		8000 - 9000	1	6.7	5	27.8		
	24000 - 25000	0	0.0	0	0.0		9000 - 10000	0	0.0	0	0.0		
	25000 - 26000	0	0.0	0	0.0		10000 - 11000	0	0.0	0	0.0		
	26000 - 27000	0	0.0	0	0.0		11000 - 12000	1	6.7	0	0.0		
	27000 - 28000	0	0.0	0	0.0		12000 - 13000	0	0.0	1	5.6		
	28000 - 29000	0	0.0	0	0.0		13000 - 14000	1	6.7	1	5.6		
	29000 - 30000	1	33.3	0	0.0		14000 - 15000	2	13.3	1	5.6		
	30000 - 31000	0	0.0	0	0.0		15000 - 16000	0	0.0	0	0.0		
	31000 - 32000	1	33.3	0	0.0	16000 - 17000	0	0.0	0	0.0			
	32000 - 33000	0	0.0	0	0.0	17000 - 18000	0	0.0	0	0.0			
	33000 - 34000	0	0.0	0	0.0	18000 - 19000	1	6.7	0	0.0			
	34000 - 35000	0	0.0	0	0.0	19000 - 20000	0	0.0	0	0.0			
	> 35000	0	0.0	0	0.0	20000 - 21000	0	0.0	0	0.0			
	TOTAL	3		11		21000 - 22000	0	0.0	0	0.0			
						22000 - 23000	0	0.0	0	0.0			
						23000 - 24000	0	0.0	0	0.0			
						> 24000	0	0.0	0	0.0			
					TOTAL	15		18					

SECTION 109 ON BR-040						SECTION 109 ON BR-040					
Direction SC - Junct. BR-365/BR-040/J. Pinheiro						Direction SC - Junct. BR-365/BR-040/J. Pinheiro					
Direction CS - J. Pinheiro/Junct. BR-365/BR-040						Direction CS - J. Pinheiro/Junct. BR-365/BR-040					
DIRECTION SC			DIRECTION CS			DIRECTION SC			DIRECTION CS		
FRONT AXLES	WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.	WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.	
	< 2000 KG	10	5.5	11	4.8	< 2000 KG	4	4.0	0	0.0	
	2000 - 3000	59	32.6	100	44.1	2000 - 3000	7	7.1	5	8.3	
	3000 - 4000	69	38.1	70	30.8	3000 - 4000	14	14.1	8	7.3	
	4000 - 5000	38	21.0	39	17.2	4000 - 5000	16	16.2	18	16.5	
	5000 - 6000	5	2.8	7	3.1	5000 - 6000	5	5.1	15	13.8	
	6000 - 7000	0	0.0	0	0.0	6000 - 7000	6	6.1	12	11.0	
	> 7000	0	0.0	0	0.0	7000 - 8000	5	9.1	8	7.3	
	TOTAL	181		227		8000 - 9000	7	7.1	7	6.4	
						9000 - 10000	6	6.1	7	6.4	
TRIPLE REAR AXLES	< 8000 KG	1	5.3	0	0.0	10000 - 11000	8	8.1	8	7.3	
	8000 - 9000	3	15.8	0	0.0	11000 - 12000	6	6.1	8	7.3	
	9000 - 10000	2	10.5	1	6.7	12000 - 13000	8	8.1	3	2.8	
	10000 - 11000	1	5.3	0	0.0	13000 - 14000	3	3.0	5	4.6	
	11000 - 12000	3	15.8	0	0.0	14000 - 15000	0	0.0	1	0.9	
	12000 - 13000	0	0.0	0	0.0	15000 - 16000	0	0.0	0	0.0	
	13000 - 14000	0	0.0	0	0.0	> 16000	0	0.0	0	0.0	
	14000 - 15000	0	0.0	0	0.0	TOTAL	99		109		
	15000 - 16000	0	0.0	0	0.0	< 2000 KG	0	0.0	0	0.0	
	16000 - 17000	0	0.0	0	0.0	2000 - 3000	0	0.0	0	0.0	
	17000 - 18000	0	0.0	0	0.0	3000 - 4000	0	0.0	0	0.0	
	18000 - 19000	0	0.0	0	0.0	4000 - 5000	7	10.1	20	18.5	
	19000 - 20000	0	0.0	0	0.0	5000 - 6000	2	2.9	16	14.8	
	20000 - 21000	0	0.0	0	0.0	6000 - 7000	7	10.1	0	0.0	
	21000 - 22000	0	0.0	0	0.0	7000 - 8000	1	1.4	1	0.9	
	22000 - 23000	0	0.0	0	0.0	8000 - 9000	0	0.0	3	2.8	
	23000 - 24000	2	10.5	0	0.0	9000 - 10000	3	4.3	6	5.6	
	24000 - 25000	0	0.0	0	0.0	10000 - 11000	0	0.0	6	5.6	
	25000 - 26000	1	5.3	1	6.7	11000 - 12000	0	0.0	2	1.9	
	26000 - 27000	0	0.0	1	6.7	12000 - 13000	6	8.7	1	0.9	
27000 - 28000	0	0.0	1	6.7	13000 - 14000	3	4.3	2	1.9		
28000 - 29000	2	10.5	1	6.7	14000 - 15000	1	1.4	5	4.6		
29000 - 30000	0	0.0	2	13.3	15000 - 16000	1	1.4	13	12.0		
30000 - 31000	1	5.3	4	26.7	16000 - 17000	15	21.7	1	0.9		
31000 - 32000	1	5.3	1	6.7	17000 - 18000	1	1.4	1	0.9		
32000 - 33000	0	0.0	1	6.7	18000 - 19000	5	7.2	18	16.7		
33000 - 34000	1	5.3	2	13.3	19000 - 20000	11	15.9	4	3.7		
34000 - 35000	1	5.3	0	0.0	20000 - 21000	5	7.2	3	2.8		
> 35000	0	0.0	0	0.0	21000 - 22000	1	1.4	4	3.7		
TOTAL	19		15		22000 - 23000	0	0.0	1	0.9		
					23000 - 24000	0	0.0	1	0.9		
					> 24000	0	0.0	0	0.0		
					TOTAL	69		108			

SECTION 110 ON BR-040
 Direction SC - Paracatu/Border MG/GO
 Direction CS - Border MG/GO/Paracatu

		DIRECTION SC		DIRECTION CS		DIRECTION SC		DIRECTION CS				
		WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.	WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.	
FRONT AXLES	< 2000 KG		5	6.4	4	4.3	< 2000 KG	1	3.2	0	0.0	
	2000 - 3000		33	42.3	19	42.4	2000 - 3000	5	16.1	3	7.7	
	3000 - 4000		23	29.5	30	32.6	3000 - 4000	5	16.1	6	15.4	
	4000 - 5000		13	16.7	17	18.5	4000 - 5000	2	6.5	6	15.4	
	5000 - 6000		4	5.1	2	2.2	5000 - 6000	1	3.2	6	15.4	
	6000 - 7000		0	0.0	0	0.0	6000 - 7000	1	3.2	1	2.6	
	> 7000		0	0.0	0	0.0	7000 - 8000	3	9.7	2	5.1	
	TOTAL		78			92	8000 - 9000	2	6.5	1	2.6	
							9000 - 10000	3	9.7	2	5.1	
							10000 - 11000	3	9.7	3	7.7	
						11000 - 12000	4	12.9	4	10.3		
						12000 - 13000	0	0.0	2	5.1		
						13000 - 14000	1	3.2	1	2.6		
						14000 - 15000	0	0.0	2	5.1		
						15000 - 16000	0	0.0	0	0.0		
						> 16000	0	0.0	0	0.0		
						TOTAL	31			39		
TRIPLE REAR AXLES	< 8000 KG		0	0.0	1	7.7	< 2000 KG	0	0.0	0	0.0	
	8000 - 9000		0	0.0	2	15.4	2000 - 3000	0	0.0	0	0.0	
	9000 - 10000		0	0.0	0	0.0	3000 - 4000	0	0.0	0	0.0	
	10000 - 11000		0	0.0	0	0.0	4000 - 5000	4	9.3	4	8.7	
	11000 - 12000		0	0.0	2	15.4	5000 - 6000	3	7.0	11	23.9	
	12000 - 13000		0	0.0	0	0.0	6000 - 7000	1	2.3	0	0.0	
	13000 - 14000		0	0.0	0	0.0	7000 - 8000	0	0.0	0	0.0	
	14000 - 15000		0	0.0	0	0.0	8000 - 9000	1	2.3	1	2.2	
	15000 - 16000		0	0.0	0	0.0	9000 - 10000	1	2.3	1	2.2	
	16000 - 17000		0	0.0	0	0.0	10000 - 11000	1	2.3	0	0.0	
	17000 - 18000		0	0.0	0	0.0	11000 - 12000	4	9.3	0	0.0	
	18000 - 19000		0	0.0	0	0.0	12000 - 13000	0	0.0	0	0.0	
	19000 - 20000		0	0.0	0	0.0	13000 - 14000	0	0.0	1	2.2	
	20000 - 21000		0	0.0	0	0.0	14000 - 15000	5	11.6	1	2.2	
	21000 - 22000		0	0.0	0	0.0	15000 - 16000	3	7.0	6	13.0	
	22000 - 23000		0	0.0	0	0.0	16000 - 17000	2	4.7	3	6.5	
	23000 - 24000		0	0.0	0	0.0	17000 - 18000	10	23.3	7	15.2	
	24000 - 25000		0	0.0	0	0.0	18000 - 19000	1	2.3	5	10.9	
	25000 - 26000		1	33.3	0	0.0	19000 - 20000	1	2.3	3	6.5	
	26000 - 27000		0	0.0	0	0.0	20000 - 21000	0	0.0	2	4.3	
	27000 - 28000		0	0.0	1	7.7	21000 - 22000	4	9.3	0	0.0	
	28000 - 29000		1	33.3	0	0.0	22000 - 23000	2	4.7	0	0.0	
	29000 - 30000		0	0.0	2	15.4	23000 - 24000	0	0.0	1	2.2	
	30000 - 31000		0	0.0	2	15.4	> 24000	0	0.0	0	0.0	
	31000 - 32000		0	0.0	0	0.0	TOTAL	43			46	
	32000 - 33000		0	0.0	2	15.4						
	33000 - 34000		0	0.0	0	0.0						
	34000 - 35000		1	33.3	0	0.0						
	> 35000		0	0.0	1	7.7						
	TOTAL		3			13						

SECTION 118 ON MG-154
 Direction SC - Capinópolis/C. Dourada
 Direction CS - C. Dourada/Capinópolis

		DIRECTION SC		DIRECTION CS		DIRECTION SC		DIRECTION CS		
		WEIGHT	Nº OF OBS.	PERCENT.	Nº OF OBS.	PERCENT.	WEIGHT	Nº OF OBS.	PERCENT.	
FRONT AXLES	< 2000 KG	12	24.0	8	22.9	< 2000 KG	1	2.3	1	3.0
	2000 - 3000	13	26.0	10	28.6	2000 - 3000	11	25.6	11	33.3
	3000 - 4000	24	48.0	17	48.6	3000 - 4000	3	7.0	0	0.0
	4000 - 5000	0	0.0	0	0.0	4000 - 5000	7	16.3	12	36.4
	5000 - 6000	1	2.0	0	0.0	5000 - 6000	18	41.9	9	27.3
	6000 - 7000	0	0.0	0	0.0	6000 - 7000	0	0.0	0	0.0
	> 7000	0	0.0	0	0.0	7000 - 8000	0	0.0	0	0.0
		0	0.0	0	0.0	8000 - 9000	0	0.0	0	0.0
		0	0.0	0	0.0	9000 - 10000	2	4.7	0	0.0
	TOTAL	50		35		10000 - 11000	0	0.0	0	0.0
TRIPLE REAR AXLES						11000 - 12000	1	2.3	0	0.0
						12000 - 13000	0	0.0	0	0.0
						13000 - 14000	0	0.0	0	0.0
						14000 - 15000	0	0.0	0	0.0
						15000 - 16000	0	0.0	0	0.0
						16000 - 17000	0	0.0	0	0.0
						17000 - 18000	0	0.0	0	0.0
						18000 - 19000	0	0.0	0	0.0
						19000 - 20000	1	12.5	0	0.0
						20000 - 21000	0	0.0	0	0.0
						21000 - 22000	0	0.0	0	0.0
						22000 - 23000	0	0.0	0	0.0
						23000 - 24000	0	0.0	0	0.0
						> 24000	0	0.0	0	0.0
						TOTAL	43		33	
						< 2000 KG	0	0.0	0	0.0
						2000 - 3000	0	0.0	0	0.0
						3000 - 4000	0	0.0	0	0.0
						4000 - 5000	0	0.0	0	0.0
						5000 - 6000	1	12.5	2	100.0
					6000 - 7000	0	0.0	0	0.0	
					7000 - 8000	0	0.0	0	0.0	
					8000 - 9000	6	75.0	0	0.0	
					9000 - 10000	0	0.0	0	0.0	
					10000 - 11000	0	0.0	0	0.0	
					11000 - 12000	0	0.0	0	0.0	
					12000 - 13000	0	0.0	0	0.0	
					13000 - 14000	0	0.0	0	0.0	
					14000 - 15000	0	0.0	0	0.0	
					15000 - 16000	0	0.0	0	0.0	
					16000 - 17000	0	0.0	0	0.0	
					17000 - 18000	0	0.0	0	0.0	
					18000 - 19000	0	0.0	0	0.0	
					19000 - 20000	1	12.5	0	0.0	
					20000 - 21000	0	0.0	0	0.0	
					21000 - 22000	0	0.0	0	0.0	
					22000 - 23000	0	0.0	0	0.0	
					23000 - 24000	0	0.0	0	0.0	
					> 24000	0	0.0	0	0.0	
					TOTAL	8		2		