



## Subject index

### Abbreviata

- A check-list of the nematode parasites of South African serpentes (snakes) and sauria (lizards)—S.F.B.N. HERING-HAGENBECK and J. BOOMKER ..... 1–13

### Acari

- Oribatid mites (Acari, Oribatida) as intermediate hosts of tapeworms of the Family Anoplocephalidae (Cestoda) and the transmission of *Moniezia expansa* cysticeroids in South Africa—R. SCHUSTER, L. COETZEE and J.F. PUTTE-RILL ..... 49–55

### Acaricide

- Efficacy of flumethrin 1% pour-on against ticks on cattle under field condition in Ethiopia—S. MEKONNEN ..... 235–237

### *Aeromonas hydrophila*

- Aerobic intestinal flora of wild-caught African dwarf crocodiles *Osteolaemus tetraspis*—F.W. HUCHZERMEYER, M.M. HENTON, J. RILEY and M. AGNAGNA ..... 201–204

### African horsesickness virus

- The prevalence of different African horsesickness virus serotypes in the Onderstepoort area near Pretoria, during an outbreak of African horsesickness in South Africa in 1995/1996—C.W. BREMER, G.H. GERDES, H. AITCHISON, I. LOUW, R.R. GREYLING and J. WELGEMOED ..... 65–70

### African dwarf crocodile

- Aerobic intestinal flora of wild-caught African dwarf crocodiles *Osteolaemus tetraspis*—F.W. HUCHZERMEYER, M.M. HENTON, J. RILEY and M. AGNAGNA ..... 201–204

### Agglutination

- Evaluation of a commercially available ELISA kit for detection of antibodies to *Anaplasma marginale* and *Anaplasma centrale* in cattle in Australia and Zimbabwe—P.M. BOWLES, J.B. MOLLOY, G.W. BLIGHT, S. SINGH and L.G. MABIKACHECHE ..... 83–86

### *Aicelaphus buselaphus*

- Parasites of South African wildlife. XVI. Helminths of some antelope species from the Eastern and Western Cape Provinces—J. BOOMKER, I.G. HORAK, R. WATERMEYER and D.G. BOOYSE ..... 31–41

### Anaemia

- In vitro* erythrophagocytosis by cultured macrophages stimulated with extraneous substances and those isolated from the blood, spleen and bone marrow of Boran and N'Dama cattle infected with *Trypanosoma congolense* and *Trypanosoma vivax*—V.O. TAIWO and V.O. ANOSA ..... 273–287

- Differential expression of surface membrane antigens on bovine monocytes activated with recombinant cytokines and during *Trypanosoma congolense* infection—V.O. TAIWO, V.O. ANOSA and J.O. OLUWANIYI ..... 289–296

### *Anaplasma centrale*, *Anaplasma marginale*

- Evaluation of a commercially available ELISA kit for detection of antibodies to *Anaplasma marginale* and *Anaplasma centrale* in cattle in Australia and Zimbabwe—P.M. BOWLES, J.B. MOLLOY, G.W. BLIGHT, S. SINGH and L.G. MABIKACHECHE ..... 83–86

<b>Anaplasmosis</b>	
The role of parasitic diseases as causes of mortality in cattle in a high potential area of central Kenya: a quantitative analysis—P.W.N. KANYARI and J. KAGIRA .....	157–161
<b>Anoplocephalidae</b>	
Oribatid mites (Acari, Oribatida) as intermediate hosts of tapeworms of the Family Anoplocephalidae (Cestoda) and the transmission of <i>Moniezia expansa</i> cysticercoids in South Africa—R. SCHUSTER, L. COETZEE and J.F. PUTTE-RILL .....	49–55
<b>Antelope parasites</b>	
Parasites of South African wildlife. XVI. Helminths of some antelope species from the Eastern and Western Cape Provinces—J. BOOMKER, I.G. HORAK, R. WATERMEYER and D.G. BOOYSE .....	31–41
<b>Antibodies</b>	
Evaluation of a commercially available ELISA kit for detection of antibodies to <i>Anaplasma marginale</i> and <i>Anaplasma centrale</i> in cattle in Australia and Zimbabwe—P.M. BOWLES, J.B. MOLLOY, G.W. BLIGHT, S. SINGH and L.G. MABIKACHECHE .....	83–86
<b><i>Antidorcas marsupialis</i></b>	
Parasites of South African wildlife. XVI. Helminths of some antelope species from the Eastern and Western Cape Provinces—J. BOOMKER, I.G. HORAK, R. WATERMEYER and D.G. BOOYSE .....	31–41
<b>Antigen</b>	
<i>Leishmania major</i> infections in <i>Phlebotomus duboscqi</i> fed on murine models immunized with <i>L. major</i> sub-cellular antigens and sandfly gut antigens—P.A. MBATI, C.O. ANJILI, S. ODONGO, P. OGAJA and W. TONU .....	57–63
Differential expression of surface membrane antigens on bovine monocytes activated with recombinant cytokines and during <i>Trypanosoma congolense</i> infection—V.O. TAIWO, V.O. ANOSA and J.O. OLUWANIYI .....	289–296
<b><i>Ascardia columbae</i></b>	
Helminth parasites of domestic pigeons ( <i>Columba livia domestica</i> ) in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, R. NDEBELE and R. PANZIRAH .....	75–76
<b><i>Ascaris suum</i></b>	
The prevalence of internal and external parasites in pigs of different ages and sexes in Southeast District, Botswana—S.J. NSOSO, K.P. MOSALA, R.T. NDEBELE and S.S. RAMABU .....	217–220
<b><i>Babesia bovis</i></b>	
Bovine borreliosis in Botswana—S.P. SHARMA, W. AMANFU and T.C. LOSHO .....	221–223
<b>Babesiosis</b>	
The role of parasitic diseases as causes of mortality in cattle in a high potential area of central Kenya: a quantitative analysis—P.W.N. KANYARI and J. KAGIRA .....	157–161
<b>Baboon tuberculosis</b>	
The rise and fall of tuberculosis in a free-ranging chacma baboon troop in the Kruger National Park—D.F. KEET, N.P.J. KRIEK, R.G. BENGIS, D.G. GROBLER and A. MICHEL .....	115–122
<b>Bacterial colonization</b>	
Bacterial colonization and endotoxin activity during experimental acute fowl typhoid in chickens—T. KOKOSHAROV .	297–300
<b><i>Barbus</i> spp.</b>	
Occurrence of <i>Neodiplozoon polycotyleus</i> Paperna, 1973 (Diplozoidae: Monogenea) in cyprinid fish in South Africa—S.N. MASHEGO .....	153–154
<b>Bayticol pour-on</b>	
Efficacy of flumethrin 1% pour-on against ticks on cattle under field condition in Ethiopia—S. MEKONNEN .....	235–237
<b>Birds</b>	
Ultrastructural study of the luminal surface of the ducts of the epididymis of gallinaceous birds—T.A. AIRE and D. JOSLING .....	191–199
<b><i>Bitis arietans</i></b>	
A check-list of the nematode parasites of South African serpentes (snakes) and sauria (lizards)—S.F.B.N. HERING-HAGENBECK and J. BOOMKER .....	1–13
<b>Blood</b>	
Selected chemical parameters in the blood and metals in the organs of the Nile crocodile, <i>Crocodylus niloticus</i> , in the Kruger National Park—D. SWANEPOEL, J. BOOMKER and N.P.J. KRIEK .....	141–148

- In vitro* erythrophagocytosis by cultured macrophages stimulated with extraneous substances and those isolated from the blood, spleen and bone marrow of Boran and N'Dama cattle infected with *Trypanosoma congolense* and *Trypanosoma vivax*—V.O. TAIWO and V.O. ANOSA ..... 273–287
- Bone marrow**
- In vitro* erythrophagocytosis by cultured macrophages stimulated with extraneous substances and those isolated from the blood, spleen and bone marrow of Boran and N'Dama cattle infected with *Trypanosoma congolense* and *Trypanosoma vivax*—V.O. TAIWO and V.O. ANOSA ..... 273–287
- Boran cattle**
- In vitro* erythrophagocytosis by cultured macrophages stimulated with extraneous substances and those isolated from the blood, spleen and bone marrow of Boran and N'Dama cattle infected with *Trypanosoma congolense* and *Trypanosoma vivax*—V.O. TAIWO and V.O. ANOSA ..... 273–287
- Differential expression of surface membrane antigens on bovine monocytes activated with recombinant cytokines and during *Trypanosoma congolense* infection—V.O. TAIWO, V.O. ANOSA and J.O. OLUWANIYI ..... 289–296
- Borrelia theileri**
- Bovine borreliosis in Botswana—S.P. SHARMA, W. AMANFU and T.C. LOSHO ..... 221–223
- Botswana**
- Helminth parasites of domestic pigeons (*Columba livia domestica*) in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, R. NDEBELE and R. PANZIRAH ..... 75–76
- The prevalence of internal and external parasites in pigs of different ages and sexes in Southeast District, Botswana—S.J. NSOSO, K.P. MOSALA, R.T. NDEBELE and S.S. RAMABU ..... 217–220
- Bovine borreliosis in Botswana—S.P. SHARMA, W. AMANFU and T.C. LOSHO ..... 221–223
- Bovine**
- The distribution of tsetse (Diptera: Glossinidae) and bovine trypanosomosis in the Matutuine District, Maputo Province, Mozambique—I. SIGAUQUE, P. VAN DEN BOSSCHE, M. MOIANA, S. JAMAL and L. NEVES ..... 167–172
- Bovine borreliosis in Botswana—S.P. SHARMA, W. AMANFU and T.C. LOSHO ..... 221–223
- Differential expression of surface membrane antigens on bovine monocytes activated with recombinant cytokines and during *Trypanosoma congolense* infection—V.O. TAIWO, V.O. ANOSA and J.O. OLUWANIYI ..... 289–296
- Capsular serogroups**
- Capsular serogroups of *Pasteurella multocida* isolated from animals in Zimbabwe—F. DZIVA, K. MOHAN and A. PAWANDIWA ..... 225–228
- Carcharias taurus**
- Observations on a lesser-known monogenean, *Udonella myliobati*, from a copepod parasite, *Lepeophtheirus natalensis*, parasitizing the spotted ragged-tooth shark, *Carcharias taurus*, from South African waters—P.A.S. OLIVIER, S.M. DIP-PENAAR, L.F. KHALIL and N.M. MOKGALONG ..... 135–140
- Carnivore ticks**
- Parasites of domestic and wild animals in South Africa. XXXVIII. Ixodid ticks collected from 23 wild carnivore species—I.G. HORAK, L.E.O. BRAACK, L.J. FOURIE and JANE B. WALKER ..... 239–250
- Catarrhal fever**
- Suspected sheep-associated malignant catarrhal fever in a zero-grazed dairy herd in Kenya—C.M. MULEI, P.K. GATHUMBI and P.G. MBUTHIA ..... 43–47
- Cats**
- Molineus cati* n. sp. (Nematoda, Trichostrongylina, Molineoidea), a parasite of feral cats, *Felis catus* Linnaeus, 1758 in South Africa—MARIE-CLAUDE DURETTE-DESSET, J. BOOMKER and F.S. MALAN ..... 173–177
- Parasites of domestic and wild animals in South Africa. XXXVIII. Ixodid ticks collected from 23 wild carnivore species—I.G. HORAK, L.E.O. BRAACK, L.J. FOURIE and JANE B. WALKER ..... 239–250
- Cattle**
- Evaluation of a commercially available ELISA kit for detection of antibodies to *Anaplasma marginale* and *Anaplasma centrale* in cattle in Australia and Zimbabwe—P.M. BOWLES, J.B. MOLLOY, G.W. BLIGHT, S. SINGH and L.G. MABIKACHECHE ..... 83–86
- The role of parasitic diseases as causes of mortality in cattle in a high potential area of central Kenya: a quantitative analysis—P.W.N. KANYARI and J. KAGIRA ..... 157–161
- Efficacy of flumethrin 1 % pour-on against ticks on cattle under field condition in Ethiopia—S. MEKONNEN ..... 235–237

Subject index

Parameters for the determination and evaluation of heat stress in dairy cattle in South Africa—J.H. DU PREEZ .....	263–271
<i>In vitro</i> erythrophagocytosis by cultured macrophages stimulated with extraneous substances and those isolated from the blood, spleen and bone marrow of Boran and N'Dama cattle infected with <i>Trypanosoma congolense</i> and <i>Trypanosoma vivax</i> —V.O. TAIWO and V.O. ANOSA .....	273–287
Differential expression of surface membrane antigens on bovine monocytes activated with recombinant cytokines and during <i>Trypanosoma congolense</i> infection—V.O. TAIWO, V.O. ANOSA and J.O. OLUWANIYI .....	289–296
<b>Cestoda</b>	
Oribatid mites (Acari, Oribatida) as intermediate hosts of tapeworms of the Family Anoplocephalidae (Cestoda) and the transmission of <i>Moniezia expansa</i> cysticercoids in South Africa—R. SCHUSTER, L. COETZEE and J.F. PUTTE-RILL .....	49–55
<b>Chacma</b>	
The rise and fall of tuberculosis in a free-ranging chacma baboon troop in the Kruger National Park—D.F. KEET, N.P.J. KRIEK, R.G. BENGIS, D.G. GROBLER and A. MICHEL .....	115–122
<b><i>Chamaeleo dilepis</i></b>	
A check-list of the nematode parasites of South African serpentes (snakes) and sauria (lizards)—S.F.B.N. HERING-HAGENBECK and J. BOOMKER .....	1–13
<b>Chickens</b>	
Bacterial colonization and endotoxin activity during experimental acute fowl typhoid in chickens—T. KOKOSHAROV .	297–300
<i>Pasteurella gallinarum</i> : Zimbabwean experience of a versatile pathogen—K. MOHAN, F. DZIVA and D. CHITAURO ....	301–305
<b><i>Chlamydia</i></b>	
<i>Pasteurella gallinarum</i> : Zimbabwean experience of a versatile pathogen—K. MOHAN, F. DZIVA and D. CHITAURO ....	301–305
<b>Closantel</b>	
Stability and partitioning of closantel and radoxanide in ruminal fluid of sheep—G.E. SWAN, D.W. OLIVER, J. VAN RENS-BURG, H.S. STEYN and MARIA S.G. MÜLDERS .....	97–103
<b><i>Columba livia domestica</i></b>	
Helminth parasites of domestic pigeons ( <i>Columba livia domestica</i> ) in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, R. NDEBELE and R. PANZIRAH .....	75–76
<b>Copepod</b>	
Observations on a lesser-known monogenean, <i>Udonella myliobati</i> , from a copepod parasite, <i>Lepeophtheirus natalensis</i> , parasitizing the spotted ragged-tooth shark, <i>Carcharias taurus</i> , from South African waters—P.A.S. OLIVIER, S.M. DIP-PENAAR, L.F. KHALIL and N.M. MOKGALONG .....	135–140
<b>Cortisol</b>	
Parameters for the determination and evaluation of heat stress in dairy cattle in South Africa—J.H. DU PREEZ .....	263–271
<b><i>Coturnix coturnix</i></b>	
Ultrastructural study of the luminal surface of the ducts of the epididymis of gallinaceous birds—T.A. AIRE and D. JOS-LING .....	191–199
<b><i>Connochaetes gnou</i></b>	
Parasites of South African wildlife. XVI. Helminths of some antelope species from the Eastern and Western Cape Prov-inces—J. BOOMKER, I.G. HORAK, R. WATERMEYER and D.G. BOOYSE .....	31–41
<b>Crocodile</b>	
Selected chemical parameters in the blood and metals in the organs of the Nile crocodile, <i>Crocodylus niloticus</i> , in the Kruger National Park—D. SWANEPOEL, J. BOOMKER and N.P.J. KRIEK .....	141–148
Aerobic intestinal flora of wild-caught African dwarf crocodiles <i>Osteolaemus tetraspis</i> —F.W. HUCHZERMEYER, M.M. HENTON, J. RILEY and M. AGNAGNA .....	201–204
<b><i>Crocodylis niloticus</i></b>	
Selected chemical parameters in the blood and metals in the organs of the Nile crocodile, <i>Crocodylis niloticus</i> , in the Kruger National Park—D. SWANEPOEL, J. BOOMKER and N.P.J. KRIEK .....	141–148
<b>Culture inoculum, supernatant</b>	
The influence of <i>Mannheimia haemolytica</i> A1 seed culture inoculum cell density on the production of leukotoxin in sub-merged culture supernatant—M.W. ODENDAAL and L. DU PLESSIS .....	205–216

**Cultured macrophages**

- In vitro* erythrophagocytosis by cultured macrophages stimulated with extraneous substances and those isolated from the blood, spleen and bone marrow of Boran and N'Dama cattle infected with *Trypanosoma congolense* and *Trypanosoma vivax*—V.O. TAIWO and V.O. ANOSA ..... 273–287

**Cysticercoids**

- Oribatid mites (Acari, Oribatida) as intermediate hosts of tapeworms of the Family Anoplocephalidae (Cestoda) and the transmission of *Moniezia expansa* cysticercoids in South Africa—R. SCHUSTER, L. COETZEE and J.F. PUTTE-RILL ..... 49–55

**Cytokines**

- In vitro* erythrophagocytosis by cultured macrophages stimulated with extraneous substances and those isolated from the blood, spleen and bone marrow of Boran and N'Dama cattle infected with *Trypanosoma congolense* and *Trypanosoma vivax*—V.O. TAIWO and V.O. ANOSA ..... 273–287
- Differential expression of surface membrane antigens on bovine monocytes activated with recombinant cytokines and during *Trypanosoma congolense* infection—V.O. TAIWO, V.O. ANOSA and J.O. OLUWANIYI ..... 289–296

**Cytotoxin**

- The influence of *Mannheimia haemolytica* A1 seed culture inoculum cell density on the production of leukotoxin in submerged culture supernatant—M.W. ODENDAAL and L. DU PLESSIS ..... 205–216

**Dairy cattle**

- Suspected sheep-associated malignant catarrhal fever in a zero-grazed dairy herd in Kenya—C.M. MULEI, P.K. GATHUMBI and P.G. MBUTHIA ..... 43–47
- Efficacy of flumethrin 1% pour-on against ticks on cattle under field condition in Ethiopia—S. MEKONNEN ..... 235–237
- Parameters for the determination and evaluation of heat stress in dairy cattle in South Africa—J.H. DU PREEZ ..... 263–271

***Damaliscus pygargus dorcas***

- Parasites of South African wildlife. XVI. Helminths of some antelope species from the Eastern and Western Cape Provinces—J. BOOMKER, I.G. HORAK, R. WATERMEYER and D.G. BOOYSE ..... 31–41

***Dichapetalum cymosum***

- Investigation of biological samples for monofluoroacetate and *Dichapetalum cymosum* poisoning in southern Africa—P.P. MINNAAR, R.I. MCCRINDLE, T.W. NAUDÉ and C.J. BOTHA ..... 27–30

**Diplozoidae**

- Occurrence of *Neodiplozoon polycotyleus* Paperna, 1973 (Diplozoidae: Monogenea) in cyprinid fish in South Africa—S.N. MASHEGO ..... 153–154

**Diptera**

- A newly developed odour-baited "H trap" for the live collection of *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER ..... 15–26
- The distribution of tsetse (Diptera: Glossinidae) and bovine trypanosomosis in the Matutuine District, Maputo Province, Mozambique—I. SIGAUQUE, P. VAN DEN BOSSCHE, M. MOIANA, S. JAMAL and L. NEVES ..... 167–172
- Diurnal activity patterns of *Glossina brevipalpis* and *G. austeni* (Diptera: Glossinidae) in South Africa, with reference to season and meteorological factors—KARIN KAPPMEIER ..... 179–189

**Dorper sheep**

- The effect of a natural maedi-visna virus infection on the productivity of South African sheep—B. DUNGU, J. VORSTER, G.F. BATH and D.W. VERWOERD ..... 87–96

**Drug stability**

- Stability and partitioning of closantel and rafoxanide in ruminal fluid of sheep—G.E. SWAN, D.W. OLIVER, J. VAN RENSBURG, H.S. STEYN and MARIA S.G. MÜLDERS ..... 97–103

**Ducts**

- Ultrastructural study of the luminal surface of the ducts of the epididymis of gallinaceous birds—T.A. AIRE and D. JOSLING ..... 191–199

**East Coast fever**

- The role of parasitic diseases as causes of mortality in cattle in a high potential area of central Kenya: a quantitative analysis—P.W.N. KANYARI and J. KAGIRA ..... 157–161

**Eggs**

- Phage types of *Salmonella enterica* serovar Enteritidis isolated in South Africa from 1991–1995—L. MARÉ, M.L. VAN DER WALT and L.M.T. DICKS ..... 129–133

Observations on a lesser-known monogenean, <i>Udonella myliobati</i> , from a copepod parasite, <i>Lepeophtheirus natalensis</i> , parasitizing the spotted ragged-tooth shark, <i>Carcharias taurus</i> , from South African waters—P.A.S. OLIVIER, S.M. DIP-PENAAR, L.F. KHALIL and N.M. MOKGALONG .....	135–140
<b>ELISA</b>	
Evaluation of a commercially available ELISA kit for detection of antibodies to <i>Anaplasma marginale</i> and <i>Anaplasma centrale</i> in cattle in Australia and Zimbabwe—P.M. BOWLES, J.B. MOLLOY, G.W. BLIGHT, S. SINGH and L.G. MABIKACHECHE .....	83–86
<b>Endotoxin</b>	
Bacterial colonization and endotoxin activity during experimental acute fowl typhoid in chickens—T. KOKOSHAROV .	297–300
<b>Enteritidis</b>	
Phage types of <i>Salmonella enterica</i> serovar Enteritidis isolated in South Africa from 1991–1995—L. MARÉ, M.L. VAN DER WALT and L.M.T. DICKS .....	129–133
<b>Epidemiology</b>	
Models for regional heartwater epidemiology in a variable environment—R. LEVINS .....	163–165
<b>Epididymis</b>	
Ultrastructural study of the luminal surface of the ducts of the epididymis of gallinaceous birds—T.A. AIRE and D. JOSLING .....	191–199
<b>Escherichia coli</b>	
Aerobic intestinal flora of wild-caught African dwarf crocodiles <i>Osteolaemus tetraspis</i> —F.W. HUCHZERMEYER, M.M. HENTON, J. RILEY and M. AGNAGNA .....	201–204
<b>Ethiopia</b>	
Efficacy of flumethrin 1 % pour-on against ticks on cattle under field conditions in Ethiopia—S. MEKONNEN .....	235–237
<b>Felis catus</b>	
<i>Molineus cati</i> n. sp. (Nematoda, Trichostrongylina, Molineoidea), a parasite of feral cats, <i>Felis catus</i> Linnaeus, 1758 in South Africa—MARIE-CLAUDE DURETTE-DESSET, J. BOOMKER and F.S. MALAN .....	173–177
<b>Fertility</b>	
Fertility in rats immunized with steroid-free bovine follicular fluid—C.R. SEWANI-RUSIKE and C. DAKWA .....	257–262
<b>Fever</b>	
Suspected sheep-associated malignant catarrhal fever in a zero-grazed dairy herd in Kenya—C.M. MULEI, P.K. GATHUMBI and P.G. MBUTHIA .....	43–47
<b>Fish</b>	
Occurrence of <i>Neodiplozoon polycotyleus</i> Paperna, 1973 (Diplozoidae: Monogenea) in cyprinid fish in South Africa—S.N. MASHEGO .....	153–154
<b>Flagella antigen</b>	
<i>Leishmania major</i> infections in <i>Phlebotomus duboscqi</i> fed on murine models immunized with <i>L. major</i> sub-cellular antigens and sandfly gut antigens—P.A. MBATI, C.O. ANJILI, S. ODONGO, P. OGAJA and W. TONU .....	57–63
<b>Flies</b>	
A newly developed odour-baited "H trap" for the live collection of <i>Glossina brevipalpis</i> and <i>Glossina austeni</i> (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER .....	15–26
Diurnal activity patterns of <i>Glossina brevipalpis</i> and <i>G. austeni</i> (Diptera: Glossinidae) in South Africa, with reference to season and meteorological factors—KARIN KAPPMEIER .....	179–189
<b>Flora</b>	
Aerobic intestinal flora of wild-caught African dwarf crocodiles <i>Osteolaemus tetraspis</i> —F.W. HUCHZERMEYER, M.M. HENTON, J. RILEY and M. AGNAGNA .....	201–204
<b>Flumethrin</b>	
Efficacy of flumethrin 1 % pour-on against ticks on cattle under field condition in Ethiopia—S. MEKONNEN .....	235–237
<b>Fowl typhoid</b>	
Bacterial colonization and endotoxin activity during experimental acute fowl typhoid in chickens—T. KOKOSHAROV .	297–300
<b>FSH</b>	
Fertility in rats immunized with steroid-free bovine follicular fluid—C.R. SEWANI-RUSIKE and C. DAKWA .....	257–262

<b>Gallus gallus</b>	
Ultrastructural study of the luminal surface of the ducts of the epididymis of gallinaceous birds—T.A. AIRE and D. JOSLING .....	191–199
<b>Gifblaar</b>	
Investigation of biological samples for monofluoroacetate and <i>Dichapetalum cymosum</i> poisoning in southern Africa—P.P. MINNAAR, R.I. McCRINDLE, T.W. NAUDÉ and C.J. BOTHA .....	27–30
<b>Glossinidae, <i>Glossina austeni</i>, <i>Glossina brevipalpis</i></b>	
A newly developed odour-baited “H trap” for the live collection of <i>Glossina brevipalpis</i> and <i>Glossina austeni</i> (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER .....	15–26
The distribution of tsetse (Diptera: Glossinidae) and bovine trypanosomosis in the Matutuine District, Maputo Province, Mozambique—I. SIGAUQUE, P. VAN DEN BOSSCHE, M. MOIANA, S. JAMAL and L. NEVES .....	167–172
Diurnal activity patterns of <i>Glossina brevipalpis</i> and <i>G. austeni</i> (Diptera: Glossinidae) in South Africa, with reference to season and meteorological factors—KARIN KAPPMEIER .....	179–189
<b>Goats</b>	
Phage types of <i>Salmonella enterica</i> serovar Enteritidis isolated in South Africa from 1991–1995—L. MARÉ, M.L. VAN DER WALT and L.M.T. DICKS .....	129–133
Application of ultrasonography in prevalence studies of hydatid cysts in goats in north-western Turkana, Kenya and Toposaland, southern Sudan—E.M. NJOROGE, P.M.F. MBITHI, J.M. GATHUMA, T.M. WACHIRA, J.K. MAGAMBO and E. ZEYHLE .....	251–255
<b>Guinea fowls</b>	
<i>Pasteurella gallinarum</i> : Zimbabwean experience of a versatile pathogen—K. MOHAN, F. DZIVA and D. CHITAURO ....	301–305
<b><i>Haemonchus contortus</i></b>	
Oral infectivity of cryopreserved <i>Haemonchus contortus</i> infective larvae that recovered relatively slowly when thawed after more than 15 years in liquid nitrogen—J.A. VAN WYK and H.M. GERBER .....	149–152
<b><i>Haemophilus</i></b>	
<i>Pasteurella gallinarum</i> : Zimbabwean experience of a versatile pathogen—K. MOHAN, F. DZIVA and D. CHITAURO ....	301–305
<b>Heartwater</b>	
The role of parasitic diseases as causes of mortality in cattle in a high potential area of central Kenya: a quantitative analysis—P.W.N. KANYARI and J. KAGIRA .....	157–161
Models for regional heartwater epidemiology in a variable environment—R. LEVINS .....	163–165
<b>Heat stress</b>	
Parameters for the determination and evaluation of heat stress in dairy cattle in South Africa—J.H. DU PREEZ .....	263–271
<b>Helminths</b>	
Parasites of South African wildlife. XVI. Helminths of some antelope species from the Eastern and Western Cape Provinces—J. BOOMKER, I.G. HORAK, R. WATERMEYER and D.G. BOOYSE .....	31–41
Helminth parasites of domestic pigeons ( <i>Columba livia domestica</i> ) in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, R. NDEBELE and R. PANZIRAH .....	75–76
Occurrence of <i>Neodiplozoon polycotyleus</i> Paperna, 1973 (Diplozoidae: Monogenea) in cyprinid fish in South Africa—S.N. MASHEGO .....	153–154
Studies on the genus <i>Setaria</i> Viborg, 1795 in South Africa. I. <i>Setaria africana</i> (Yeh, 1959)—R. WATERMEYER, J. BOOMKER and J.F. PUTTERILL .....	229–234
<b>Horsesickness virus</b>	
The prevalence of different African horsesickness virus serotypes in the Onderstepoort area near Pretoria, during an outbreak of African horsesickness in South Africa in 1995/1996—C.W. BREMER, G.H. GERDES, H. AITCHISON, I. LOUW, R.R. GREYLING and J. WELGEMOED .....	65–70
<b>H trap</b>	
A newly developed odour-baited “H trap” for the live collection of <i>Glossina brevipalpis</i> and <i>Glossina austeni</i> (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER .....	15–26
<b>Hydatid cysts</b>	
Application of ultrasonography in prevalence studies of hydatid cysts in goats in north-western Turkana, Kenya and Toposaland, southern Sudan—E.M. NJOROGE, P.M.F. MBITHI, J.M. GATHUMA, T.M. WACHIRA, J.K. MAGAMBO and E. ZEYHLE .....	251–255

**Hydatidosis**

- The role of parasitic diseases as causes of mortality in cattle in a high potential area of central Kenya: a quantitative analysis—P.W.N. KANYARI and J. KAGIRA ..... 157–161

**Immunization**

- Leishmania major* infections in *Phlebotomus duboscqi* fed on murine models immunized with *L. major* sub-cellular antigens and sandfly gut antigens—P.A. MBATI, C.O. ANJILI, S. ODONGO, P. OGAJA and W. TONU ..... 57–63

**Immunoneutralization**

- Fertility in rats immunized with steroid-free bovine follicular fluid—C.R. SEWANI-RUSIKE and C. DAKWA ..... 257–262

**In vitro erythrophagocytosis**

- In vitro* erythrophagocytosis by cultured macrophages stimulated with extraneous substances and those isolated from the blood, spleen and bone marrow of Boran and N'Dama cattle infected with *Trypanosoma congolense* and *Trypanosoma vivax*—V.O. TAIWO and V.O. ANOSA ..... 273–287

**Infection**

- Leishmania major* infections in *Phlebotomus duboscqi* fed on murine models immunized with *L. major* sub-cellular antigens and sandfly gut antigens—P.A. MBATI, C.O. ANJILI, S. ODONGO, P. OGAJA and W. TONU ..... 57–63

- The effect of a natural maedi-visna virus infection on the productivity of South African sheep—B. DUNGU, J. VORSTER, G.F. BATH and D.W. VERWOERD ..... 87–96

- Oral infectivity of cryopreserved *Haemonchus contortus* infective larvae that recovered relatively slowly when thawed after more than 15 years in liquid nitrogen—J.A. VAN WYK and H.M. GERBER ..... 149–152

**Inhibin**

- Fertility in rats immunized with steroid-free bovine follicular fluid—C.R. SEWANI-RUSIKE and C. DAKWA ..... 257–262

**Kalicephalus**

- A check-list of the nematode parasites of South African serpentes (snakes) and sauria (lizards)—S.F.B.N. HERING-HAGENBECK and J. BOOMKER ..... 1–13

**Kenya**

- Suspected sheep-associated malignant catarrhal fever in a zero-grazed dairy herd in Kenya—C.M. MULEI, P.K. GATHUMBI and P.G. MBUTHIA ..... 43–47

- The role of parasitic diseases as causes of mortality in cattle in a high potential area of central Kenya: a quantitative analysis—P.W.N. KANYARI and J. KAGIRA ..... 157–161

- Application of ultrasonography in prevalence studies of hydatid cysts in goats in north-western Turkana, Kenya and Toposaland, southern Sudan—E.M. NJOROGE, P.M.F. MBITHI, J.M. GATHUMA, T.M. WACHIRA, J.K. MAGAMBO and E. ZEYHLE ..... 251–255

**Kruger National Park**

- The rise and fall of tuberculosis in a free-ranging chacma baboon troop in the Kruger National Park—D.F. KEET, N.P.J. KRIEK, R.G. BENGIS, D.G. GROBLER and A. MICHEL ..... 115–122

- Selected chemical parameters in the blood and metals in the organs of the Nile crocodile, *Crocodylus niloticus*, in the Kruger National Park—D. SWANEPOEL, J. BOOMKER and N.P.J. KRIEK ..... 141–148

**Lambs**

- The effect of a natural maedi-visna virus infection on the productivity of South African sheep—B. DUNGU, J. VORSTER, G.F. BATH and D.W. VERWOERD ..... 87–96

- Morphological changes associated with the development of the rumino-reticulum in growing lambs fed different rations—G.E. SWAN and H.B. GROENEWALD ..... 105–114

**Larvae**

- Oral infectivity of cryopreserved *Haemonchus contortus* infective larvae that recovered relatively slowly when thawed after more than 15 years in liquid nitrogen—J.A. VAN WYK and H.M. GERBER ..... 149–152

**Leishmania major**

- Leishmania major* infections in *Phlebotomus duboscqi* fed on murine models immunized with *L. major* sub-cellular antigens and sandfly gut antigens—P.A. MBATI, C.O. ANJILI, S. ODONGO, P. OGAJA and W. TONU ..... 57–63

**Lepeophtheirus natalensis**

- Observations on a lesser-known monogenean, *Udonella myliobati*, from a copepod parasite, *Lepeophtheirus natalensis*, parasitizing the spotted ragged-tooth shark, *Carcharias taurus*, from South African waters—P.A.S. OLIVIER, S.M. DIP-PENAAR, L.F. KHALIL and N.M. MOKGALONG ..... 135–140



- Leukotoxin**  
The influence of *Mannheimia haemolytica* A1 seed culture inoculum cell density on the production of leukotoxin in submerged culture supernatant—M.W. ODENDAAL and L. DU PLESSIS ..... 205–216
- Liquid chromatography**  
Investigation of biological samples for monofluoroacetate and *Dichapetalum cymosum* poisoning in southern Africa—P.P. MINNAAR, R.I. McCRINDLE, T.W. NAUDÉ and C.J. BOTHA ..... 27–30
- Lizards**  
A check-list of the nematode parasites of South African serpentes (snakes) and sauria (lizards)—S.F.B.N. HERING-HAGENBECK and J. BOOMKER ..... 1–13
- Longevity**  
Oral infectivity of cryopreserved *Haemonchus contortus* infective larvae that recovered relatively slowly when thawed after more than 15 years in liquid nitrogen—J.A. VAN WYK and H.M. GERBER ..... 149–152
- Maedi-visna virus**  
The effect of a natural maedi-visna virus infection on the productivity of South African sheep—B. DUNGU, J. VORSTER, G.F. BATH and D.W. VERWOERD ..... 87–96
- Mannheimia haemolytica***  
The influence of *Mannheimia haemolytica* A1 seed culture inoculum cell density on the production of leukotoxin in submerged culture supernatant—M.W. ODENDAAL and L. DU PLESSIS ..... 205–216
- Mel-B**  
Suggested dosage rates of melarsoprol in the treatment of mice experimentally infected with *Trypanosoma brucei gambiense*—P.A. MBATI, K. HIRUMI, N. INOUE, N.H. SITUAKIBANZA and H. HIRUMI ..... 71–74
- Melarsoprol**  
Suggested dosage rates of melarsoprol in the treatment of mice experimentally infected with *Trypanosoma brucei gambiense*—P.A. MBATI, K. HIRUMI, N. INOUE, N.H. SITUAKIBANZA and H. HIRUMI ..... 71–74
- Metals**  
Selected chemical parameters in the blood and metals in the organs of the Nile crocodile, *Crocodylus niloticus*, in the Kruger National Park—D. SWANEPOEL, J. BOOMKER and N.P.J. KRIEK ..... 141–148
- Mice**  
*Leishmania major* infections in *Phlebotomus duboscqi* fed on murine models immunized with *L. major* sub-cellular antigens and sandfly gut antigens—P.A. MBATI, C.O. ANJILI, S. ODONGO, P. OGAJA and W. TONU ..... 57–63  
Suggested dosage rates of melarsoprol in the treatment of mice experimentally infected with *Trypanosoma brucei gambiense*—P.A. MBATI, K. HIRUMI, N. INOUE, N.H. SITUAKIBANZA and H. HIRUMI ..... 71–74
- Milk**  
Morphological changes associated with the development of the rumino-reticulum in growing lambs fed different rations—G.E. SWAN and H.B. GROENEWALD ..... 105–114
- Mites**  
Oribatid mites (Acari, Oribatida) as intermediate hosts of tapeworms of the Family Anoplocephalidae (Cestoda) and the transmission of *Moniezia expansa* cysticercoids in South Africa—R. SCHUSTER, L. COETZEE and J.F. PUTTE-RILL ..... 49–55
- Molineoidea**  
*Molineus cati* n. sp. (Nematoda, Trichostrongylina, Molineoidea), a parasite of feral cats, *Felis catus* Linnaeus, 1758 in South Africa—MARIE-CLAUDE DURETTE-DESSET, J. BOOMKER and F.S. MALAN ..... 173–177
- Molineus barbaris*, *Molineus cati*, *Molineus vexillarius***  
*Molineus cati* n. sp. (Nematoda, Trichostrongylina, Molineoidea), a parasite of feral cats, *Felis catus* Linnaeus, 1758 in South Africa—MARIE-CLAUDE DURETTE-DESSET, J. BOOMKER and F.S. MALAN ..... 173–177
- Moniezia benedeni***  
Parasites of South African wildlife. XVI. Helminths of some antelope species from the Eastern and Western Cape Provinces—J. BOOMKER, I.G. HORAK, R. WATERMEYER and D.G. BOOYSE ..... 31–41
- Moniezia expansa***  
Oribatid mites (Acari, Oribatida) as intermediate hosts of tapeworms of the Family Anoplocephalidae (Cestoda) and the transmission of *Moniezia expansa* cysticercoids in South Africa—R. SCHUSTER, L. COETZEE and J.F. PUTTE-RILL ..... 49–55

<b>Monofluoroacetate</b>	
Investigation of biological samples for monofluoroacetate and <i>Dichapetalum cymosum</i> poisoning in southern Africa—P.P. MINNAAR, R.I. McCRINDLE, T.W. NAUDÉ and C.J. BOTHA .....	27–30
<b>Monogenea</b>	
Observations on a lesser-known monogenean, <i>Udonella myliobati</i> , from a copepod parasite, <i>Lepeophtheirus natalensis</i> , parasitizing the spotted ragged-tooth shark, <i>Carcharias taurus</i> , from South African waters—P.A.S. OLIVIER, S.M. DIP-PENAAR, L.F. KHALIL and N.M. MOKGALONG .....	135–140
<b>Mozambique</b>	
The distribution of tsetse (Diptera: Glossinidae) and bovine trypanosomosis in the Matutuine District, Maputo Province, Mozambique—I. SIGAUQUE, P. VAN DEN BOSSCHE, M. MOIANA, S. JAMAL and L. NEVES .....	167–172
<b>Mullercula ngoyensis</b>	
Oribatid mites (Acari, Oribatida) as intermediate hosts of tapeworms of the Family Anoplocephalidae (Cestoda) and the transmission of <i>Moniezia expansa</i> cysticercooids in South Africa—R. SCHUSTER, L. COETZEE and J.F. PUTTE-RILL .....	49–55
<b>Murine models</b>	
<i>Leishmania major</i> infections in <i>Phlebotomus duboscqi</i> fed on murine models immunized with <i>L. major</i> sub-cellular antigens and sandfly gut antigens—P.A. MBATI, C.O. ANJILI, S. ODONGO, P. OGAJA and W. TONU .....	57–63
<b>Mycobacterium bovis</b>	
The rise and fall of tuberculosis in a free-ranging chacma baboon troop in the Kruger National Park—D.F. KEET, N.P.J. KRIEK, R.G. BENGIS, D.G. GROBLER and A. MICHEL .....	115–122
<b>Mycoplasma</b>	
<i>Pasteurella gallinarum</i> : Zimbabwean experience of a versatile pathogen—K. MOHAN, F. DZIVA and D. CHITAURO ....	301–305
<b>N'Dama cattle</b>	
<i>In vitro</i> erythrophagocytosis by cultured macrophages stimulated with extraneous substances and those isolated from the blood, spleen and bone marrow of Boran and N'Dama cattle infected with <i>Trypanosoma congolense</i> and <i>Trypanosoma vivax</i> —V.O. TAIWO and V.O. ANOSA .....	273–287
Differential expression of surface membrane antigens on bovine monocytes activated with recombinant cytokines and during <i>Trypanosoma congolense</i> infection—V.O. TAIWO, V.O. ANOSA and J.O. OLUWANIYI .....	289–296
<b>Nematoda</b>	
<i>Molineus cati</i> n. sp. (Nematoda, Trichostrongylina, Molineoidea), a parasite of feral cats, <i>Felis catus</i> Linnaeus, 1758 in South Africa—MARIE-CLAUDE DURETTE-DESSET, J. BOOMKER and F.S. MALAN .....	173–177
<b>Nematode parasites</b>	
A check-list of the nematode parasites of South African serpentes (snakes) and sauria (lizards)—S.F.B.N. HERING-HAGENBECK and J. BOOMKER .....	1–13
<b>Neodiplozoon polycotyleus</b>	
Occurrence of <i>Neodiplozoon polycotyleus</i> Paperna, 1973 (Diplozoidae: Monogenea) in cyprinid fish in South Africa—S.N. MASHEGO .....	153–154
<b>Nile crocodile</b>	
Selected chemical parameters in the blood and metals in the organs of the Nile crocodile, <i>Crocodylus niloticus</i> , in the Kruger National Park—D. SWANEPOEL, J. BOOMKER and N.P.J. KRIEK .....	141–148
<b>Ophidascaris</b>	
A check-list of the nematode parasites of South African serpentes (snakes) and sauria (lizards)—S.F.B.N. HERING-HAGENBECK and J. BOOMKER .....	1–13
<b>Oribatida</b>	
Oribatid mites (Acari, Oribatida) as intermediate hosts of tapeworms of the Family Anoplocephalidae (Cestoda) and the transmission of <i>Moniezia expansa</i> cysticercooids in South Africa—R. SCHUSTER, L. COETZEE and J.F. PUTTE-RILL .....	49–55
<b>Osteolaemus tetraspis</b>	
Aerobic intestinal flora of wild-caught African dwarf crocodiles <i>Osteolaemus tetraspis</i> —F.W. HUCHZERMAYER, M.M. HENTON, J. RILEY and M. AGNAGNA .....	201–204
<b>Papio ursinus</b>	
The rise and fall of tuberculosis in a free-ranging chacma baboon troop in the Kruger National Park—D.F. KEET, N.P.J. KRIEK, R.G. BENGIS, D.G. GROBLER and A. MICHEL .....	115–122

**Parasites**

- A check-list of the nematode parasites of South African serpentes (snakes) and sauria (lizards)—S.F.B.N. HERING-HAGENBECK and J. BOOMKER ..... 1–13
- Parasites of South African wildlife. XVI. Helminths of some antelope species from the Eastern and Western Cape Provinces—J. BOOMKER, I.G. HORAK, R. WATERMEYER and D.G. BOOYSE ..... 31–41
- Oribatid mites (Acari, Oribatida) as intermediate hosts of tapeworms of the Family Anoplocephalidae (Cestoda) and the transmission of *Moniezia expansa* cysticeroids in South Africa—R. SCHUSTER, L. COETZEE and J.F. PUTTERILL ..... 49–55
- Helminth parasites of domestic pigeons (*Columba livia domestica*) in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, R. NDEBELE and R. PANZIRAH ..... 75–76
- Observations on a lesser-known monogenean, *Udonella myliobati*, from a copepod parasite, *Lepeophtheirus natalensis*, parasitizing the spotted ragged-tooth shark, *Carcharias taurus*, from South African waters—P.A.S. OLIVIER, S.M. DIP-PENAAR, L.F. KHALIL and N.M. MOKGALONG ..... 135–140
- Occurrence of *Neodiplozoon polycotyleus* Paperna, 1973 (Diplozoidae: Monogenea) in cyprinid fish in South Africa—S.N. MASHEGO ..... 153–154
- The role of parasitic diseases as causes of mortality in cattle in a high potential area of central Kenya: a quantitative analysis—P.W.N. KANYARI and J. KAGIRA ..... 157–161
- Molineus cati* n. sp. (Nematoda, Trichostrongylina, Molineoidea), a parasite of feral cats, *Felis catus* Linnaeus, 1758 in South Africa—MARIE-CLAUDE DURETTE-DESSET, J. BOOMKER and F.S. MALAN ..... 173–177
- The prevalence of internal and external parasites in pigs of different ages and sexes in Southeast District, Botswana—S.J. NSOSO, K.P. MOSALA, R.T. NDEBELE and S.S. RAMABU ..... 217–220
- Studies on the genus *Setaria* Viborg, 1795 in South Africa. I. *Setaria africana* (Yeh, 1959)—R. WATERMEYER, J. BOOMKER and J.F. PUTTERILL ..... 229–234
- Parasites of domestic and wild animals in South Africa. XXXVIII. Ixodid ticks collected from 23 wild carnivore species—I.G. HORAK, L.E.O. BRAACK, L.J. FOURIE and JANE B. WALKER ..... 239–250
- Pasteurella multocida***
- Capsular serogroups of *Pasteurella multocida* isolated from animals in Zimbabwe—F. DZIVA, K. MOHAN and A. PA-WANDIWA ..... 225–228
- PCR**
- Suggested dosage rates of melarsoprol in the treatment of mice experimentally infected with *Trypanosoma brucei gambiense*—P.A. MBATI, K. HIRUMI, N. INOUE, N.H. SITUAKIBANZA and H. HIRUMI ..... 71–74
- Phage types**
- Phage types of *Salmonella enterica* serovar Enteritidis isolated in South Africa from 1991–1995—L. MARÉ, M.L. VAN DER WALT and L.M.T. DICKS ..... 129–133
- Phlebotomus duboscqi***
- Leishmania major* infections in *Phlebotomus duboscqi* fed on murine models immunized with *L. major* sub-cellular antigens and sandfly gut antigens—P.A. MBATI, C.O. ANJILI, S. ODONGO, P. OGAJA and W. TONU ..... 57–63
- Pigeons**
- Helminth parasites of domestic pigeons (*Columba livia domestica*) in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, R. NDEBELE and R. PANZIRAH ..... 75–76
- Pigs**
- Phage types of *Salmonella enterica* serovar Enteritidis isolated in South Africa from 1991–1995—L. MARÉ, M.L. VAN DER WALT and L.M.T. DICKS ..... 129–133
- The prevalence of internal and external parasites in pigs of different ages and sexes in Southeast District, Botswana—S.J. NSOSO, K.P. MOSALA, R.T. NDEBELE and S.S. RAMABU ..... 217–220
- Poison**
- Investigation of biological samples for monofluoroacetate and *Dichapetalum cymosum* poisoning in southern Africa—P.P. MINNAAR, R.I. McCRINDLE, T.W. NAUDÉ and C.J. BOTHA ..... 27–30
- Poultry**
- Phage types of *Salmonella enterica* serovar Enteritidis isolated in South Africa from 1991–1995—L. MARÉ, M.L. VAN DER WALT and L.M.T. DICKS ..... 129–133
- Prunus africana***
- Biochemical and haematological changes in rats administered an aqueous extract of *Prunus africana* stem bark at various dosage levels—P.K. GATHUMBI, J.W. MWANGI, S.M. NJIRO and G.M. MUGERA ..... 123–128

<b>Pygeum africanum</b>	
Biochemical and haematological changes in rats administered an aqueous extract of <i>Prunus africana</i> stem bark at various dosage levels—P.K. GATHUMBI, J.W. MWANGI, S.M. NJIRO and G.M. MUGERA .....	123-128
<b>Rafoxanide</b>	
Stability and partitioning of closantel and rafoxanide in ruminal fluid of sheep—G.E. SWAN, D.W. OLIVER, J. VAN RENS-BURG, H.S. STEYN and MARIA S.G. MÜLDERS .....	97-103
<b>Raillietina spp.</b>	
Helminth parasites of domestic pigeons ( <i>Columba livia domestica</i> ) in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, R. NDEBELE and R. PANZIRAH .....	75-76
<b>Rats</b>	
Biochemical and haematological changes in rats administered an aqueous extract of <i>Prunus africana</i> stem bark at various dosage levels—P.K. GATHUMBI, J.W. MWANGI, S.M. NJIRO and G.M. MUGERA .....	123-128
Fertility in rats immunized with steroid-free bovine follicular fluid—C.R. SEWANI-RUSIKE and C. DAKWA .....	257-262
<b>Redunca fulvorufula</b>	
Parasites of South African wildlife. XVI. Helminths of some antelope species from the Eastern and Western Cape Provinces—J. BOOMKER, I.G. HORAK, R. WATERMEYER and D.G. BOOYSE .....	31-41
<b>Reptiles</b>	
A check-list of the nematode parasites of South African serpentes (snakes) and sauria (lizards)—S.F.B.N. HERING-HAGENBECK and J. BOOMKER .....	1-13
<b>RT-PCR</b>	
The prevalence of different African horsesickness virus serotypes in the Onderstepoort area near Pretoria, during an outbreak of African horsesickness in South Africa in 1995/1996—C.W. BREMER, G.H. GERDES, H. AITCHISON, I. LOUW, R.R. GREYLING and J. WELGEMOED .....	65-70
<b>Rumen, rumino-reticulum</b>	
Morphological changes associated with the development of the rumino-reticulum in growing lambs fed different rations—G.E. SWAN and H.B. GROENEWALD .....	105-114
<b>Ruminal fluid</b>	
Stability and partitioning of closantel and rafoxanide in ruminal fluid of sheep—G.E. SWAN, D.W. OLIVER, J. VAN RENS-BURG, H.S. STEYN and MARIA S.G. MÜLDERS .....	97-103
<b>Salicylanilides</b>	
Stability and partitioning of closantel and rafoxanide in ruminal fluid of sheep—G.E. SWAN, D.W. OLIVER, J. VAN RENS-BURG, H.S. STEYN and MARIA S.G. MÜLDERS .....	97-103
<b>Salmonella</b>	
Aerobic intestinal flora of wild-caught African dwarf crocodiles <i>Osteolaemus tetraspis</i> —F.W. HUCHZERMEYER, M.M. HENTON, J. RILEY and M. AGNAGNA .....	201-204
<b>Salmonella enterica</b>	
Phage types of <i>Salmonella enterica</i> serovar Enteritidis isolated in South Africa from 1991-1995—L. MARÉ, M.L. VAN DER WALT and L.M.T. DICKS .....	129-133
<b>Salmonella gallinarum</b>	
Bacterial colonization and endotoxin activity during experimental acute fowl typhoid in chickens—T. KOKOSCHAROV	297-300
<b>Sandfly</b>	
<i>Leishmania major</i> infections in <i>Phlebotomus duboscqii</i> fed on murine models immunized with <i>L. major</i> sub-cellular antigens and sandfly gut antigens—P.A. MBATI, C.O. ANJILI, S. ODONGO, P. OGAJA and W. TONU .....	57-63
<b>Sarcoptes scabiei</b>	
The prevalence of internal and external parasites in pigs of different ages and sexes in Southeast District, Botswana—S.J. NSOSO, K.P. MOSALA, R.T. NDEBELE and S.S. RAMABU .....	217-220
<b>Sauria</b>	
A check-list of the nematode parasites of South African serpentes (snakes) and sauria (lizards)—S.F.B.N. HERING-HAGENBECK and J. BOOMKER .....	1-13
<b>Scheloribates fusifer</b>	
Oribatid mites (Acari, Oribatida) as intermediate hosts of tapeworms of the Family Anoplocephalidae (Cestoda) and the transmission of <i>Moniezia expansa</i> cysticercoids in South Africa—R. SCHUSTER, L. COETZEE and J.F. PUTTERILL	49-55

- SEM**  
Ultrastructural study of the luminal surface of the ducts of the epididymis of gallinaceous birds—T.A. AIRE and D. JOSLING ..... 191-199
- Serology**  
Evaluation of a commercially available ELISA kit for detection of antibodies to *Anaplasma marginale* and *Anaplasma centrale* in cattle in Australia and Zimbabwe—P.M. BOWLES, J.B. MOLLOY, G.W. BLIGHT, S. SINGH and L.G. MABIKACHECHE ..... 83-86
- Serotypes**  
The prevalence of different African horsesickness virus serotypes in the Onderstepoort area near Pretoria, during an outbreak of African horsesickness in South Africa in 1995/1996—C.W. BREMER, G.H. GERDES, H. AITCHISON, I. LOUW, R.R. GREYLING and J. WELGEMOED ..... 65-70
- Serpentes**  
A check-list of the nematode parasites of South African serpentes (snakes) and sauria (lizards)—S.F.B.N. HERING-HAGENBECK and J. BOOMKER ..... 1-13
- Setaria africana**  
Studies on the genus *Setaria* Viborg, 1795 in South Africa. I. *Setaria africana* (Yeh, 1959)—R. WATERMEYER, J. BOOMKER and J.F. PUTTERILL ..... 229-234
- Shark**  
Observations on a lesser-known monogenean, *Udonella myliobati*, from a copepod parasite, *Lepeophtheirus natalensis*, parasitizing the spotted ragged-tooth shark, *Carcharias taurus*, from South African waters—P.A.S. OLIVIER, S.M. DIP-PENAAR, L.F. KHALIL and N.M. MOKGALONG ..... 135-1400
- Sheep**  
Suspected sheep-associated malignant catarrhal fever in a zero-grazed dairy herd in Kenya—C.M. MULEI, P.K. GATHUMBI and P.G. MBUTHIA ..... 43-47  
The effect of a natural maedi-visna virus infection on the productivity of South African sheep—B. DUNGU, J. VORSTER, G.F. BATH and D.W. VERWOERD ..... 87-96  
Stability and partitioning of closantel and rafoxanide in ruminal fluid of sheep—G.E. SWAN, D.W. OLIVER, J. VAN RENSBURG, H.S. STEYN and MARIA S.G. MÜLDERS ..... 97-103  
Phage types of *Salmonella enterica* serovar Enteritidis isolated in South Africa from 1991-1995—L. MARÉ, M.L. VAN DER WALT and L.M.T. DICKS ..... 129-133
- Snakes**  
A check-list of the nematode parasites of South African serpentes (snakes) and sauria (lizards)—S.F.B.N. HERING-HAGENBECK and J. BOOMKER ..... 1-13
- South Africa**  
A check-list of the nematode parasites of South African serpentes (snakes) and sauria (lizards)—S.F.B.N. HERING-HAGENBECK and J. BOOMKER ..... 1-13  
A newly developed odour-baited "H trap" for the live collection of *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER ..... 15-26  
Investigation of biological samples for monofluoroacetate and *Dichapetalum cymosum* poisoning in southern Africa—P.P. MINNAAR, R.I. MCCRINDLE, T.W. NAUDÉ and C.J. BOTHA ..... 27-30  
Parasites of South African wildlife. XVI. Helminths of some antelope species from the Eastern and Western Cape Provinces—J. BOOMKER, I.G. HORAK, R. WATERMEYER and D.G. BOOYSE ..... 31-41  
Oribatid mites (Acari, Oribatida) as intermediate hosts of tapeworms of the Family Anoplocephalidae (Cestoda) and the transmission of *Moniezia expansa* cysticercoids in South Africa—R. SCHUSTER, L. COETZEE and J.F. PUTTERILL ..... 49-55  
The prevalence of different African horsesickness virus serotypes in the Onderstepoort area near Pretoria, during an outbreak of African horsesickness in South Africa in 1995/1996—C.W. BREMER, G.H. GERDES, H. AITCHISON, I. LOUW, R.R. GREYLING and J. WELGEMOED ..... 65-70  
The effect of a natural maedi-visna virus infection on the productivity of South African sheep—B. DUNGU, J. VORSTER, G.F. BATH and D.W. VERWOERD ..... 87-96  
The rise and fall of tuberculosis in a free-ranging chacma baboon troop in the Kruger National Park—D.F. KEET, N.P.J. KRIEK, R.G. BENGIS, D.G. GROBLER and A. MICHEL ..... 115-122  
Phage types of *Salmonella enterica* serovar Enteritidis isolated in South Africa from 1991-1995—L. MARÉ, M.L. VAN DER WALT and L.M.T. DICKS ..... 129-133  
Observations on a lesser-known monogenean, *Udonella myliobati*, from a copepod parasite, *Lepeophtheirus natalensis*, parasitizing the spotted ragged-tooth shark, *Carcharias taurus*, from South African waters—P.A.S. OLIVIER, S.M. DIP-PENAAR, L.F. KHALIL and N.M. MOKGALONG ..... 135-140

Occurrence of <i>Neodiplozoon polycotyleus</i> Paperna, 1973 (Diplozoidae: Monogenea) in cyprinid fish in South Africa—S.N. MASHEGO .....	153–154
<i>Molineus cati</i> n. sp. (Nematoda, Trichostrongylina, Molineoidea), a parasite of feral cats, <i>Felis catus</i> Linnaeus, 1758 in South Africa—MARIE-CLAUDE DURETTE-DESSET, J. BOOMKER and F.S. MALAN .....	173–177
Diurnal activity patterns of <i>Glossina brevipalpis</i> and <i>G. austeni</i> (Diptera: Glossinidae) in South Africa, with reference to season and meteorological factors—KARIN KAPPMEIER .....	179–189
Studies on the genus <i>Setaria</i> Viborg, 1795 in South Africa. I. <i>Setaria africana</i> (Yeh, 1959)—R. WATERMEYER, J. BOOMKER and J.F. PUTTERILL .....	229–234
Parasites of domestic and wild animals in South Africa. XXXVIII. Ixodid ticks collected from 23 wild carnivore species—I.G. HORAK, L.E.O. BRAACK, L.J. FOURIE and JANE B. WALKER .....	239–250
Parameters for the determination and evaluation of heat stress in dairy cattle in South Africa—J.H. DU PREEZ .....	263–271
<b>Sudan</b>	
Application of ultrasonography in prevalence studies of hydatid cysts in goats in north-western Turkana, Kenya and Toposaland, southern Sudan—E.M. NJOROGI, P.M.F. MBITHI, J.M. GATHUMA, T.M. WACHIRA, J.K. MAGAMBO and E. ZEYHLE .....	251–255
<b><i>Spauligodon morgani</i>, <i>Spauligodon vojteki</i></b>	
A check-list of the nematode parasites of South African serpentes (snakes) and sauria (lizards)—S.F.B.N. HERING-HAGENBECK and J. BOOMKER .....	1–13
<b>Stem-bark</b>	
Biochemical and haematological changes in rats administered an aqueous extract of <i>Prunus africana</i> stem bark at various dosage levels—P.K. GATHUMBI, J.W. MWANGI, S.M. NJIRO and G.M. MUGERA .....	123–128
<b><i>Syncerus caffer</i></b>	
The rise and fall of tuberculosis in a free-ranging chacma baboon troop in the Kruger National Park—D.F. KEET, N.P.J. KRIEK, R.G. BENGIS, D.G. GROBLER and A. MICHEL .....	115–122
<b><i>Tamarinus nigrocollis</i></b>	
<i>Molineus cati</i> n. sp. (Nematoda, Trichostrongylina, Molineoidea), a parasite of feral cats, <i>Felis catus</i> Linnaeus, 1758 in South Africa—MARIE-CLAUDE DURETTE-DESSET, J. BOOMKER and F.S. MALAN .....	173–177
<b>Tapeworms</b>	
Oribatid mites (Acari, Oribatida) as intermediate hosts of tapeworms of the Family Anoplocephalidae (Cestoda and the transmission of <i>Moniezia expansa</i> cysticercoids in South Africa—R. SCHUSTER, L. COETZEE and J.F. PUTTERILL 49–55	
<b><i>Taurotragus oryx</i></b>	
Parasites of South African wildlife. XVI. Helminths of some antelope species from the Eastern and Western Cape Provinces—J. BOOMKER, I.G. HORAK, R. WATERMEYER and D.G. BOOYSE .....	31–41
<b><i>Tayra barbara</i></b>	
<i>Molineus cati</i> n. sp. (Nematoda, Trichostrongylina, Molineoidea), a parasite of feral cats, <i>Felis catus</i> Linnaeus, 1758 in South Africa—MARIE-CLAUDE DURETTE-DESSET, J. BOOMKER and F.S. MALAN .....	173–177
<b>TEM</b>	
Ultrastructural study of the luminal surface of the ducts of the epididymis of gallinaceous birds—T.A. AIRE and D. JOSLING .....	191–199
<b><i>Theileria mutans</i></b>	
Bovine borreliosis in Botswana—S.P. SHARMA, W. AMANFU and T.C. LOSHO .....	221–223
<b>Tick-borne diseases</b>	
The role of parasitic diseases as causes of mortality in cattle in a high potential area of central Kenya: a quantitative analysis—P.W.N. KANYARI and J. KAGIRA .....	157–161
<b>Ticks</b>	
Efficacy of flumethrin 1% pour-on against ticks on cattle under field condition in Ethiopia—S. MEKONNEN .....	235–237
Parasites of domestic and wild animals in South Africa. XXXVIII. Ixodid ticks collected from 23 wild carnivore species—I.G. HORAK, L.E.O. BRAACK, L.J. FOURIE and JANE B. WALKER .....	239–250
<b>Toposaland</b>	
Application of ultrasonography in prevalence studies of hydatid cysts in goats in north-western Turkana, Kenya and Toposaland, southern Sudan—E.M. NJOROGI, P.M.F. MBITHI, J.M. GATHUMA, T.M. WACHIRA, J.K. MAGAMBO and E. ZEYHLE .....	251–255

- Trap**  
A newly developed odour-baited "H trap" for the live collection of *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER ..... 15–26
- Trichostrongylina**  
*Molineus cati* n. sp. (Nematoda, Trichostrongylina, Molineoidea), a parasite of feral cats, *Felis catus* Linnaeus, 1758 in South Africa—MARIE-CLAUDE DURETTE-DESSET, J. BOOMKER and F.S. MALAN ..... 173–177
- Trichostrongylus spp.**  
The prevalence of internal and external parasites in pigs of different ages and sexes in Southeast District, Botswana—S.J. NSOSO, K.P. MOSALA, R.T. NDEBELE and S.S. RAMABU ..... 217–220
- Trichuris suis**  
The prevalence of internal and external parasites in pigs of different ages and sexes in Southeast District, Botswana—S.J. NSOSO, K.P. MOSALA, R.T. NDEBELE and S.S. RAMABU ..... 217–220
- Trypanosoma**
- T. brucei gambiense***  
Suggested dosage rates of melarsoprol in the treatment of mice experimentally infected with *Trypanosoma brucei gambiense*—P.A. MBATI, K. HIRUMI, N. INOUE, N.H. SITUAKIBANZA and H. HIRUMI ..... 71–74
- T. congolense***  
The distribution of tsetse (Diptera: Glossinidae) and bovine trypanosomosis in the Matutuine District, Maputo Province, Mozambique—I. SIGAUQUE, P. VAN DEN BOSSCHE, M. MOIANA, S. JAMAL and L. NEVES ..... 167–172  
*In vitro* erythrophagocytosis by cultured macrophages stimulated with extraneous substances and those isolated from the blood, spleen and bone marrow of Boran and N'Dama cattle infected with *Trypanosoma congolense* and *Trypanosoma vivax*—V.O. TAIWO and V.O. ANOSA ..... 273–287
- T. vivax***  
*In vitro* erythrophagocytosis by cultured macrophages stimulated with extraneous substances and those isolated from the blood, spleen and bone marrow of Boran and N'Dama cattle infected with *Trypanosoma congolense* and *Trypanosoma vivax*—V.O. TAIWO and V.O. ANOSA ..... 273–287
- Trypanosomosis**  
The distribution of tsetse (Diptera: Glossinidae) and bovine trypanosomosis in the Matutuine District, Maputo Province, Mozambique—I. SIGAUQUE, P. VAN DEN BOSSCHE, M. MOIANA, S. JAMAL and L. NEVES ..... 167–172
- Trypanotolerance**  
Differential expression of surface membrane antigens on bovine monocytes activated with recombinant cytokines and during *Trypanosoma congolense* infection—V.O. TAIWO, V.O. ANOSA and J.O. OLUWANIY ..... 289–296
- Tsetse**  
A newly developed odour-baited "H trap" for the live collection of *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER ..... 15–26  
The distribution of tsetse (Diptera: Glossinidae) and bovine trypanosomosis in the Matutuine District, Maputo Province, Mozambique—I. SIGAUQUE, P. VAN DEN BOSSCHE, M. MOIANA, S. JAMAL and L. NEVES ..... 167–172  
Diurnal activity patterns of *Glossina brevipalpis* and *G. austeni* (Diptera: Glossinidae) in South Africa, with reference to season and meteorological factors—KARIN KAPPMEIER ..... 179–189
- Tuberculosis**  
The rise and fall of tuberculosis in a free-ranging chacma baboon troop in the Kruger National Park—D.F. KEET, N.P.J. KRIEK, R.G. BENGIS, D.G. GROBLER and A. MICHEL ..... 115–122
- Turkana**  
Application of ultrasonography in prevalence studies of hydatid cysts in goats in north-western Turkana, Kenya and Toposaland, southern Sudan—E.M. NJOROGE, P.M.F. MBITHI, J.M. GATHUMA, T.M. WACHIRA, J.K. MAGAMBO and E. ZEYHLE ..... 251–255
- Udonella myliobati**  
Observations on a lesser-known monogenean, *Udonella myliobati*, from a copepod parasite, *Lepeophtheirus natalensis*, parasitizing the spotted ragged-tooth shark, *Carcharias taurus*, from South African waters—P.A.S. OLIVIER, S.M. DIP-PENAAR, L.F. KHALIL and N.M. MOKGALONG ..... 135–140
- Vanillic acid**  
Parameters for the determination and evaluation of heat stress in dairy cattle in South Africa—J.H. DU PREEZ ..... 263–271
- Varanus niloticus**  
A check-list of the nematode parasites of South African serpentes (snakes) and sauria (lizards)—S.F.B.N. HERING-HAGENBECK and J. BOOMKER ..... 1–13

**Virus**

- The prevalence of different African horsesickness virus serotypes in the Onderstepoort area near Pretoria, during an outbreak of African horsesickness in South Africa in 1995/1996—C.W. BREMER, G.H. GERDES, H. AITCHISON, I. LOUW, R.R. GREYLING and J. WELGEMOED ..... 65–70
- The effect of a natural maedi-visna virus infection on the productivity of South African sheep—B. DUNGU, J. VORSTER, G.F. BATH and D.W. VERWOERD ..... 87–96

**Wildlife**

- Parasites of South African wildlife. XVI. Helminths of some antelope species from the Eastern and Western Cape Provinces—J. BOOMKER, I.G. HORAK, R. WATERMEYER and D.G. BOOYSE ..... 31–41
- Studies on the genus *Setaria* Viborg, 1795 in South Africa. I. *Setaria africana* (Yeh, 1959)—R. WATERMEYER, J. BOOMKER and J.F. PUTTERILL ..... 229–234
- Parasites of domestic and wild animals in South Africa. XXXVIII. Ixodid ticks collected from 23 wild carnivore species— I.G. HORAK, L.E.O. BRAACK, L.J. FOURIE and JANE B. WALKER ..... 239–250

**Worms**

- Observations on a lesser-known monogenean, *Udonella myliobati*, from a copepod parasite, *Lepeophtheirus natalensis*, parasitizing the spotted ragged-tooth shark, *Carcharias taurus*, from South African waters—P.A.S. OLIVIER, S.M. DIP-PENAAR, L.F. KHALIL and N.M. MOKGALONG ..... 135–140

**Zebra**

- The prevalence of different African horsesickness virus serotypes in the Onderstepoort area near Pretoria, during an outbreak of African horsesickness in South Africa in 1995/1996—C.W. BREMER, G.H. GERDES, H. AITCHISON, I. LOUW, R.R. GREYLING and J. WELGEMOED ..... 65–70

**Zero grazed**

- Suspected sheep-associated malignant catarrhal fever in a zero-grazed dairy herd in Kenya—C.M. MULEI, P.K. GATHUMBI and P.G. MBUTHIA ..... 43–47

**Zimbabwe**

- Evaluation of a commercially available ELISA kit for detection of antibodies to *Anaplasma marginale* and *Anaplasma centrale* in cattle in Australia and Zimbabwe—P.M. BOWLES, J.B. MOLLOY, G.W. BLIGHT, S. SINGH and L.G. MABIKACHECHE ..... 83–86
- Capsular serogroups of *Pasteurella multocida* isolated from animals in Zimbabwe—F. DZIVA, K. MOHAN and A. PAWANDIWA ..... 225–228