



Author index

ALLSOPP, B.A.

Cowdria ruminantium DNA is unstable in a Supercos1 library—K.A. BRAYTON, E.P. DE VILLIERS, J. FEHRSEN, C. NXOMANI, N.E. COLLINS and B.A. ALLSOPP 111–117

The occurrence of *Theileria* and *Cowdria* parasites in African buffalo (*Syncerus caffer*) and their associated *Amblyomma hebraeum* ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP 245–249

ALLSOPP, M.T.E.P.

The occurrence of *Theileria* and *Cowdria* parasites in African buffalo (*Syncerus caffer*) and their associated *Amblyomma hebraeum* ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP 245–249

ALOO, P.A.

Ecological studies of helminth parasites of the largemouth bass, *Micropterus salmoides*, from Lake Naivasha and the Oloidien Bay, Kenya—P.A. ALOO 73–79

BASSON, P.A.

Experimental studies with *Strongyloides papillosus* in goats—J.G. PIENAAR, P.A. BASSON, J.L. DU PLESSIS, H. MARIA COLLINS, T.W. NAUDE, P.A. BOYAZOGLU, J. BOOMKER, F. REYERS and W.L. PIENAAR 191–235

BEAUCOURNU, J.-C.

Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, *Cynictis penicillata* (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW 33–38

BEZUIDENHOUT, A.J.

An anatomical study of the respiratory air sacs in ostriches—A.J. BEZUIDENHOUT, H.B. GROENEWALD and J.T. SOLEY 317–325

BINGHAM, J.

The epidemiology of rabies in Zimbabwe. 1. Rabies in dogs (*Canis familiaris*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 1–10

The epidemiology of rabies in Zimbabwe. 2. Rabies in jackals (*Canis adustus* and *Canis mesomelas*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 11–23

Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (*Canis adustus* and *Canis mesomelas*) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS 251–253

BINTA, M.G.

Haemoproteus columbae in domestic pigeons in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 29–32

Seroprevalence of infectious bursal disease in non-vaccinated indigenous and exotic chickens on selected farms around Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO and R.T. NDEBELE 135–137

Detection of *Mycoplasma gallisepticum* and *Mycoplasma synoviae* antibodies in the sera of indigenous chickens by rapid serum agglutination test at Mmopane, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 333–334

BLACKALL, P.J.	
Confirmation that PCR can be used to identify NAD-dependent and NAD-independent <i>Haemophilus paragallinarum</i> isolates—J.K. MIFLIN, X. CHEN, R.R. BRAGG, J.M. WELGEMOED, J.M. GREYLING, R.F. HORNER and P.J. BLACKALL	55–57
BOCK, R.E.	
A serological survey of bovine babesiosis in northern and eastern Zimbabwe—T.C. KATSANDE, S.J. MORE, R.E. BOCK, LYDIA MABIKACHECHE, J.B. MOLLOY and C. NCUBE	255–263
BOLTON, LORNA A.	
Pentastomid infections in Nile crocodiles (<i>Crocodylus niloticus</i>) in the Kruger National Park, South Africa, with a description of the males of <i>Alofia simpsoni</i> —KERSTIN JUNKER, J. BOOMKER and LORNA A. BOLTON	65–71
BOOMKER, J.	
Pentastomid infections in Nile crocodiles (<i>Crocodylus niloticus</i>) in the Kruger National Park, South Africa, with a description of the males of <i>Alofia simpsoni</i> —KERSTIN JUNKER, J. BOOMKER and LORNA A. BOLTON	65–71
Experimental studies with <i>Strongyloides papillosus</i> in goats—J.G. PIENAAR, P.A. BASSON, J.L. DU PLESSIS, H. MARIA COLLINS, T.W. NAUDE, P.A. BOYAZOGLU, J. BOOMKER, F. REYERS and W.L. PIENAAR	191–235
BOTHA, C.J.	
Neurotoxicity in calves induced by the plant, <i>Nierembergia hippomanica</i> Miers var. <i>violacea</i> Millán in South Africa—C.J. BOTHA, R. ANITRA SCHULTZ, J.J. VAN DER LUGT, ELIZABETH RETIEF and LEONIE LABUSCHAGNE	237–244
BOYAZOGLU, P.A.	
Experimental studies with <i>Strongyloides papillosus</i> in goats—J.G. PIENAAR, P.A. BASSON, J.L. DU PLESSIS, H. MARIA COLLINS, T.W. NAUDE, P.A. BOYAZOGLU, J. BOOMKER, F. REYERS and W.L. PIENAAR	191–235
BRAGG, R.R.	
Confirmation that PCR can be used to identify NAD-dependent and NAD-independent <i>Haemophilus paragallinarum</i> isolates—J.K. MIFLIN, X. CHEN, R.R. BRAGG, J.M. WELGEMOED, J.M. GREYLING, R.F. HORNER and P.J. BLACKALL	55–57
BRAYTON, K.A.	
<i>Cowdria ruminantium</i> DNA is unstable in a Supercos1 library—K.A. BRAYTON, E.P. DE VILLIERS, J. FEHRSEN, C. NXOMANI, N.E. COLLINS and B.A. ALLSOPP	111–117
FOGGIN, C.M.	
The epidemiology of rabies in Zimbabwe. 1. Rabies in dogs (<i>Canis familiaris</i>)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL	1–10
CHABO, R.G.	
<i>Haemoproteus columbae</i> in domestic pigeons in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE	29–32
Seroprevalence of infectious bursal disease in non-vaccinated indigenous and exotic chickens on selected farms around Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO and R.T. NDEBELE	135–137
Detection of <i>Mycoplasma gallisepticum</i> and <i>Mycoplasma synoviae</i> antibodies in the sera of indigenous chickens by rapid serum agglutination test at Mmopane, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE	333–334
CHAPARRO, F.	
Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, <i>Cynictis penicillata</i> (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW	33–38
CHEN, X.	
Confirmation that PCR can be used to identify NAD-dependent and NAD-independent <i>Haemophilus paragallinarum</i> isolates—J.K. MIFLIN, X. CHEN, R.R. BRAGG, J.M. WELGEMOED, J.M. GREYLING, R.F. HORNER and P.J. BLACKALL	55–57
COETZEE, M.L.	
The occurrence of <i>Theileria</i> and <i>Cowdria</i> parasites in African buffalo (<i>Syncerus caffer</i>) and their associated <i>Amblyomma hebraeum</i> ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP	245–249
COLLINS, H. MARIA	
Experimental studies with <i>Strongyloides papillosus</i> in goats—J.G. PIENAAR, P.A. BASSON, J.L. DU PLESSIS, H. MARIA COLLINS, T.W. NAUDE, P.A. BOYAZOGLU, J. BOOMKER, F. REYERS and W.L. PIENAAR	191–235

- COLLINS, N.E.**
Cowdria ruminantium DNA is unstable in a Supercos1 library—K.A. BRAYTON, E.P. DE VILLIERS, J. FEHRSEN, C. NXOMANI, N.E. COLLINS and B.A. ALLSOPP 111–117
- DE VILLIERS, E.P.**
Cowdria ruminantium DNA is unstable in a Supercos1 library—K.A. BRAYTON, E.P. DE VILLIERS, J. FEHRSEN, C. NXOMANI, N.E. COLLINS and B.A. ALLSOPP 111–117
- DREYER, KARIN**
 Assessment of cattle owners' perceptions and expectations, and identification of constraints on production in a peri-urban, resource-poor environment—KARIN DREYER, L.J. FOURIE and D.J. KOK 95–102
 Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK 145–149
- DUNSTERVILLE, M.T.**
 The occurrence of *Theileria* and *Cowdria* parasites in African buffalo (*Syncerus caffer*) and their associated *Amblyomma hebraeum* ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP 245–249
- DU PLESSIS, D.H.**
 The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE 25–28
 Immune responses in a horse inoculated with the VP2 gene of African horsesickness virus—M. ROMITO, D.H. DU PLESSIS and G.J. VILJOEN 139–144
- DU PLESSIS, J.L.**
 Electron microscopy of *Cowdria*-infected macrophages suggests that in the absence of binary fission a mosaic of organisms develops from an amorphous electron dense matrix—J.L. DU PLESSIS 39–46
 Experimental studies with *Strongyloides papillosus* in goats—J.G. PIENAAR, P.A. BASSON, J.L. DU PLESSIS, H. MARIA COLLINS, T.W. NAUDE, P.A. BOYAZOGLU, J. BOOMKER, F. REYERS and W.L. PIENAAR 191–235
- DU PLESSIS, M.**
 The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE 25–28
- ELLIS, C.E.**
 The production and evaluation of *Pasteurella haemolytica* leukotoxin in the supernatant of submerged cultures in fermenters—M.W. ODENDAAL and C.E. ELLIS 265–272
- FEHRSEN, J.**
Cowdria ruminantium DNA is unstable in a Supercos1 library—K.A. BRAYTON, E.P. DE VILLIERS, J. FEHRSEN, C. NXOMANI, N.E. COLLINS and B.A. ALLSOPP 111–117
- FERREIRA, F.**
 Control of equine piroplasmiasis in Brazil—C.E. KERBER, F. FERREIRA and M.C. PEREIRA 123–127
- FOGGIN, C.M.**
 The epidemiology of rabies in Zimbabwe. 2. Rabies in jackals (*Canis adustus* and *Canis mesomelas*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 11–23
- FOURIE, L.J.**
 Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK 145–149
 Assessment of cattle owners' perceptions and expectations, and identification of constraints on production in a peri-urban, resource-poor environment—KARIN DREYER, L.J. FOURIE and D.J. KOK 95–102
- GITAU, P.K.**
 Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to *Theileria parva* in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI 119–122
- GREYLING, J.M.**
 Confirmation that PCR can be used to identify NAD-dependent and NAD-independent *Haemophilus paragallinarum* isolates—J.K. MIFLIN, X. CHEN, R.R. BRAGG, J.M. WELGEMOED, J.M. GREYLING, R.F. HORNER and P.J. BLACKALL 55–57

GROBLER, D.G.

- Copper poisoning in wild ruminants in the Kruger National Park: Geobotanical and environmental investigation—D.G. GROBLER 81–93
- Attempted induction of chronic copper poisoning in boma confined impala—D.G. GROBLER and G.E. SWAN 169–174
- Copper poisoning in the Kruger National Park: Field investigation in wild ruminants—D.G. GROBLER and G.E. SWAN 157–168

GROENEWALD, H.B.

- An anatomical study of the respiratory air sacs in ostriches—A.J. BEZUIDENHOUT, H.B. GROENEWALD and J.T. SOLEY 317–325

HEATH, R.

- Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (*Canis adustus* and *Canis mesomelas*) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS 251–253

HENG, N.Y.

- Characterization and observation of animals responsible for rabies post-exposure treatment in Phnom Penh, Cambodia—J.M. REYNES, J.L. SOARES, C. KEO, S. ONG, N.Y. HENG and B. VAN HOYE 129–133

HILL, F.W.G.

- The epidemiology of rabies in Zimbabwe. 1. Rabies in dogs (*Canis familiaris*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 1–10
- The epidemiology of rabies in Zimbabwe. 2. Rabies in jackals (*Canis adustus* and *Canis mesomelas*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 11–23

HORAK, I.G.

- Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, *Cynictis penicillata* (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW 33–38
- Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK 175–184

HORNER, R.F.

- Confirmation that PCR can be used to identify NAD-dependent and NAD-independent *Haemophilus paragallinarum* isolates—J.K. MIFLIN, X. CHEN, R.R. BRAGG, J.M. WELGEMOED, J.M. GREYLING, R.F. HORNER and P.J. BLACKALL 55–57

JUNKER, KERSTIN

- Pentastomid infections in Nile crocodiles (*Crocodylus niloticus*) in the Kruger National Park, South Africa, with a description of the males of *Alofia simpsoni*—KERSTIN JUNKER, J. BOOMKER and LORNA A. BOLTON 65–71

KANYARI, P.W.N.

- A comparison of serum biochemical changes in two breeds of sheep (Red Masai and Dorper) experimentally infected with *Fasciola gigantica*—J.G. WAWERU, P.W.N. KANYARI, D.M. MWANGI, T.A. NGATIA and P. NANSEN 47–49

KAPPMEIER, KARIN

- Evaluation of coloured targets for the attraction of *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 291–305
- Evaluation of conventional odour attractants for *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 307–316
- Evaluation of a proposed odour-baited target to control the tsetse flies *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 327–332

KARIUKI, D.P.

- Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to *Theileria parva* in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI 119–122

KATSANDE, T.C.

- A serological survey of bovine babesiosis in northern and eastern Zimbabwe—T.C. KATSANDE, S.J. MORE, R.E. BOCK, LYDIA MABIKACHECHE, J.B. MOLLOY and C. NCUBE 255–263

KEO, C.

- Characterization and observation of animals responsible for rabies post-exposure treatment in Phnom Penh, Cambodia—J.M. REYNES, J.L. SOARES, C. KEO, S. ONG, N.Y. HENG and B. VAN HOYE 129–133

- KERBER, C.E.**
Control of equine piroplasmiasis in Brazil—C.E. KERBER, F. FERREIRA and M.C. PEREIRA 123–127
- KOFI-TSEKPO, MAWULI W.**
Effect of an aqueous extract of *Azadirachta indica* on the immune response in mice—S.M. NJIRO and MAWULI W. KOFI-TSEKPO 59–62
- KOK, D.J.**
Assessment of cattle owners' perceptions and expectations, and identification of constraints on production in a peri-urban, resource-poor environment—KARIN DREYER, L.J. FOURIE and D.J. KOK 95–102
Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK 145–149
- LABUSCHAGNE, LEONIE**
Neurotoxicity in calves induced by the plant, *Nierembergia hippomanica* Miers var. *violacea* Millán in South Africa—C.J. BOTHA, R. ANITRA SCHULTZ, J.J. VAN DER LUGT, ELIZABETH RETIEF and LEONIE LABUSCHAGNE 237–244
- LOUW, J.P.**
Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, *Cynictis penicillata* (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW 33–38
The helminths of ranch calves in the North-eastern Mountain Grassland of South Africa—J.P. LOUW 335–338
- MABIKACHECHE, LYDIA**
A serological survey of bovine babesiosis in northern and eastern Zimbabwe—T.C. KATSANDE, S.J. MORE, R.E. BOCK, LYDIA MABIKACHECHE, J.B. MOLLOY and C. NCUBE 255–263
- MAREE, S.**
The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE 25–28
- MATHAIO, M.**
Haemoproteus columbae in domestic pigeons in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 29–32
Detection of *Mycoplasma gallisepticum* and *Mycoplasma synoviae* antibodies in the sera of indigenous chickens by rapid serum agglutination test at Mmopane, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 333–334
- MBOGO, S.K.**
Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to *Theileria parva* in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI 119–122
- MELTZER, D.G.A.**
Influence of lactation on the prolactin secreting cells of the hypophysis of impala (*Aepyceros melampus*): An immunocytochemical and computer image analysis study—P. VAN DER MERWE, D.G.A. MELTZER and G. VAN ASWEGEN 151–156
- MICHEL, ANITA L.**
Investigation of the viability of *M. bovis* under different environmental conditions in the Kruger National Park—M. TANNER and ANITA L. MICHEL 185–190
- MIFLIN, J.K.**
Confirmation that PCR can be used to identify NAD-dependent and NAD-independent *Haemophilus paragallinarum* isolates—J.K. MIFLIN, X. CHEN, R.R. BRAGG, J.M. WELGEMOED, J.M. GREYLING, R.F. HORNER and P.J. BLACKALL 55–57
- MOLLOY, J.B.**
A serological survey of bovine babesiosis in northern and eastern Zimbabwe—T.C. KATSANDE, S.J. MORE, R.E. BOCK, LYDIA MABIKACHECHE, J.B. MOLLOY and C. NCUBE 255–263
- MORE, S.J.**
A serological survey of bovine babesiosis in northern and eastern Zimbabwe—T.C. KATSANDE, S.J. MORE, R.E. BOCK, LYDIA MABIKACHECHE, J.B. MOLLOY and C. NCUBE 255–263
- MUBANGA, J.**
The parasitological and serological prevalence of tsetse-transmitted bovine trypanosomiasis in the Eastern Caprivi (Caprivi District, Namibia)—P. VAN DEN BOSSCHE, D. MUDENGE, J. MUBANGA and A. NORVAL 103–110

MUDENGE, D.	
The parasitological and serological prevalence of tsetse-transmitted bovine trypanosomosis in the Eastern Caprivi (Caprivi District, Namibia)—P. VAN DEN BOSSCHE, D. MUDENGE, J. MUBANGA and A. NORVAL	103–110
MURAGURI, G.R.	
Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to <i>Theileria parva</i> in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI	119–122
MUSHI, E.Z.	
<i>Haemoproteus columbae</i> in domestic pigeons in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE	29–32
Seroprevalence of infectious bursal disease in non-vaccinated indigenous and exotic chickens on selected farms around Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO and R.T. NDEBELE	135–137
Detection of <i>Mycoplasma gallisepticum</i> and <i>Mycoplasma synoviae</i> antibodies in the sera of indigenous chickens by rapid serum agglutination test at Mmopane, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE	333–334
MWANGI, M.N.	
A comparison of serum biochemical changes in two breeds of sheep (Red Masai and Dorper) experimentally infected with <i>Fasciola gigantica</i> —J.G. WAWERU, P.W.N. KANYARI, T.A. NGATIA and P. NANSEN	47–49
Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to <i>Theileria parva</i> in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI	119–122
NANSEN, P.	
A comparison of serum biochemical changes in two breeds of sheep (Red Masai and Dorper) experimentally infected with <i>Fasciola gigantica</i> —J.G. WAWERU, P.W.N. KANYARI, D.M. MWANGI, T.A. NGATIA and P. NANSEN	47–49
NAUDE, T.W.	
Experimental studies with <i>Strongyloides papillosus</i> in goats—J.G. PIENAAR, P.A. BASSON, J.L. DU PLESSIS, H. MARIA COLLINS, T.W. NAUDE, P.A. BOYAZOGLU, J. BOOMKER, F. REYERS and W.L. PIENAAR	191–235
NCUBE, C.	
A serological survey of bovine babesiosis in northern and eastern Zimbabwe—T.C. KATSANDE, S.J. MORE, R.E. BOCK, LYDIA MABIKACHECHE, J.B. MOLLOY and C. NCUBE	255–263
NDEBELE, R.T.	
<i>Haemoproteus columbae</i> in domestic pigeons in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE	29–32
Detection of <i>Mycoplasma gallisepticum</i> and <i>Mycoplasma synoviae</i> antibodies in the sera of indigenous chickens by rapid serum agglutination test at Mmopane, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE	333–334
NDEBELE, R.T.	
Seroprevalence of infectious bursal disease in non-vaccinated indigenous and exotic chickens on selected farms around Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO and R.T. NDEBELE	135–137
NEVILL, E.M.	
Evaluation of coloured targets for the attraction of <i>Glossina brevipalpis</i> and <i>Glossina austeni</i> (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL	291–305
Evaluation of conventional odour attractants for <i>Glossina brevipalpis</i> and <i>Glossina austeni</i> (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL	307–316
Evaluation of a proposed odour-baited target to control the tsetse flies <i>Glossina brevipalpis</i> and <i>Glossina austeni</i> (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL	327–332
NGATIA, T.A.	
A comparison of serum biochemical changes in two breeds of sheep (Red Masai and Dorper) experimentally infected with <i>Fasciola gigantica</i> —J.G. WAWERU, P.W.N. KANYARI, D.M. MWANGI, T.A. NGATIA and P. NANSEN	47–49
NJIRO, S.M.	
Effect of an aqueous extract of <i>Azadirachta indica</i> on the immune response in mice—S.M. NJIRO and MAWULI W. KOFI-TSEKPO	59–62
NORVAL, A.	
The parasitological and serological prevalence of tsetse-transmitted bovine trypanosomosis in the Eastern Caprivi (Caprivi District, Namibia)—P. VAN DEN BOSSCHE, D. MUDENGE, J. MUBANGA and A. NORVAL	103–110

- NXOMANI, C.**
Cowdria ruminantium DNA is unstable in a Supercos1 library—K.A. BRAYTON, E.P. DE VILLIERS, J. FEHRSEN, C. NXOMANI, N.E. COLLINS and B.A. ALLSOPP 111–117
- ODENDAAL, M.W.**
 The production and evaluation of *Pasteurella haemolytica* leukotoxin in the supernatant of submerged cultures in fermenters—M.W. ODENDAAL and C.E. ELLIS 265–272
- OELOFSEN, M.J.**
 Could bats act as reservoir hosts for Rift Valley fever virus?—M.J. OELOFSEN and E. VAN DER RYST 51–54
- ONG, S.**
 Characterization and observation of animals responsible for rabies post-exposure treatment in Phnom Penh, Cambodia—J.M. REYNES, J.L. SOARES, C. KEO, S. ONG, N.Y. HENG and B. VAN HOYE 129–133
- PEREIRA, M.C.**
 Control of equine piroplasmiasis in Brazil—C.E. KERBER, F. FERREIRA and M.C. PEREIRA 123–127
- PIENAAR, J.C.**
 Experimental studies with *Strongyloides papillosus* in goats—J.G. PIENAAR, P.A. BASSON, J.L. DU PLESSIS, H. MARIA COLLINS, T.W. NAUDE, P.A. BOYAZOGLU, J. BOOMKER, F. REYERS and W.L. PIENAAR 191–235
- PIENAAR, W.L.**
 Experimental studies with *Strongyloides papillosus* in goats—J.G. PIENAAR, P.A. BASSON, J.L. DU PLESSIS, H. MARIA COLLINS, T.W. NAUDE, P.A. BOYAZOGLU, J. BOOMKER, F. REYERS and W.L. PIENAAR 191–235
- RETIEF, ELIZABETH**
 Neurotoxicity in calves induced by the plant, *Nierembergia hippomanica* Miers var. *violacea* Millán in South Africa—C.J. BOTHA, R. ANITRA SCHULTZ, J.J. VAN DER LUGT, ELIZABETH RETIEF and LEONIE LABUSCHAGNE 237–244
- REYERS, F.**
 Experimental studies with *Strongyloides papillosus* in goats—J.G. PIENAAR, P.A. BASSON, J.L. DU PLESSIS, H. MARIA COLLINS, T.W. NAUDE, P.A. BOYAZOGLU, J. BOOMKER, F. REYERS and W.L. PIENAAR 191–235
- REYNES, J.M.**
 Characterization and observation of animals responsible for rabies post-exposure treatment in Phnom Penh, Cambodia—J.M. REYNES, J.L. SOARES, C. KEO, S. ONG, N.Y. HENG and B. VAN HOYE 129–133
- RICHARDS, B.**
 Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (*Canis adustus* and *Canis mesomelas*) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS 251–253
- ROMITO, M.**
 The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE 25–28
 Immune responses in a horse inoculated with the VP2 gene of African horsesickness virus—M. ROMITO, D.H. DU PLESSIS and G.J. VILJOEN 139–144
- SCHULTZ, R. ANITRA**
 Neurotoxicity in calves induced by the plant, *Nierembergia hippomanica* Miers var. *violacea* Millán in South Africa—C.J. BOTHA, R. ANITRA SCHULTZ, J.J. VAN DER LUGT, ELIZABETH RETIEF and LEONIE LABUSCHAGNE 237–244
- SOARES, J.L.**
 Characterization and observation of animals responsible for rabies post-exposure treatment in Phnom Penh, Cambodia—J.M. REYNES, J.L. SOARES, C. KEO, S. ONG, N.Y. HENG and B. VAN HOYE 129–133
- SOLEY, J.T.**
 An anatomical study of the respiratory air sacs in ostriches—A.J. BEZUIDENHOUT, H.B. GROENEWALD and J.T. SOLEY 317–325
- SPENCER, J.A.**
 Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (*Canis adustus* and *Canis mesomelas*) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS 251–253
- STENSON, M.O.**
 Anthelmintic resistance in South Africa: Surveys indicate an extremely serious situation in sheep and goat farming—J.A. VAN WYK, M.O. STENSON, J.S. VAN DER MERWE, R.J. VORSTER and P.G. VILJOEN 273–284

SWAN, G.E.	
Copper poisoning in the Kruger National Park: Field investigation in wild ruminants—D.G. GROBLER and G.E. SWAN	157–168
Attempted induction of chronic copper poisoning in boma confined impala—D.G. GROBLER and G.E. SWAN	169–174
TANNER, M.	
Investigation of the viability of <i>M. bovis</i> under different environmental conditions in the Kruger National Park—M. TANNER and ANITA L. MICHEL	185–190
THERON, J.	
The occurrence of <i>Theileria</i> and <i>Cowdria</i> parasites in African buffalo (<i>Syncerus caffer</i>) and their associated <i>Amblyomma hebraeum</i> ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP	245–249
VAN ASWEGEN, G.	
Influence of lactation on the prolactin secreting cells of the hypophysis of impala (<i>Aepyceros melampus</i>): An immunocytochemical and computer image analysis study—P. VAN DER MERWE, D.G.A. MELTZER and G. VAN ASWEGEN	151–156
VAN DEN BOSSCHE, P.	
The parasitological and serological prevalence of tsetse-transmitted bovine trypanosomosis in the Eastern Caprivi (Caprivi District, Namibia)—P. VAN DEN BOSSCHE, D. MUDENGE, J. MUBANGA and A. NORVAL	103–110
VAN DER LUGT, J.J.	
Neurotoxicity in calves induced by the plant, <i>Nierembergia hippomanica</i> Miers var. <i>violacea</i> Millán in South Africa—C.J. BOTHA, R. ANITRA SCHULTZ, J.J. VAN DER LUGT, ELIZABETH RETIEF and LEONIE LABUSCHAGNE	237–244
VAN DER MERWE, J.S.	
Anthelmintic resistance in South Africa: Surveys indicate an extremely serious situation in sheep and goat farming—J.A. VAN WYK, M.O. STENSON, J.S. VAN DER MERWE, R.J. VORSTER and P.G. VILJOEN	273–284
VAN DER MERWE, P.	
Influence of lactation on the prolactin secreting cells of the hypophysis of impala (<i>Aepyceros melampus</i>): An immunocytochemical and computer image analysis study—P. VAN DER MERWE, and G. VAN ASWEGEN	151–156
VAN DER RYST, E.	
Could bats act as reservoir hosts for Rift Valley fever virus?—M.J. OELOFSEN and E. VAN DER RYST	51–54
VAN HOYE, B.	
Characterization and observation of animals responsible for rabies post-exposure treatment in Phnom Penh, Cambodia—J.M. REYNES, J.L. SOARES, C. KEO, S. ONG, N.Y. HENG and B. VAN HOYE	129–133
VAN WYK, J.A.	
Anthelmintic resistance in South Africa: Surveys indicate an extremely serious situation in sheep and goat farming—J.A. VAN WYK, M.O. STENSON, J.S. VAN DER MERWE, R.J. VORSTER and P.G. VILJOEN	273–284
A comparison of the infectivity of cryopreserved versus unfrozen infective larvae of <i>Haemonchus contortus</i> , <i>Trichostrongylus colubriformis</i> and <i>Trichostrongylus axei</i> : Results of the Onderstepoort Veterinary Institute and collaborators from 1977 to the present—J.A. VAN WYK	285–289
VAN WYNGAARDT, W.	
The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE	25–28
VILJOEN, G.J.	
Immune responses in a horse inoculated with the VP2 gene of African horsesickness virus—M. ROMITO, D.H. DU PLESSIS and G.J. VILJOEN	139–144
VILJOEN, P.G.	
Anthelmintic resistance in South Africa: Surveys indicate an extremely serious situation in sheep and goat farming—J.A. VAN WYK, M.O. STENSON, J.S. VAN DER MERWE, R.J. VORSTER and P.G. VILJOEN	273–284
VORSTER, R.J.	
Anthelmintic resistance in South Africa: Surveys indicate an extremely serious situation in sheep and goat farming—J.A. VAN WYK, M.O. STENSON, J.S. VAN DER MERWE, R.J. VORSTER and P.G. VILJOEN	273–284
WANDELER, A.I.	
The epidemiology of rabies in Zimbabwe. 1. Rabies in dogs (<i>Canis familiaris</i>)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL	1–10

The epidemiology of rabies in Zimbabwe. 2. Rabies in jackals (<i>Canis adustus</i> and <i>Canis mesomelas</i>)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL	11–23
WAWERU, J.G.	
A comparison of serum biochemical changes in two breeds of sheep (Red Masai and Dorper) experimentally infected with <i>Fasciola gigantica</i> —J.G. WAWERU, P.W.N. KANYARI, D.M. MWANGI, T.A. NGATIA and P. NANSEN	47–49
WELGEMOED, J.M.	
Confirmation that PCR can be used to identify NAD-dependent and NAD-independent <i>Haemophilus paragallinarum</i> isolates—J.K. MIFLIN, X. CHEN, R.R. BRAGG, J.M. WELGEMOED, J.M. GREYLING, R.F. HORNER and P.J. BLACKALL	55–57