



ONDERSTEPOR T JOURNAL OF VETERINARY RESEARCH

Volume 66 • Numbers 1–4 • 1999

Subject index

Acaricidal effect

- Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK 175–184

Adenovirus

- Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (*Canis adustus* and *Canis mesomelas*) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS .. 251–253

Aepyceros melampus

- Copper poisoning in wild ruminants in the Kruger National Park: Geobotanical and environmental investigation—D.G. GROBLER 81–93

- Influence of lactation on the prolactin secreting cells of the hypophysis of impala (*Aepyceros melampus*): An immuno-cytochemical and computer image analysis study—P. VAN DER MERWE, D.G.A. MELTZER and G. VAN ASWEGEN 151–156

African buffalo

- Investigation of the viability of *M. bovis* under different environmental conditions in the Kruger National Park—M. TANNER and ANITA L. MICHEL 185–190

- The occurrence of *Theileria* and *Cowdria* parasites in African buffalo (*Synacerus caffer*) and their associated *Amblyomma hebraeum* ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP 245–249

African horsesickness virus

- The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MARIE 25–28

Agglutination test

- Detection of *Mycoplasma gallisepticum* and *Mycoplasma synoviae* antibodies in the sera of indigenous chickens by rapid serum agglutination test at Mmopane, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAO and R.T. NDEBELE 333–334

- Immune responses in a horse inoculated with the VP2 gene of African horsesickness virus—M. ROMITO, D.H. DU PLESSIS and G.J. VILJOEN 139–144

Air pollution

- Copper poisoning in wild ruminants in the Kruger National Park: Geobotanical and environmental investigation—D.G. GROBLER 81–93

- Copper poisoning in the Kruger National Park: Field investigation in wild ruminants—D.G. GROBLER and G.E. SWAN 157–168

Air sacs/sacculitis

- An anatomical study of the respiratory air sacs in ostriches—A.J. BEZUIDENHOUT, H.B. GROENEWALD and J.T. SOLEY 317–325

Alofia simpsoni	Pentastomid infections in Nile crocodiles (<i>Crocodylus niloticus</i>) in the Kruger National Park, South Africa, with a description of the males of <i>Alofia simpsoni</i> —KERSTIN JUNKER, J. BOOMKER and LORNA A. BOLTON	65–71
Amblyomma hebraeum	The occurrence of <i>Theileria</i> and <i>Cowdria</i> parasites in African buffalo (<i>Syncerus caffer</i>) and their associated <i>Amblyomma hebraeum</i> ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP	245–249
Amorphous electron dense bodies	Electron microscopy of <i>Cowdria</i> -infected macrophages suggests that in the absence of binary fission a mosaic of organisms develops from an amorphous electron dense matrix—J.L. DU PLESSIS	39–46
Anthelmintic resistance	Anthelmintic resistance in South Africa: Surveys indicate an extremely serious situation in sheep and goat farming—J.A. VAN WYK, M.O. STENSON, J.S. VAN DER MERWE, R.J. VORSTER and P.G. VILJOEN	273–284
Antibodies	Seroprevalence of infectious bursal disease in non-vaccinated indigenous and exotic chickens on selected farms around Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO and R.T. NDEBELE	135–137
	Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (<i>Canis adustus</i> and <i>Canis mesomelas</i>) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS	251–253
Antibody	The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE	25–28
	Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to <i>Theileria parva</i> in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI	119–122
Antigen	The production and evaluation of <i>Pasteurella haemolytica</i> leukotoxin in the supernatant of submerged cultures in fermenters—M.W. ODENDAAL and C.E. ELLIS	265–272
Aqueous extract	Effect of an aqueous extract of <i>Azadirachta indica</i> on the immune response in mice—S.M. NJIRO and MAWULI W. KOFI-TSEKPO	59–62
Arthropod parasites	Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, <i>Cynictis penicillata</i> (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW	33–38
Attractants	Evaluation of conventional odour attractants for <i>Glossina brevipalpis</i> and <i>Glossina austeni</i> (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL	307–316
Azadirachta indica	Effect of an aqueous extract of <i>Azadirachta indica</i> on the immune response in mice—S.M. NJIRO and MAWULI W. KOFI-TSEKPO	59–62
Babesiosis	A serological survey of bovine babesiosis in northern and eastern Zimbabwe—T.C. KATSANDE, S.J. MORE, R.E. BOCK, LYDIA MABIKACHECHE, J.B. MOLLOY and C. NCUBE	255–263
	Control of equine piroplasmosis in Brazil—C.E. KERBER, F. FERREIRA and M.C. PEREIRA	123–127
Bats	Could bats act as reservoir hosts for Rift Valley fever virus?—M.J. OELOFSEN and E. VAN DER RYST	51–54
Binary fission	Electron microscopy of <i>Cowdria</i> -infected macrophages suggests that in the absence of binary fission a mosaic of organisms develops from an amorphous electron dense matrix—J.L. DU PLESSIS	39–46
Biochemical changes	A comparison of serum biochemical changes in two breeds of sheep (Red Masai and Dorper) experimentally infected with <i>Fasciola gigantica</i> —J.G. WAWERU, P.W.N. KANYARI, D.M. MWANGI, T.A. NGATIA and P. NANSEN	47–49
Boma confined impala	Attempted induction of chronic copper poisoning in boma confined impala—D.G. GROBLER and G.E. SWAN	169–174

Boophilus microplus	
Control of equine piroplasmosis in Brazil—C.E. KERBER, F. FERREIRA and M.C. PEREIRA	123–127
Botshabelo, Free State	
Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK	145–149
Botswana	
<i>Haemoproteus columbae</i> in domestic pigeons in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAO and R.T. NDEBELE	29–32
Seroprevalence of infectious bursal disease in non-vaccinated indigenous and exotic chickens on selected farms around Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO and R.T. NDEBELE	135–137
Detection of <i>Mycoplasma gallisepticum</i> and <i>Mycoplasma synoviae</i> antibodies in the sera of indigenous chickens by rapid serum agglutination test at Mmopane, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAO and R.T. NDEBELE	333–334
Bovine	
The parasitological and serological prevalence of tsetse-transmitted bovine trypanosomosis in the Eastern Caprivi (Caprivi District, Namibia)—P. VAN DEN BOSSCHE, D. MUDENGE, J. MUBANGA and A. NORVAL	103–110
A serological survey of bovine babesiosis in northern and eastern Zimbabwe—T.C. KATSANDE, S.J. MORE, R.E. BOCK, LYDIA MABIACHECHE, J.B. MOLLOY and C. NCUBE	255–263
Brazil	
Control of equine piroplasmosis in Brazil—C.E. KERBER, F. FERREIRA and M.C. PEREIRA	123–127
Buffalo	
The occurrence of <i>Theileria</i> and <i>Cowdria</i> parasites in African buffalo (<i>Syncerus caffer</i>) and their associated <i>Amblyomma hebraicum</i> ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP	245–249
Bursal disease	
Seroprevalence of infectious bursal disease in non-vaccinated indigenous and exotic chickens on selected farms around Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO and R.T. NDEBELE	135–137
Bushveld, South Africa	
Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK	175–184
Calves	
Neurotoxicity in calves induced by the plant, <i>Nierembergia hippomanica</i> Miers var. <i>violacea</i> Millán in South Africa—C.J. BOTHA, R. ANITRA SCHULTZ, J.J. VAN DER LUGT, ELIZABETH RETIEF and LEONIE LABUSCHAGNE	237–244
The helminths of ranch calves in the North-eastern Mountain Grassland of South Africa—J.P. LOUW	335–338
Cambodia	
Characterization and observation of animals responsible for rabies post-exposure treatment in Phnom Penh, Cambodia—J.M. REYNES, J.L. SOARES, C. KEO, S. ONG, N.Y. HENG and B. VAN HOYE	129–133
Canine	
Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (<i>Canis adustus</i> and <i>Canis mesomelas</i>) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS ..	251–253
Canis adustus	
The epidemiology of rabies in Zimbabwe. 2. Rabies in jackals (<i>Canis adustus</i> and <i>Canis mesomelas</i>)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL	11–23
Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (<i>Canis adustus</i> and <i>Canis mesomelas</i>) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS ..	251–253
Canis familiaris	
The epidemiology of rabies in Zimbabwe. 1. Rabies in dogs (<i>Canis familiaris</i>)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL	1–10
Canis mesomelas	
The epidemiology of rabies in Zimbabwe. 2. Rabies in jackals (<i>Canis adustus</i> and <i>Canis mesomelas</i>)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL	11–23

Subject index

Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (<i>Canis adustus</i> and <i>Canis mesomelas</i>) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS	251–253
Cape Province, South Africa	
Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK	175–184
Caprivi, Namibia	
The parasitological and serological prevalence of tsetse-transmitted bovine trypanosomosis in the Eastern Caprivi (Caprivi District, Namibia)—P. VAN DEN BOSSCHE, D. MUDENGE, J. MUBANGA and A. NORVAL	103–110
Cattle	
Assessment of cattle owners' perceptions and expectations, and identification of constraints on production in a peri-urban, resource-poor environment—KARIN DREYER, L.J. FOURIE and D.J. KOK	95–102
Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to <i>Theileria parva</i> in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI	119–122
Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK	145–149
Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK	175–184
Cells	
Influence of lactation on the prolactin secreting cells of the hypophysis of impala (<i>Aepyceros melampus</i>): An immuno-cytochemical and computer image analysis study—P. VAN DER MERWE, D.G.A. MELTZER and G. VAN ASWEGEN	151–156
Cestode	
Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK	145–149
Chickens	
Seroprevalence of infectious bursal disease in non-vaccinated indigenous and exotic chickens on selected farms around Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO and R.T. NDEBELE	135–137
Detection of <i>Mycoplasma gallisepticum</i> and <i>Mycoplasma synoviae</i> antibodies in the sera of indigenous chickens by rapid serum agglutination test at Mmopane, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE	333–334
Chicken IgY	
The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE	25–28
Chronic stress in impala	
Influence of lactation on the prolactin secreting cells of the hypophysis of impala (<i>Aepyceros melampus</i>): An immuno-cytochemical and computer image analysis study—P. VAN DER MERWE, D.G.A. MELTZER and G. VAN ASWEGEN	151–156
Colour targets	
Evaluation of coloured targets for the attraction of <i>Glossina brevipalpis</i> and <i>Glossina austeni</i> (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL	291–305
Communal grazing	
Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK	145–149
Communal herds	
A serological survey of bovine babesiosis in northern and eastern Zimbabwe—T.C. KATSANDE, S.J. MORE, R.E. BOCK, LYDIA MABIKA CHECHE, J.B. MOLLOY and C. NCUBE	255–263
Computer image analysis	
Influence of lactation on the prolactin secreting cells of the hypophysis of impala (<i>Aepyceros melampus</i>): An immuno-cytochemical and computer image analysis study—P. VAN DER MERWE, D.G.A. MELTZER and G. VAN ASWEGEN	151–156
Conventional odour attractants	
Evaluation of conventional odour attractants for <i>Glossina brevipalpis</i> and <i>Glossina austeni</i> (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL	307–316

Copper	
Copper poisoning in wild ruminants in the Kruger National Park: Geobotanical and environmental investigation—D.G. GROBLER	81–93
Copper poisoning in the Kruger National Park: Field investigation in wild ruminants—D.G. GROBLER and G.E. SWAN	157–168
Attempted induction of chronic copper poisoning in boma confined impala—D.G. GROBLER and G.E. SWAN	169–174
Cosmid	
<i>Cowdria ruminantium</i> DNA is unstable in a Supercos1 library—K.A. BRAYTON, E.P. DE VILLIERS, J. FEHRSEN, C. NXOMANI, N.E. COLLINS and B.A. ALLSOPP	111–117
Cowdria ruminantium	
The occurrence of <i>Theileria</i> and <i>Cowdria</i> parasites in African buffalo (<i>Syncerus caffer</i>) and their associated <i>Amblyomma hebraeum</i> ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP	245–249
<i>Cowdria ruminantium</i> DNA is unstable in a Supercos1 library—K.A. BRAYTON, E.P. DE VILLIERS, J. FEHRSEN, C. NXOMANI, N.E. COLLINS and B.A. ALLSOPP	111–117
Cowdria-infected macrophages	
Electron microscopy of <i>Cowdria</i> -infected macrophages suggests that in the absence of binary fission a mosaic of organisms develops from an amorphous electron dense matrix—J.L. DU PLESSIS	39–46
Crocodiles	
Pentastomid infections in Nile crocodiles (<i>Crocodylus niloticus</i>) in the Kruger National Park, South Africa, with a description of the males of <i>Alotia simpsoni</i> —KERSTIN JUNKER, J. BOOMKER and LORNA A. BOLTON	65–71
Cryopreservation	
A comparison of the infectivity of cryopreserved versus unfrozen infective larvae of <i>Haemonchus contortus</i> , <i>Trichostringylus colubriformis</i> and <i>Trichostrongylus axei</i> : Results of the Onderstepoort Veterinary Institute and collaborators from 1977 to the present—J.A. VAN WYK	285–289
Cultures	
The production and evaluation of <i>Pasteurella haemolytica</i> leukotoxin in the supernatant of submerged cultures in fermenters—M.W. ODENDAAL and C.E. ELLIS	265–272
Cynictis penicillata	
Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, <i>Cynictis penicillata</i> (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW	33–38
Cytotoxin production	
The production and evaluation of <i>Pasteurella haemolytica</i> leukotoxin in the supernatant of submerged cultures in fermenters—M.W. ODENDAAL and C.E. ELLIS	265–272
Dexamethasone	
<i>Haemoproteus columbae</i> in domestic pigeons in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAI and R.T. NDEBELE	29–32
Diptera: Glossinidae	
Evaluation of coloured targets for the attraction of <i>Glossina brevipalpis</i> and <i>Glossina austeni</i> (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL	291–305
Evaluation of conventional odour attractants for <i>Glossina brevipalpis</i> and <i>Glossina austeni</i> (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL	307–316
Evaluation of a proposed odour-baited target to control the tsetse flies <i>Glossina brevipalpis</i> and <i>Glossina austeni</i> (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL	327–332
Distemper virus	
Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (<i>Canis adustus</i> and <i>Canis mesomelas</i>) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS	251–253
Diverticula	
An anatomical study of the respiratory air sacs in ostriches—A.J. BEZUIDENHOUT, H.B. GROENEWALD and J.T. SOLEY	317–325
DNA	
<i>Cowdria ruminantium</i> DNA is unstable in a Supercos1 library—K.A. BRAYTON, E.P. DE VILLIERS, J. FEHRSEN, C. NXOMANI, N.E. COLLINS and B.A. ALLSOPP	111–117

Subject index

Immune responses in a horse inoculated with the VP2 gene of African horsesickness virus—M. ROMITO, D.H. DU PLESSIS and G.J. VILJOEN	139–144
Dogs	
The epidemiology of rabies in Zimbabwe. 1. Rabies in dogs (<i>Canis familiaris</i>)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL	1–10
Domestic animals	
<i>Haemoproteus columbae</i> in domestic pigeons in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAO and R.T. NDEBELE	29–32
Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, <i>Cynictis penicillata</i> (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW	33–38
Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK	175–184
The epidemiology of rabies in Zimbabwe. 1. Rabies in dogs (<i>Canis familiaris</i>)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL	1–10
Dorper	
A comparison of serum biochemical changes in two breeds of sheep (Red Masai and Dorper) experimentally infected with <i>Fasciola gigantica</i> —J.G. WAWERU, P.W.N. KANYARI, D.M. MWANGI, T.A. NGATIA and P. NANSEN	47–49
East Coast fever	
Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to <i>Theileria parva</i> in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI	119–122
Ecology	
Ecological studies of helminth parasites of the largemouth bass, <i>Micropterus salmoides</i> , from Lake Naivasha and the Oloidien Bay, Kenya—P.A. ALOO	73–79
Egg-yolk	
The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE	25–28
Electron microscopy	
Electron microscopy of <i>Cowdria</i> -infected macrophages suggests that in the absence of binary fission a mosaic of organisms develops from an amorphous electron dense matrix—J.L. DU PLESSIS	39–46
ELISA	
The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE	25–28
Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to <i>Theileria parva</i> in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI	119–122
Epidemiology	
The epidemiology of rabies in Zimbabwe. 1. Rabies in dogs (<i>Canis familiaris</i>)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL	1–10
Equine piroplasmosis	
Control of equine piroplasmosis in Brazil—C.E. KERBER, F. FERREIRA and M.C. PEREIRA	123–127
Exotic chickens	
Seroprevalence of infectious bursal disease in non-vaccinated indigenous and exotic chickens on selected farms around Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO and R.T. NDEBELE	135–137
<i>Fasciola gigantica</i>	
A comparison of serum biochemical changes in two breeds of sheep (Red Masai and Dorper) experimentally infected with <i>Fasciola gigantica</i> —J.G. WAWERU, P.W.N. KANYARI, D.M. MWANGI, T.A. NGATIA and P. NANSEN	47–49
Fermenter	
The production and evaluation of <i>Pasteurella haemolytica</i> leukotoxin in the supernatant of submerged cultures in fermenters—M.W. ODENDAAL and C.E. ELLIS	265–272
Fleas	
Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, <i>Cynictis penicillata</i> (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW	33–38

Flies

Evaluation of a proposed odour-baited target to control the tsetse flies *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 327–332

Fluorescent antibody test

Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to *Theileria parva* in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI 119–122

Free State, South Africa

Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK 145–149

Free-ranging jackals

Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (*Canis adustus* and *Canis mesomelas*) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS 251–253

Gastro-intestinal parasites

Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK 145–149

Geobotanical

Copper poisoning in wild ruminants in the Kruger National Park: Geobotanical and environmental investigation—D.G. GROBLER 81–93

Glossina austeni

Evaluation of coloured targets for the attraction of *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 291–305

Evaluation of conventional odour attractants for *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 307–316

Evaluation of a proposed odour-baited target to control the tsetse flies *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 327–332

Glossina brevipalpis

Evaluation of coloured targets for the attraction of *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 291–305

Evaluation of conventional odour attractants for *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 307–316

Evaluation of a proposed odour-baited target to control the tsetse flies *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 327–332

Goats

Anthelmintic resistance in South Africa: Surveys indicate an extremely serious situation in sheep and goat farming—J.A. VAN WYK, M.O. STENSON, J.S. VAN DER MERWE, R.J. VORSTER and P.G. VILJOEN 273–284

Experimental studies with *Strongyloides papillosus* in goats—J.G. PIENAAR, P.A. BASSON, J.L. DU PLESSIS, H. MARIA COLLINS, T.W. NAUDE, P.A. BOYAZOGLU, J. BOOMKER, F. REYERS and W.L. PIENAAR 191–235

Grass pastures

Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK 175–184

Grassland

The helminths of ranch calves in the North-eastern Mountain Grassland of South Africa—J.P. LOUW 335–338

Grazing system

Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK 145–149

Haemonchus contortus

A comparison of the infectivity of cryopreserved versus unfrozen infective larvae of *Haemonchus contortus*, *Trichostomylus colubriformis* and *Trichostrongylus axei*: Results of the Onderstepoort Veterinary Institute and collaborators from 1977 to the present—J.A. VAN WYK 285–289

***Haemonchus* spp.**

Anthelmintic resistance in South Africa: Surveys indicate an extremely serious situation in sheep and goat farming—J.A. VAN WYK, M.O. STENSON, J.S. VAN DER MERWE, R.J. VORSTER and P.G. VILJOEN 273–284

Subject index

Haemophilus paragallinarum	
Confirmation that PCR can be used to identify NAD-dependent and NAD-independent <i>Haemophilus paragallinarum</i> isolates—J.K. MILFIN, X. CHEN, R.R. BRAGG, J.M. WELGEMOED, J.M. GREYLING, R.F. HORNER and P.J. BLACKALL	55–57
Haemoproteus columbae	
<i>Haemoproteus columbae</i> in domestic pigeons in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAO and R.T. NDEBELE	29–32
Helminth parasites	
Ecological studies of helminth parasites of the largemouth bass, <i>Micropterus salmoides</i> , from Lake Naivasha and the Oloidien Bay, Kenya—P.A. ALOO	73–79
The helminths of ranch calves in the North-eastern Mountain Grassland of South Africa—J.P. LOUW	335–338
Hepatotoxicity	
Neurotoxicity in calves induced by the plant, <i>Nierembergia hippomanica</i> Miers var. <i>violacea</i> Millán in South Africa—C.J. BOTHA, R. ANITRA SCHULTZ, J.J. VAN DER LUGT, ELIZABETH RETIEF and LEONIE LABUSCHAGNE	237–244
Histopathology	
Pentastomid infections in Nile crocodiles (<i>Crocodylus niloticus</i>) in the Kruger National Park, South Africa, with a description of the males of <i>Alofia simpsoni</i> —KERSTIN JUNKER, J. BOOMKER and LORNA A. BOLTON	65–71
Horse	
The use of chicken IgY in a double antibody sandwich ELISA for detecting African horse sickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MARÉE	25–28
Immune responses in a horse inoculated with the VP2 gene of African horse sickness virus—M. ROMITO, D.H. DU PLESSIS and G.J. VILJOEN	139–144
Horsesickness	
The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MARÉE	25–28
Immune responses in a horse inoculated with the VP2 gene of African horsesickness virus—M. ROMITO, D.H. DU PLESSIS and G.J. VILJOEN	139–144
Hosts	
Could bats act as reservoir hosts for Rift Valley fever virus?—M.J. OELOFSEN and E. VAN DER RYST	51–54
Hypophysis	
Influence of lactation on the prolactin secreting cells of the hypophysis of impala (<i>Aepyceros melampus</i>): An immunocytochemical and computer image analysis study—P. VAN DER MERWE, D.G.A. MELTZER and G. VAN ASWEGEN	151–156
IFAT	
Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to <i>Theileria parva</i> in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI	119–122
Immune response	
Effect of an aqueous extract of <i>Azadirachta indica</i> on the immune response in mice—S.M. NJIRO and MAWULI W. KOFI-TSEKPO	59–62
Immune responses in a horse inoculated with the VP2 gene of African horsesickness virus—M. ROMITO, D.H. DU PLESSIS and G.J. VILJOEN	139–144
Immunocytochemical study	
Influence of lactation on the prolactin secreting cells of the hypophysis of impala (<i>Aepyceros melampus</i>): An immunocytochemical and computer image analysis study—P. VAN DER MERWE, D.G.A. MELTZER and G. VAN ASWEGEN	151–156
Impala	
Copper poisoning in wild ruminants in the Kruger National Park: Geobotanical and environmental investigation—D.G. GRÖBLER	81–93
Influence of lactation on the prolactin secreting cells of the hypophysis of impala (<i>Aepyceros melampus</i>): An immunocytochemical and computer image analysis study—P. VAN DER MERWE, D.G.A. MELTZER and G. VAN ASWEGEN	151–156
Attempted induction of chronic copper poisoning in boma confined impala—D.G. GROBLER and G.E. SWAN	169–174

Indigenous chickens	
Detection of <i>Mycoplasma gallisepticum</i> and <i>Mycoplasma synoviae</i> antibodies in the sera of indigenous chickens by rapid serum agglutination test at Mmopane, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAO and R.T. NDEBELE	333–334
Infectious bursal disease	
Seroprevalence of infectious bursal disease in non-vaccinated indigenous and exotic chickens on selected farms around Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO and R.T. NDEBELE	135–137
Infective nematode larvae	
A comparison of the infectivity of cryopreserved versus unfrozen infective larvae of <i>Haemonchus contortus</i> , <i>Trichostyngylus colubriformis</i> and <i>Trichostrongylus axei</i> : Results of the Onderstepoort Veterinary Institute and collaborators from 1977 to the present—J.A. VAN WYK	285–289
Ixodid ticks	
Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, <i>Cynictis penicillata</i> (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW	33–38
Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK	175–184
Jackals	
The epidemiology of rabies in Zimbabwe. 2. Rabies in jackals (<i>Canis adustus</i> and <i>Canis mesomelas</i>)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL	11–23
Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (<i>Canis adustus</i> and <i>Canis mesomelas</i>) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS	251–253
Kenya	
Ecological studies of helminth parasites of the largemouth bass, <i>Micropterus salmoides</i> , from Lake Naivasha and the Oloidien Bay, Kenya—P.A. ALOO	73–79
Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to <i>Theileria parva</i> in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI	119–122
Kikuyu	
Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK	175–184
Kruger National Park, South Africa	
Pentastomid infections in Nile crocodiles (<i>Crocodylus niloticus</i>) in the Kruger National Park, South Africa, with a description of the males of <i>Alofia simpsoni</i> —KERSTIN JUNKER, J. BOOMKER and LORNA A. BOLTON	65–71
Copper poisoning in wild ruminants in the Kruger National Park: Geobotanical and environmental investigation—D.G. GROBLER	81–93
Copper poisoning in the Kruger National Park: Field investigation in wild ruminants—D.G. GROBLER and G.E. SWAN	157–168
Investigation of the viability of <i>M. bovis</i> under different environmental conditions in the Kruger National Park—M. TANNER and ANITA L. MICHEL	185–190
Lactation	
Influence of lactation on the prolactin secreting cells of the hypophysis of impala (<i>Aepyceros melampus</i>): An immuno-cytochemical and computer image analysis study—P. VAN DER MERWE, D.G.A. MELTZER and G. VAN ASWEGEN	151–156
Lake Naivasha, Kenya	
Ecological studies of helminth parasites of the largemouth bass, <i>Micropterus salmoides</i> , from Lake Naivasha and the Oloidien Bay, Kenya—P.A. ALOO	73–79
Largemouth bass	
Ecological studies of helminth parasites of the largemouth bass, <i>Micropterus salmoides</i> , from Lake Naivasha and the Oloidien Bay, Kenya—P.A. ALOO	73–79
Larvae	
A comparison of the infectivity of cryopreserved versus unfrozen infective larvae of <i>Haemonchus contortus</i> , <i>Trichostyngylus colubriformis</i> and <i>Trichostrongylus axei</i> : Results of the Onderstepoort Veterinary Institute and collaborators from 1977 to the present—J.A. VAN WYK	285–289

Subject index

Leiperia

- Pentastomid infections in Nile crocodiles (*Crocodylus niloticus*) in the Kruger National Park, South Africa, with a description of the males of *Alofia simpsoni*—KERSTIN JUNKER, J. BOOMKER and LORNA A. BOLTON 65–71

Leukotoxin

- The production and evaluation of *Pasteurella haemolytica* leukotoxin in the supernatant of submerged cultures in fermenters—M.W. ODENDAAL and C.E. ELLIS 265–272

Lice

- Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, *Cynictis penicillata* (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW 33–38

Mice

- Effect of an aqueous extract of *Azadirachta indica* on the immune response in mice—S.M. NJIRO and MAWULI W. KOFI-TSEKPO 59–62

Micropterus salmoides

- Ecological studies of helminth parasites of the largemouth bass, *Micropterus salmoides*, from Lake Naivasha and the Oloidien Bay, Kenya—P.A. ALOO 73–79

Mites

- Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, *Cynictis penicillata* (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW 33–38

Mmopane

- Detection of *Mycoplasma gallisepticum* and *Mycoplasma synoviae* antibodies in the sera of indigenous chickens by rapid serum agglutination test at Mmopane, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 333–334

Mongooses

- Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, *Cynictis penicillata* (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW 33–38

Mountain Grassland, South Africa

- The helminths of ranch calves in the North-eastern Mountain Grassland of South Africa—J.P. LOUW 335–338

Mycobacterium bovis

- Investigation of the viability of *M. bovis* under different environmental conditions in the Kruger National Park—M. TANNER and ANITA L. MICHEL 185–190

Mycoplasma gallisepticum

- Detection of *Mycoplasma gallisepticum* and *Mycoplasma synoviae* antibodies in the sera of indigenous chickens by rapid serum agglutination test at Mmopane, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 333–334

Mycoplasma synoviae

- Detection of *Mycoplasma gallisepticum* and *Mycoplasma synoviae* antibodies in the sera of indigenous chickens by rapid serum agglutination test at Mmopane, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 333–334

NAD-dependent/independent isolates

- Confirmation that PCR can be used to identify NAD-dependent and NAD-independent *Haemophilus paragallinarum* isolates—J.K. MILFIN, X. CHEN, R.R. BRAGG, J.M. WELGEMOED, J.M. GREYLING, R.F. HORNER and P.J. BLACKALL 55–57

Nagana

- The parasitological and serological prevalence of tsetse-transmitted bovine trypanosomosis in the Eastern Caprivi (Caprivi District, Namibia)—P. VAN DEN BOSSCHE, D. MUDENGE, J. MUBANGA and A. NORVAL 103–110

Namaqua rock rat

- Could bats act as reservoir hosts for Rift Valley fever virus?—M.J. OELOFSEN and E. VAN DER RYST 51–54

Namibia

- The parasitological and serological prevalence of tsetse-transmitted bovine trypanosomosis in the Eastern Caprivi (Caprivi District, Namibia)—P. VAN DEN BOSSCHE, D. MUDENGE, J. MUBANGA and A. NORVAL 103–110

Neem tree

- Effect of an aqueous extract of *Azadirachta indica* on the immune response in mice—S.M. NJIRO and MAWULI W. KOFI-TSEKPO 59–62

Nematodes	
Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK	145–149
Neurotoxicity	
Neurotoxicity in calves induced by the plant, <i>Nierembergia hippomanica</i> Miers var. <i>violacea</i> Millán in South Africa— C.J. BOTHA, R. ANITRA SCHULTZ, J.J. VAN DER LUGT, ELIZABETH RETIEF and LEONIE LABUSCHAGNE	237–244
<i>Nierembergia hippomanica</i> Miers var. <i>violacea</i>	
Neurotoxicity in calves induced by the plant, <i>Nierembergia hippomanica</i> Miers var. <i>violacea</i> Millán in South Africa— C.J. BOTHA, R. ANITRA SCHULTZ, J.J. VAN DER LUGT, ELIZABETH RETIEF and LEONIE LABUSCHAGNE	237–244
Nile crocodiles	
Pentastomid infections in Nile crocodiles (<i>Crocodylus niloticus</i>) in the Kruger National Park, South Africa, with a description of the males of <i>Alotia simpsoni</i> —KERSTIN JUNKER, J. BOOMKER and LORNA A. BOLTON	65–71
Odour	
Evaluation of conventional odour attractants for <i>Glossina brevipalpis</i> and <i>Glossina austeni</i> (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL	307–316
Evaluation of a proposed odour-baited target to control the tsetse flies <i>Glossina brevipalpis</i> and <i>Glossina austeni</i> (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL	327–332
Oligonucleotide probes	
The occurrence of <i>Theileria</i> and <i>Cowdria</i> parasites in African buffalo (<i>Syncerus caffer</i>) and their associated <i>Ambly-</i> <i>omma hebraeum</i> ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALL- SOPP	245–249
Oloidien Bay, Kenya	
Ecological studies of helminth parasites of the largemouth bass, <i>Micropterus salmoides</i> , from Lake Naivasha and the Oloidien Bay, Kenya—P.A. ALOO	73–79
Orbivirus	
The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE	25–28
Ostriches	
An anatomical study of the respiratory air sacs in ostriches—A.J. BEZUIDENHOUT, H.B. GROENEWALD and J.T. SOLEY	317–325
Parasites	
Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, <i>Cynictis</i> <i>penicillata</i> (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW	33–38
Ecological studies of helminth parasites of the largemouth bass, <i>Micropterus salmoides</i> , from Lake Naivasha and the Oloidien Bay, Kenya—P.A. ALOO	73–79
Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK	145–149
Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK	175–184
The occurrence of <i>Theileria</i> and <i>Cowdria</i> parasites in African buffalo (<i>Syncerus caffer</i>) and their associated <i>Ambly-</i> <i>omma hebraeum</i> ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALL- SOPP	245–249
The parasitological and serological prevalence of tsetse-transmitted bovine trypanosomosis in the Eastern Caprivi (Caprivi District, Namibia)—P. VAN DEN BOSSCHE, D. MUDENGE, J. MUBANGA and A. NORVAL	103–110
<i>Pasteurella haemolytica</i>	
The production and evaluation of <i>Pasteurella haemolytica</i> leukotoxin in the supernatant of submerged cultures in fermenters—M.W. ODENDAAL and C.E. ELLIS	265–272
Pentastomes	
Pentastomid infections in Nile crocodiles (<i>Crocodylus niloticus</i>) in the Kruger National Park, South Africa, with a description of the males of <i>Alotia simpsoni</i> —KERSTIN JUNKER, J. BOOMKER and LORNA A. BOLTON	65–71
Phnom Penh, Cambodia	
Characterization and observation of animals responsible for rabies post-exposure treatment in Phnom Penh, Cam- bodia—J.M. REYNES, J.L. SOARES, C. KEO, S. ONG, N.Y. HENG and B. VAN HOYE	129–133

Subject index

Pigeons

- Haemoproteus columbae* in domestic pigeons in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 29–32

Poisoning

- Copper poisoning in wild ruminants in the Kruger National Park: Geobotanical and environmental investigation—D.G. GROBLER
Copper poisoning in the Kruger National Park: Field investigation in wild ruminants—D.G. GROBLER and G.E. SWAN 157–168
Attempted induction of chronic copper poisoning in boma confined impala—D.G. GROBLER and G.E. SWAN 169–174
Neurotoxicity in calves induced by the plant, *Nierembergia hippomanica* Miers var. *violacea* Millán in South Africa—C.J. BOTHA, R. ANITRA SCHULTZ, J.J. VAN DER LUGT, ELIZABETH RETIEF and LEONIE LABUSCHAGNE 237–244

Polymerase chain reaction

- Confirmation that PCR can be used to identify NAD-dependent and NAD-independent *Haemophilus paragallinarum* isolates—J.K. MILFIN, X. CHEN, R.R. BRAGG, J.M. WELGEMOED, J.M. GREYLING, R.F. HORNER and P.J. BLACKALL 55–57
The occurrence of *Theileria* and *Cowdria* parasites in African buffalo (*Synacerus caffer*) and their associated *Amblyomma hebraeum* ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP 245–249

Post-exposure treatment

- Characterization and observation of animals responsible for rabies post-exposure treatment in Phnom Penh, Cambodia—J.M. REYNES, J.L. SOARES, C. KEO, S. ONG, N.Y. HENG and B. VAN HOYE 129–133

Prolactin

- Influence of lactation on the prolactin secreting cells of the hypophysis of impala (*Aepyceros melampus*): An immuno-cytochemical and computer image analysis study—P. VAN DER MERWE, D.G.A. MELTZER and G. VAN ASWEGEN 151–156

Rabies

- The epidemiology of rabies in Zimbabwe. 1. Rabies in dogs (*Canis familiaris*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 1–10
The epidemiology of rabies in Zimbabwe. 2. Rabies in jackals (*Canis adustus* and *Canis mesomelas*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 11–23
Characterization and observation of animals responsible for rabies post-exposure treatment in Phnom Penh, Cambodia—J.M. REYNES, J.L. SOARES, C. KEO, S. ONG, N.Y. HENG and B. VAN HOYE 129–133

Ranch calves

- The helminths of ranch calves in the North-eastern Mountain Grassland of South Africa—J.P. LOUW 335–338

Red Masai

- A comparison of serum biochemical changes in two breeds of sheep (Red Masai and Dorper) experimentally infected with *Fasciola gigantica*—J.G. WAWERU, P.W.N. KANYARI, D.M. MWANGI, T.A. NGATIA and P. NANSEN 47–49

Reservoir hosts

- Could bats act as reservoir hosts for Rift Valley fever virus?—M.J. OELOFSEN and E. VAN DER RYST 51–54

Respiratory tract

- An anatomical study of the respiratory air sacs in ostriches—A.J. BEZUIDENHOUT, H.B. GROENEWALD and J.T. SOLEY 317–325

Rift Valley fever virus

- Could bats act as reservoir hosts for Rift Valley fever virus?—M.J. OELOFSEN and E. VAN DER RYST 51–54

Seasonal abundance

- Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK 175–184

Sebekia

- Pentastomid infections in Nile crocodiles (*Crocodylus niloticus*) in the Kruger National Park, South Africa, with a description of the males of *Alofia simpsoni*—KERSTIN JUNKER, J. BOOMKER and LORNA A. BOLTON 65–71

Sebele, Botswana

- Haemoproteus columbae* in domestic pigeons in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 29–32

Serological	
The parasitological and serological prevalence of tsetse-transmitted bovine trypanosomosis in the Eastern Caprivi (Caprivi District, Namibia)—P. VAN DEN BOSSCHE, D. MUDENGE, J. MUBANGA and A. NORVAL	103–110
A serological survey of bovine babesiosis in northern and eastern Zimbabwe—T.C. KATSANDE, S.J. MORE, R.E. BOCK, LYDIA MABIKACHECHE, J.B. MOLLOY and C. NCUBE	255–263
Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (<i>Canis adustus</i> and <i>Canis mesomelas</i>) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS	251–253
Seroprevalence	
Seroprevalence of infectious bursal disease in non-vaccinated indigenous and exotic chickens on selected farms around Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO and R.T. NDEBELE	135–137
Sheep	
A comparison of serum biochemical changes in two breeds of sheep (Red Masai and Dorper) experimentally infected with <i>Fasciola gigantica</i> —J.G. WAWERU, P.W.N. KANYARI, D.M. MWANGI, T.A. NGATIA and P. NANSEN	47–49
Anthelmintic resistance in South Africa: Surveys indicate an extremely serious situation in sheep and goat farming—J.A. VAN WYK, M.O. STENSON, J.S. VAN DER MERWE, R.J. VORSTER and P.G. VILJOEN	273–284
Solanaceae	
Neurotoxicity in calves induced by the plant, <i>Nierembergia hippomanica</i> Miers var. <i>violacea</i> Millán in South Africa—C.J. BOTHA, R. ANITRA SCHULTZ, J.J. VAN DER LUGT, ELIZABETH RETIEF and LEONIE LABUSCHAGNE	237–244
South Africa	
Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, <i>Cynictis penicillata</i> (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW	33–38
Pentastomid infections in Nile crocodiles (<i>Crocodylus niloticus</i>) in the Kruger National Park, South Africa, with a description of the males of <i>Alotia simpsoni</i> —KERSTIN JUNKER, J. BOOMKER and LORNA A. BOLTON	65–71
Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK	145–149
Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK	175–184
Neurotoxicity in calves induced by the plant, <i>Nierembergia hippomanica</i> Miers var. <i>violacea</i> Millán in South Africa—C.J. BOTHA, R. ANITRA SCHULTZ, J.J. VAN DER LUGT, ELIZABETH RETIEF and LEONIE LABUSCHAGNE	237–244
Anthelmintic resistance in South Africa: Surveys indicate an extremely serious situation in sheep and goat farming—J.A. VAN WYK, M.O. STENSON, J.S. VAN DER MERWE, R.J. VORSTER and P.G. VILJOEN	273–284
Evaluation of coloured targets for the attraction of <i>Glossina brevipalpis</i> and <i>Glossina austeni</i> (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL	291–305
Evaluation of conventional odour attractants for <i>Glossina brevipalpis</i> and <i>Glossina austeni</i> (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL	307–316
Evaluation of a proposed odour-baited target to control the tsetse flies <i>Glossina brevipalpis</i> and <i>Glossina austeni</i> (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL	327–332
The helminths of ranch calves in the North-eastern Mountain Grassland of South Africa—J.P. LOUW	335–338
Strongyloides papillosus	
Experimental studies with <i>Strongyloides papillosus</i> in goats—J.G. PIENAAR, P.A. BASSON, J.L. DU PLESSIS, H. MARIA COLLINS, T.W. NAUDE, P.A. BOYAZOGLU, J. BOOMKER, F. REYERS and W.L. PIENAAR	191–235
SuperCos1	
<i>Cowdria ruminantium</i> DNA is unstable in a Supercos1 library—K.A. BRAYTON, E.P. DE VILLIERS, J. FEHRSEN, C. NXOMANI, N.E. COLLINS and B.A. ALLSOPP	111–117
Supernatant	
The production and evaluation of <i>Pasteurella haemolytica</i> leukotoxin in the supernatant of submerged cultures in fermenters—M.W. ODENDAAL and C.E. ELLIS	265–272
Syncerus caffer	
The occurrence of <i>Theileria</i> and <i>Cowdria</i> parasites in African buffalo (<i>Syncerus caffer</i>) and their associated <i>Amblyomma hebraicum</i> ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP	245–249
Theileria equi	
Control of equine piroplasmosis in Brazil—C.E. KERBER, F. FERREIRA and M.C. PEREIRA	123–127

Theileria parva	
Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to <i>Theileria parva</i> in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI	119–122
The occurrence of <i>Theileria</i> and <i>Cowdria</i> parasites in African buffalo (<i>Syncerus caffer</i>) and their associated <i>Amblyomma hebraeum</i> ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP	245–249
Ticks	
Control of equine piroplasmosis in Brazil—C.E. KERBER, F. FERREIRA and M.C. PEREIRA	123–127
Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK	175–184
The occurrence of <i>Theileria</i> and <i>Cowdria</i> parasites in African buffalo (<i>Syncerus caffer</i>) and their associated <i>Amblyomma hebraeum</i> ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP	245–249
Toxin secretion	
The production and evaluation of <i>Pasteurella haemolytica</i> leukotoxin in the supernatant of submerged cultures in fermenters—M.W. ODENDAAL and C.E. ELLIS	265–272
Trichostrongylus axei	
A comparison of the infectivity of cryopreserved versus unfrozen infective larvae of <i>Haemonchus contortus</i> , <i>Trichostrongylus colubriformis</i> and <i>Trichostrongylus axei</i> : Results of the Onderstepoort Veterinary Institute and collaborators from 1977 to the present—J.A. VAN WYK	285–289
Trichostrongylus colubriformis	
A comparison of the infectivity of cryopreserved versus unfrozen infective larvae of <i>Haemonchus contortus</i> , <i>Trichostrongylus colubriformis</i> and <i>Trichostrongylus axei</i> : Results of the Onderstepoort Veterinary Institute and collaborators from 1977 to the present—J.A. VAN WYK	285–289
Trypanosomosis	
The parasitological and serological prevalence of tsetse-transmitted bovine trypanosomosis in the Eastern Caprivi (Caprivi District, Namibia)—P. VAN DEN BOSSCHE, D. MUDENGE, J. MUBANGA and A. NORVAL	103–110
Tsetse	
The parasitological and serological prevalence of tsetse-transmitted bovine trypanosomosis in the Eastern Caprivi (Caprivi District, Namibia)—P. VAN DEN BOSSCHE, D. MUDENGE, J. MUBANGA and A. NORVAL	103–110
Evaluation of a proposed odour-baited target to control the tsetse flies <i>Glossina brevipalpis</i> and <i>Glossina austeni</i> (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL	327–332
Evaluation of conventional odour attractants for <i>Glossina brevipalpis</i> and <i>Glossina austeni</i> (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL	307–316
Unfrozen infective larvae	
A comparison of the infectivity of cryopreserved versus unfrozen infective larvae of <i>Haemonchus contortus</i> , <i>Trichostrongylus colubriformis</i> and <i>Trichostrongylus axei</i> : Results of the Onderstepoort Veterinary Institute and collaborators from 1977 to the present—J.A. VAN WYK	285–289
Vaccine production	
The production and evaluation of <i>Pasteurella haemolytica</i> leukotoxin in the supernatant of submerged cultures in fermenters—M.W. ODENDAAL and C.E. ELLIS	265–272
Valley Bushveld, South Africa	
Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK	175–184
Viability	
Investigation of the viability of <i>M. bovis</i> under different environmental conditions in the Kruger National Park—M. TANNER and ANITA L. MICHEL	185–190
Virus	
The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE	25–28
Could bats act as reservoir hosts for Rift Valley fever virus?—M.J. OELOFSEN and E. VAN DER RYST	51–54
Immune responses in a horse inoculated with the VP2 gene of African horsesickness virus—M. ROMITO, D.H. DU PLESSIS and G.J. VILJOEN	139–144

Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (<i>Canis adustus</i> and <i>Canis mesomelas</i>) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS	
Visual attraction	
Evaluation of coloured targets for the attraction of <i>Glossina brevipalpis</i> and <i>Glossina austeni</i> (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILLE	291–305
VP2 gene	
Immune responses in a horse inoculated with the VP2 gene of African horsesickness virus—M. ROMITO, D.H. DU PLESSIS and G.J. VILJOEN	139–144
Wild animals	
Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, <i>Cynictis penicillata</i> (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW	33–38
Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK	175–184
Wild ruminants	
Copper poisoning in wild ruminants in the Kruger National Park: Geobotanical and environmental investigation—D.G. GROBLER	81–93
Copper poisoning in the Kruger National Park: Field investigation in wild ruminants—D.G. GROBLER and G.E. SWAN	157–168
Yellow mongooses	
Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, <i>Cynictis penicillata</i> (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW	33–38
Zimbabwe	
The epidemiology of rabies in Zimbabwe. 1. Rabies in dogs (<i>Canis familiaris</i>)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL	1–10
The epidemiology of rabies in Zimbabwe. 2. Rabies in jackals (<i>Canis adustus</i> and <i>Canis mesomelas</i>)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL	11–23
Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (<i>Canis adustus</i> and <i>Canis mesomelas</i>) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS	251–253
A serological survey of bovine babesiosis in northern and eastern Zimbabwe—T.C. KATSANDE, S.J. MORE, R.E. BOCK, LYDIA MABIKACHECHE, J.B. MOLLOY and C. NCUBE	255–263