

## REFERENCES

---

- AOAC. 1984.** *Official methods of analysis.* 14<sup>th</sup> Ed. Association of Official Analytical Chemists. Arlington, Virginia, USA.
- BERRY, H.H. and LOUW, G.N. 1982.** Seasonal nutritive status of wildebeest in the Etosha National Park. *Madoqua* 13, 127 - 139
- BERRY, H.H. and LOUW, G.N. 1982.** Nutritional balance between grassland productivity and large herbivore demand in the Etosha National Park. *Madoqua* 13, 141 – 150.
- BONSMA, J. 1980.** *Animal trends and a Global Approach.* Tafelberg.
- BOTHMA, J, DU P. 1989.** *Game ranch management.* Pretoria, Van Schaik.
- BOYAZOUGLA, P.A. 1976.** A review of mineral imbalances of grazing animals in southern Africa. *Journal S.Afr. Vet. Ass.* 47 : 129-132.
- CASEY, N.H., MEYER, J.A. and COETZEE, 1998.** An investigation into the quality of water for livestock production with emphasis on Subterranean water and the development of a water quality guideline Index system, *WRC Report No K5/644/2/98*, Water Research commission, Pretoria, South Africa
- DUGMORE. T. J. (Ed). 1995.** *Dairying in Kwa-Zulu Natal.* Kwa-Zulu Natal Department of Agriculture.
- DUNHAM, K. M. 1982.** The foraging behaviour of the impala *Aepyceros melampus*. *S. Afr. J. Res.* 12:36 – 40.
- FAIRALL, N. 1983.** Production parameters of the impala, *Aepyceros melampus*. *S. Afr. J. Anim. Sci.* 13, 176 – 179.

REFERENCES

---

- FAIRALL, N. and KLEIN, D. R. 1984.** Protein intake and water turnover: A comparison of two equivalently sized African antelope the blesbok *Damaliscus dorcas* and impala *Aepyceros melampus*. *Can. J. Anim. Sci.* 64 (Suppl.): 212 - 213
- GOERING, H.K. and VAN SOEST, P.J. 1970.** Forage Fibre Analyses (Apparatus, reagents, procedures and some applications). Agricultural Handbook No 379. A.R.S., U.S. Dept of Agric.
- GRANT, C. C., MEISSNER, H. H. and SCHULTHEISS, W. A. 1995.** The nutritive value of veld as indicated by faecal phosphorus and nitrogen and its relation to the condition and movement of prominent ruminants during the 1992 – 1993 drought in the Kruger National Park. *Koedoe* 38, 17 – 31.
- GROBLER, D.G. 1996.** An investigation of copper poisoning in ungulates in the Kruger National Park. MSc, University of Pretoria.
- GROBLER, D.G. and SWAN, G.E. 1999.** Copper poisoning in the Kruger National Park: Field investigation in wild ruminants. *Onderstepoort J. Vet Res.*, 66.
- GUMMOW, B., BOTHA, C.J., BASSON, A.T., and BASTIANELLO, S.S., 1991.** Copper toxicity in ruminants: air pollution as a possible cause. *Onderstepoort J. Vet. Res.* 58:38-39
- KLEIN, D.R. and FAIRALL, N. 1984.** Comparative thermoregulatory behaviour of Impala *Aepyceros melampus* and blesbok *Damaliscus dorcas*. *Can. J. Anim. Sci.* 64 (Suppl.): 210 – 211
- LOW, A.B. and REBELO, A.G. 1998.** *Vegetation of South Africa, Lesotho and Swaziland.* Dept of Environmental Affairs and Tourism. Pretoria.

## REFERENCES

---

- LUKHELE, M.S. and VAN RYSSEN, J.B.J. 2000.** The Chemical composition of leaves from indigenous fodder trees in South Africa. *S. Afr. J. Anim. Sci.* 30 (Supplement 1).
- MAREE, C. and CASEY, N.H. 1993.** *Livestock Production Systems. Principles and Practice.* Agri-Development Foundation. Pretoria
- McDONALD, P., EDWARDS, R.A. and GREENHALGH, J.F.D. 1994.** *Animal Nutrition. 4<sup>th</sup> Edition.* Longman Scientific and Technical. United Kingdom.
- NATIONAL RESEARCH COUNCIL, 1981.** *Nutrient requirements of goats.* National Academy Press, Washington, D.C.
- PIETERSEN, L. M. and MEISSNER, H.H. 1993.** Food selection and intake by male impalas in the Timbavati area. *S. Afr. J. Res.* 23, 6 – 11.
- ROBERTSON, J.B. and VAN SOEST, P.J., 1981.** The analysis of Dietary Fibre in food. W.P.T. James and O. Theander (Editors). Dekker, New York
- S.A.S. 1985.** *S.A.S. Users guide.* S.A.S. Institute Inc. Raleigh, N. Carolina.
- SKINNER, J. D., MONRO, R. H. and ZIMMERMAN, I. 1984.** Comparative food intake and growth of cattle and impala on mixed tree savanna. *S. Afr. J. Res.* 14, 1-7.
- SKINNER, J.D. and SMITHERS, R.H.N. 1990.** *The mammals of the Southern African sub region.* University of Pretoria.
- VAN OUDTSHOORN, F.P. 1992.** *Grasses of South Africa.* Briza Publications Cc, Pretoria.
- VAN RYSSEN, J.B.J. 2001.** Geographical distribution of the selenium status of herbivores in South Africa. *S. Afr. J. Anim. Sci.* 31, 1-8.

## REFERENCES

---

- VAN WYK, B. and VAN WYK, P. 1997.** *Field guide to trees of Southern Africa*. Struik Publishers. Cape Town
- WEBB, E.C., VAN RYSSSEN, J.B.J., ERASMUS, M.E.A. and McCRINDLE, C.M.E. 2001.** Copper, manganese, cobalt and selenium concentrations in liver samples from African buffalo (*Syncerus caffer*) in the Kruger National Park. *J. Environ Monit.*, 2001, 3, 583-585.
- WRENCH, J., MEISSNER, H. H., GRANT, C.C. and CASEY, N. H. 1996.** Environmental factors that affect the concentration of P and N in faecal samples Collected for the determination of nutritional status. *Koedoe* 39, 1-5.
- WRENCH, J.M., MEISSNER, H.H. and GRANT, C.C. 1997.** Assessing diet quality of African ungulates from faecal analyses: the effect of forage quality, intake and herbivore species. *Koedoe* 40, 125-135.