

REFERENCES

- ACOCKS, J.P.H. 1988. Veld types of South Africa. *Mém. Bot. Surv. Sth Afr.* No.57, third edition. Botanical Research Institute, Pretoria.
- ALDER, F.E. AND J.A. RICHARDS. 1962. A note on the use of the power-driven sheep-shearing head for herbaceous yields. *J. Br. Grassld. Soc.* 17: 101-102.
- ALLDREDGE, J.R. AND J.T. RATTI. 1986. Comparison of some statistical techniques for analysis of resource selection. *J. Wildl. Manage.* 50: 157-165.
- ANDERSON, J.L. 1981. The re-establishment and management of a lion *Panthera leo* population in Zululand, South Africa. *Biol. Cons.* 19: 107-117.
- ANONYMOUS. 1988. Hulpbronidentifikasie en Benuttingskursus. Dept. Agriculture and Water Supply, Highveld District, Potchefstroom.
- ARNOLD, T.H. AND B.C. DE WET. 1993. *Plants of southern Africa: names and distribution*. Memoirs of the Botanical Survey of South Africa No. 62. National Botanical Institute, Pretoria.
- AUCAMP, A.J., DANCKWERTS, J.E., TEAGUE, W.R. AND J.J. VENTER. 1983. The role of *Acacia karroo* in the False Thornveld of the Eastern Cape. *Proc. Grassld Soc. Sth. Afr.* 18: 151-154.
- AYENI, J.S.O. 1975. Utilisation of waterholes in Tsavo National Park (East). *E. Afr. Wildl. J.* 13: 305-323.
- BACK, H.L. 1968. An evaluation of an electronic instrument for pasture yield estimation. *J. Br. Grassld. Soc.* 23: 216-222.
- BARKMAN, J.J., MORAVEC, J. AND S. RAUSCHERT. 1976. Code of phytosociological nomenclature. *Vegetatio* 32: 131-185.
- BARKMAN, J.J., MORAVEC, J. AND S. RAUSCHERT. 1986. Code of phytosociological nomenclature. *Vegetatio* 67: 145-195.
- BARNES, D.J., RETHMAN, N.F.G. AND G.D. KOTZE. 1984. Veld condition in relation to grazing capacity. *J. Grassl. Soc. Sth. Afr.* 1: 16-19.
- BARNES, D.L., ODENDAAL, J.J. AND B.H. BEUKES. 1982. Use of the dry-weight rank method of botanical analysis in the Eastern Transvaal. *Proc. Grassld Soc. Sth Afr.* 17: 79-82.
- BECKER, D.A. AND J.J. CROCKETT. 1973. Evaluation of sampling techniques on tall-grass prairie. *J. Range Mgmt* 26(1): 61-64.
- BEHR, C.M. AND G.J. BREDENKAMP. 1988. A phytosociological classification of the Witwatersrand National Botanic Garden. *S. Afr. J. Bot.* 54 (6): 525-533.
- BELL, R. 1983. Deciding what to do and how to do it. Planning, selecting and implementing field management options. In: FERRAR, A.A. (ed.), *Guidelines for the Management of Large Mammals in African Conservation Areas*. South African National Scientific Programmes Report No. 69.
- BEZUIDENHOUT, H. 1994. An ecological study of the major vegetation communities of the Vaalbos National Park, Northern Cape. 1. The Thandoogveld section. *Koedoe* 37: 19-42.
- BEZUIDENHOUT, H. 1995. An ecological study of the major vegetation communities of the Vaalbos National Park, Northern Cape. 2. The Graspan-Holpan section. *Koedoe* 38: 65-83.
- BEZUIDENHOUT, H., BRIGGS, H.C., AND G. J. BREDENKAMP. 1996. A process supported by the utility BBPC for analysing Braun-Blanquet data on a personal computer. *Koedoe* 39: 107-112.
- BIGALKE, R.C. 1972. Review of the Conference papers. In: MENTIS, M.T. (ed.). *Ungulate management on private land in Natal*. Natal Parks Board, Queen Elizabeth Park.
- BLOEM, K.J. 1988. 'n Plantekologiese studie van die Verlorenvalleinatuurreservaat, Transvaal. M.Sc. dissertation. University of Pretoria, Pretoria.

- BOND, G. 1965. Geological map of Rhodesia (1:2 500 000). p. 41. In: COLLINS, M.O. (ed.). *Rhodesia: its natural resources and economic development*. M.O. Collins, Salisbury.
- BORCHART, R. 1980. Phenology of tropical trees: *Erythrina poeppigiana*. O.F. Cook. *Ecology* 61(5): 1065-1074.
- BOSCH, O.J.H. 1989. Degradation of the semi-arid grasslands of southern Africa. *J. Arid Environ.* 16: 165-175.
- BOSCH, O.J.H. AND F.P. JANSE VAN RENSBURG. 1987. Ecological status of species on grazing gradients on the shallow soils of the Western Grassland Biome in South Africa. *J. Grassl. Soc. Sth Afr.* 4(4): 143-147.
- BOSCH, O.J.H. AND H.G. GAUCH. 1991. The use of degradation gradients for the assessment and ecological interpretation of range condition. *J. Grassl. Soc. Sth Afr.* 8(4): 138-146.
- BOSCH, O.J.H. AND J. BOOYSEN. 1992. An integrative approach to rangeland condition and capability assessment. *J. Range Mgmt* 45: 118-122.
- BOSCH, O.J.H. AND K. KELLNER. 1991. The use of a degradation gradient for the ecological interpretation of condition assessments in the western grassland biome of southern Africa. *J. Arid Environ.* 21: 21-29.
- BOSCH, O.J.H., GAUCH, H.G., BOOYSEN, J., GOUWS, G.A., NEL, M.W., STOLS, S.H.E. AND E. VAN ZYL. 1992. User's guide: Integrated System for Plant Dynamics. University of Potchefstroom for CHE, Potchefstroom.
- BOSCH, O.J.H., JANSE VAN RENSBURG, F.P. AND S. DU T. TRUTER. 1987. Identification and selection of benchmark sites on litholithic soils of the Western Grassland Biome of South Africa. *J. Grassl. Soc. Sth Afr.* 4(2): 59-62.
- BOSCH, O.J.H., KELLNER, K. AND S.H.E. SCHEEPERS. 1989. Degradation models and their use in detecting the condition of southern African grasslands. *Proc. XVI Int. Grassld Congr. Oct.* 1989, Nice, France.
- BOTHA, J.O. 1999. A resource management plan for the Lewa Wildlife Conservancy in the Meru District of the Central Kenyan Highlands. M Sc. (Wildlife Management) dissertation, University of Pretoria, Pretoria.
- BOTHMA, J. DU P. 1986. Wild. Pp. 114-137. In: BOTHMA, J. DU P. (ed.). *Wildplaasbestuur*. J.L. Van Schaik, Pretoria.
- BOTHMA, J. DU P. 1995a. Die doelstellings van wildplaasbestuur. Pp. 24-28. In: BOTHMA, J. DU P. (ed.). *Wildplaasbestuur*. Van Schaik, Pretoria.
- BOTHMA, J. DU P. 1995b. Inleiding. Pp. 1-4. In: BOTHMA, J. DU P. (ed.). *Wildplaasbestuur*. Van Schaik, Pretoria.
- BOTHMA, J. DU P. 1995c. *Wildplaasbestuur*. Van Schaik, Pretoria.
- BOTHMA, J. DU P. 1995d. Wildtellings. Pp. 209-230. In: BOTHMA, J. DU P. (ed.). *Wildplaasbestuur*. Van Schaik, Pretoria.
- BOTHMA, J. DU P., PEEL, M.J.S., PETTIT, S. AND D. GROSSMAN. 1990. Evaluating the accuracy of some commonly used game - counting methods. *S Afr. J. Wildl. Res.* 20(1): 26-32.
- BOTHMA, J. DU P., VAN ROOYEN, N. AND J.G. DU TOIT. 1995. Geskikte wildsoorte. Pp. 135-149. In: J. DU P. BOTHMA (ed.). *Wildplaasbestuur*. Van Schaik, Pretoria.
- BOUTTON, T.W. AND L.L. TIESZEN. 1983. Estimation of plant biomass by spectral reflectance in an East African grassland. *J. Range Mgmt.* 36(2): 213-216.
- BRADY, N.C. 1974. *The Nature and Properties of Soils*. MacMillan, New York.
- BRANDL, G. 1992. Geological map of the Limpopo belt and its environs. *Geol. Surv. S Afr.* Government Printer, Pretoria.
- BRANSBY, D.I. AND N.M. TAINTON. 1977. The disc pasture meter: possible applications. *Proc. Grassld Soc. Sth Afr.* 12: *Sericrema remotiflora-Sida ovata*.

- BRANSBY, D.I., MATCHES, A.G. AND G.F. KRAUSE. 1977. Disk meter for rapid estimation of herbage yield in grazing trials. *Agron. J.* 69: 393-396.
- BREDENKAMP, G.J. 1982. 'Plantekologiese studie van die Manyeleti-wildtuin. D.Sc. thesis. University of Pretoria, Pretoria.
- BREDENKAMP, G.J. AND G.K. THERON. 1976. A synecological account of the Suikerbosrand Nature Reserve I. The phyto-sociology of the Witwatersrand geological system. *Bothalia* 12: 513-529.
- BREDENKAMP, G.J. AND G.K. THERON. 1978. Vegetation units for the management of the grasslands of the Suikerbosrand Nature Reserve. *S. Afr. J. Wildl. Res.* 6: 113-122.
- BREDENKAMP, G.J., JOUBERT, A.F. AND H. BEZUIDENHOUT. 1989. A reconnaissance survey of the vegetation of the plains in the Potchefstroom-Fochville-Parys area. *S. Afr. J. Bot.* 55: 199-206.
- BREWER, R. 1994. *The Science of Ecology*. Second Edition. Saunders College Publication, Philadelphia.
- BRODERICK, T.J. 1997. Save Valley Conservancy: a report on the possible downstream effects of a dam on the Msaizi River. Unpublished report, Jeremy Prince and Associates, Harare.
- BROPHY, J.J., BOLAND, D.J. AND S. VAN DER LINGEN. 1992. Essential oils in the leaf, bark and seed of mopane (*Colophospermum mopane*). *S. Afr. For. J.* 161: 23-25.
- BROWN, L.R. 1997. A plant ecological study and wildlife management plan of the Borakalalo Nature Reserve, North-West Province. Ph D thesis (Botany), University of Pretoria.
- BROWN, L.R., BREDENKAMP, G.J. AND N. VAN ROOYEN. 1995. Phytosociology of the western section of the Borakalalo Nature Reserve. *Koedoe* 38(2): 49-64.
- BROWN, L.R., BREDENKAMP, G.J. AND N. VAN ROOYEN. 1996. Phytosociology of the northern section of the Borakalalo Nature Reserve. *Koedoe* 39(1): 9-24.
- CAMPBELL, A.G., PHILLIPS, D.S.M. AND E.D. O'REILLY. 1962. An electronic instrument for pasture yield estimation. *J. Br. Grassld. Soc.* 17(2): 89-100.
- CASTLE, M.E. 1976. A simple disc instrument for estimating herbage yield. *J. Br. Grassld. Soc.* 31: 37-40.
- CAULDWELL, A.E. 1998. Management recommendations for Mtendere Game Ranch, Zambia bases on the Ecology of fire and the vegetation. MSc (Wildlife Management) dissertation. University of Pretoria, Pretoria.
- CAULDWELL, A.E., ZIEGER, U., BINGHAM, M.G. AND G.J. BREDENKAMP. 1998. Classification of the natural vegetation of Mtendere Ranch in the Chibombo District of the Central Province, Zambia. *Koedoe* 41(2): 13-26.
- CAULDWELL, A.E., ZIEGER, U., BREDENKAMP, G.J. AND J. DU P. BOTHMA. 1999. The responses of grass species to grazing intensity in the miombo woodlands of the Chibombo District of the Central Province, Zambia. *S. Afr. J. Bot.* 65(5 and 6): 310-314.
- CHILDES, S.L. 1989. Phenology of nine common woody species in semi-arid, deciduous Kalahari Sand vegetation. *Vegetatio* 79: 151-163.
- CILLIERS, S.S. AND G.J. BREDENKAMP. 1999. Analysis of the spontaneous vegetation of intensively managed urban open spaces in the Potchefstroom municipal area, North West Province, South Africa. *S. Afr. J. Bot.* 65(1): 59-68.
- COATES PALGRAVE, K. 1995. *Trees of Southern Africa*. Struik, Cape Town.

- COE, M.J., CUMMINGS, D.H. AND J. PHILLIPSON. 1976. Biomass and production of large African herbivores in relation to rainfall and primary production. *Oecologia* 22: 341-354.
- COETSEE, J.P. 1993. Phytosociology of the Ba and Ib land types in the Pretoria-Witbank-Heidelberg area. M.Sc. dissertation (Botany). University of Pretoria, Pretoria.
- COETZEE, B.J. 1983. Phytosociology, vegetation structure and landscapes of the central district, Kruger National Park. D.Sc. thesis. University of Pretoria, Pretoria.
- COETZEE, B.J. AND W.P.D. GERTENBACH. 1977. Technique for describing woody vegetation composition and structure in inventory type classification, ordination and animal habitat surveys. *Koedoe* 20: 67-75.
- COETZEE, B.J., GERTENBACH, W.P.D. AND P.J. NEL. 1977. Korttermyn plantegroeistruktuurveranderings op Basalt in die sentrale Nasionale Kruger Wildtuin. *Koedoe* 20: 53-65.
- CUNNINGHAM, A.B. 1987. Commercial craftwork: balancing out human needs and resources. *S. Afr. J. Bot.* 53(4): 259-266.
- CUNNINGHAM, A.B. 1988. Leaf production and utilisation in *Hyphaene coriacea*: Management guidelines for commercial harvesting. *S. Afr. J. Bot.* 54(3): 189-195.
- CUNNINGHAM, A.B. 1990a. Income, sap yields and effects of sap tapping on palms in south-eastern Africa. *S. Afr. J. Bot.* 56(2): 137-144.
- CUNNINGHAM, A.B. 1990b. The regional distribution, marketing and economic value of the palm wine trade in the Ingwavuma district, Natal, South Africa. *S. Afr. J. Bot.* 56(2): 191-198.
- DANCKWERTS, J.E. 1982a. The grazing capacity of Sweetveld: 1. A technique to record grazing capacity. *Proc. Grassld Soc. Sth Afr.* 17: 90-94.
- DANCKWERTS, J.E. 1982b. The grazing capacity of Sweetveld: 2. A model to estimate grazing capacity in the False Thornveld of the Eastern Cape. *Proc. Grassld Soc. Sth Afr.* 17: 94-98.
- DANCKWERTS, J.E. 1989. Sweet Grassveld. *Pp.* 140-148. In: DANCKWERTS, J.E. AND W.R. TEAGUE (eds.). *Veld Management in the Eastern Cape*. Department of Agriculture and Water Supply, Government Printer.
- DANCKWERTS, J.E. AND W.S.W. TROLLOPE. 1980. Assessment of the disc pasture meter on natural veld in the False Thornveld of the Eastern Province. *Proc. Grassld Soc. Sth Afr.* 15: 47-52.
- DAYTON, B.R. 1978. Standing crops of dominant *Combretum* species at three browsing levels in the Kruger National Park. *Koedoe* 21: 67-76.
- DE VILLIERS, P.A. 1988. Eto-ekologie se apsekte van olifante in die Nasionale Etoshawildtuin. *Madoqua* 15(4): 319-338.
- DHONDT, A.A. 1988. Carrying capacity: a confusing concept. *Acta Ecologica* 9: 337-346.
- DÖRGELOH, W.G. 1998. A comparison of tree density and canopy cover between different plant communities in Mixed Bushveld, Northern Province. *S. Afr. J. Bot.* 64(1): 86-89.
- DOWNING, D.H. AND D.J. MARSHALL. 1983. Burning and grazing of a *Themeda* grassland: estimates of phytomass and root element concentrations. *Proc. Grassld Soc. Sth Afr.* 18: 155-158.
- DU PLESSIS, W.P. 1992. The development of techniques for the assessment of veld condition in the Etosha National Park. M.Sc. (Wildlife Management) dissertation. University of Pretoria, Pretoria.
- DU TOIT, J.G. 1995. Water vir wild. *Pp.* 88-91. In: BOTHMA, J. DU P. (ed.). *Wildplaasbestuur*. Van Schaik, Pretoria.

- DU TOIT, J.G. AND N. VAN ROOYEN. 1995. Paale. Pp. 101-104. In: BOTHMA, J. DU P. (ed.). *Wildplaasbestuur*. Van Schaik, Pretoria.
- DU TOIT, J.T. 1990a. Feeding-height stratification among African browsing ruminants. *Afr. J. Ecol.* 28: 55-62.
- DU TOIT, R.F. 1990b. Ecological assessment of Gunundwe and Msaize Ranches. Unpublished report, Msaize Ranch, Save Valley Conservancy.
- DU TOIT, R.F. AND PRICE WATERHOUSE. 1994. The Save Valley Conservancy. Pp. 28-36. In: PRICE-WATERHOUSE. *The Lowveld Conservancies: New Opportunities for Productive and Sustainable Land-Use*. Save Valley, Bubiana and Chiredzi River Conservancies, Chiredzi and West-Nicholson.
- EBEDES, H. 1995. Wildkondisie. Pp. 157-159. In: BOTHMA, J. DU P. (ed.). *Wildplaasbestuur*. Van Schaik, Pretoria.
- EDWARDS, D. 1983. A broad-scale structural classification of vegetation for practical purposes. *Bothalia* 11:705-712.
- ELLIS, B.S. 1950. A guide to some Rhodesian soils. II. A note on Mopani Soils. *Rhod. agric. J.* 47: 49-61.
- EVERSON, C.S. 1999. Grassveld. Pp. 228-235. In: TAINTON, N.M. (ed.). *Veld Management in South Africa*. University of Natal Press, Pietermaritzburg.
- EVERSON, C.S. AND G.P.Y. CLARKE. 1987. A comparison of six methods of botanical analysis in the montane grasslands of Natal. *Vegetatio* 73: 47-51.
- EVERSON, T.M., CLARKE, G.P.Y. AND C. S. EVERSON. 1990. Precision in monitoring plant species composition in montane grasslands. *Vegetatio* 88: 135-141.
- F.S.S.A. 1974. Manual of soil analysis methods. *The Fertilizer Society of South Africa*. 37: 1-65.
- FARRELL, J.A.J. 1968. Preliminary notes on the vegetation of the Lower Sabi-Lundi Basin, Rhodesia. *Kirkia* 6: 223-Anisotes formosissimus.
- FISH, L. 1997. *Collecting, pressing and drying herbarium specimens*. National Botanical Institute, Pretoria.
- FLOYD, D.A. AND J.E. ANDERSON. 1987. A comparison of three methods for estimating plant cover. *J. Ecol.* 75: 221-228.
- FORAN, B.D., TAINTON, N.M. AND P. DE V. BOOYSEN. 1978. The development of a method for assessing veld condition in three grassland types in Natal. *Proc. Grassld Soc. Sth. Afr.* 13: 27-33.
- FOTH, H.D. 1990. *Fundamentals of Soil Science*. Eighth Edition. John Wiley and Sons, New York.
- FOURIE, J.H., DE WET, N.J. AND J.J. PAGE. 1987. Veld condition and trend in the Kalahari dune veld under an extensive stock production system. *J. Grassl. Soc. Sth Afr.* 4(2): 48-54.
- FRASER, S.W., VAN ROOYEN, T.H. AND E. VERSTER. 1987. Soil-plant relationships in the Central Kruger National Park. *Koedoe* 30: 19-34.
- FRIEDEL, M.H. AND K. SHAW. 1987. Evaluation of methods for monitoring sparse patterned vegetation in arid rangelands. I. Herbage. *J. Env. Mgmt* 25: 297-308.
- FROST, S.K. 1981. Food selection in young naïve impala *Aepyceros melampus*. *S. Afr. J. Zool.* 16(2): 123-124.
- FULS, E.R., BREDENKAMP, G.J., VAN ROOYEN, N. AND G.K. THERON. 1993. The physical environment and major plant communities of the Heilbron-Lindley-Warden-Villiers area, northern Orange Free State. *S. Afr. J. Bot.* 59(4): 345-359.
- GARCIA-CRIADO, B., GARCIA-CRIADO, A. AND M.E. PEREZ-CORONA. 1991. Prediction of botanical composition in grassland herbage samples by Near Infrared Reflectance Spectroscopy. *J. Sci. Food Agric.* 57: 507-515.

- GAUCH, H.G. 1982. *Multivariate analysis in community ecology*. Cambridge University Press, Cambridge.
- GELDENHUYSEN, C.J. 1997. Sustainable harvesting of timber from woodlands in Southern Africa: challenges for the future. *S. Afr. For. J.* 178: 59-72.
- GERTENBACH, W.P.D. 1987. 'n Ekologiese studie van die suidelikste Mopanieveld in die Nasionale Krugerwildtuin. D.Sc. thesis. University of Pretoria, Pretoria.
- GIBBS RUSSELL, G.E., WATSON, L., KOEKEMOER, M., SMOOK, L., BARKER, N.P., ANDERSON, H.M. AND M.J. DALLWITZ. 1991. Grasses of southern Africa. *Mem. Bot. Surv. of Sth Afr.* No. 58. Botanical research Institute, Pretoria.
- GILES, R.H. 1969. *Wildlife Management*. W. H. Freeman, San Francisco.
- GILLEN, R.L. AND E.L. SMITH. 1986. Evaluation of the dry-weight-rank method for determining species composition in tall grass prairie. *J. Range Mgmt* 39(3): 283-285.
- GOLDSMITH, B. AND D.T. CARTER. 1981. *The indigenous timbers of Zimbabwe*. Bulletin of Forestry Research No. 9, Harare.
- GOODWIN, H.J., KENT, I.J., PARKER, K.T. AND M.J. WALPOLE. 1997. *Tourism, Conservation and Sustainable Development: Volume IV, The South-East Lowveld, Zimbabwe*. Unpublished report, Durrell Institute of Conservation Ecology, University of Kent, Kent.
- GRIFFIN, G.F. 1989. An enhanced wheel-point method for assessing cover, structure and heterogeneity in plant communities. *J. Range Mgmt* 42(1): 79-81.
- GROSSMAN, D., HOLDEN, P.L. AND R.F.H. COLLINSON. 1999. Veld management on the game ranch. *Pp.* 261-279. In: TAINTON, N.M. (Ed). *Veld Management in South Africa*. University of Natal Press, Pietermaritzburg.
- GRUNOW, J.O. AND O.J.H. BOSCH. 1978. Above-ground annual dry-matter dynamics of the grass layer in a tree savanna ecosystem. Proceedings of the First International Rangelands Congress.
- GRUNOW, J.O. 1980. Feed and habitat preferences among some large herbivores on African veld. *Proc. Grassld Soc. sth Afr.* 15: 141-146.
- GUY, P.R. 1976. The feeding behaviour of elephant (*Loxodonta africana*) in the Sengwa Area, Rhodesia.
- GUY, P.R., MAHLANGU, Z. AND H. CHARIDZA. 1979. Phenology of some trees and shrubs in the Sengwa Wildlife Research area, Rhodesia. *S. Afr. J. Wildl. Res.* 9: 47-54.
- HALL-MARTIN, A.J. 1974a. A note on the seasonal utilisation of different vegetation types by giraffe. *S. Afr. J. Sci.* 70: 122-123.
- HALL-MARTIN, A.J. 1974b. Food selection by Transvaal Lowveld giraffe as determined by analysis of stomach contents. *J. S. Afr. Wildl. Mgmt Ass.* 4(3): 191-202.
- HALL-MARTIN, A.J. AND N.G. FULLER. 1975. Observations on the phenology of some trees and shrubs of the Lengwe National Park, Malawi. *J. S. Afr. Wildl. Mgmt. Ass.* 5: 83-86.
- HALL-MARTIN, A.J. AND W.O. BASSON. 1975. Seasonal chemical composition of the diet of Transvaal Lowveld giraffe. *J. S. Afr. Wildl. Mgmt Ass.* 5: 83-86.
- HARDY, M.B. AND M.T. MENTIS. 1985. The relative efficiency of three methods of estimating herbage mass in veld. *J. Grassl. Soc. Sth Afr.* 2(1): 35-38.
- HARDY, M.B. AND R.S. WALKER. 1991. Determining sample size for assessing species composition in grassland. *J. Grassl. Soc. Sth Afr.* 8(2): 70-73.
- HATCH, G.P. 1999. Sweet grassveld. *Pp.* 289-293. In: TAINTON, N.M. (Ed). *Veld Management in South Africa*. University of Natal Press, Pietermaritzburg.

- HAYDOCK, K.P. AND N.H. SHAW. 1975. The comparative yield technique for estimating dry matter yields of pasture. *Austr. J. Exp. Agric. Anim. Husb.* 15: 663-670.
- HEARD, C.A.H., TAINTON, N.M., CLAYTON, J. AND M.B. HARDY. 1986. A comparison of five methods for assessing veld condition in the Natal midlands. *J. Grassl. Soc. Sth Afr.* 3(3): 70-76.
- HENKEL, J.S. 1931. Types of vegetation in southern Rhodesia. *Proc. Rhod. Sci. Assoc.* 30.
- HENNEKENS, S.M. 1996a. TURBOVEG. Software package for input, processing, and presentation, of phytosociological data. User's guide, version July1996. IBN-DLO, Wageningen.
- HENNEKENS, S.M. 1996b. MEGATAB. A visual editor for phytosociological tables. Version 1.0. User's guide. IBN-DLO/University of Lancaster.
- HILL, M.O. 1979a. *DECORANA - a FORTRAN Program for Detrended Correspondence Analysis and Reciprocal Averaging*. Cornell University, Ithaca, New York.
- HILL, M.O. 1979b. *TWINSPAN - a FORTRAN Program for Arranging Multivariate Data in an Ordered Two-way Table by Classification of the Individuals and Attributes*. Cornell University, Ithaca, New York.
- HILTON-TAYLOR, C. 1996. *Red Data List of Southern African Plants*. Strelitzia 5. National Botanical Institute, Pretoria.
- HURT, C.R. AND M.B. HARDY. 1989. A weighted key species method for monitoring changes in species composition of Highland Sourveld. *J. Grassl. Soc. Sth Afr.* 6(3): 109-113.
- HURT, C.R. AND O.J.H. BOSCH. 1991. A comparison of some range condition assessment techniques used in southern African grasslands. *J. Grassl. Soc. Sth Afr.* 8: 131-137.
- JANSE VAN RENSBURG, F.P. AND O.J.H. BOSCH. 1990. Influence of habitat differences on the ecological grouping of grass species on a grazing gradient. *J. Grassl. Soc. Sth Afr.* 7(1): 11-15.
- JOHNSTON, A. 1957. A comparison of the line interception, vertical point quadrat, and loop methods as used in measuring basal area of grassland vegetation. *Can. J. Plant Sci.* 37(1): 34-42.
- JONES, R.M. AND J.N.G. HARGEAVES. 1979. Improvements to the dry-weight-rank method for measuring botanical composition. *Grass For. Sci.* 34: 181-189.
- JOUBERT, S.C.J. 1970. A study of the social behaviour of the roan antelope *Hippotragus equinus* (Desmarest 1804), in the Kruger National Park. M.Sc. dissertation, University of Pretoria, Pretoria.
- JOUBERT, S.C.J. 1975. The population ecology of the roan antelope *Hippotragus equinus* (Desmarest Kylinga alba4), in the Kruger National Park. D.Sc. thesis. University of Pretoria, Pretoria.
- JOUBERT, S.C.J. 1983. A monitoring programme for an extensive national park. Pp. 201-212. In: OWEN-SMITH, R.N. (ed.). *Management of large mammals in African conservation areas*. Haum, Pretoria.
- JOUBERT, S.C.J. 1998. Ecological aerial surveys: Sango Ranch, Save Valley Conservancy. Unpublished report.
- JOUBERT, S.C.J. 1999a. Consolidation of the ecological and socio-economic interests of the Devur Resettlement Scheme, Sango Ranch and Save Valley Conservancy. Unpublished report, Sango Ranch, Save Valley Conservancy, Chiredzi.
- JOUBERT, S.C.J. 1999b. Ecological aerial surveys: Sango Ranch, Save Valley Conservancy. Unpublished report.

- KELLY, R.D. AND B.H. WALKER. 1976. The effect of different form of land use on the ecology of a semi-arid region in south-eastern Rhodesia. *J. Ecol.* 64: 553-576.
- KELLY, R.D. AND L. McNeill. 1980. Tests of two methods for determining herbaceous yield and botanical composition. *Proc. Grassld Soc. Sth Afr.* 15: 167-171.
- KENT, M. AND P. COKER. 1996. *Vegetation description and analysis*. John Wiley and Sons, Chichester.
- KOK, O.B. AND D.P.J. OPPERMANN. 1980. Habitatsvoordeur, tropseamestelling en territoriale status van rooihartbeeste in die Willem Pretorius-Wildtuin. *J. S. Afr. Wildl. Mgmt. Ass.* 5: 103-110.
- KOOIJ, M.S. 1990. A phytosociological survey of the vegetation of the North Western Orange Free State. M.Sc. dissertation (Botany). University of Pretoria, Pretoria.
- KOOIJ, M.S., BREDENKAMP, G.J. AND G.K. THERON. 1990. The vegetation of the deep sandy soils of the A land type in the north western Orange Free State, South Africa. *Bot. Bull. Academia Sinica* 31: 235-243.
- KROON, J. 1996. *Algemene Bestuur*. Kagiso Tersiér, Pretoria.
- LE ROUX, C.J.G. 1980. Vegetation classification and related studies in Etosha National Park. D.Sc. (Agric.) thesis, University of Pretoria, Pretoria.
- LEITH, H. 1970. Phenology in productivity studies. Pp 29-46. In: REICHLE, D.E. (Ed.). *Analysis of temperate forest ecosystems*. Ecological studies no. 1. Springer-Verlag, Heidelberg.
- LEUTHOLD, B.M. AND W. LEUTHOLD. 1972. Food habits of giraffe in Tsavo National Park, Kenya. *E. Afr. Wildl. J.* 10: 129-141.
- LEUTHOLD, W. 1978. Ecological separation amongst browsing ungulates in Tsavo National Park, Kenya. *Oecologia* 35: 241-252.
- LINEHAM, S. 1965. The rainfall of Rhodesia. Pp. 26-27. In: COLLINS, M.O. (ed.). *Rhodesia: its Natural Resources and Economic Development*. Collins, Salisbury (Harare).
- LISTER, L.A. 1987. The erosion surfaces of Zimbabwe. *Zim. Geol. Surv. Bull.* 90, Harare
- MACLEOD, S.B., KERLEY, G.I.H. AND A. GAYLARD. 1996. Habitat and diet of bushbuck *Tragelaphus scriptus* in the Woody Cape Nature Reserve: observations from faecal analysis. *S. Afr. J. Wildl. Res.* 26(1): 19-25.
- MACVICAR, C.N. 1991. (ed.). *Soil Classification - a Taxonomic System for South Africa*. Memoirs on the Agricultural Natural Resources of South Africa No. 15. Dept. Agricultural Development, Pretoria.
- MASON, D.R. 1990. Monitoring of sex and age ratios in ungulate populations of the Kruger National Park by ground survey. *Koedoe* 33(1): 19-28.
- MASON, L.R. AND S.S. HUTCHINGS. 1967. Estimating foliage yields on Utah juniper from measurements of crown diameter. *J. Range Mgmt* 20: 161-166.
- MATTHEWS, W.S. 1991. Phytosociology of the North-eastern Mountain Sourveld. M.Sc. dissertation (Botany). University of Pretoria, Pretoria.
- MCNEILL, LINDSAY, KELLY, R.D. AND D.L. BARNES. 1977. The use of quadrat and plotless methods in the analysis of the tree and shrub component of woodland vegetation. *Proc. Grassld Soc. Sth. Afr.* 12: 109-113.
- MEADOWS, K. 1996. *Rupert Fothergill. Bridging a Conservation Era*. Thorntree Press, Bulawayo.
- MEISSNER, H.H. 1982. Theory and application of a method to calculate forage intake of wild southern African ungulates for purposes of estimating carrying capacity. *S. Afr. J. Wildl. Res.* 12(2): 41-47.
- MENTIS, M.T. 1977. Stocking rates and carrying capacity for ungulates on African rangelands. *S. Afr. J. Wildl. Res.* 7(2): 89-98.

- MENTIS, M.T. 1981. Evaluation of the wheel-point and step-point methods of veld condition assessment. *Proc. Grassld Soc. Sth Afr.* 16: 89-94.
- MENTIS, M.T. 1982. A simulation of the grazing of sourveld. PhD thesis. University for Natal, Pietermaritzburg.
- MENTIS, M.T. 1983. Towards objective veld condition assessment. *Proc. Grassld Soc. Sth Afr.* 18: 77-80.
- MENTIS, M.T. 1984. Monitoring in South African Grasslands. *S. Afr. Nat. Sci. Progr. Report No. 91.* CSIR. Pretoria.
- MENTIS, M.T. AND R.R. DUKE. 1976. Carrying capacities of natural veld in Natal for large Herbivores. *S. Afr. J. Wildl. Res.* 6(2): 65-74.
- MENTIS, M.T., COLLINSON, R.F.H. AND M.G. WRIGHT. 1980. The precision of assessing components of moist tall grassveld. *Proc. Grassld Soc. Sth Afr.* 15: 43-46.
- MILLS, M.G.L. 1991. Conservation management of large carnivores in Africa. *Koedoe* 34(1): 81-90.
- MILTON, S.J. AND E.J. MOLL. 1982. Phenology of Australian Acacias in the South-Western Cape, South Africa and its implications for management. *Bot. J. Linn. Soc.* 84: 295-328.
- MILTON, S.J. 1983. *Acacia tortilis* subsp. *heteracantha* productivity in the Tugela Dry Valley Bushveld: preliminary results. *Bothalia* 14 (13 and 14): 767-772.
- MILTON, S.J. 1987. Phenology of seven *Acacia* species in South Africa. *S. Afr. J. Wildl. Res.* 17(1): 1-6.
- MONASTERIO, M. AND G. SARMENTIO. 1976. Phenological strategies of plant species in the tropical savanna and the semi-deciduous forest of the Venezuelan Llanos. *J. Biogeogr.* 3: 325-356.
- MOORE, A. AND A. ODENDAAL. 1987. The economic implications of bush encroachment and bush control in a weaner calf production system in the Thom Bushveld of the Molopo Area. *J. Grassl. Soc. Sth Afr.* 4(4): 139-142.
- MORRIS, C.D. AND N.M. TAINTON. 1996. Long-term effects of different rotational grazing schedules on the productivity and floristic composition of Tall Grassveld in KwaZulu-Natal. *Afr. J. Range and For. Sci.* 13(1): 24-28.
- MUELLER-DOMBOIS, D. AND H. ELLENBERG. 1974. *Aims and Methods of Vegetation Ecology*. John Wiley, New York.
- MUNSELL SOIL COLOR CHART. 1954. Munsell Colour Company, Inc. Baltimore 2, Maryland.
- NATIONAL WORKING GROUP FOR VEGETATION ECOLOGY. 1986. The classification of soil according to the binomial classification system. Technical Communication No. 3. Department of Agriculture and Water Affairs, Pretoria. Unpublished document.
- NATURAL RESOURCES BULLETIN. 1998. Action needed on the Save River. Volume 11 Issue 1, May 1998.
- NICHOLS, G. DE LA M. 1973. Pasture yield instrument using a radio frequency bridge. *J. Br. Grassld Soc.* 28: 27-30.
- NORTON-GRIFFITHS, M. 1978. *Counting animals*. Handbook No. 1, Techniques in African Wildlife Ecology, African Wildlife Leadership Foundation, Nairobi.
- NOVELLIE, P. 1989. Tree size as a factor influencing leaf emergence and leaf fall in *Acacia nigrescens* and *Combretum apiculatum* subsp. *apiculatum* in the Kruger National Park. *Koedoe* 32(1): 95-99.
- NOVELLIE, P. AND G. STRYDOM. 1987. Monitoring the response of vegetation to use by large herbivores: an assessment of some techniques. *S. Afr. J. Wildl. Res.* 17(4): 109-117.
- NYAMAPFENE, K. 1991. *The Soils of Zimbabwe*. Nehanda, Harare.
- ODUM, E.P. 1983. *Basic Ecology*. W. B. Saunders, Philadelphia.

- OPPERMAN, D.P.J. AND B.R. ROBERTS. 1978. Die fenologiese ontwikkeling van *Themeda triandra*, *Elyonurus argenteus* en *Heteropogon contortus* onder veld-toestande in die sentrale Oranje Vrystaat. *Handelinge van die Weidingsvereniging van suidelike Afrika* 13: 135-140.
- ORBAN, B. 1995. An ecological management plan for the Lionspruit Game Reserve, Eastern Transvaal. M.Sc. (Wildlife Management) dissertation. University of Pretoria, Pretoria.
- OWEN-SMITH, N. 1985. The ecology of browsing by African wild ungulates. Pp. 345-492. In: TOTHILL, J.C. and J.J. MOTT (Eds). *Ecology and Management of the World's Savannas*. Australian Academy of Science, Canberra.
- OWEN-SMITH, N. 1999. The animal factor in veld management. Pp. 117-138. In: TAINTON, N.M. (Ed). *Veld Management in South Africa*. University of Natal Press, Pietermaritzburg.
- PALGRAVE, O.C. 1956. *Trees of Central Africa*. National Publications Trust, Harare.
- PAUW, J.C. 1988. Riglyne vir die bestuur van die Bosveldgemeenskappe van die Atherstone Natuurreservaat in die Noordwes-Transvaal. M.Sc. dissertation (Wildlife Management), University of Pretoria, Pretoria.
- PEEL, M.J.S. 1990. Determinants of veld composition on a number of ranches in the Northwestern Transvaal. M.Sc. (Wildlife Management) dissertation, University of Pretoria, Pretoria.
- PEEL, M.J.S., SNYMAN D.D. AND J.C. PAUW. UNDATED. *The concept of grazer and browser units for southern African game production*. Agricultural College, Pretoria.
- PEEL, M.J.S. AND J. DU P. BOTHMA. 1995. Comparison of the accuracy of four methods commonly used to count impala. *S.Afr. J. Wildl. Res.* 25(2): 41-43.
- PELLEW, R.A. 1983. The giraffe and its food resource in the Serengeti. I. Composition, biomass and production of available browse. *Afr. J. Ecol.* 21: 241-267.
- PIETERSE, P.A. AND J.O. GRUNOW. 1985. Produksie en kwaliteit van 'n aantal grasspesies in die Combretum-veld van Noord-Transvaal. *J. Grassl. Soc. South Afr.* 2: 26-30.
- POLLOCK, K.H. AND W.L. KENDELL. 1987. Visibility bias in aerial surveys: a review of estimation procedures. *J. Wildl. Manage.* 51(2): 502-510.
- POTGIETER, J.W. 1982. 'n Plantekologiese studie van die Golden Gate Hoogland Nasionale Park, Clarens, Oranje Vrystaat. M.Sc. dissertation (Botany). University of Pretoria, Pretoria.
- PRICE WATERHOUSE. 1994. *The Lowveld Conservancies: New Opportunities for Productive and Sustainable Land-Use*. Save Valley, Bubiana and Chiredzi River Conservancies, West Nicholson and Chiredzi.
- PRINS, H.H.T. 1988. Plant phenology patterns in Lake Manyara National Park, Tanzania. *J. Biogeogr.* 15: 465-480.
- RATTRAY, J.M. 1957. Grass associations of Southern Rhodesia. *Rhod. agric. J.* 43: 197-234.
- RATTRAY, J.M. 1961. Vegetation types of Southern Rhodesia. *Kirkia* 2: 68-93.
- RATTRAY, J.M. AND H. WILD. 1955. Report on the vegetation of the alluvial basin of the Sabi Valley and adjacent areas. *Rhod. agric. J.* 52: 484-501.
- RATTRAY, J.M. AND H. WILD. 1968. Vegetation map of the Federation of Rhodesia and Nyasaland. *Kirkia* 2: 94-104.
- REICH, P.B. AND R. BORCHART. 1982. Phenology and ecophysiology of the tropical tree, *Tabebuia neochrysantha* (Bignoniaceae). *Ecology* 63(2): 294-299.
- REICH, P.B. AND R. BORCHART. 1984. Water stress and tree phenology in a tropical dry forest in the lowlands of Costa Rica. *J. Ecol.* 72: 61-74.

- ROBERTS, B.R. 1970. Assessment of veld condition and trend. *Proc. Grassld Soc. Sth Afr.* 5: 137-139.
- ROWE-ROWE, D.T. 1983. Habitat preferences of five Drakensberg antelopes. *S.Afr. J. Wildl. Res.* 13(1): 1-8.
- RUTHERFORD, M.C. 1979. Plant-based techniques for determining available browse and browse utilisation: a review. *Bot. Rev.* 45(2): 203-228.
- RUTHERFORD, M.C. 1982a. Aboveground biomass categories of woody plants in a *Burkea africana* - *Ochna pulchra* Savanna. *Bothalia* 14(1): 131-138.
- RUTHERFORD, M.C. 1982b. Annual production of aboveground biomass in relation to plant shrubiness in savanna. *Bothalia* 14(1): 139-142.
- SCHEEPERS, J.C. 1983. Vegetation studies in South Africa. *Bothalia* 14: 683-690.
- SCHEEPERS, J.L. AND K.A.E. VENZKE. 1995. Attempts to reintroduce African wild dogs *Lycaon pictus* into Etosha National Park, Namibia. *S. Afr. J. Wildl. Res.* 25(4): 138-140.
- SCHMIDT, A.G. 1992. Guidelines for the management of some game ranches in the Mixed Bushveld Communities of the North-Western Transvaal, with special reference to Rhino Ranch. M.Sc. (Wildlife Management) dissertation, University of Pretoria, Pretoria.
- SCHMIDT, A.G., THERON G.K. AND W. VAN HOVEN. 1995. A comparison of some methods used to estimate the grazing capacity of a game ranch in the Northern Province, South Africa. *Koedoe* 38(2): 123-128.
- SCHOLES, R.J. 1987. Response of three semi-arid savannas on contrasting soils to the removal of the woody component. Ph D thesis. University of the Witwatersrand, Johannesburg.
- SCHOLES, R.J. 1990. The regrowth of *Colophospermum mopane* following clearing. *J. Grassld Soc. S. Afr.* 7(3): 147-151.
- SCHOLES, R.J. AND B.H. WALKER. 1993. *An African Savanna: a synthesis of the Nylsvlei study*. Cambridge University Press, Cambridge.
- SCHULZE, E., G.K. THERON AND W. VAN HOVEN. 1994. The vegetation and identification of management units of the Imberbe Game Lodge in the mixed bushveld of the north-western Transvaal. *S. Afr. J. Bot.* 60(2): 85-93.
- SCHULZE, R.E. AND O.S. McGEE. 1978. Climatic indices and classifications in relation to the biogeography of southern Africa. Pp. 19-53. In: WERGER, M.J.A. (ed.). *Biogeography and ecology of southern Africa 1*. Junk, The Hague.
- SHACKLETON, S.E. 1990. Socio-economic importance of *Cymbopogon validus* in Mkambati Game Reserve, Transkei. *S. Afr. J. Bot.* 56(6): 675-682.
- SIEVERS, J. 1991. An ecological study of the Oanob Dam Nature Reserve, Namibia. M.Sc. (Wildlife Management) dissertation, University of Pretoria, Pretoria.
- SKINNER, J.D. AND R.H.N. SMITHERS. 1990. *The Mammals of the Southern African Sub-region*. University of Pretoria, Pretoria.
- SMIT, C.M., BREDENKAMP, G.J. AND N. VAN ROOYEN. 1995. Grassland vegetation of the low Drakensberg escarpment in the North-western KwaZulu-Natal and North-eastern Orange Free State Border area. *S. Afr. J. Bot.* 61(1): 18-28.
- SMIT, G.N. 1989a. Quantitative description of woody plant communities : Part I. An approach. *J. Grassl. Soc. South. Afr.* 6(4): 186-191.
- SMIT, G.N. 1989b. Quantitative description of woody plant communities : Part II. Computerised calculation procedures. *J. Grassl. Soc. South. Afr.* 6(4): 192-194.
- SMIT, G.N. 1989c. A simple, inexpensive method for estimating linear tree dimensions. *J. Grassl. Soc. South. Afr.* 6(2): 104-105.

- SMIT, G.N. 1994. The influence of the intensity of tree thinning on Mopani Veld. Volume I. D. Phil. thesis, University of Pretoria, Pretoria.
- SMIT, G.N. 1996. BECVOL: Biomass Estimates from Canopy VOLume (version 2) - user's guide. Unpublished manual, University of the Orange Free State, Bloemfontein.
- SMIT, G.N. AND J.S. SWART. 1994. Influence of leguminous and non-leguminous woody plants on the herbaceous layer and soil under varying competition regimes in Mixed Bushveld. *Afr. J. For. Sci.* 11(1): 27-33.
- SMIT, G.N. AND K.S.K. VAN ROMBURGH. 1993. Relations between tree height and the associated occurrence of *Panicum maximum* in Sourish Mixed Bushveld. *Afr. J. Range For. Sci.* 10(3): 151-153.
- SMIT, G.N. AND N.F.G. RETHMAN. 1998. The influence of tree thinning on the reproduction dynamics of *Colophospermum mopane*. *S. Afr. J. Bot.* 64(1): 25-29.
- SMITH, D.C. 1992. Bestuursriglyne vir Doornpoort Eksperimentele Wildplaas. M.Sc. (Wildlife Management) dissertation, University of Pretoria, Pretoria.
- SMITHERS, R.H.N. AND J.D. SKINNER. 1990. *The mammals of the southern African subregion*. University of Pretoria, Pretoria.
- SMUTS, G.L. 1982. *Lion*. MacMillan, Johannesburg.
- SNYMAN, D.D. 1989. Verwantskappe tussen veldtoestand, reëerval en dierebelading in die Mopaniveld. M.Sc. (Agric) dissertation, University of Pretoria, Pretoria.
- SNYMAN, D.D., GROSSMAN, D. AND N.F.G. RETHMAN. 1990. Tekort-kominge van die naasteplantmetode en Dyksterhuis-verwante klassifikasie om veld toestand te bepaal. *J. Grassl. Soc. Sth Afr.* 7(4): 273-276.
socio-economic interests of the Devuri resettlement scheme, Sango Ranch and Save Valley Conservancy. Unpublished report, Sango Ranch, Save Valley Conservancy, Zimbabwe.
- SOIL SURVEY STAFF. 1994. *Key to Soil Taxonomy*. United States Department of Agriculture, Washington DC.
- SOMERVILLE, D.M. 1976. *My Life was a Ranch*. Kailani Books, Harare.
- STANDER, P.E. 1990. A suggested management strategy for stock-raiding lions in Namibia. *S. Afr. J. Wildl. Res.* 20(2): 36-43.
- STEENEKAMP, S.J. AND O.J.H. BOSCH. 1995. Construction and evaluation of condition assessment and grazing capacity models for use in grazing management in the Eastern Mixed Bushveld of southern Africa. *J. Arid Environ.* 30: 351-360.
- STOLS, S.H.E., BOYSEN, J. AND O.J.H. BOSCH. 1992. An Integrated System for Plant Dynamics (ISPD): development of a customised expert system for natural resource management. The Third southern African conference on expert systems. KR Litho, Pretoria.
- STUART-HILL, G.C. 1989a. Adaptive management: the only practicable method of veld management. Pp. 4-6. In: DANCKWERTS, J.E. AND W.R. TEAGUE. (eds). *Veld Management in the Eastern Cape*. Department of Agriculture and Water Supply. Government Printer, Pretoria.
- STUART-HILL, G.C. 1989b. Some problems with using proportional species composition. Pp. 92-95. In: DANCKWERTS, J.E. AND W.R. TEAGUE. (eds). *Veld Management in the Eastern Cape*. Department of Agriculture and Water Supply. Government Printer, Pretoria.
- STUART-HILL, G.C., AUCAMP, A.J., LE ROUX, C.J.G. AND W.R. TEAGUE. 1986. Towards a method of assessing the veld condition of the Valley Bushveld of the eastern Cape. *J. Grassl. Soc. Sth Afr.* 3: 19-24.

- SWART, H.B. 1995. Plantekologie en habitatbenutting van Letaba Ranch, Noordelike Provincie. M.Sc. (Wildlife Management) dissertation, University of Pretoria, Pretoria.
- SWIFT, W.H. 1961. An outline of the geology of Southern Rhodesia. S. Rhod. Geol. Surv. Bull. No. 50. Government Printer, Salisbury.
- SWIFT, W.H. 1962. The geology of the middle Sabi River Valley. S. Rhod. Geol. Surv. Bull. No. 52. Government Printer, Salisbury.
- TAINTON, N.M. 1981. *Veld and Pasture Management in South Africa*. Shuter and Shooter, Pietermaritzburg.
- TAINTON, N.M. 1988. A consideration of veld condition assessment techniques for commercial livestock production in South Africa. *J. Grassl. Soc. Sth. Afr.* 5(2): 76-79.
- TAINTON, N.M. AND M.T. MENTIS. 1984. Fire in grassland. In: BOOYSEN, P. DE V. AND N.M. TAINTON (eds). *Ecological Effects of Fire in Southern African Ecosystems*. Ecological Studies No. 48. Springer-Verlag, Berlin.
- TAINTON, N.M., EDWARDS, P.J. AND M.T. MENTIS. 1980. A revised method for assessing veld condition. *Proc. Grassld Soc. Sth. Afr.* 15: 37-42.
- TAINTON, N.M. 1999a. Veld burning. p. 218. In: TAINTON, N.M. (Ed). *Veld Management in South Africa*. University of Natal Press, Pietermaritzburg.
- TAINTON, N.M. 1999b. Karoo, forest and fynbos (macchia). Pp. 242-245. In: TAINTON, N.M. (Ed). *Veld Management in South Africa*. University of Natal Press, Pietermaritzburg.
- TEAGUE, W.R. 1989a. Management of veld types. Grass/bush communities. Pp. 155-165. In: DANCKWERTS, J.E. AND W.R. TEAGUE (eds.). *Veld Management in the Eastern Cape*. Department of Agriculture and Water Supply, Government Printer
- TEAGUE, W.R. 1989b. Monitoring vegetation change and assessing veld condition. Pp. 90-113. In: DANCKWERTS, J.E. AND W.R. TEAGUE (eds.). *Veld Management in the Eastern Cape*. Department of Agriculture and Water Supply, Government Printer.
- TEAGUE, W.R., TROLLOPE, W.S.W. AND A.J. AUCAMP. 1981. Veld management in the semi-arid bush-grass communities of the Eastern Cape. *Proc. Grassld Soc. Sth. Afr.* 16: 23-28.
- THOMPSON, J.G. 1965. The soils of Rhodesia and their classification. *Rhod. Agric. J. Technical Bulletin No. 6*.
- THOMPSON, J.G. AND W.D. PURVES. 1978. A guide to the soils of Rhodesia. *Rhod. Agric. J. Technical Handbook No. 6*.
- THRASH, I. 1993. Implications of providing water for indigenous large herbivores in the Transvaal Lowveld. PhD (Wildlife Management) thesis, University of Pretoria, Pretoria.
- THRASH, I., NEL, P.J., THERON, G.K. AND J. DU P. BOTHMA. 1991a. The impact of the provision of water for game on the basal cover of the herbaceous vegetation around a dam in the Kruger National Park. *Koedoe* 34(2): 121-130.
- THRASH, I., NEL, P.J., THERON, G.K. AND J. DU P. BOTHMA. 1991b. The impact of the provision of water for game on the basal cover of the woody vegetation around a dam in the Kruger National Park. *Koedoe* 34(2): 131-148.
- TIDMARSH, N.M. AND C.M. HAVENGA. 1955. Wheel-point method of survey and measurement of semi-open grasslands and Karoo vegetation in South Africa. *Bot. Surv. Sth Afr.* No. 29. Government Printer, Pretoria.
- TIMBERLAKE, J.R. 1985. *Colophospermum mopane*. Annotated Bibliography and Review. *Zim. Bull. For. Res.* 11.
- T MANNETJIE, L. AND K.P. HAYDOCK. 1983. The dry-weight-rank method for the botanical analysis of pasture. *J. Br. Grassld. Soc.* 18(4): 268-275.

- TORRANCE, J.D. 1965a. Rhodesian sunshine and humidity. Pp. 30-31. In: COLLINS, M.O. (ed.). *Rhodesia: its Natural Resources and Economic Development*. Collins, Salisbury (Harare).
- TORRANCE, J.D. 1965b. The temperature of Rhodesia. Pp. 28-29. In: COLLINS, M.O. (ed.). *Rhodesia: its Natural Resources and Economic Development*. Collins, Salisbury (Harare).
- TROLLOPE, W.S.W. 1978. Fire behaviour: a preliminary study. *Proc. Grassl Soc. Sth Afr.* 13: 123-128.
- TROLLOPE, W.S.W. 1980. Controlling bush encroachment with fire in the savanna areas of South Africa. *Proc. Grassl Soc. Sth Afr.* 15: 173-177.
- TROLLOPE, W.S.W. 1980. Controlling bush encroachment with fire in the savanna areas of South Africa. *Proc. Grassl Soc. Sth. Afr.* 15: 173-177.
- TROLLOPE, W.S.W. 1989. Veld burning as a management practise in livestock production. In: DANCKWERTS, J.E. AND W.R. TEAGUE (eds). *Veld Management in the Eastern Cape*. Department of Agriculture and Water Supply, Government Printer.
- TROLLOPE, W.S.W. 1990. Development of a technique for assessing veld condition in the Kruger National Park using key grass species. *J. Grassl. Soc. Sth Afr.* 7(1): 46-51.
- TROLLOPE, W.S.W. 1999. Savanna. Pp. 236-242. In: TAINTON, N. M. (Ed). *Veld Management in South Africa*. University of Natal Press, Pietermaritzburg.
- TROLLOPE, W.S.W. AND A.L.F. POTGIETER. 1988. Estimating grass fuel loads with a disc pasture meter in the Kruger National Park. *J. Grassl. Soc. Sth Afr.* 3(4): 148-152.
- TROLLOPE, W.S.W., POTGIETER, A.L.F. AND N. ZAMBATIS. 1989. Assessing veld condition in the Kruger National Park using key grass species. *Koedoe* 32(1): 67-93.
- TROLLOPE, W.S.W., TROLLOPE, LYNNE A. AND O.J.H. BOSCH. 1990. Veld and pasture management terminology in southern Africa. *J. Grassl. Soc. Sth Afr.* 7(1): 52-61.
- TROLLOPE, W.S.W. AND N.M. TAINTON. 1986. Effect of fire intensity on the grass and bush components of the Eastern cape Thornveld. *J. Grassl. Soc. Sth. Afr.* 3(2): 37-42.
- TYSON, P.D. 1978. Climatic changes over South Africa during the period of meteorological record. Pp. 53-69. In: WERGER, M.J.A. (ed.). *Biogeography and ecology of southern Africa 1*. Junk, The Hague.
- VAN DER WALT, P.T. 1999. Fluitjiesrietbeddings. *SA Game and Hunt* 5(3): 18-19.
- VAN HEERDEN, F. 1992. Die beplanning van en riglyne vir die bestuur van die Lissatabawildplaas in die distrik Letaba. M.Sc. thesis (Wildlife Management). University of Pretoria, Pretoria.
- VAN OUDTSHOORN, F. 1992. *Guide to the Grasses of South Africa*. Briza, Pretoria.
- VAN ROOYEN, N. 1978. 'Ekologiese studie van die plantgemeenskappe van die Punda Milia-Pafuri-Wambiyagebied in die Nasionale Kruger Wildtuin. M. Sc. dissertation, Universiteit van Pretoria, Pretoria.
- VAN ROOYEN, N. AND G.K. THERON. 1989. Habitat evaluation. Pp. 37-41. In: BOTHMA, J. DU P. (ed.). *Game Ranch Management*. J. L. Van Schaik, Pretoria.
- VAN ROOYEN, N. AND G.K. THERON. 1995. Biome, veldtipies en wildboerderystreke van Suid Afrika. Pp. 31-38. In: BOTHMA, J. DU P. (ed.). *Wildplaasbestuur*. Van Schaik, Pretoria.

- VAN ROOYEN, N., BREDENKAMP, G.J. AND G.K. THERON. 1991. Kalahari vegetation: veld condition trends and ecological status of species. *Koedoe* 34(1): 61-72.
- VAN ROOYEN, N., BREDENKAMP, G.J. AND G.K. THERON. 1995. Weiveldbestuur. Pp. 513-544. In: BOTHMA, J. DU P. (ed.). *Wildplaasbestuur*. J.L. Van Schaik, Pretoria.
- VAN ROOYEN, N., BREDENKAMP, G.J. AND G.K. THERON. 1996. Veld management. Pp. 539-578. In: BOTHMA, J. DU P. (ed.). *Game Ranch Management*. J.L. Van Schaik, Pretoria.
- VAN ROOYEN, N., THERON, G.K. AND N. GROBBELAAR. 1986. The vegetation of the Roodeplaat Dam Nature Reserve. III. Phenological observations. *S. Afr. J Bot.* 52: 153-158.
- VAN ROOYEN, N., DU TOIT, J.G. AND H. EBEDES. 1995. Geboue en kampgeriewe. Pp. 111-118. In: BOTHMA, J. DU P. (ed.). *Wildplaasbestuur*. Van Schaik, Pretoria.
- VAN WILGEN, B.M. AND A.J. WILLIS. 1988. Fire behaviour prediction in savanna vegetation. *S. Afr. J. Wildl. Res.* 18: 41-88.
- VAN WILGEN, B.M. AND R.J. SCHOLES. 1997. The vegetation and fire regimes of southern-hemisphere Africa. Pp. 27-46. In: VAN WILGEN, B.W., ANDREAE, M.O., GOLDMANNER, J.G. AND J.A. LINDESEY (eds). *Fire in southern African Savannas: ecological and atmospheric perspectives*. Witwatersrand University Press, Johannesburg.
- VAN ZYL, H.J., VON BACH S. AND J. DU P. BOTHMA. 1995. Ekonomiese aspekte. Pp. 44-67. In: BOTHMA, J. DU P. (Ed.). *Wildplaasbestuur*. J.L. Van Schaik, Pretoria.
- VENTER, F AND J. VENTER. 1996. *Making the Most of Indigenous Trees*. Briza, Pretoria.
- VENTER, F.J. 1990. A classification of land for management planning in the Kruger National Park. Ph.D. thesis. University of South Africa, Pretoria.
- VERMAAK, R. 1996. Ecology and management of wildlife on the Roodeplaat Nature Reserve. M Sc. (Wildlife Management) dissertation, University of Pretoria, Pretoria.
- VISSEER, N. 1995. 'n Ekologiese studie van en 'n natuurlewebestuursplan vir die Honnetnatuurreservaat, Noordelike Provincie. M Sc. (Wildlife Management) dissertation, University of Pretoria, Pretoria.
- VISSEER, N., VAN HOVEN, W. AND G.K. THERON. 1996. Vegetation and identification of management units of the Honnet Nature Reserve, Northern Province, South Africa. *Koedoe* 39(1): 25-42.
- VON HOLDT, AL. 1999. Ecological separation by browsers on the Lewa Wildlife Conservancy, Kenya. M Sc (Wildlife Management) dissertation, University of Pretoria, Pretoria.
- VORSTER, M. 1982. the development of the ecological index method for assessing veld condition in the Karoo. *Proc. Grassld. Soc. Sth. Afr.* 17: 84-89.
- WALKER, B.H. 1970. An evaluation of eight methods of botanical analysis on grasslands in Rhodesia. *J. Appl. Ecol.* 7: 403-416.
- WALKER, B.H. 1974. Vegetation composition and elephant damage in the Sengwa Wildlife Research Area, Rhodesia. *J. Sth. Afr. Wildl. Mgmt Ass.* 4(1): 1-14.
- WALKER, B.H. 1976a. An approach to the monitoring of changes in the composition and utilisation of woodland and savanna vegetation. *S. Afr. J. Wildl. Res.* 6(1): 1-7.
- WALKER, B.H. 1976b. An assessment of the ecological basis of game ranching in southern African savannas. *Proc. Grassld. Soc. Sth. Afr.* 11: 125-130.

- WATT, J.M. AND M.G. BREYER-BRANDWIJK. 1962. *Medicinal and Poisonous Plants of Southern and Eastern Africa*. E and S Livingstone, London.
- WENTZEL, J.J., BOTHMA, J. DU P. AND N. VAN ROOYEN. 1991. Characteristics of the herbaceous layer in preferred grazing areas of six herbivore species in the south-eastern Kruger National Park. *Koedoe* 34(1): 51-59.
- WERGER, M.J.A. 1974. On concepts and techniques applied in the Zurich-Montpellier method of vegetation survey. *Bothalia* 11: 309-323.
- WERGER M.J.A., WILD, H. AND B.R. DRUMMOND. 1978. Vegetation structure and substrate of the northern part of the Great Dyke, Rhodesia Environment and plant communities. *Vegetatio* 37(2): 79-89.
- WESTFALL, R.H. 1981. Plant ecology of the farm Groothoek, Thabazimbi District. M.Sc. dissertation (Botany), University of Pretoria, Pretoria.
- WESTHOFF, V. AND E. VAN DER MAAREL. 1980. The Braun-Blanquet Approach. Pp. 289-344. In: WHITTAKER, R.H. (ed.). *Classification of plant communities*. The Hague: Junk.
- WHITE, F. 1983. *The vegetation of Africa. A descriptive memoir to accompany the Unesco/AETFAT/UNSO vegetation map of Africa*. Unesco, Paris.
- WILD, H. 1955. Observations on the vegetation of the Sabi-Lundi junction area. *Rhod. agric. J.* 52: 533-546.
- WILD, H. 1965. Vegetation map of Rhodesia (1:2 500 000). p. 23. In: COLLINS, M.O. (ed.). *Rhodesia: its natural resources and economic development*. M. O. Collins, Salisbury.
- WILLIS, M.J. AND W.S.W. TROLLOPE. 1987. Use of key grass species for assessing veld condition in the Eastern Cape. *J. Grassl. Soc. Sth. Afr.* 4(3): 113-Sericrema remotiflora.
- WOLFSON, M.M. AND N.M. TAINTON. 1999. The morphology and physiology of the major forage plants. Pp. 54-90. In: TAINTON, N.M. (Ed). *Veld Management in South Africa*. University of Natal Press, Pietermaritzburg.
- YOUNG, E. 1989. *Wildboerdery en natuurnatuurreservaatbestuur*. Eddie Young Uitgewers, Nylstroom.
- ZIMBABWE METEOROLOGICAL SERVICES. 1999. Ten-day agrometeorology update. NEWU, Harare.