Bibliography

[1] H.H. Dovey. *Extension of three dimensional analysis to shell structures using the finite element idealization.* PhD dissertation, University of California, Berkeley, 1974. (Report no. UC SESM 74-2).

[2] K.B. Armstrong and R.T Barrett. *Care and repair of advanced composites.* Society of automative engineers, Warrendale, 1998.

[3] A.A. Groenwold and N. Stander. A 24 d.o.f. 4-node flat shell finite element for general unsymmetric orthotropic layered composites. *Eng. Comput.*, 15:518–543, 1998.

[4] A.K. Noor and M.D. Mathers. Finite element analysis of anisotropic plates. *Int. J. Numer. Methods Eng.*, 11:289–307, 1977.

[5] T.J.R. Hughes and F. Brezzi. On drilling degrees of freedom. *Comp. Methods Appl. Mech. Eng.*, 72:105–121, 1989.

[6] R.L. Taylor. Finite element analysis of linear shell problems. In J.R. Whiteman, editor, *Proceedings of the Mathematics in Finite Elements and Applications*, pages 191–203, New York, 1987. Academic Press.

[7] K.-J. Bathe and E.N. Dvorkin. A four node plate bending element based on Mindlin-Reissner plate theory and a mixed interpolation. *Int. J. Numer. Methods Eng.*, 21:367–383, 1985.

[8] W. Feng, S.V. Hoa, and Q. Huang. Classification of stress modes in assumed stress fields of hybrid finite elements. *Int. J. Numer. Methods Eng.*, 40:4313–4339, 1997.

[9] A.A. Groenwold and S. Geyer. Two hybrid stress membrane finite element families with drilling rotations. Submitted.

[10] F. Frey. Shell finite elements with six degrees of freedom per node. In *ASME Winter Annual Meeting*, San Francisco, 1989.

[11] P.G. Bergan and C.A. Felippa. A triangular membrane element with rotational degrees of freedom. *Comp. Meth. Applied Mech. Eng.*, 50:25–69, 1985.

[12] D.J. Allman. A compatible triangular element including vertex rotations for plane elasticity analysis. *Comp. Struc.*, 19:1–8, 1984.

[13] R.H. MacNeal and R.L. Harder. A refined four-noded membrane element with rotational degrees of freedom. *Comp. Struct.*, 18:75–84, 1988.

[14] R.D. Cook. On the allman triangle and a related quadrilateral element. *Comp. Struc.*, 22:1065–1067, 1986.

[15] D.J. Allman. A quadrilateral finite element including vertex rotations for plane elasticity analysis. *Int. J. Numer. Methods Eng.*, 26:717–730, 1988.

[16] P. Jetteur. A shallow shell element with in-plane rotational degrees of freedom. IREM Internal Report 86/3, Ecole Polytechnique Federale de Lausanne, 1986.

[17] S. Jaamei. "Jet" thin shell finite element with drilling rotations. IREM Internal Report 88/7, Ecole Polytechnique Federale de Lausanne, 1988.

[18] P. Jetteur. Improvement of the quadrilateral "JET" shell element for a particular class of shell problems. IREM Internal Report 87/1, Ecole Polytechnique Federale de Lausanne, 1987.

[19] R.L. Taylor and J.C. Simo. Bending and membrane elements for analysis of thick and thin shells. In *Proceedings of NUMETA Conference*, Swansea, 1985.

[20] J.C. Simo, D.D. Fox, and M.S. Rifai. On a stress resultant geometrically exact shell model, Part II: The linear theory; computational aspects. *Comp. Meth. Applied Mech. Eng.*, 73:53–92, 1989.

[21] E. Reissner. A note on variational principles in elasticity. *Int. J. Solids. Struct.*, 1:93–95, 1965.

[22] T.J.R. Hughes, F. Brezzi, A. Masud, and I. Harari. Finite elements with drilling degrees of freedom: Theory and numerical evaluation. In R. Gruber, J. Periaux, and R.P. Shaw, editors, *Proc. of the 5th International Symposium on Numerical Methods in Engineering*, volume 1, pages 3–17. Springer, 1989.

[23] A. Ibrahimbegovic, R.L. Taylor, and E.L. Wilson. A robust quadrilateral membrane finite element with drilling degrees of freedom. *Int. J. Numer. Methods Eng.*, 30:445–457, 1990.

[24] A. Ibrahimbegovic and E.L. Wilson. A unified formulation for triangular and quadrilateral flat shell finite elements with six nodal degrees of freedom. *Commun. Applied Num. Meth.*, 7:1–9, 1991.

[25] A.A Groenwold and N. Stander. An efficient 4-node 24 d.o.f. thick shell finite element with 5-point quadrature. *Eng. Comput.*, 12:723–748, 1995.

[26] T.H.H. Pian. Derivation of element stiffness matrices by assumed stress distributions. *AIAA J.*, 2:1333–1336, 1964.

[27] T.H.H. Pian. State-of-the-art development of the hybrid/mixed finite element method. *Fin. Elem. Anal. Des.*, 21:5–20, 1995.

[28] T.H.H. Pian and K. Sumihara. Rational approach for assumed stress finite elements. *Int. J. Numer. Methods Eng.*, 20:1685–1695, 1984.

[29] T.H.H. Pian and C.-C. Wu. A rational approach for choosing stress terms for hybrid finite element formulations. *Int. J. Numer. Methods Eng.*, 26:2331–2343, 1988.

[30] E.F. Punch and S.N. Atluri. Development and testing of stable, isoparametric curvilinear 2- and 3-D hybrid stress elements. *Comp. Methods Appl. Mech. Eng.*, 47:331–356, 1984.

[31] F. Brezzi. On the existence, uniqueness and approximation of saddle point problems arising from lagrange multipliers. *RAIRO-8*, 000:129–151, 1974.

[32] I. Babuska, J.T. Oden, and J.K. Lee. Mixed-hybrid finite element approximations of second-order elliptic oundary-value problems. *Comp. Methods Appl. Mech. Eng.*, 11:175–206, 1977.

[33] B. Fraeijs du Veubeke. Displacement and equilibrium models in the finite element method. In O.C. Zienkiewicz and G.C. Holister, editors, *Stress analysis*, pages 145–197, Chichester, 1965. John Wiley.

[34] S. Di and E. Ramm. On alternative hybrid stress 2D and 3D elements. *Eng. Comput.*, 11:49–68, 1994.

[35] M.A. Aminpour. An assumed-stress hybrid 4-node shell element with drilling degrees of freedom. *Int. J. Numer. Methods Eng.*, 33:19–38, 1992.

[36] G. Rengarajan, M.A. Aminpour, and N.F. Knight. Improved assumed-stress hybrid shell element with drilling degrees of freedom for linear stress, buckling and free vibration analyses. *Int. J. Numer. Methods Eng.*, 38:1917–1943, 1995.

[37] K-Y Sze and A Ghali. Hybrid plane quadrilateral element with corner rotations. *Journal of Structural Engineering*, 119:2552–2572, 1993.

[38] T.J.R. Hughes. *The finite element method: Linear static and dynamic analysis.* Prentice-Hall, London, 1987.

[39] O.C. Zienkiewicz and R.L. Taylor. *The Finite Element method: Basic formulation and linear problems, Vol. II.* McGraw-Hill, London, 1991.

[40] E.L Wilson. The static condensation algorithm. *Int. J. Numer. Methods Eng.*, 8:199–203, 1974.

[41] R.L. Taylor, J.C. Simo, O.C. Zienkiewicz, and A.C.H. Chan. The patch test - a condition for assesing fem convergence. *Int. J. Numer. Methods Eng.*, 22:39–62, 1986.

[42] K-Y Sze. Efficient formulation of robust mixed element using orthogonal stress/strain interpolants and admissible matrix formulation. *Int. J. Numer. Methods Eng.*, 35:1–20, 1992.

[43] B.M. Irons and A Razzaque. Experience with the patch test for convergence of finite element methods. In A.K. Aziz, editor, *Mathematical Foundations of the Finite Element Method*, pages 557–587, New York, 1972. Academic Press.

[44] O.C. Zienkiewicz, S. Qu, R.L. Taylor, and S. Nakazawa. The patch test for mixed formulations. *Int. J. Numer. Methods Eng.*, 23:1873–1883, 1986.

[45] R.H. Macneal and R.L. Harder. A proposed standard set of problems to test finite element accuracy. *J. Finite Elem. Anal. Des.*, 1:3–20, 1985.

[46] S. Idelsohn. On the use of deep, shallow or flat shell finite elements for the analysis of thin shell structures. *Comp. Meth. Applied Mech. Eng.*, 26:321–330, 1981.

[47] E.N. Dvorkin and K.-J. Bathe. A continuum mechanics based four-node shell element for general non-linear analysis. *Eng. Comput.*, 1:77–88, 1984.

[48] E. Hinton and H.C. Huang. Shear forces and twisting moments in plates using mindlin elements. *Eng. Comput.*, 3:129–142, 1986.

[49] P. Papdopulos and R.L. Taylor. A traingular element based on reissner-mindlin plate theory. *Int. J. Numer. Methods Eng.*, 30:1029–1049, 1990.

[50] K.-J. Bathe. *Finite element procedures in engineering analysis*. Prentice-Hall, London, 1982.

[51] H. Kebari. A one point integrated assumed strain 4-node mindlin plate element. *Eng. Comput.*, 7:284–290, 1990.

[52] A.A. Groenwold. Finite element analysis of composite plates and shells. Master dissertation, University of Pretoria, Department of Mechanical and Aeronautical Engineering, October 1993.

[53] J.A. Robinson. A warped quadrilateral strain membrane element. *Comp. Meth. Applied Mech. Eng.*, 7:359–367, 1976.

[54] A. Ibrahimbegovic. Plate quadrilateral finite element with incompatible modes. *Commun. Applied Num. Meth.*, 8:497–504, 1992.

[55] R.H. Macneal. A simple quadrilateral shell element. *Comp. Struct.*, 8:175–183, 1978.

[56] H. Parisch. An investigation of a finite rotation four node assumed strain shell element. *Int. J. Numer. Methods Eng.*, 31:127–150, 1991.

[57] A.C. Scordelis and K.S. Lo. Computer analysis of cylindrical shells. *J. Amer. Concr. Inst.*, 61:539–561, 1969.

[58] S.P. Timoshenko and S. Woinowsky-Krieger. *Theory of plates and shells*. McGraw-Hill, New-York, 1970.

[59] G.M. Stanley. *Continuum-based shell elements*. Ph.D. dissertation, Stanford University, Department of Mechanical Engineering, 1985.

[60] D.J. Haas and S.W. Lee. A nine-node assumed-strain finite element for composite plates and shells. *Comput. Struct.*, 26:445–452, 1987.

[61] K Moser and A Schmid. Composite structures - modelling, finite element analysis and evaluation. *Composite Structures*, 11:33–56, 1989.

[62] N. Stander and E.L. Wilson. A 4-node quadrilateral membrane element with in-plane vertex rotations and modified reduced quadrature. *Eng. Comput.*, 6:266–271, 1989.

[63] C.H. Edwards, Jr. and D.E. Penny. *Elementary differential equations with boundary value problems*. Prentice Hall, Englewood Cliffs, New Jesey, third edition, 1993.

[64] J.N. Reddy. *An introduction to the finite element method*. McGraw-Hill Book Company, 1984.

[65] K Washizu. *Variational methods in elasticity and plasticity*. Pergamon Press, third edition, 1982.