

REFERENCES

- 1. Department of Health. National HIV and Syphilis Prevalence Survey. South Africa 2005.
- 2. Joint United Nations Programme on HIV/AIDS (UNAIDS). 2006 Report on the global AIDS epidemic. 2006;10th Anniversay special edition.
- 3. Semba RD, Kumwenda N, Hoover DR, Taha TE, Quinn TC, Mtimavalye L, et al. Human immunodeficiency virus load in breast milk, mastitis, and mother-to-child transmission of human immunodeficiency virus type 1.see . J Infect Dis. 1999 Jul;180(1):93-98.
- 4. Taha TE, Kumwenda NI, Hoover DR, Kafulafula G, Fiscus SA, Nkhoma C, et al. The impact of breastfeeding on the health of HIV-positive mothers and their children in sub-Saharan Africa. Bull World Health Organ. 2006 Jul;84(7):546-554.
- 5. Otieno PA, Brown ER, Mbori-Ngacha DA, Nduati RW, Farquhar C, Obimbo EM, et al. HIV-1 disease progression in breast-feeding and formula-feeding mothers: a prospective 2-year comparison of T cell subsets, HIV-1 RNA levels, and mortality.. J Infect Dis. 2007 Jan 15;195(2):220-229.
- Kotler DP. Malnutrition in HIV infection and AIDS. AIDS 1989;3(Suppl 1):S175-80.
- 7. Papathakis PC, Rollins NC, Chantry CJ, Bennish ML, Brown KH. Micronutrient status during lactation in HIV-infected and HIV-uninfected South African women during the first 6 mo after delivery. Am J Clin Nutr. 2007 Jan;85(1):182-192.
- 8. Papathakis PC, Van Loan MD, Rollins NC, Chantry CJ, Bennish ML, Brown KH. Body composition changes during lactation in HIV-infected and HIV-uninfected South African women. JAIDS 2006 Dec 1;43(4):467-474.
- Ickovics JR. Milan S. Boland R. Schoenbaum E. Schuman P. Vlahov D. HIV Epidemiology Research Study (HERS) Group. Psychological resources protect health: 5-year survival and immune function among HIV-infected women from four US cities. AIDS 2006 Sep 11;20(14):1851-1860.
- 10. Ickovics JR, Hamburger ME, Vlahov D, Schoenbaum EE, Schuman P, Boland RJ, et al. Mortality, CD4 cell count decline, and depressive symptoms among



HIV-seropositive women: longitudinal analysis from the HIV Epidemiology Research Study. JAMA 2001 Mar 21;285(11):1466-1474.

- 11. Antelman G, Kaaya S, Wei R, Mbwambo J, Msamanga GI, Fawzi WWBS, DrP.H., et al. Depressive Symptoms Increase Risk of HIV Disease Progression and Mortality Among Women in Tanzania. Miscellaneous. JAIDS 2007 April 1;44(4):470-477.
- 12. Cook JA, Grey D, Burke J, Cohen MH, Gurtman AC, Richardson JL, et al. Depressive symptoms and AIDS-related mortality among a multisite cohort of HIV-positive women. Am J Public Health 2004 Jul;94(7):1133-1140.
- 13. Abrams EJ. Wiener J. Carter R. Kuhn L. Palumbo P. Nesheim S. Lee F. Vink P. Bulterys M. Perinatal AIDS Collaborative Transmission Study (PACTS) Group. Maternal health factors and early pediatric antiretroviral therapy influence the rate of perinatal HIV-1 disease progression in children. AIDS 2003 Apr 11;17(6):867-877.
- 14. John-Stewart G, Mbori-Ngacha D, Ekpini R, Janoff EN, Nkengasong J, Read JS, et al. Breast-feeding and Transmission of HIV-1.erratum appears in J Acquir Immune Defic Syndr. 2004 Apr 15;35(5):539. Journal of Acquired Immune Deficiency Syndromes: JAIDS 2004 Feb 1;35(2):196-202.
- 15. Zaba B, Whitworth J, Marston M, Nakiyingi J, Ruberantwari A, Urassa M, et al. HIV and mortality of mothers and children: evidence from cohort studies in Uganda, Tanzania, and Malawi. Epidemiology 2005 May;16(3):275-280.
- 16. Tang AM, Graham NM, Saah AJ. Effects of micronutrient intake on survival in human immunodeficiency virus type 1 infection. Am J Epidemiol. 1996 Jun 15;143(12):1244-1256.
- 17. Abrams B. Prenatal weight gain and postpartum weight retention: a delicate balance.. Am J Public Health 1993 Aug;83(8):1082-1084.
- 18. Tang AM, Graham NM, Kirby AJ, McCall LD, Willett WC, Saah AJ. Dietary micronutrient intake and risk of progression to acquired immunodeficiency syndrome (AIDS) in human immunodeficiency virus type 1 (HIV-1)-infected homosexual men. Am J Epidemiol. 1993 Dec 1;138(11):937-951.
- 19. Papathakis PC, Rollins NC, Brown KH, Bennish ML, Van Loan MD. Comparison of isotope dilution with bioimpedance spectroscopy and anthropometry for assessment of body composition in asymptomatic HIV-infected and HIV-uninfected breastfeeding mothers. Am J Clin Nutr. 2005 Sep;82(3):538-546.



- 20. UNFPA/UNICEF/WHO/UNAIDS Inter-Agency Task Team on Mother to Child Transmission of HIV. New data on the prevention of mother to child transmission of HIV and their policy implications: conclusions and recommendations. 2000; Available at: http://whqlibdoc.who.int/hq/2001/who_RHR_01.28.pdf. Accessed May 31.2008
- 21. Breastfeeding and HIV International Transmission Study, Group. Mortality among HIV-1-infected women according to children's feeding modality: an individual patient data meta-analysis. Journal of Acquired Immune Deficiency Syndromes: JAIDS 2005 Aug 1;39(4):430-438.
- 22. Shapiro RL, Lockman S, Thior I, Stocking L, Kebaabetswe P, Wester C, et al. Low adherence to recommended infant feeding strategies among HIV-infected women: results from the pilot phase of a randomized trial to prevent mother-to-child transmission in Botswana. AIDS Education & Prevention 2003 Jun;15(3):221-230.
- 23. Nduati R, Richardson BA, John G, Mbori-Ngacha D, Mwatha A, Ndinya-Achola J, et al. Effect of breastfeeding on mortality among HIV-1 infected women: a randomised trial.. Lancet 2001 May 26;357(9269):1651-1655.
- 24. Thea DM, Aldrovandi G, Kankasa C, Kasonde P, Decker WD, Semrau K, et al. Post-weaning breast milk HIV-1 viral load, blood prolactin levels and breast milk volume. AIDS 2006 Jul 13;20(11):1539-1547.
- 25. Kuhn L, Trabattoni D, Kankasa C, Sinkala M, Lissoni F, Ghosh M, et al. Hiv-specific secretory IgA in breast milk of HIV-positive mothers is not associated with protection against HIV transmission among breast-fed infants.. J Pediatr. 2006 Nov;149(5):611-616.
- 26. Richardson BA, John-Stewart GC, Hughes JP, Nduati R, Mbori-Ngacha D, Overbaugh J, et al. Breast-milk infectivity in human immunodeficiency virus type 1-infected mothers. J Infect Dis. 2003 Mar 1;187(5):736-740.
- 27. Coutsoudis A, Dabis F, Fawzi W, Gaillard P, Haverkamp G, Harris DR, et al. Late postnatal transmission of HIV-1 in breast-fed children: an individual patient data meta-analysis.. J Infect Dis. 2004 Jun 15;189(12):2154-2166.
- 28. Thior I, Lockman S, Smeaton LM, Shapiro RL, Wester C, Heymann SJ, et al. Breastfeeding plus infant zidovudine prophylaxis for 6 months vs formula feeding plus infant zidovudine for 1 month to reduce mother-to-child HIV transmission in Botswana: a randomized trial: the Mashi Study. JAMA 2006 Aug 16;296(7):794-805.



- 29. UNICEF/WHO/UNAIDS. HIV and Infant Feeding: A Guide for Health Care Managers and Supervisors. 1998.
- 30. Coovadia HM, Rollins NC, Bland RM, Little K, Coutsoudis A, Bennish ML, et al. Mother-to-child transmission of HIV-1 infection during exclusive breastfeeding in the first 6 months of life: an intervention cohort study. . Lancet 2007 Mar 31;369(9567):1107-1116.
- 31. World Health Organization.
 WHO HIV and Infant Feeding Technical ConsultationInter-agency Task Team
 (IATT) on Prevention of HIV Infections in Pregnant Women, Mothers and
 their Infants: Consensus Statement. Geneva, October 25-27, 2006:1-5.
- 32. Orne-Gliemann J, Mukotekwa T, Miller A, Perez F, Glenshaw M, Nesara P, et al. Community-based assessment of infant feeding practices within a programme for prevention of mother-to-child HIV transmission in rural Zimbabwe. Public Health Nutr. 2006 Aug;9(5):563-569.
- 33. Bland RM, Rollins NC, Solarsh G, Van den Broeck J, Coovadia HM, Child Health G. Maternal recall of exclusive breast feeding duration. Arch Dis Child. 2003 Sep;88(9):778-783.
- 34. Bergstrom E. Bacterial Contamination and Nutrient Concentration of Infant Milk in South Africa: A sub-study of the National PMTCT Cohort Study. June 2003. Unpublished MSc. Thesis. Uppsala University, Sweden.
- 35. Andresen, E. Rollins, N.C. Sturm, A.W. Conana, N and Greiner, T. Bacterial Contamination and Over-Dilution of Commercial Infant Formula Prepared by HIV-Infected Mothers in a Prevention of Mother- to- Child Transmission (PMTCT) Programme, South Africa. J Trop Ped 2007 December 06 2007. Accessed at (http://www.intranet.unicef.org/IMU/libweb/jan2008/bacterial.pdf):January 02, 2007.
- 36. National Department of Health. Protocol for providing a comprehensive package of care for the prevention of mother to child transmission of HIV (PMTCT) in South Africa. 2001:2.
- 37. Nicholson J, McCoy D, Besser M, Visser R, Doherty T. Interim Findings of the National PMTCT Pilot Sites: Summary of Lessons and Recommendations. Health Systems Trust.2002 07/2002;506(07/2002).
- 38. Coutsoudis A, Goga A, Rollins N, Coovadia H. Free formula milk for infants of HIV-infected women: blessing or curse? Health Policy and Planning 2002 Jun;17(2):154.



- 39. Chopra M, Doherty T, Jackson D, Ashworth A. Preventing HIV transmission to children: quality of counselling of mothers in South Africa.. Acta Paediatrica 2005 Mar;94(3):357-363.
- 40. Bland RM, Rollins NC, Coovadia HM, Coutsoudis A, Newell ML. Infant feeding counselling for HIV-infected and uninfected women: appropriateness of choice and practice. Bull. World Health Organ. 2007 Apr;85(4):289-296.
- 41. Thairu LN, Pelto GH, Rollins NC, Bland RM, Ntshangase N. Sociocultural influences on infant feeding decisions among HIV-infected women in rural Kwa-Zulu Natal, South Africa. Maternal & Child Nutrition 2005 Jan;1(1):2-10.
- 42. Leroy V. Sakarovitch C. Viho I. Becquet R. Ekouevi DK. Bequet L. Rouet F. Dabis F. Timite-Konan M. the ANRS 1201/1202 Ditrame Plus Study Group. Acceptability of formula-feeding to prevent HIV postnatal transmission, Abidjan, Cote d'Ivoire: ANRS 1201/1202 Ditrame Plus Study. Journal of Acquired Immune Deficiency Syndromes: JAIDS 2007 Jan 1;44(1):77-86.
- 43. Doherty T, Chopra M, Nkonki L, Jackson D, Persson LA. A longitudinal qualitative study of infant-feeding decision making and practices among HIV-positive women in South Africa. J Nutr. 2006 Sep;136(9):2421-2426.
- 44. Becquet R, Ekouevi DK, Viho I, Sakarovitch C, Toure H, Castetbon K, et al. Acceptability of exclusive breast-feeding with early cessation to prevent HIV transmission through breast milk, ANRS 1201/1202 Ditrame Plus, Abidjan, Cote d'Ivoire. JAIDS 2005 Dec 15;40(5):600-608.
- 45. Chopra M, Piwoz E, Sengwana J, Schaay N, Dunnett L, Saders D. Effect of a mother-to-child HIV prevention programme on infant feeding and caring practices in South Africa. South African Medical Journal.Suid-Afrikaanse Tydskrif Vir Geneeskunde 2002;92(4):298-302.
- 46. Villamor E, Mbise R, Spiegelman D, Hertzmark E, Fataki M, Peterson KE, et al. Vitamin A Supplements Ameliorate the Adverse Effect of HIV-1, Malaria, and Diarrheal Infections on Child Growth. Pediatrics 2002 January 1;109(1):e6.
- 47. Abiona TC, Onayade AA, Ijadunola KT, Obiajunwa PO, Aina OI, Thairu LN. Acceptability, feasibility and affordability of infant feeding options for HIV-infected women: a qualitative study in south-west Nigeria. Maternal & Child Nutrition 2006 Jul;2(3):135-144.
- 48. Semba RD. Mastitis and transmission of human immunodeficiency virus through breast milk. Ann N.Y. Acad Sci. 2000 Nov;918:156-162.



- 49. Fawzi W, Msamanga G, Spiegelman D, Renjifo B, Bang H, Kapiga S, et al. Transmission of HIV-1 through breastfeeding among women in Dar es Salaam, Tanzania. JAIDS 2002 Nov 1;31(3):331-338.
- 50. Coutsoudis A, Coovadia H, Pillay K, Kuhn L. Are HIV-infected women who breastfeed at increased risk of mortality? AIDS 2001 Mar 30;15(5):653-655.
- 51. Willumsen JF, Filteau SM, Coutsoudis A, Newell ML, Rollins NC, Coovadia HM, et al. Breastmilk RNA viral load in HIV-infected South African women: effects of subclinical mastitis and infant feeding. AIDS 2003 Feb 14;17(3):407-414.
- 52. Kasonka L, Makasa M, Marshall T, Chisenga M, Sinkala M, Chintu C, et al. Risk factors for subclinical mastitis among HIV-infected and uninfected women in Lusaka, Zambia. Paediatr Perinat Epidemiol. 2006 Sep;20(5):379-391.
- 53. Gomo E, Filteau SM, Tomkins AM, Ndhlovu P, Michaelsen KF, Friis H. Subclinical mastitis among HIV-infected and uninfected Zimbabwean women participating in a multimicronutrient supplementation trial. Transactions of the Royal Society of Tropical Medicine & Hygiene 2003 Mar-Apr;97(2):212-216.
- 54. Kilewo C, Karlsson K, Swai A, Massawe A, Lyamuya E, Mhalu F, et al. Mortality during the first 24 months after delivery in relation to CD4 T-lymphocyte levels and viral load in a cohort of breast-feeding HIV-1-infected women in Dar es Salaam, Tanzania. JAIDS 2005 Apr 15;38(5):598-602.
- 55. Kuhn L, Kasonde P, Sinkala M, Kankasa C, Semrau K, Vwalika C, et al. Prolonged breast-feeding and mortality up to two years post-partum among HIV-positive women in Zambia. AIDS 2005 Oct 14;19(15):1677-1681.
- 56. The Department of Health, Macro International. South Africa Demographic and Health Survey 1998.
- 57. Department of Health Pretoria South Africa, Measure DHS ORC Macro Calverton Maryland USA. South African Demographic and Health Survey, 2003 Preliminary Report. 2005; Available at: http://www.doh.gov.za/facts/sadhs 2003/prelimreport.pdf. Accessed May/20, 2007.
- 58. WHO Collaborative Study Team on the Role of Breastfeeding on the Prevention of Infant Mortality. Effect of breastfeeding on infant and child mortality due to infectious diseases in less developed countries: a pooled analysis. Article. Lancet 2000 February 5;355(9202):451-455.



- 59. Bland RM, Rollins NC, Coutsoudis A, Coovadia HM, Child Health G. Breastfeeding practices in an area of high HIV prevalence in rural South Africa. Acta Paediatrica 2002;91(6):704-711.
- 60. Coutsoudis A, Pillay K, Kuhn L, Spooner E, Tsai WY, Coovadia HM, et al. Method of feeding and transmission of HIV-1 from mothers to children by 15 months of age: prospective cohort study from Durban, South Africa. . AIDS 2001 Feb 16;15(3):379-387.
- 61. Iliff PJ, Piwoz EG, Tavengwa NV, Zunguza CD, Marinda ET, Nathoo KJ, et al. Early exclusive breastfeeding reduces the risk of postnatal HIV-1 transmission and increases HIV-free survival. AIDS 2005 Apr 29;19(7):699-708.
- 62. Jeejeebhoy K, and Keith ME. In: Gibney MJ, Elia M, Ljungqvist O, and Dowsett J, editors. Clinical Nutrition. 2nd edition ed. Oxford: Blackwell Science Ltd; 2005.
- 63. Earthman C. Evaluation of Nutrition Assessment Parameters in the Presence of Human Immunodeficiency Virus Infection. Nutrition in Clinical Practice 2004;19:330-339.
- 64. United Nations Administrative Committee on Coordination/Subcommittee on Nutrition. Malnutrition and Infection: A Review by Andrew Tomkins and Fiona Watson. ACC/SCN State of the Art Series Nutrition Policy Discussion Paper October 1989(Discussion Paper Number 5).
- 65. Villamor E, Msamanga G, Spiegelman D, Peterson KE, Antelman G, Fawzi WW. Pattern and predictors of weight gain during pregnancy among HIV-1-infected women from Tanzania. JAIDS 2003 Apr 15;32(5):560-569.
- 66. Macallan DC. Wasting in HIV infection and AIDS. J Nutr. 1999 Jan;129(1S Suppl):238S-242S.
- 67. Grinspoon S, Mulligan K, Department of Health and Human Services Working Group on the Prevention and Treatment of Wasting and Weight, Loss. Weight loss and wasting in patients infected with human immunodeficiency virus. Clinical Infectious Diseases 2003 Apr 1;36(Suppl 2):S69-78.
- 68. Tang AM, Graham NM, Chandra RK, Saah AJ. Low serum vitamin B-12 concentrations are associated with faster human immunodeficiency virus type 1 (HIV-1) disease progression. J Nutr. 1997 Feb;127(2):345-351.
- 69. Keating J, Bjarnason I, Somasundaram S, Macpherson A, Francis N, Price AB, et al. Intestinal absorptive capacity, intestinal permeability and jejunal



histology in HIV and their relation to diarrhoea. Gut 1995 Nov;37(5):623-629.

- 70. Forrester JE, Tucker KL, Gorbach SL. Dietary intake and body mass index in HIV-positive and HIV-negative drug abusers of Hispanic ethnicity. Public Health Nutr. 2004 Oct;7(7):863-870.
- 71. Woods MN, Spiegelman D, Knox TA, Forrester JE, Connors JL, Skinner SC, et al. Nutrient intake and body weight in a large HIV cohort that includes women and minorities. J Am Diet Assoc. 2002 Feb;102(2):203-211.
- 72. McDermid JM, Lalonde RG, Gray-Donald K, Baruchel S, Kubow S. Associations between dietary antioxidant intake and oxidative stress in HIV-seropositive and HIV-seronegative men and women. Journal of Acquired Immune Deficiency Syndromes: JAIDS 2002 Feb 1;29(2):158-164.
- 73. Kim JH, Spiegelman D, Rimm E, Gorbach SL. The correlates of dietary intake among HIV-positive adults. Am J Clin Nutr. 2001 Dec;74(6):852-861.
- 74. Dannhauser A, van Staden AM, van der Ryst E, Nel M, Marais N, Erasmus E, et al. Nutritional status of HIV-1 seropositive patients in the Free State Province of South Africa: anthropometric and dietary profile. Eur J Clin Nutr. 1999 Mar;53(3):165-173.
- 75. Kotler DP. Nutritional alterations associated with HIV infection. Journal of Acquired Immune Deficiency Syndromes: JAIDS 2000 Oct 1;25(Suppl 1):S81-7.
- 76. World Health Organization: Department of Nutrition for Health and Development. HIV and Nutrition: Pregnant and lactating women. Consultation on Nutrition and HIV/AIDS in Africa: Evidence, lessons and recommendations for action. Durban South Africa 10-13 April 2005. (Paper No.3).
- 77. van Lettow M, West CE, van der Meer JW, Wieringa FT, Semba RD. Low plasma selenium concentrations, high plasma human immunodeficiency virus load and high interleukin-6 concentrations are risk factors associated with anemia in adults presenting with pulmonary tuberculosis in Zomba district, Malawi. Eur J Clin Nutr. 2005 Apr;59(4):526-532.
- 78. Dugdale AE, Eaton-Evans J. The effect of lactation and other factors on postpartum changes in body-weight and triceps skinfold thickness. Br J Nutr. 1989 Mar;61(2):149-153.



- 79. Butte NF, Hopkinson JM, Ellis KJ, Wong WW, Smith EO. Changes in fat-free mass and fat mass in postpartum women: a comparison of body composition models. International Journal of Obesity & Related Metabolic Disorders: Journal of the International Association for the Study of Obesity 1997 Oct;21(10):874-880.
- 80. Friis H, Gomo E, Nyazema N, Ndhlovu P, Kaestel P, Krarup H, et al. HIV-1 viral load and elevated serum alpha(1)-antichymotrypsin are independent predictors of body composition in pregnant Zimbabwean women. J Nutr. 2002 Dec;132(12):3747-3753.
- 81. Papathakis PC, Van Loan MD, Rollins NC, Chantry CJ, Bennish ML, Brown KH. Body composition changes during lactation in HIV-infected and HIV-uninfected South African women. JAIDS 2006 Dec 1;43(4):467-474.
- 82. Villamor E, Msamanga G, Spiegelman D, Coley J, Hunter DJ, Peterson KE, et al. HIV status and sociodemographic correlates of maternal body size and wasting during pregnancy. Eur J Clin Nutr. 2002 May;56(5):415-424.
- 83. Ladner J, Castetbon K, Leroy V, Nyiraziraje M, Chauliac M, Karita E, et al. Pregnancy, body weight and human immunodeficiency virus infection in African women: a prospective cohort study in Kigali (Rwanda), 1992-1994. Pregnancy and HIV Study Group (EGE). Int J Epidemiol. 1998 Dec;27(6):1072-1077.
- 84. Grinspoon S, Corcoran C, Miller K, Biller BM, Askari H, Wang E, et al. Body composition and endocrine function in women with acquired immunodeficiency syndrome wasting.erratum appears in J Clin Endocrinol Metab 1997 Oct;82(10):3360. Journal of Clinical Endocrinology & Metabolism 1997 May;82(5):1332-1337.
- 85. Swanson B, Hershow RC, Sha BE, Benson CA, Cohen M, Gunfeld C. Body composition in HIV-infected women.. Nutrition 2000 Nov-Dec;16(11-12):1064-1068.
- 86. Kotler DP, Thea DM, Heo M, Allison DB, Engelson ES, Wang J, et al. Relative influences of sex, race, environment, and HIV infection on body composition in adults. Am J Clin Nutr. 1999 Mar;69(3):432-439.
- 87. Forrester JE, Spiegelman D, Tchetgen E, Knox TA, Gorbach SL. Weight loss and body-composition changes in men and women infected with HIV. Am J Clin Nutr. 2002 Dec;76(6):1428-1434.



- 88. Salomon J, de Truchis P, Melchior JC. Body composition and nutritional parameters in HIV and AIDS patients. Clinical Chemistry & Laboratory Medicine 2002 Dec;40(12):1329-1333.
- 89. Tang AM, Jacobson DL, Spiegelman D, Knox TA, Wanke C. Increasing risk of 5% or greater unintentional weight loss in a cohort of HIV-infected patients, 1995 to 2003. JAIDS 2005 Sep 1;40(1):70-76.
- 90. McDermott AY, Terrin N, Wanke C, Skinner S, Tchetgen E, Shevitz AH. CD4+ cell count, viral load, and highly active antiretroviral therapy use are independent predictors of body composition alterations in HIV-infected adults: a longitudinal study. Clinical Infectious Diseases 2005 Dec 1;41(11):1662-1670.
- 91. Kotler DP. Body composition studies in HIV-infected individuals. Ann N.Y.Acad Sci. 2000 May;904:546-552.
- 92. Guenter P, Muurahainen N, Simons G, Kosok A, Cohan GR, Rudenstein R, et al. Relationships among nutritional status, disease progression, and survival in HIV infection. JAIDS 1993 Oct;6(10):1130-1138.
- 93. Friis H, Gomo E, Koestel P, Ndhlovu P, Nyazema N, Krarup H, et al. HIV and other predictors of serum beta-carotene and retinol in pregnancy: a cross-sectional study in Zimbabwe. Am J Clin Nutr. 2001 Jun;73(6):1058-1065.
- 94. Semba RD, Gray GE. Pathogenesis of anemia during human immunodeficiency virus infection. J Invest Med. 2001 May;49(3):225-239.
- 95. Fawzi WW, Msamanga GI, Spiegelman D, Urassa EJ, McGrath N, Mwakagile D, et al. Randomised trial of effects of vitamin supplements on pregnancy outcomes and T cell counts in HIV-1-infected women in Tanzania.. Lancet 1998 May 16;351(9114):1477-1482.
- 96. Darnton-Hill I, Webb P, Harvey PW, Hunt JM, Dalmiya N, Chopra M, et al. Micronutrient deficiencies and gender: social and economic costs. Am J Clin Nutr. 2005 May;81(5):1198S-1205S.
- World Health Organization. Executive Summary of a Scientific Review. Consultation on Nutrition and HIV/AIDS in Africa: Evidence, lessons and recommendations for Action. Durban South Africa. 10-13 April 2005. Available at: http://www.who.int/nutrition/topics/Executive%20Summary%20WHO.pdf. Accessed May/31, 2007.



- 98. Semba RD, Tang AM. Micronutrients and the pathogenesis of human immunodeficiency virus infection. Br J Nutr. 1999 Mar;81(3):181-189.
- 99. Beisel WR. Nutritionally Acquired Immune Deficiency Syndromes. In: Friis H, editor. Micronutrients and HIV Infection. 1st ed. Boca Raton, Florida: CRC Press; 2002. p. 23-42.
- 100. Friis H, Michaelsen KF. Micronutrients and HIV infection: a review. Eur J Clin Nutr. 1998 Mar;52(3):157-163.
- 101. Friis H, Gomo E, Koestel P, Ndhlovu P, Nyazema N, Krarup H, et al. HIV and other predictors of serum folate, serum ferritin, and hemoglobin in pregnancy: a cross-sectional study in Zimbabwe. Am J Clin Nutr. 2001 Jun;73(6):1066-1073.
- 102. Friis H. Micronutrients and Infections: An Introduction. In: Friis H, editor. Micronutrients and HIV Infection. 1st ed. Boca Raton, Florida: CRC Press; 2002. p. 1-21.
- 103. Semba RD. Vitamin A, Carotenoids, and HIV Infection. In: Friis H, editor. Micronutrients and HIV Infection. 1st ed. Boca Raton, Florida: CRC Press; 2002. p. 73-98.
- 104. Stephensen CB, Marquis GS, Douglas SD, Kruzich LA, Wilson CM. Glutathione, glutathione peroxidase, and selenium status in HIV-positive and HIV-negative adolescents and young adults. AmJClinNutr. 2007 Jan;85(1):173-181.
- 105. Agusti C, Rano A, Rovira M, Filella X, Benito N, Moreno A, et al. Inflammatory response associated with pulmonary complications in non-HIV immunocompromised patients. Thorax 2004 Dec;59(12):1081-1088.
- 106. Drain PK, Baeten JM, Overbaugh J, Wener MH, Bankson DD, Lavreys L, et al. Low serum albumin and the acute phase response predict low serum selenium in HIV-1 infected women. BMC Infectious Diseases 2006;6:85.
- 107. Kumwenda N, Miotti PG, Taha TE, Broadhead R, Biggar RJ, Jackson JB, et al. Antenatal vitamin A supplementation increases birth weight and decreases anemia among infants born to human immunodeficiency virus-infected women in Malawi. Clinical Infectious Diseases 2002 Sep 1;35(5):618-624.
- 108. Coutsoudis A, Pillay K, Spooner E, Kuhn L, Coovadia HM. Randomized trial testing the effect of vitamin A supplementation on pregnancy outcomes and



- early mother-to-child HIV-1 transmission in Durban, South Africa. South African Vitamin A Study Group. AIDS 1999 Aug 20;13(12):1517-1524.
- 109. Dreyfuss ML, Msamanga GI, Spiegelman D, Hunter DJ, Urassa EJ, Hertzmark E, et al. Determinants of low birth weight among HIV-infected pregnant women in Tanzania. AmJClinNutr. 2001 Dec;74(6):814-826.
- 110. Semba RD, Miotti PG, Chiphangwi JD, Saah AJ, Canner JK, Dallabetta GA, et al. Maternal vitamin A deficiency and mother-to-child transmission of HIV-1.. Lancet 1994 Jun 25;343(8913):1593-1597.
- 111. Fawzi WW, Msamanga GI, Hunter D, Renjifo B, Antelman G, Bang H, et al. Randomized trial of vitamin supplements in relation to transmission of HIV-1 through breastfeeding and early child mortality. AIDS 2002 Sep 27;16(14):1935-1944.
- 112. Coutsoudis A, Pillay K, Spooner E, Kuhn L, Coovadia HM. Randomized trial testing the effect of vitamin A supplementation on pregnancy outcomes and early mother-to-child HIV-1 transmission in Durban, South Africa. South African Vitamin A Study Group. AIDS 1999 Aug 20;13(12):1517-1524.
- 113. Kupka R, Msamanga GI, Spiegelman D, Morris S, Mugusi F, Hunter DJ, et al. Selenium status is associated with accelerated HIV disease progression among HIV-1-infected pregnant women in Tanzania. J Nutr. 2004 Oct;134(10):2556-2560.
- 114. Tang AM, Graham NM, Chandra RK, Saah AJ. Low serum vitamin B-12 concentrations are associated with faster human immunodeficiency virus type 1 (HIV-1) disease progression. J Nutr. 1997 Feb;127(2):345-351.
- 115. Tang AM, Smit E, Semba RD, Shah N, Lyles CM, Li D, et al. Improved antioxidant status among HIV-infected injecting drug users on potent antiretroviral therapy. Journal of Acquired Immune Deficiency Syndromes: JAIDS 2000 Apr 1;23(4):321-326.
- 116. Baum MK, Shor-Posner G, Lai S, Zhang G, Lai H, Fletcher MA, et al. High risk of HIV-related mortality is associated with selenium deficiency. Journal of Acquired Immune Deficiency Syndromes & Human Retrovirology 1997 Aug 15;15(5):370-374.
- 117. Stephensen CB, Marquis GS, Jacob RA, Kruzich LA, Douglas SD, Wilson CM. Vitamins C and E in adolescents and young adults with HIV infection. Am J Clin Nutr. 2006 Apr;83(4):870-879.



- 118. Baylin A, Villamor E, Rifai N, Msamanga G, Fawzi WW. Effect of vitamin supplementation to HIV-infected pregnant women on the micronutrient status of their infants. Eur J Clin Nutr. 2005 Aug;59(8):960-968.
- 119. Fawzi W, Msamanga G, Spiegelman D, Hunter DJ. Studies of vitamins and minerals and HIV transmission and disease progression. JNutr. 2005 Apr;135(4):938-944.
- 120. Friis H. Micronutrient interventions and HIV infection: a review of current evidence. Tropical Medicine & International Health 2006 Dec;11(12):1849-1857.
- 121. Semba RD, Tang AM. Micronutrients and the pathogenesis of human immunodeficiency virus infection. Br J Nutr. 1999 Mar;81(3):181-189.
- 122. Baum MK, Shor-Posner G, Zhang G, Lai H, Quesada JA, Campa A, et al. HIV-1 infection in women is associated with severe nutritional deficiencies. Journal of Acquired Immune Deficiency Syndromes & Human Retrovirology 1997 Dec 1;16(4):272-278.
- 123. Fawzi WW, Msamanga GI, Spiegelman D, Wei R, Kapiga S, Villamor E, et al. A randomized trial of multivitamin supplements and HIV disease progression and mortality. N Engl J Med. 2004 Jul 1;351(1):23-32.
- 124. WHO, UNICEF, IVACG Task Force. Vitamin A supplements. A guide to their use in the treatment and prevention of vitamin A deficiency and xerophtalmia. 1997;2nd edition:1.
- 125. Thomson CD. Assessment of requirements for selenium and adequacy of selenium status: a review. Eur J Clin Nutr. 2004 Mar;58(3):391-402.
- 126. Kupka R, Msamanga GI, Spiegelman D, Morris S, Mugusi F, Hunter DJ, et al. Selenium status is associated with accelerated HIV disease progression among HIV-1-infected pregnant women in Tanzania. J Nutr. 2004 Oct;134(10):2556-2560.
- 127. Semba RD, Caiaffa WT, Graham NM, Cohn S, Vlahov D. Vitamin A deficiency and wasting as predictors of mortality in human immunodeficiency virus-infected injection drug users. J Infect Dis. 1995 May;171(5):1196-1202.
- 128. Tang AM, Graham NM, Semba RD, Saah AJ. Association between serum vitamin A and E levels and HIV-1 disease progression. AIDS 1997 Apr;11(5):613-620.



- 129. Papathakis PC, Rollins NC, Chantry CJ, Bennish ML, Brown KH. Micronutrient status during lactation in HIV-infected and HIV-uninfected South African women during the first 6 mo after delivery. Am J Clin Nutr. 2007 Jan;85(1):182-192.
- 130. Humphrey JH, Hargrove JW, Malaba LC, Iliff PJ, Moulton LH, Mutasa K, et al. HIV incidence among post-partum women in Zimbabwe: risk factors and the effect of vitamin A supplementation. AIDS 2006 Jun 26;20(10):1437-1446.
- 131. Kanter AS, Spencer DC, Steinberg MH, Soltysik R, Yarnold PR, Graham NM. Supplemental vitamin B and progression to AIDS and death in black South African patients infected with HIV. JAIDS 1999 Jul 1;21(3):252-253.
- 132. Irlam JH, Visser ME, Rollins N, Siegfried N. Micronutrient supplementation in children and adults with HIV infection. Cochrane Database of Systematic Reviews 2005(4):003650.
- 133. Baum MK, Shor-Posner G. Micronutrient status in relationship to mortality in HIV-1 disease. Nutr Rev. 1998 Jan;56(1 Pt 2):S135-9.
- 134. Fawzi WW, Villamor E, Msamanga GI, Antelman G, Aboud S, Urassa W, et al. Trial of zinc supplements in relation to pregnancy outcomes, hematologic indicators, and T cell counts among HIV-1-infected women in Tanzania. Am J Clin Nutr. 2005 Jan;81(1):161-167.
- 135. Tang AM, Lanzillotti J, Hendricks K, Gerrior J, Ghosh M, Woods M, et al. Micronutrients: current issues for HIV care providers. AIDS 2005 Jun 10;19(9):847-861.
- 136. Weinberg GA, Boelaert JR, and Weinberg ED. Iron and HIV infection. In: Friis Henrik, editor. Micronutrients and HIV infection. 1 st ed. Boca Raton, Fla: CRC Press; 2002. p. 135-157.
- 137. Olsen A, Mwaniki D, Krarup H, Friis H. Low-dose iron supplementation does not increase HIV-1 load. JAIDS 2004 May 1;36(1):637-638.
- 138. Hattingh Z, Walsh C, Veldman FJ, Bester CJ. Micronutrient Intake of HIV infected women in Mangaung, Free State. SAJCN 2007 2007;20(1):28-36.
- 139. Vorster HH, Kruger A, Margetts BM, Venter CS, Kruger HS, Veldman FJ, et al. The nutritional status of asymptomatic HIV-infected Africans: directions for dietary intervention? Public Health Nutr. 2004 Dec;7(8):1055-1064.

- 140. Jones CY, Tang AM, Forrester JE, Huang J, Hendricks KM, Knox TA, et al. Micronutrient levels and HIV disease status in HIV-infected patients on highly active antiretroviral therapy in the Nutrition for Healthy Living cohort. Journal of Acquired Immune Deficiency Syndromes: JAIDS 2006 Dec 1;43(4):475-482.
- 141. Drain PK, Kupka R, Mugusi F, Fawzi WW. Micronutrients in HIV-positive persons receiving highly active antiretroviral therapy. Am J Clin Nutr. 2007 Feb;85(2):333-345.
- 142. Marston B, De Cock KM. Multivitamins, nutrition, and antiretroviral therapy for HIV disease in Africa. N Engl J Med. 2004 Jul 1;351(1):78-80.
- 143. Baum MK, Shor-Posner G, Lai S, Zhang G, Lai H, Fletcher MA, et al. High risk of HIV-related mortality is associated with selenium deficiency. Journal of Acquired Immune Deficiency Syndromes & Human Retrovirology 1997 Aug 15;15(5):370-374.
- 144. Berer M. Reducing perinatal HIV transmission in developing countries through antenatal and delivery care, and breastfeeding: supporting infant survival by supporting women's survival. Bull.World Health Organ. 1999;77(11):871-877.
- 145. Newell ML, Brahmbhatt H, Ghys PD. Child mortality and HIV infection in Africa: a review. AIDS 2004 Jun;18(Suppl 2):S27-34.
- 146. Chopra M, Piwoz E, Sengwana J, Schaay N, Dunnett L, Saders D. Effect of a mother-to-child HIV prevention programme on infant feeding and caring practices in South Africa. South African Medical Journal.Suid-Afrikaanse Tydskrif Vir Geneeskunde 2002;92(4):298-302.
- 147. Bradshaw D, Groenewald P, Laubscher R, Nannan N, Nojilana B, Norman R, et al. Initial burden of disease estimates for South Africa, 2000. South African Medical Journal.Suid-Afrikaanse Tydskrif Vir Geneeskunde 2003;93(9):682-688.
- 148. Newell ML. Coovadia H. Cortina-Borja M. Rollins N. Gaillard P. Dabis F. Ghent International AIDS Society (IAS) Working Group on HIV Infection in Women and Children. Mortality of infected and uninfected infants born to HIV-infected mothers in Africa: a pooled analysis. Lancet 2004 Oct 2-8;364(9441):1236-1243.
- 149. Hong R, Banta JE, Kamau JK. Effect of maternal HIV infection on child survival in Ghana. J.Community Health 2007 Feb;32(1):21-36.



- 150. Makasa M, Kasonka L, Chisenga M, Sinkala M, Chintu C, Tomkins A, et al. Early growth of infants of HIV-infected and uninfected Zambian women. Tropical Medicine & International Health 2007 May;12(5):594-602.
- 151. Kuhn L, Kasonde P, Sinkala M, Kankasa C, Semrau K, Scott N, et al. Does severity of HIV disease in HIV-infected mothers affect mortality and morbidity among their uninfected infants? Clinical Infectious Diseases 2005 Dec 1;41(11):1654-1661.
- 152. Mason JB, Bailes A, Mason KE, Yambi O, Jonsson U, Hudspeth C, et al. AIDS, drought, and child malnutrition in southern Africa. Public Health Nutr. 2005 Sep;8(6):551-563.
- 153. Babirekere-Iriso E, Musoke P, Kekitiinwa A. Bacteraemia in severely malnourished children in an HIV-endemic setting. Ann Trop Paediatr. 2006 Dec;26(4):319-328.
- 154. Alioum A, Dabis F, Dequae-Merchadou L, Haverkamp G, Hudgens M, Hughes J, et al. Estimating the efficacy of interventions to prevent mother-to-child transmission of HIV in breast-feeding populations: development of a consensus methodology. Stat Med. 2001 Dec 15;20(23):3539-3556.
- 155. Leserman J. HIV disease progression: depression, stress, and possible mechanisms. Biol.Psychiatry 2003 Aug 1;54(3):295-306.
- 156. Berer M. Recent advances in obstetrics. Transmission of HIV from mother to infant depends on many factors. BMJ 1996 Feb 10;312(7027):379-380.
- 157. Berer M. HIV/AIDS, sexual and reproductive health: intersections and implications for national programmes. Health Policy & Planning 2004 Oct;19(Suppl 1):62-70.
- 158. Berer M. Reducing perinatal HIV transmission in developing countries through antenatal and delivery care, and breastfeeding: supporting infant survival by supporting women's survival. Bull WHO 1999;77(11):871-877.
- 159. Papathakis PC, Rollins NC, Chantry CJ, Bennish ML, Brown KH. Micronutrient status during lactation in HIV-infected and HIV-uninfected South African women during the first 6 mo after delivery. Am J Clin Nutr. 2007 Jan;85(1):182-192.
- 160. Rochat TJ, Richter LM, Doll HA, Buthelezi NP, Tomkins A, Stein A. Depression among pregnant rural South African women undergoing HIV testing. JAMA 2006 Mar 22;295(12):1376-1378.



- 161. Cruess DG, Petitto JM, Leserman J, Douglas SD, Gettes DR, Ten Have TR, et al. Depression and HIV infection: impact on immune function and disease progression. Cns Spectrums 2003 Jan;8(1):52-58.
- 162. Kalichman, S.C. Rompa, D. and Cage, M. Distinguishing between overlapping somatic symptoms of depression and HIV disease in people living with HIV-AIDS. J Nerv Ment Dis 2000 October 2000;188(10):662-670.
- 163. Westbrook LE BL. Perceived stigma of HIV/AIDS scale. 1st ed. Bronx, New York: Albert Einstein College of Medicine; 1996.
- 164. Radloff L.S. The CES-D scale: A self report depression scale for research in the general population. Applied Psychological Measurement 1977;1(1):385-401.
- 165. Carver CS. You want to Measure Coping But Your Protocol's Too Long: Consider the Brief COPE. International Journal of Behavioural Medicine 1997;4(1):92-100.
- 166. Lazarus, R.S. and Folkman, S. Stress, Appraisal and Coping. 1st ed. New York, USA: Stringer Publishing Company; 1984.
- 167. Coetzee D, Hilderbrand K, Boulle A, Draper B, Abdullah F, Goemaere E. Effectiveness of the first district-wide programme for the prevention of mother-to-child transmission of HIV in South Africa. Bull World Health Organ. 2005 Jul;83(7):489-494.
- 168. Eide M, Myhre M, Lindbaek M, Sundby J, Arimi P, Thior I. Social consequences of HIV-positive women's participation in prevention of mother-to-child transmission programmes. Patient Education & Counseling 2006 Feb;60(2):146-151.
- 169. Chopra, M. and Rollins, N. Infant feeding in the time of HIV: Assessment of intant feeding policy and programmes in four African countries scaling up prevention of mother to child transmission programmes. Arch Dis Child 2007 08 Aug 2007:November 30, 2007.
- 170. Bland RM, Rollins NC, Coovadia HM, Coutsoudis A, Newell ML. Infant feeding counselling for HIV-infected and uninfected women: appropriateness of choice and practice. Bull World Health Organ. 2007 Apr;85(4):289-296.
- 171. Manuela de Paoli M, Manongi R, Klepp KI. Are infant feeding options that are recommended for mothers with HIV acceptable, feasible, affordable, sustainable and safe? Pregnant women's perspectives. Public Health Nutr. 2004 Aug;7(5):611-619.



- 172. Greiner T, Grundmann C, Krasovec K, Pitter C, Wilfert C. Structural violence and clinical medicine: free infant formula for HIV-exposed infants. PLoS Medicine / Public Library of Science 2007 Feb;4(2):e87.
- 173. Shah S, Rollins NC, Bland R, Child Health G. Breastfeeding knowledge among health workers in rural South Africa. J Trop Pediatr. 2005 Feb;51(1):33-38.
- 174. Becquet R, Ekouevi DK, Sakarovitch C, Bequet L, Viho I, Tonwe-Gold B, et al. Knowledge, attitudes, and beliefs of health care workers regarding alternatives to prolonged breast-feeding (ANRS 1201/1202, Ditrame Plus, Abidjan, Cote d'Ivoire). JAIDS 2005 Sep 1;40(1):102-105.
- 175. Rea MF, dos Santos RG, Sanchez-Moreno CC. Quality of infant feeding counselling for HIV+ mothers in Brazil: challenges and achievements. Acta Paediatrica 2007 Jan;96(1):94-99.
- 176. Abiona TC, Onayade AA, Ijadunola KT, Obiajunwa PO, Aina OI, Thairu LN. Acceptability, feasibility and affordability of infant feeding options for HIV-infected women: a qualitative study in south-west Nigeria. Maternal & Child Nutrition 2006 Jul;2(3):135-144.
- 177. Ogundele MO, Coulter JB. HIV transmission through breastfeeding: problems and prevention. Ann Trop Paediatr. 2003 Jun;23(2):91-106.
- 178. Varga CA, Sherman GG, Jones SA. HIV-disclosure in the context of vertical transmission: HIV-positive mothers in Johannesburg, South Africa. AIDS Care 2006 Nov;18(8):952-960.
- 179. Buskens I, Jaffe A, Mkhatshwa H. Infant feeding practices: Realities and mindsets of mothers in southern Africa. AIDS Care 2007 Oct 2007;19(9):1101-1109.
- 180. Coutsoudis A. Breastfeeding and the HIV positive mother: the debate continues. Early Hum Dev. 2005 Jan;81(1):87-93.
- 181. Etiebet MA, Fransman D, Forsyth B, Coetzee N, Hussey G. Integrating prevention of mother-to-child HIV transmission into antenatal care: learning from the experiences of women in South Africa. AIDS Care 2004 Jan;16(1):37-46.
- 182. Antelman G, Smith Fawzi MC, Kaaya S, Mbwambo J, Msamanga GI, Hunter DJ, et al. Predictors of HIV-1 serostatus disclosure: a prospective study among HIV-infected pregnant women in Dar es Salaam, Tanzania.. AIDS 2001 September 28;15(14):1865-1874.



- 183. Doherty T, Chopra M, Nkonki L, Jackson D, Greiner T. Effect of the HIV epidemic on infant feeding in South Africa: "When they see me coming with the tins they laugh at me". Bull World Health Organ. 2006 Feb;84(2):90-96.
- 184. Becquet R. Castetbon K. Viho I. Ekouevi DK. Bequet L. Ehouo B. Dabis F. Leroy V. ANRS 1201/1202 Ditrame Plus Study Group. Infant feeding practices before implementing alternatives to prolonged breastfeeding to reduce HIV transmission through breastmilk in Abidjan, Cote d'Ivoire. J.Trop.Pediatr. 2005 Dec;51(6):351-355.
- 185. Chisenga M, Kasonka L, Makasa M, Sinkala M, Chintu C, Kaseba C, et al. Factors affecting the duration of exclusive breastfeeding among HIV-infected and -uninfected women in Lusaka, Zambia. Journal of Human Lactation 2005 Aug;21(3):266-275.
- 186. Edmond KM, Zandoh C, Quigley MA, Amenga-Etego S, Owusu-Agyei S, Kirkwood BR. Delayed breastfeeding initiation increases risk of neonatal mortality. Pediatrics 2006 Mar;117(3):e380-6.
- 187. Becquet R. Leroy V. Ekouevi DK. Viho I. Castetbon K. Fassinou P. Dabis F. Timite-Konan M. ANRS 1201/1202 Ditrame Plus Study Group. Complementary feeding adequacy in relation to nutritional status among early weaned breastfed children who are born to HIV-infected mothers: ANRS 1201/1202 Ditrame Plus, Abidjan, Cote d'Ivoire. Pediatrics 2006 Apr;117(4):e701-10.
- 188. Piwoz EG, Ferguson YO, Bentley ME, Corneli AL, Moses A, Nkhoma J, et al. Differences between international recommendations on breastfeeding in the presence of HIV and the attitudes and counselling messages of health workers in Lilongwe, Malawi. Int Breastfeeding Journal 2006;1(1):2.
- 189. Coutsoudis A. Infant feeding dilemmas created by HIV: South African experiences. J Nutr. 2005 Apr;135(4):956-959.
- 190. Leshabari SC, Koniz-Booher P, Astrom AN, de Paoli MM, Moland KM. Translating global recommendations on HIV and infant feeding to the local context: the development of culturally sensitive counselling tools in the Kilimanjaro Region, Tanzania. Implementation Science 2006;1:22.
- 191. Reuters.

S.Africa sees shortages of Nestle baby AIDS formula. 15 Aug 2005 15:22:10 GMT.



- 192. Friis H, Gomo E, Nyazema N, Ndhlovu P, Krarup H, Kaestel P, et al. Maternal body composition, HIV infection and other predictors of gestation length and birth size in Zimbabwe. Br J Nutr. 2004 Nov;92(5):833-840.
- 193. Earthman CP, Matthie JR, Reid PM, Harper IT, Ravussin E, Howell WH. A comparison of bioimpedance methods for detection of body cell mass change in HIV infection. J Appl Physiol. 2000 Mar;88(3):944-956.
- 194. Kruger HS, Puoane T, Senekal M, van der Merwe MT. Obesity in South Africa: challenges for government and health professionals. Public Health Nutr. 2005 Aug;8(5):491-500.
- 195. Samaras K, Wand H, Law M, Emery S, Cooper D, Carr A. Prevalence of metabolic syndrome in HIV-infected patients receiving highly active antiretroviral therapy using International Diabetes Foundation and Adult Treatment Panel III criteria: associations with insulin resistance, disturbed body fat compartmentalization, elevated C-reactive protein, and corrected hypoadiponectinemia.erratum appears in Diabetes Care. 2007 Feb;30(2):455. Diabetes Care 2007 Jan;30(1):113-119.
- 196. Keithley JK, Swanson B. Minimizing HIV/AIDS malnutrition. MEDSURG Nursing 1998 Oct;7(5):256-267.
- 197. O'Brien ME, Kupka R, Msamanga GI, Saathoff E, Hunter DJ, Fawzi WW. Anemia is an independent predictor of mortality and immunologic progression of disease among women with HIV in Tanzania. Journal of Acquired Immune Deficiency Syndromes: JAIDS 2005 Oct 1;40(2):219-225.
- 198. Fawzi WW, Msamanga GI, Urassa W, Hertzmark E, Petraro P, Willett WC, et al. Vitamins and perinatal outcomes among HIV-negative women in Tanzania. N Engl J Med. 2007 Apr 5;356(14):1423-1431.
- 199. Academy of Science of South Africa. HIV/AIDS, TB and Nutrition. 1st ed. Council for Scientific and Industrial Research (CSIR), Brummeria: Academy of Science of South Africa; July 2007.
- 200. Kupka R, Garland M, Msamanga G, Spiegelman D, Hunter D, Fawzi W. Selenium status, pregnancy outcomes, and mother-to-child transmission of HIV-1: JAIDS 2005 Jun 1;39(2):203-210.
- 201. Ogunro PS, Ogungbamigbe TO, Elemie PO, Egbewale BE, Adewole TA. Plasma selenium concentration and glutathione peroxidase activity in HIV-1/AIDS infected patients: a correlation with the disease progression. Niger Postgrad Med J. 2006 Mar;13(1):1-5.



- 202. van Lettow M, Harries AD, Kumwenda JJ, Zijlstra EE, Clark TD, Taha TE, et al. Micronutrient malnutrition and wasting in adults with pulmonary tuberculosis with and without HIV co-infection in Malawi. BMC Infectious Diseases 2004 Dec 21;4(1):61.
- 203. Visser ME, Maartens G, Kossew G, Hussey GD. Plasma vitamin A and zinc levels in HIV-infected adults in Cape Town, South Africa. BrJNutr. 2003 Apr;89(4):475-482.
- 204. Ubbink JB, Christianson A, Bester MJ, Van Allen MI, Venter PA, Delport R, et al. Folate status, homocysteine metabolism, and methylene tetrahydrofolate reductase genotype in rural South African blacks with a history of pregnancy complicated by neural tube defects. Metabolism: Clinical & Experimental 1999 Feb;48(2):269-274.
- 205. Modjadji SEP, Alberts M, and Mamabolo R L. Folate and iron status of South African non-pregnant rural women of childbearing age, before and after fortification of foods. SAJCN 2007;20(3):89-93.
- 206. Malope BI, MacPhail AP, Alberts M, Hiss DC. The ratio of serum transferrin receptor and serum ferritin in the diagnosis of iron status. BrJHaematol. 2001 Oct;115(1):84-89.
- 207. Gordeuk VR, Onojobi G, Schneider MF, Dawkins FW, Delapenha R, Voloshin Y, et al. The association of serum ferritin and transferrin receptor concentrations with mortality in women with human immunodeficiency virus infection. Haematologica 2006 Jun;91(6):739-743.
- 208. Assembly of Life Sciences (U.S). Laboratory indices of nutritional status in pregnancy. Washington, D.C. USA: National Academy Press; 1978.
- 209. Ekouevi DK, Inwoley A, Tonwe-Gold B, Danel C, Becquet R, Viho I, et al. Variation of CD4 count and percentage during pregnancy and after delivery: implications for HAART initiation in resource-limited settings. AIDS Research & Human Retroviruses 2007 Dec;23(12):1469-1474.
- 210. National Department of Health. Operational Plan for Comprehensive HIV and AIDS Care, Management and Treatment for South Africa. 2003a.
- 211. Hendricks KM, Sansavero M, Houser RF, Tang AM, Wanke CA. Dietary supplement use and nutrient intake in HIV-infected persons. AIDS Read. 2007 223-7; Apr;17(4):211-216.
- 212. Jackson DJ, Chopra M, Doherty TM, Colvin MS, Levin JB, Willumsen JF, et al. Operational effectiveness and 36 week HIV-free survival in the South



- African programme to prevent mother-to-child transmission of HIV-1. AIDS 2007 Feb 19;21(4):509-516.
- 213. Quaghebeur A, Mutunga L, Mwanyumba F, Mandaliya K, Verhofstede C, Temmerman M. Low efficacy of nevirapine (HIVNET012) in preventing perinatal HIV-1 transmission in a real-life situation. AIDS 2004 Sep 3;18(13):1854-1856.
- 214. Moodley D. Moodley J. Coovadia H. Gray G. McIntyre J. Hofmyer J. Nikodem C. Hall D. Gigliotti M. Robinson P. Boshoff L. Sullivan JL. South African Intrapartum Nevirapine Trial (SAINT) Investigators. A multicenter randomized controlled trial of nevirapine versus a combination of zidovudine and lamivudine to reduce intrapartum and early postpartum mother-to-child transmission of human immunodeficiency virus type 1. J Infect Dis. 2003 Mar 1;187(5):725-735.
- 215. Petra Study . Efficacy of three short-course regimens of zidovudine and lamivudine in preventing early and late transmission of HIV-1 from mother to child in Tanzania, South Africa, and Uganda (Petra study): a randomised, double-blind, placebo-controlled trial. Lancet 2002 Apr 6;359(9313):1178-1186.
- 216. Dabis F, Msellati P, Meda N, Welffens-Ekra C, You B, Manigart O, et al. 6-month efficacy, tolerance, and acceptability of a short regimen of oral zidovudine to reduce vertical transmission of HIV in breastfed children in Cote d'Ivoire and Burkina Faso: a double-blind placebo-controlled multicentre trial. DITRAME Study Group. DIminution de la Transmission Mere-Enfant. Lancet 1999 Mar 6;353(9155):786-792.
- 217. Guay LA, Musoke P, Fleming T, Bagenda D, Allen M, Nakabiito C, et al. Intrapartum and neonatal single-dose nevirapine compared with zidovudine for prevention of mother-to-child transmission of HIV-1 in Kampala, Uganda: HIVNET 012 randomised trial. Lancet 1999 Sep 4;354(9181):795-802.
- 218. Jackson JB, Musoke P, Fleming T, Guay LA, Bagenda D, Allen M, et al. Intrapartum and neonatal single-dose nevirapine compared with zidovudine for prevention of mother-to-child transmission of HIV-1 in Kampala, Uganda: 18-month follow-up of the HIVNET 012 randomised trial. Lancet 2003 Sep 13;362(9387):859-868.
- 219. Leroy V, Sakarovitch C, Cortina-Borja M, McIntyre J, Coovadia H, Dabis F, et al. Is there a difference in the efficacy of peripartum antiretroviral regimens in reducing mother-to-child transmission of HIV in Africa? AIDS 2005 Nov 4;19(16):1865-1875.



- 220. Dunn DT, Newell ML, Ades AE, Peckham CS. Risk of human immunodeficiency virus type 1 transmission through breastfeeding. Lancet 1992 Sep 5;340(8819):585-588.
- 221. Tess BH, Rodrigues LC, Newell ML, Dunn DT, Lago TD. Infant feeding and risk of mother-to-child transmission of HIV-1 in Sao Paulo State, Brazil. Sao Paulo Collaborative Study for Vertical Transmission of HIV-1. Journal of Acquired Immune Deficiency Syndromes & Human Retrovirology 1998 Oct 1;19(2):189-194.
- 222. Bobat R, Moodley D, Coutsoudis A, Coovadia H. Breastfeeding by HIV-1-infected women and outcome in their infants: a cohort study from Durban, South Africa. AIDS 1997 Nov;11(13):1627-1633.
- 223. Kalanda BF, Verhoeff FH, Brabin BJ. Breast and complementary feeding practices in relation to morbidity and growth in Malawian infants. Eur J Clin Nutr. 2006 Mar;60(3):401-407.
- 224. Miotti PG, Taha TE, Kumwenda NI, Broadhead R, Mtimavalye LA, Van der Hoeven L, et al. HIV transmission through breastfeeding: a study in Malawi... JAMA 1999 Aug 25;282(8):744-749.
- 225. Brahmbhatt H, Gray RH. Child mortality associated with reasons for non-breastfeeding and weaning: is breastfeeding best for HIV-positive mothers? AIDS 2003 Apr 11;17(6):879-885.
- 226. Colvin M, Chopra M, Doherty T, Jackson D, Levin J, Willumsen J, et al. Operational effectiveness of single-dose nevirapine in preventing mother-to-child transmission of HIV. BullWorld Health Organ. 2007 Jun;85(6):466-473.
- 227. Sherman GG, Jones SA, Coovadia AH, Urban MF, Bolton KD. PMTCT from research to reality--results from a routine service. South African Medical Journal.Suid-Afrikaanse Tydskrif Vir Geneeskunde 2004;94(4):289-292.
- 228. Maskew M, MacPhail P, Menezes C, Rubel D. Lost to follow up: contributing factors and challenges in South African patients on antiretroviral therapy. South African Medical Journal.Suid-Afrikaanse Tydskrif Vir Geneeskunde 2007;97(9):853-857.
- 229. Luo C, Akwara P, Ngongo N, Doughty P, Gass R, Ekpini R, et al. Global progress in PMTCT and paediatric HIV care and treatment in low- and middle-income countries in 2004-2005. Reprod Health Matters 2007 Nov;15(30):179-189.

- 230. Braitstein P. Brinkhof MW. Dabis F. Schechter M. Boulle A. Miotti P. Wood R. Laurent C. Sprinz E. Seyler C. Bangsberg DR. Balestre E. Sterne JA. May M. Egger M. Antiretroviral Therapy in Lower Income Countries (ART-LINC) Collaboration. ART Cohort Collaboration (ART-CC) groups. Mortality of HIV-1-infected patients in the first year of antiretroviral therapy: comparison between low-income and high-income countries.see commenterratum appears in Lancet. 2006 Jun 10;367(9526):1902. Lancet 2006 Mar 11;367(9513):817-824.
- 231. Gilks CF, Crowley S, Ekpini R, Gove S, Perriens J, Souteyrand Y, et al. The WHO public-health approach to antiretroviral treatment against HIV in resource-limited settings. Lancet 2006 Aug 5;368(9534):505-510.
- 232. Fawzi W, Msamanga G, Renjifo B, Spiegelman D, Urassa E, Hashemi L, et al. Predictors of intrauterine and intrapartum transmission of HIV-1 among Tanzanian women. AIDS 2001 Jun 15;15(9):1157-1165.
- 233. Thorne C, Newell ML. Epidemiology of HIV infection in the newborn. Early Hum.Dev. 2000 Apr;58(1):1-16.
- 234. Schulte J, Dominguez K, Sukalac T, Bohannon B, Fowler MG, Pediatric Spectrum of HIV Disease, Consortium. Declines in low birth weight and preterm birth among infants who were born to HIV-infected women during an era of increased use of maternal antiretroviral drugs: Pediatric Spectrum of HIV Disease, 1989-2004. Pediatrics 2007 Apr;119(4):e900-6.
- 235. Delport SD, Becker PJ, Bergh A. Growth, feeding practices and infections in black infants. South African Medical Journal.Suid-Afrikaanse Tydskrif Vir Geneeskunde 1997;87(1):57-61.
- 236. Delport SD, Becker PJ, Bergh A. Growth, feeding practices and infections in black infants. SAMJ 1997 January 1997;87(1):57-61.
- 237. Bobat R, Coovadia H, Moodley D, Coutsoudis A, Gouws E. Growth in early childhood in a cohort of children born to HIV-1-infected women from Durban, South Africa. Ann Trop Paediatr. 2001 Sep;21(3):203-210.
- 238. Lartey A. Maternal and child nutrition in Sub-Saharan Africa: challenges and interventions. Proc Nutr Soc. 2008 Feb;67(1):105-108.
- 239. Onayade AA, Abiona TC, Abayomi IO, Makanjuola RO. The first six month growth and illness of exclusively and non-exclusively breast-fed infants in Nigeria. East Afr Med J. 2004 Mar;81(3):146-153.



- 240. Berhane R, Bagenda D, Marum L, Aceng E, Ndugwa C, Bosch RJ, et al. Growth failure as a prognostic indicator of mortality in pediatric HIV infection. Pediatrics 1997 Jul;100(1):E7.
- 241. Fontana M, Zuin G, Plebani A, Bastoni K, Visconti G, Principi N. Body composition in HIV-infected children: relations with disease progression and survival. Am J Clin Nutr. 1999 Jun;69(6):1282-1286.
- 242. Chatterjee A, Bosch RJ, Hunter DJ, Fataki MR, Msamanga GI, Fawzi WW. Maternal disease stage and child undernutrition in relation to mortality among children born to HIV-infected women in Tanzania. Journal of Acquired Immune Deficiency Syndromes: JAIDS 2007 Dec 15;46(5):599-606.
- 243. Miller T, Evans S, Orav E, Morris V, McIntosh K, Winter H. Growth and body composition in children infected with the human immunodeficiency virus-1. Am J Clin Nutr. 1993 April 1;57(4):588-592.
- 244. Newell ML. Current issues in the prevention of mother-to-child transmission of HIV-1 infection. Transactions of the Royal Society of Tropical Medicine & Hygiene 2006 Jan;100(1):1-5.
- 245. Garrib A, Jaffar S, Knight S, Bradshaw D, Bennish ML. Rates and causes of child mortality in an area of high HIV prevalence in rural South Africa. Tropical Medicine & International Health 2006 Dec;11(12):1841-1848.
- 246. Shapiro RL, Lockman S, Kim S, Smeaton L, Rahkola JT, Thior I, et al. Infant morbidity, mortality, and breast milk immunologic profiles among breast-feeding HIV-infected and HIV-uninfected women in Botswana. JInfectDis. 2007 Aug 15;196(4):562-569.
- 247. Verweel G, van Rossum AMC, Hartwig NG, Wolfs TFW, Scherpbier HJ, de Groot R. Treatment With Highly Active Antiretroviral Therapy in Human Immunodeficiency Virus Type 1-Infected Children Is Associated With a Sustained Effect on Growth. Pediatrics 2002 February 1;109(2):e25.
- 248. Orne-Gliemann J, Becquet R, Ekouevi DK, Leroy V, Perez F, Dabis F. Children and HIV/AIDS: from research to policy and action in resource-limited settings. AIDS 2008 Apr 23;22(7):797-805.
- 249. Bentley ME, Corneli AL, Piwoz E, Moses A, Nkhoma J, Tohill BC, et al. Perceptions of the role of maternal nutrition in HIV-positive breast-feeding women in Malawi. J Nutr. 2005 Apr;135(4):945-949.



250. Jones SA, Sherman GG, Varga CA. Exploring socio-economic conditions and poor follow-up rates of HIV-exposed infants in Johannesburg, South Africa. AIDS Care 2005 May;17(4):466-470.

SERITHI PROJECT 3 DAY POST DELIVERY QUESTIONAIRE

	IDI	ENTIFICATION
CLINIC:		
TOWNSHIP:		
PATIENT NAME:		
PATIENT REGISTRA	TION NUMBER:	
THIER VI REGISTRES	THE THE MELK.	
		INTERVIEW
	INTERVIEW	RESULT CODES
DATE IN FULL:	DD /MM/YY	1. COMPLETED: ☐
		2. REFUSED:□
		3. PARTIALLY COMPLETED:□
		4. OTHER: ☐
-		
INTERVIEWER'S NA	ME.	
INTERVIEWER SINA	AIVIE.	
-		
		LANGUAGE
LANGUAGE OF INTERVE HOME LANGUAGE OF R		
HOME LANGUAGE OF K	ESPONDENT:	
	LAI	NGUAGE CODES
1 ENGLISH	5 IsiXhosa	
2 sePEDI	6 isiZULU	
3 Se I S W AINA	7 seSOTHO	
4 AFRIKAANS	8 tshiVEN	UA
SUPERVISOR	DATA CAPTURER	OFFICE EDITOR
NAME:	NAME:	KEYED BY:
DATE:	DATE: DATE:	

INSTRUCTIONS:

a) once

This questionnaire will be administered to assess baby feeding practices soon after delivery. Several of the questions will also attempt to establish whether the mother is exclusively feeding the infant regardless of her choice.

Child Date of Birth	Name of Child	
	(M/F) BIRTH WEIGHT	KG.
NEVIRAPINE ADMINISTR	ATION	
(circle appropriate answer)		
Mother:	Child:	
a) Yes	a) Yes	
b) No	b) No	
c) do not know	c) do not know	
B1. Did you ever breastfeed yo	our baby?	
(a) yesif yes go	to B2	
(b) noif no go t	to B3	
B1.1 Did you ever put the baby	y to the breast to suckle?	
(a) yes		
(b) no		
B2. If yes, how soon after deliv	very was your baby first put to the breast	
(a) within 30 minutes after		
(b) after 1 hour post delive		
(c) after 2 hours post deliv	/ery	
(d) after 1 day (24 hours)		
(e) don't know		
(f) other (specify)		
	by receive anything to eat or drink (including medicin	nes) before
being put to the breast or before	e being formula fed?	
(1) yes		
(2) no		
(9) do not know		
B3.1. If yes, specify all the food	d or medicines the baby was given	
•		
B4 What is the main type of (a) breast milk	milk you are currently feeding your baby (one respon	nse)
(b) commercial breast milk	k substitute/formula	
(c) cows milk	a substitute/101111uiu	
(d) other, specify		
B5. How many times over the p	past day, did you feed the baby this milk?	

- b) twice
- c) three times
- d) five times
- e) more than five times?
- f) Other, specify.....

Date of Next appointment:_____

SERITHI PROJECT Cohort 1 and 2 6 WEEK VISIT QUESTIONAIRE

WEEK VISIT QUESTION				
IDENTIFICATION				
CLINIC:				
TOWNSHIP:				
PATIENT NAME:				
D. MYELVE DE GYGED A	TANKA TANKA			
PATIENT REGISTRA	TION NUMBER:			
		INTERVIEW		
	INTERVIEW	RESULT CODES		
DATE IN FULL:	DD /MM/YY	1. COMPLETED: ☐		
		2. REFUSED:□		
		3. PARTIALLY COMPLETED:□		
		4. OTHER: ☐		
INTERVIEWER'S NA	ME:			
		LANGUAGE		
		LANGUAGE		
LANGUAGE OF INTERV	IFW:			
HOME LANGUAGE OF R				
HOME EM COMOE OF R	EST STEELT.			
	LA	NGUAGE CODES		
1 ENGLISH	5 IsiXhosa	9 ziTSONGA		
2 sePEDI	6 isiZULU	10 isiNDEBELE		
3 seTSWANA	7 seSOTH	O 11 seSWATI		
4 AFRIKAANS	8 tshiVEN	DA		
SUPERVISOR	DATA CAPTURER	OFFICE EDITOR		
NAME:	NAME:	KEYED BY:		
DATE:	DATE: DATE:			

Mother Date of Birth:	
Child Date of Birth:	Name of Child
NEVIRAPINE ADMINISTRATION:	
Mother:	Child:
a) Yes	a) Yes
b) No	b) No
c) Do not know	c) Do not know

INSTRUCTIONS:

The questionnaire administered at this time will establish the nutritional status of the mother (through measurements of her height and weight and mid-upper arm circumference and also through collection of blood samples which will be analysed for the levels of different vitamins and minerals. All this information will provide us with a more complete picture of the mothers own health.

In addition this questionnaire will be used to find out if the baby is growing well (by measuring weight and length) and finding out as accurately as possible from the mothers what the baby is currently being fed.

Anthropometric measurements

Mother	Baby
Weightkg	weightkg
Heightm	lengthcm
Mid upper arm circumferencecm	
Sex of the baby	

ASSESSMENT OF HEALTHY EATING AND LIVING PRACTICES:

A. Since you were informed of your HIV status, did you receive any information on what foods to eat to stay healthy:

- (a) yes
- (b) no
- (c) don't know
- B. Where did you obtain the information from?
 - (a) Serithi Project
 - (b) Counselling session
 - (c) Self
 - (d) Magazine/ other printed material
 - (e) Radio
 - (f) Television

(g) Other (specify)
C. From your viewpoint what is the main message on healthy eating for persons living with HIV?
D. Have you followed the advice you were given on healthy eating habits?
(a) yes
(b) no (c) don't know
E. If no, why not?
ASSESSMENT OF INFANT FEEDING PRACTICES
Instructions:
The following questions are going to help us find out how you are currently feeding the baby since the last visit and to find out if the baby is growing well.
C1. Did you ever breastfeed your baby
(a) yes – if yes continue from C1.1(b) no answer question below
C1.1 If no, why did you choose not to breastfeed your baby?
 a) fear of transmitting the virus through breastmilk b) did not think I could cope with breastfeeding exclusively c) other (specify)
PROCEED TO FORMULA FED BABIES SECTION (C20)
BREAST FED BABIES (only):
C1.1 Why did you choose to breastfeed your baby? a) it is the healthier option for my baby
b) I will be able to cope with exclusive breastfeeding
c) It is the cultural norm
d) I breastfed previous children successfully e) Other (specify)
C1.1How soon after delivery did you put the baby to the breast to suckle?)
a) within 1 hour after delivery
b) 2 hours after delivery
c) after a day (24 hours) d) don't know
e) other (specify)
C2. What do you to comfort the baby when the baby cries?
(a) give a pacifier(b) other, specify
C3. Do you live with the baby currently? (a) Yes

ommercial infant formula			
OOD	YES (TICK)	TIMES PER DAY	
C10. Is the baby still being breast (a) Yes- proceed to C11 (b) Nocontinue with cess C11. In addition to breastmilk are day?	sation of breastmilk s		nd how many tin
C9. Was the other person who we (1) HIV positive (2) HIV negative (9) do not know	et nursed your baby		
(a) mother ill/weak (b) breast or nipple difficult (c) not enough milk (d) work (e) has to go out/separated f (f) advised by husband/fam (g) do not want to infect chi (h) Other specify	y From infant ily member ld with HIV		
C7. Has anyone else beside yours 1.yes 2. no 9. do not know	self ever breastfed your	baby since the last visit?	
C6. If yes, was your baby fed: (a) your own expressed brea (b) other milk or semi-solids (c) other (specify)	S		
25. During the time you were sep a) yes b) no c) don't know	parated from the baby,	do you know what the baby v	was fed?
b) no			
24. If yes have you ever been sep a) yes	sarated from the baby s	ance the last visit?	

FOOD	YES (TICK)	TIMES PER DAY
commercial infant formula		
commercial semi-solid infant food such as purity		
home prepared cereals/porridge/ mashed fruit/vegetables		
traditional medicine		
over the counter unprescribed		

medicine such as Umuti wenyoni or gripe water – specify	
Medicine prescribed by a doctor or	
water/sugar water	
juice/tea	
other food / fluid, specify	

Cessation of breastfeeding:

The following questions are for the mothers who have stopped/ are in the process of stopping breastfeeding. If the mother has not reported any breastfeeding in the last few days ask the following:

C12. Hav	e you completely stopped breastfeeding, every night and every day?
(a)	yes
(b) 1	10
(9) D	Oon't know
	v old was the baby when you completely stopped breastfeeding every night and every day? age in days
(a) a	age in weeks
(b) .	Age in months
C14. Do	you still put your baby to the breast to suckle occasionally?
(a)	yes
(b) 1	10

C13. How long did it take for you to completely stop breastfeeding your baby from the day you decided and began to stop to the day he or she no longer suckled from your breasts?
.....number of days
.....number of weeks

C14. What was the main reason for you stopping breast feeding?. Tick one appropriate response

Reason	Tick
a. infant no longer wanted to breastfeed	
b. to encourage infant to eat solid food	
c .pregnancy	
d. fear of transmitting HIV	
e. mother can afford replacement feeding	
f. advised by health care worker	
g. advised by husband or partner	
h. resumption of sexual relationship	
i. advised by other person	
j. separation from infant for other reasons	

k. mother too sick to breastfeed	
1 .infant too sick to breastfeed	
m. infant not growing well	
n. other reason, specify	

C15. How did you stop breastfeeding your baby. Tick answer/s given (can be more than 1 response)

- (a) put something to breast
- (b) sent infant to relative or friend or neighbour
- (c) took medicine to stop milk
- (d) gave infant other milk
- (e) gave infant a feeding bottle
- (f) did nothing special
- (g) other method, describe.....

C16. When you stopped breastfeeding totally how long did it take you to stop?

- (a) 1 day
- (b) less than a week
- (c) more than a week.

C17. During this time when you were stopping breastfeeding what were you feeding the baby?

- (a) breastmilk
- (b) cows milk
- (c) formula milk
- (d) Other food, specify.....

C18. Did you encounter any problems when you stopped

- (a) yes
- (b) no

C19. If yes, what problems did you encounter when you stopped breastfeeding your baby? **Tick answer/s given. Can be more than one response**

- (a) infant cried or unhappy
- (b) breast pain
- (c) breast engorgement
- (d) mother became ill
- (e) infant became ill
- (f) disapproval by partner, family or neighbours
- (g) disapproval by health worker
- (h) no food or milk to feed the infant
- (i) other problems, specify.....

If the baby has stopped being breast fed and is now formula fed, answer ALL the questions below:

FORMULA FED BABIES:

C20. Specify the types of food given to the baby since the last visit (tick against response)

FOOD	YES
commercial infant formula	
commercial semi-solid infant	

food such as purity			
home prepared cereals/porridge/			
mashed fruit/vegetables			
traditional medicine			
traditional medicine			
over the counter unprescribed			
medicine such as Umuti			
wenyoni or gripe water –			
specify			
Medicine prescribed by a doctor			
or			
water/sugar water			
juice/tea			
C21. Where did you obtain the for	rmula feeds for the baby?		
(a) health facility (PMTCT) programme			
(b) Shop	71 6		
(c) Chemist			
* *			
(9) Don't know	•••••		
(5) Don't Miow			
C22. Why did you not get formula feeds from the clinic?			
ezz. Willy did you not get forman	a reeds from the enine.		
(a) Do not want to be seen carrying milk from the clinic			
(b) People will know I am H			
	1 v positive		
(c) Can afford to buy milk			
(d) Prefer other types than what is in the clinic			
(e) Do not like health workers attitude			
(f) Clinic does not stock/distribute milk			
(g) Too difficult to return to			
(h) Other (specify)			
(i) Don't know			
G			
C23. Have you ever run out of for	mula milk?		
(a) yes			
(b) no			
(c) don't know			
C24. Why did you run out of form	ula milk? (one or two reasons only)		
(a) Insufficient supply from cl	inic		
(b) Unable to get to clinic			
(c) Ran out of money to buy of	(c) Ran out of money to buy own		
(d) Used milk for other children			
(e) Used formula milk for other purposes eg tea			
(f) Other,	(specify)		
	•		
C25. What did you feed the baby when you ran out of formula?			
(specify)			
•			
C26. What do you to comfort the baby when the baby cries?			
(a) give a pacifier	-		
., .			

(b) other, specify
C26.1 Do you live with the baby currently? (c) Yes (d) No
C26.2 If yes, have you ever been separated from the baby since the last visit? a) yes b) no
C26.3. During the time you were separated from the baby, do you know what the baby was fed? a. yes b. no c. don't know
C26.4. If yes, was your baby fed: (d) your own expressed breastmilk (e) other milk or semi-solids (c) other (specify)
C27.Do you have privacy where you stay for feeding the baby? (a)yes (b)no
C28. Does anyone (family or friends) ask why you do not breast – fed your baby? (a) yes (b) no
C29. If yes, what reasons do you give them for not breastfeeding?
 (a) advised by health staff not to breastfeed (b) insufficient breast milk (c) ill health does not allow me to breastfeed (d) Other(specify)
Infant health: The following questions will provide us with information on the general health of your baby:
C30. Since the last visit has your baby had diarrhoea? (a)yes (b)no ©don't know
C31. Since the last visit has your baby had any sores in the mouth? (a) yes (b) no (c) don't know
C31.1 Since the last visit has the baby had any other illness? (a) yes (b) no (c) do not know
C31.2 If yes, specify

- C32. When your baby was ill did you consult the following:
 - (a) clinic/hospital
 - (b) private doctor
 - (c) a traditional healer
 - (d) chemist
 - (e) other.....(specify)
 - (f) not applicable
- C33. What if any kinds of medicine were you given?
 - (a) oral rehydration solution
 - (b) vitamins
 - (c) prescribed medicines
 - (d) non-prescribed medicines
 - (e) other....(specify)
 - (f) not applicable
- C34. Since the last visit has your baby been admitted to hospital?
 - (a) yes
 - (b) no
 - (c) don't know
- C35. If yes, how many times?
 - (a) once
 - (b) more than once
 - (c) do not know
 - (d) not applicable

PROCEED WITH THE MEDICAL ASSESSMENT BELOW

MEDICAL ASSESSMENT

The following section helps us to asses the health of the mother (pls answer all questions)

1. Skin			YES	NO
	1. Acne	Face		
		Back		
	2. Herpes Zoster	Current		
		Scar		
	3. Dermatitis	Non specific		
		Seborrhoeic		
	Kaposi Sarcoma			
	5. Nail fungal infections			
2. Mouth	Oral candidiasis	White		
		Red		
		hypertrophic		
		periorbital		
	2. Oral hairy leukoplakia	F		
	3. Oral ulceration			
	4. Gingivitis			
3. Lymph Nodes	1. Small			
	2. Large			
	3. Matted			
4. CNS	1. Appropriate			
	2. Inappropriate	opriate		
	3. Peripheral Neuropathy			
5. Chest	1. Dyspnoea			
	2. Tachypnoea			
	3. Cough	Dry		
		Productive		
6. CVS	1. Normal			
	2. Tachycardia			
	3. Other			
	1. HSM			
7. GIT	1. 113101			
7. GIT				
7. GIT	Ascites Diffusely tender			
7. GIT 8.	Ascites Diffusely tender 1. Oedema			
	Ascites Diffusely tender			
	Ascites Diffusely tender Oedema Clubbing Loss of weight			
8.	Ascites Diffusely tender Oedema Clubbing			

E3.0. Any new problems (medical)	
	•
	•
E2.4 Action token	
E3.1.Action taken	-
	•
FUNCTION	SCORE
NORMAL, NO EVIDENCE OF DISEASE	100
ABLE TO PERFORM NORMAL ACTIVITY WITH ONLY MINOR SYMPTOMS	90
NORMAL ACTIVITY WITH EFFORT, SOME SYMPTOMS	80
ABLE TO CARE FOR SELF BUT UNABLE TO DO NORMAL ACTIVITIES REQUIRES OCCASIONAL ASSISTANCE, CARES FOR MOST NEEDS	70 60
REQUIRES CONSIDERABLE ASSISTANCE	50
DISABLED, REQUIRES SPECIAL ASSISTANCE	40
SEVERELY DISABLED	30
VERY SICK, REQUIRES ACTIVE SUPPORTIVE TREATMENT	20
MORIBUND	10
BLOOD FOR CD4:(TAKEN OR NOT TAKEN)	
STAGE:	
21102	
W. DDOGWY GGODE	
KARPOSKY SCORE:	
DATE OF NEW ADDOLLAR	
DATE OF NEXT APPOINTMENT:	

SERITHI PROJECT 6 Months QUESTIONAIRE

6 Months QUESTIONAIRE		
	IDEN	ITIFICATION
CLINIC:		
TOWNSHIP:		
TOWNSHIF.		
PATIENT NAME:		
D. MYEN YE DE GLORED I	TION IN OPEN	
PATIENT REGISTRA	TION NUMBER:	
	IN	TERVIEW
	INTERVIEW	RESULT CODES
DATE IN FULL:	DD /MM/YY	1. COMPLETED:
		2. REFUSED: ☐ 3. PARTIALLY COMPLETED: ☐
-		4. OTHER:
INTERVIEWER'S NA	ME.	
INTERVIEWER 5 NA	IVIE;	
	L	ANGUAGE
LANGUAGE OF INTERVI		
HOME LANGUAGE OF R	ESPONDENT:	
	LANG	GUAGE CODES
1 ENGLISH	5 IsiXhosa	9 ziTSONGA
2 sePEDI 3 seTSWANA	6 isiZULU 7 seSOTHO	10 isiNDEBELE 11 seSWATI
4 AFRIKAANS	8 tshiVENDA	
SUPERVISOR NAME:	DATA CAPTURER NAME:	OFFICE EDITOR KEYED BY:
DATE:	DATE: DATE:	ALILUUI.
	<u> </u>	

Mother Date of Birth: Child Date of Birth:	Name of Child	
NEVIRAPINE ADMINISTRATION:		
Mother:	Child:	
a) Yes	a) Yes	
b) No	b) No	
c) Do not know	c) Do not	know

INSTRUCTIONS:

The questionnaire administered at this time will establish the nutritional status of the mother (through measurements of her height and weight and mid-upper arm circumference and also through collection of blood samples which will be analysed for the levels of different vitamins and minerals. All this information will provide us with a more complete picture of the mothers own health.

In addition this questionnaire will be used to find out if the baby is growing well (by measuring weight and length) and finding out as accurately as possible from the mothers what the baby is currently being fed.

Anthropometric measurements

Mother	Baby
Weightkg	weightkg
Heightm	lengthcm
Mid upper arm circumferencecm	
Sex of the baby	

ASSESSMENT OF HEALTHY EATING AND LIVING PRACTICES:

A. Since you were informed of your HIV status, did you receive any information on what foods to eat to stay healthy:

- (a) yes
- (b) no
- (c) don't know
- B. Where did you obtain the information from?
 - (a) Serithi Project
 - (b) Counselling session
 - (c) Self
 - (d) Magazine/ other printed material
 - (e) Radio

(f) Television (g) Other (specify)
C. From your viewpoint what is the main message on healthy eating for persons living with HIV?
D. Have you followed the advice you were given on healthy eating habits?
(a) yes(b) no(c) don't know
E. If no, why not?
ASSESSMENT OF INFANT FEEDING PRACTICES
Instructions:
The following questions are going to help us find out how you are currently feeding the baby since the las visit and to find out if the baby is growing well.
C1. Did you ever breastfeed your baby (a) yes – if yes continue from C1.1 (b) no answer question below
C1.1 If no, why did you choose not to breastfeed your baby?
a) fear of transmitting the virus through breastmilkb) did not think I could cope with breastfeeding exclusivelyc) other (specify)
PROCEED TO FORMULA FED BABIES SECTION (C20)
BREAST FED BABIES (only):
C1.1 Why did you choose to breastfeed your baby?
 a) it is the healthier option for my baby b) I will be able to cope with exclusive breastfeeding c) It is the cultural norm d) I breastfed previous children successfully e) Other (specify)
C1.1How soon after delivery did you put the baby to the breast to suckle?) a) within 1 hour after delivery b) 2 hours after delivery c) after a day (24 hours) d) don't know e) other (specify)
C2. What do you to comfort the baby when the baby cries? (a) give a pacifier (b) other, specify
C3. Do you live with the baby currently?

(a) Yes (b) No
C4. If yes have you ever been separated from the baby since the last visit? a) yes b) no
C5. During the time you were separated from the baby, do you know what the baby was fed? a) yes b) no c) don't know
C6. If yes, was your baby fed: (a) your own expressed breastmilk (b) other milk or semi-solids (c) other (specify)
C7. Has anyone else beside yourself ever breastfed your baby since the last visit? 1.yes 2. no 9. do not know
C8. If yes why did the other person breastfeed your baby? (a) mother ill/weak (b) breast or nipple difficulty (c) not enough milk (d) work (e) has to go out/separated from infant (f) advised by husband/family member (g) do not want to infect child with HIV (h) Other specify
C9. Was the other person who wet nursed your baby (1) HIV positive (2) HIV negative (9) do not know
C10. Is the baby still being breastfed? (a) Yes- proceed to C11 (b) Nocontinue with cessation of breastmilk section
C11. In addition to breastmilk are you feeding the baby any of the following foods and how many times in a day?

FOOD	YES (TICK)	TIMES PER DAY
commercial infant formula		
commercial semi-solid infant food such as purity		
home prepared cereals/porridge/ mashed fruit/vegetables		
traditional medicine		

over the counter unprescribed medicine such as Umuti wenyoni or gripe water – specify	
Medicine prescribed by a doctor	
or	
water/sugar water	
juice/tea	
other food / fluid, specify	

Cessation of breastfeeding:

The following questions are for the mothers who have stopped/ are in the process of stopping breastfeeding. If the mother has not reported any breastfeeding in the last few days ask the following:

C12. Have you completely stopped breastfeeding, every night and every day?
(a) yes
(b) no
(9) Don't know
C13. How old was the baby when you completely stopped breastfeeding every night and every day?
(a) age in days
(a) age in weeks

C14. Do you still put your baby to the breast to suckle occasionally?

(b) Age in months.....

- (a) yes
- (b) no

C13. How long did it take for you to completely stop breastfeeding your baby from the day you decided and began to stop to the day he or she no longer suckled from your breasts?number of daysnumber of weeks

C14. What was the main reason for you stopping breast feeding?. Tick one appropriate response

Reason	Tick
a. infant no longer wanted to breastfeed	
b. to encourage infant to eat solid food	
c .pregnancy	
d. fear of transmitting HIV	
e. mother can afford replacement feeding	
f. advised by health care worker	
g. advised by husband or partner	
h. resumption of sexual relationship	
i. advised by other person	

j. separation from infant for other reasons	
k. mother too sick to breastfeed	
1 .infant too sick to breastfeed	
m. infant not growing well	
n. other reason, specify	

C15. How did you stop breastfeeding your baby. Tick answer/s given (can be more than 1 response)

- (a) put something to breast
- (b) sent infant to relative or friend or neighbour
- (c) took medicine to stop milk
- (d) gave infant other milk
- (e) gave infant a feeding bottle
- (f) did nothing special
- (g) other method, describe.....

C16. When you stopped breastfeeding totally how long did it take you to stop?

- (a) 1 day
- (b) less than a week
- (c) more than a week.

C17. During this time when you were stopping breastfeeding what were you feeding the baby?

- (a) breastmilk
- (b) cows milk
- (c) formula milk
- (d) Other food, specify.....

C18. Did you encounter any problems when you stopped

- (a) yes
- (b) no

C19. If yes, what problems did you encounter when you stopped breastfeeding your baby? **Tick answer/s** given. Can be more than one response

- (a) infant cried or unhappy
- (b) breast pain
- (c) breast engorgement
- (d) mother became ill
- (e) infant became ill
- (f) disapproval by partner, family or neighbours
- (g) disapproval by health worker
- (h) no food or milk to feed the infant
- (i) other problems, specify......

If the baby has stopped being breast fed and is now formula fed, answer ALL the questions below:

FORMULA FED BABIES:

C20. Specify the types of food given to the baby since the last visit (tick against response)

FOOD	YES
commercial infant formula	

commercial semi-solid infant		
food such as purity		
home prepared cereals/porridge/		
mashed fruit/vegetables		
traditional medicine		
over the counter unprescribed		
over the counter unprescribed medicine such as Umuti		
wenyoni or gripe water –		
specify		
T · · · · · ·		
Medicine prescribed by a doctor		
or		
water/sugar water		
juice/tea		
C21. Where did you obtain the form (a) health facility (PM' (b) Shop (c) Chemist (d) Other (specify) (9) Don't know	TCT) programme	
C22. Why did you not get formula f	eeds from the clinic?	
 (a) Do not want to be seen carrying milk from the clinic (b) People will know I am HIV positive (c) Can afford to buy milk (d) Prefer other types than what is in the clinic (e) Do not like health workers attitude (f) Clinic does not stock/distribute milk (g) Too difficult to return to clinic (h) Other (specify)		
(a) yes(b) no(c) don't know		
C24.Why did you run out of formula milk? (one or two reasons only) (a) Insufficient supply from clinic (b) Unable to get to clinic (c) Ran out of money to buy own (d) Used milk for other children (e) Used formula milk for other purposes eg tea (f) Other,(specify)		
C25. What did you feed the baby wh	hen you ran out of formula	ι?
(specify)		••••••
C26. What do you to comfort the ba (a) give a pacifier	by when the baby cries?	

(b) other, specify
C26.1 Do you live with the baby currently? (c) Yes (d) No
C26.2 If yes, have you ever been separated from the baby since the last visit? a) yes b) no
C26.3. During the time you were separated from the baby, do you know what the baby was fed? a. yes b. no c. don't know
C26.4. If yes, was your baby fed: (d) your own expressed breastmilk (e) other milk or semi-solids (c) other (specify)
C27.Do you have privacy where you stay for feeding the baby? (a)yes (b)no
C28. Does anyone (family or friends) ask why you do not breast – fed your baby? (a) yes (b) no
C29. If yes, what reasons do you give them for not breastfeeding?
 (a) advised by health staff not to breastfeed (b) insufficient breast milk (c) ill health does not allow me to breastfeed (d) Other(specify)
Infant health: The following questions will provide us with information on the general health of your baby:
C30. Since the last visit has your baby had diarrhoea? (a)yes (b)no ©don't know
C31. Since the last visit has your baby had any sores in the mouth? (a) yes (b) no (c) don't know
C31.1 Since the last visit has the baby had any other illness? (a) yes (b) no (c) do not know
C31.2 If yes, specify

- C32. When your baby was ill did you consult the following:
 - (a) clinic/hospital
 - (b) private doctor
 - (c) a traditional healer
 - (d) chemist
 - (e) other.....(specify)
 - (f) not applicable
- C33. What if any kinds of medicine were you given?
 - (a) oral rehydration solution
 - (b) vitamins
 - (c) prescribed medicines
 - (d) non-prescribed medicines
 - (e) other....(specify)
 - (f) not applicable
- C34. Since the last visit has your baby been admitted to hospital?
 - (a) yes
 - (b) no
 - (c) don't know
- C35. If yes, how many times?
 - (a) once
 - (b) more than once
 - (c) do not know
 - (d) not applicable

PROCEED WITH THE MEDICAL ASSESSMENT BELOW

MEDICAL ASSESSMENT

The following section helps us to asses the health of the mother (pls answer all questions)

1. Skin			YES	NO
	1. Acne	Face		
		Back		
	2. Herpes Zoster	Current		
		Scar		
	3. Dermatitis	Non specific		
		Seborrhoeic		
	Kaposi Sarcoma			
	5. Nail fungal infections			
2. Mouth	Oral candidiasis	White		
		Red		
		hypertrophic		
		periorbital		
	2. Oral hairy leukoplakia	F		
	3. Oral ulceration			
	4. Gingivitis			
3. Lymph Nodes	1. Small			
	2. Large			
	3. Matted			
4. CNS	1. Appropriate			
	2. Inappropriate			
	Peripheral Neuropathy			
5. Chest	1. Dyspnoea			
	2. Tachypnoea			
	3. Cough	Dry		
		Productive		
6. CVS	1. Normal			
	2. Tachycardia			
	3. Other			
	1. HSM			
7. GIT	1. 113101			
7. GIT				
7. GIT	Ascites Diffusely tender			
7. GIT 8.	Ascites Diffusely tender 1. Oedema			
	Ascites Diffusely tender			
	Ascites Diffusely tender Oedema Clubbing Loss of weight			
8.	Ascites Diffusely tender Oedema Clubbing			

E3.0. Any new probler	ms (medical)	
		_
		_
		_
		_
		
E3.1. Action taken		_
		_
		-
		_
		_
		_
	FUNCTION	22225
	FUNCTION NO ENTRENOE OF PURE AGE	SCORE
	NORMAL, NO EVIDENCE OF DISEASE	100
	ABLE TO PERFORM NORMAL ACTIVITY WITH ONLY MINOR SYMPTOMS	90
	ABLE TO PERFORM NORMAL ACTIVITY WITH ONLY MINOR SYMPTOMS NORMAL ACTIVITY WITH EFFORT, SOME SYMPTOMS	90 80
	ABLE TO PERFORM NORMAL ACTIVITY WITH ONLY MINOR SYMPTOMS NORMAL ACTIVITY WITH EFFORT, SOME SYMPTOMS ABLE TO CARE FOR SELF BUT UNABLE TO DO NORMAL ACTIVITIES	90 80 70
	ABLE TO PERFORM NORMAL ACTIVITY WITH ONLY MINOR SYMPTOMS NORMAL ACTIVITY WITH EFFORT, SOME SYMPTOMS ABLE TO CARE FOR SELF BUT UNABLE TO DO NORMAL ACTIVITIES REQUIRES OCCASIONAL ASSISTANCE, CARES FOR MOST NEEDS	90 80 70 60
	ABLE TO PERFORM NORMAL ACTIVITY WITH ONLY MINOR SYMPTOMS NORMAL ACTIVITY WITH EFFORT, SOME SYMPTOMS ABLE TO CARE FOR SELF BUT UNABLE TO DO NORMAL ACTIVITIES REQUIRES OCCASIONAL ASSISTANCE, CARES FOR MOST NEEDS REQUIRES CONSIDERABLE ASSISTANCE	90 80 70 60 50
	ABLE TO PERFORM NORMAL ACTIVITY WITH ONLY MINOR SYMPTOMS NORMAL ACTIVITY WITH EFFORT, SOME SYMPTOMS ABLE TO CARE FOR SELF BUT UNABLE TO DO NORMAL ACTIVITIES REQUIRES OCCASIONAL ASSISTANCE, CARES FOR MOST NEEDS REQUIRES CONSIDERABLE ASSISTANCE DISABLED, REQUIRES SPECIAL ASSISTANCE	90 80 70 60 50 40
	ABLE TO PERFORM NORMAL ACTIVITY WITH ONLY MINOR SYMPTOMS NORMAL ACTIVITY WITH EFFORT, SOME SYMPTOMS ABLE TO CARE FOR SELF BUT UNABLE TO DO NORMAL ACTIVITIES REQUIRES OCCASIONAL ASSISTANCE, CARES FOR MOST NEEDS REQUIRES CONSIDERABLE ASSISTANCE DISABLED, REQUIRES SPECIAL ASSISTANCE SEVERELY DISABLED	90 80 70 60 50 40 30
	ABLE TO PERFORM NORMAL ACTIVITY WITH ONLY MINOR SYMPTOMS NORMAL ACTIVITY WITH EFFORT, SOME SYMPTOMS ABLE TO CARE FOR SELF BUT UNABLE TO DO NORMAL ACTIVITIES REQUIRES OCCASIONAL ASSISTANCE, CARES FOR MOST NEEDS REQUIRES CONSIDERABLE ASSISTANCE DISABLED, REQUIRES SPECIAL ASSISTANCE SEVERELY DISABLED VERY SICK, REQUIRES ACTIVE SUPPORTIVE TREATMENT	90 80 70 60 50 40 30 20
	ABLE TO PERFORM NORMAL ACTIVITY WITH ONLY MINOR SYMPTOMS NORMAL ACTIVITY WITH EFFORT, SOME SYMPTOMS ABLE TO CARE FOR SELF BUT UNABLE TO DO NORMAL ACTIVITIES REQUIRES OCCASIONAL ASSISTANCE, CARES FOR MOST NEEDS REQUIRES CONSIDERABLE ASSISTANCE DISABLED, REQUIRES SPECIAL ASSISTANCE SEVERELY DISABLED	90 80 70 60 50 40 30
	ABLE TO PERFORM NORMAL ACTIVITY WITH ONLY MINOR SYMPTOMS NORMAL ACTIVITY WITH EFFORT, SOME SYMPTOMS ABLE TO CARE FOR SELF BUT UNABLE TO DO NORMAL ACTIVITIES REQUIRES OCCASIONAL ASSISTANCE, CARES FOR MOST NEEDS REQUIRES CONSIDERABLE ASSISTANCE DISABLED, REQUIRES SPECIAL ASSISTANCE SEVERELY DISABLED VERY SICK, REQUIRES ACTIVE SUPPORTIVE TREATMENT	90 80 70 60 50 40 30 20
	ABLE TO PERFORM NORMAL ACTIVITY WITH ONLY MINOR SYMPTOMS NORMAL ACTIVITY WITH EFFORT, SOME SYMPTOMS ABLE TO CARE FOR SELF BUT UNABLE TO DO NORMAL ACTIVITIES REQUIRES OCCASIONAL ASSISTANCE, CARES FOR MOST NEEDS REQUIRES CONSIDERABLE ASSISTANCE DISABLED, REQUIRES SPECIAL ASSISTANCE SEVERELY DISABLED VERY SICK, REQUIRES ACTIVE SUPPORTIVE TREATMENT	90 80 70 60 50 40 30 20
	ABLE TO PERFORM NORMAL ACTIVITY WITH ONLY MINOR SYMPTOMS NORMAL ACTIVITY WITH EFFORT, SOME SYMPTOMS ABLE TO CARE FOR SELF BUT UNABLE TO DO NORMAL ACTIVITIES REQUIRES OCCASIONAL ASSISTANCE, CARES FOR MOST NEEDS REQUIRES CONSIDERABLE ASSISTANCE DISABLED, REQUIRES SPECIAL ASSISTANCE SEVERELY DISABLED VERY SICK, REQUIRES ACTIVE SUPPORTIVE TREATMENT MORIBUND	90 80 70 60 50 40 30 20
BLOOD FOR (ABLE TO PERFORM NORMAL ACTIVITY WITH ONLY MINOR SYMPTOMS NORMAL ACTIVITY WITH EFFORT, SOME SYMPTOMS ABLE TO CARE FOR SELF BUT UNABLE TO DO NORMAL ACTIVITIES REQUIRES OCCASIONAL ASSISTANCE, CARES FOR MOST NEEDS REQUIRES CONSIDERABLE ASSISTANCE DISABLED, REQUIRES SPECIAL ASSISTANCE SEVERELY DISABLED VERY SICK, REQUIRES ACTIVE SUPPORTIVE TREATMENT MORIBUND	90 80 70 60 50 40 30 20
BLOOD FOR G	ABLE TO PERFORM NORMAL ACTIVITY WITH ONLY MINOR SYMPTOMS NORMAL ACTIVITY WITH EFFORT, SOME SYMPTOMS ABLE TO CARE FOR SELF BUT UNABLE TO DO NORMAL ACTIVITIES REQUIRES OCCASIONAL ASSISTANCE, CARES FOR MOST NEEDS REQUIRES CONSIDERABLE ASSISTANCE DISABLED, REQUIRES SPECIAL ASSISTANCE SEVERELY DISABLED VERY SICK, REQUIRES ACTIVE SUPPORTIVE TREATMENT	90 80 70 60 50 40 30 20
	ABLE TO PERFORM NORMAL ACTIVITY WITH ONLY MINOR SYMPTOMS NORMAL ACTIVITY WITH EFFORT, SOME SYMPTOMS ABLE TO CARE FOR SELF BUT UNABLE TO DO NORMAL ACTIVITIES REQUIRES OCCASIONAL ASSISTANCE, CARES FOR MOST NEEDS REQUIRES CONSIDERABLE ASSISTANCE DISABLED, REQUIRES SPECIAL ASSISTANCE SEVERELY DISABLED VERY SICK, REQUIRES ACTIVE SUPPORTIVE TREATMENT MORIBUND CD4:	90 80 70 60 50 40 30 20
	ABLE TO PERFORM NORMAL ACTIVITY WITH ONLY MINOR SYMPTOMS NORMAL ACTIVITY WITH EFFORT, SOME SYMPTOMS ABLE TO CARE FOR SELF BUT UNABLE TO DO NORMAL ACTIVITIES REQUIRES OCCASIONAL ASSISTANCE, CARES FOR MOST NEEDS REQUIRES CONSIDERABLE ASSISTANCE DISABLED, REQUIRES SPECIAL ASSISTANCE SEVERELY DISABLED VERY SICK, REQUIRES ACTIVE SUPPORTIVE TREATMENT MORIBUND CD4:	90 80 70 60 50 40 30 20
	ABLE TO PERFORM NORMAL ACTIVITY WITH ONLY MINOR SYMPTOMS NORMAL ACTIVITY WITH EFFORT, SOME SYMPTOMS ABLE TO CARE FOR SELF BUT UNABLE TO DO NORMAL ACTIVITIES REQUIRES OCCASIONAL ASSISTANCE, CARES FOR MOST NEEDS REQUIRES CONSIDERABLE ASSISTANCE DISABLED, REQUIRES SPECIAL ASSISTANCE SEVERELY DISABLED VERY SICK, REQUIRES ACTIVE SUPPORTIVE TREATMENT MORIBUND	90 80 70 60 50 40 30 20
STAGE:	ABLE TO PERFORM NORMAL ACTIVITY WITH ONLY MINOR SYMPTOMS NORMAL ACTIVITY WITH EFFORT, SOME SYMPTOMS ABLE TO CARE FOR SELF BUT UNABLE TO DO NORMAL ACTIVITIES REQUIRES OCCASIONAL ASSISTANCE, CARES FOR MOST NEEDS REQUIRES CONSIDERABLE ASSISTANCE DISABLED, REQUIRES SPECIAL ASSISTANCE SEVERELY DISABLED VERY SICK, REQUIRES ACTIVE SUPPORTIVE TREATMENT MORIBUND CD4:	90 80 70 60 50 40 30 20
STAGE:	ABLE TO PERFORM NORMAL ACTIVITY WITH ONLY MINOR SYMPTOMS NORMAL ACTIVITY WITH EFFORT, SOME SYMPTOMS ABLE TO CARE FOR SELF BUT UNABLE TO DO NORMAL ACTIVITIES REQUIRES OCCASIONAL ASSISTANCE, CARES FOR MOST NEEDS REQUIRES CONSIDERABLE ASSISTANCE DISABLED, REQUIRES SPECIAL ASSISTANCE SEVERELY DISABLED VERY SICK, REQUIRES ACTIVE SUPPORTIVE TREATMENT MORIBUND CD4:	90 80 70 60 50 40 30 20
STAGE:	ABLE TO PERFORM NORMAL ACTIVITY WITH ONLY MINOR SYMPTOMS NORMAL ACTIVITY WITH EFFORT, SOME SYMPTOMS ABLE TO CARE FOR SELF BUT UNABLE TO DO NORMAL ACTIVITIES REQUIRES OCCASIONAL ASSISTANCE, CARES FOR MOST NEEDS REQUIRES CONSIDERABLE ASSISTANCE DISABLED, REQUIRES SPECIAL ASSISTANCE SEVERELY DISABLED VERY SICK, REQUIRES ACTIVE SUPPORTIVE TREATMENT MORIBUND CD4:	90 80 70 60 50 40 30 20
STAGE: KARPOSKY S	ABLE TO PERFORM NORMAL ACTIVITY WITH ONLY MINOR SYMPTOMS NORMAL ACTIVITY WITH EFFORT, SOME SYMPTOMS ABLE TO CARE FOR SELF BUT UNABLE TO DO NORMAL ACTIVITIES REQUIRES OCCASIONAL ASSISTANCE, CARES FOR MOST NEEDS REQUIRES CONSIDERABLE ASSISTANCE DISABLED, REQUIRES SPECIAL ASSISTANCE SEVERELY DISABLED VERY SICK, REQUIRES ACTIVE SUPPORTIVE TREATMENT MORIBUND CD4:	90 80 70 60 50 40 30 20
STAGE: KARPOSKY S	ABLE TO PERFORM NORMAL ACTIVITY WITH ONLY MINOR SYMPTOMS NORMAL ACTIVITY WITH EFFORT, SOME SYMPTOMS ABLE TO CARE FOR SELF BUT UNABLE TO DO NORMAL ACTIVITIES REQUIRES OCCASIONAL ASSISTANCE, CARES FOR MOST NEEDS REQUIRES CONSIDERABLE ASSISTANCE DISABLED, REQUIRES SPECIAL ASSISTANCE SEVERELY DISABLED VERY SICK, REQUIRES ACTIVE SUPPORTIVE TREATMENT MORIBUND CD4:	90 80 70 60 50 40 30 20

12th Month Interview

IDENTIFICATION
CLINIC:
TOWNSHIP:
PATIENT FULL NAME:
FATIENT FULL NAME.
PATIENT REGISTRATION NUMBER:
INTERVIEW
DATE IN FULL: DD/MM/YY
INTERVIEWER'S NAME:
LANGUAGE OF INTERVIEW:
LANGUAGE OF INTERVIEW: HOME LANGUAGE OF RESPONDENT:

Thank you for being willing to talk to us again. In this interview we want to find out how you have been since the last interview, how the baby has been and if there have been any changes in your life since we last saw you. We will also examine you and the baby and take some blood from you

First we would like to ask you some medical questions

A. Since you were informed of your HIV status, did you receive any information on what foods to eat to stay healthy:

YES	1
NO	0
DO NOT	2
KNOW	

B. From where did you obtain the information?

	_
Serithi Project	1
Counselling session	2
Magazine/ other printed material	3
Self	4
Radio	5
Television	6
Other (specify)	7

C. From your viewpoint what is the main message on healthy eating for persons living with HIV?	,

D. Have you followed the advice you were given on healthy eating habits?

YES	1
NO	0
DO NOT	2
KNOW	

E. Have you lost a lot of weight in the past 6 months

YES	1
NO	0
DO NOT	2
KNOW	

IF YES

F. If you have lost a lot of weight would you say the change has been in :

One dress size	1
More than 1 dress size	2
Do not know	3

Other (specify)	1
Other (specify)	7

M1. Are you sexually active?

IF NO go to M2

YES	1
NO	0

If YES

M1.1. Are you using contraception?

YES	1
NO	0
NA	5

IF YES

M1.2. What are you using?

CONDOMS	1
INJECTION	2
PILL	3
OTHERS - SPECIFY	4
N/A	99

IF YES OR NO TO M1.1

M1.2 Are you using a condom now?

ALL THE TIME	2
SOMETIMES	1
NEVER	0
N/A	99

M2. Have you been pregnant since the birth of your "Serithi baby"?

YES	1
NO	0

IF YES

M2.1 Did you plan the pregnancy?

YES	1
NO	0
N/A	99

M2.2 Are you pregnant now?

YES	1
NO	0
DON"T	2
KNOW	

M 3. Are you	planning another	child?
--------------	------------------	--------

YES	1
NO	0

M3.1 whose decision is this?

RESPONDENT	1
PARTNER	2
JOINTLY	3
PRESSURE	4
FROM FAMILY	
OTHER	5
(SPECIFY)	
N/A	99

M4. Have you been ill since we last saw you?

	IF	N() go	to	M5
--	----	----	------	----	-----------

YES	1
NO	0

IF YES

M4.1. What was wrong_____

M4.2

Were you admitted to hospital?

YES	1
NO	0
N/A	99

M5. We acknowledge the work that traditional/spiritual healers do and respect their practices and are interested in hearing about their contribution in dealing with HIV so would like to hear from you if you have ever been to a traditional/spiritual healer about your HIV?

YES	1
NO	0

M5.1 What did he/she do to try and help you? ______.

M5.2 Do you think it helped you?

YES	1
NO	0
NA	99

M6. Are you on antiretrovirals?

YES	1
NO	0

IF NO GO TO M7

Now I wish to ask you about the possible problems with the medication. This will possibly help us to develop methods to try and solve these problems

M6.2 Have you seen any change in your condition?	
	YES
	NO
	NOT
	SURE
	N/A
M6.3 Have the medicines made you feel ill?	
·	YES
	NO
	N/A
M6.31 Can you describe the symptoms?	
M6.4. Have you ever missed taking any tablets	
	YES
	NO
	N/A
M6.5 Are still taking the tablets?	
	YES
	NO
	N/A
IF NO	
M6.6 WHY WAS	
THIS	
M6.7 The ARV treatment requires that you have a person who is your treatmen	ıt
"buddy"?	
M6.8	
Is he/she helping you	
is not she notping you	YES
	NO
	N/A
IF NO	<u> </u>
M6.9 Why is	
this?	
IF YES	
M6.10 How is your buddy helping	

M6.10 Is it a difficult to get to the clinic every month for the tablets?

YES	1
NO	0
N/A	99

IF YES	
M6.11 Why is	
this?	

M6.12 Other than your treatment buddy does anybody else know you are on medication?	YES 1 NO 0 N/A 99
M6.13 Have you had to disclose to more people because you are taking tablets?	YES 1 NO 0 N/A 99
IF YES M6.14. To whom did you have to disclose	IVA 99
M6.15. Why was it necessary to disclose to these people/person?	
M6.16. Have people asked you why you have to keep on taking tablets	YES 1 NO 0 N/A 99
IF YES M6.17. What do you tell them?	
Now I wish to ask you some questions about your baby	
M7. Since we last saw you has the baby been ill?	
IF NO go to M8	YES 1 NO 0
IF YES M7.1. What was wrong with the baby?	
M7.2 Was the baby admitted to hospital?	YES 1 NO 0 N/A 99
M8. Have you taken the baby to a traditional/spiritual healer	YES 1 NO 0

IF YES M8.1 Why did you take the baby?		N/A 99
M8.2 What did he/she do?		
M8.3. Do you think it helped the baby?		YES 1 NO 0 N/A 99
M9. Is the baby HIV +ve?		
If NO go to M10 IF YES		YES 1 NO 0
M9.1 What treatment is the baby receiving?		
·	None	0
	Bactrim	1
	Multivits	2
	Antiretrovirals	3
	Other (Specify)	4
(Can tick more than 1)	N/A	99
M9.2Are you managing to remember to give the baby the a	ntiretroviral medicine every t	
		YES 1 NO 0 N/A 99
M9.3Has the baby been ill because of the treatment		
2.2. 12.1.1.2 the day been in because of the treatment	YES	1
	NO	0
		SURE 2

IF	YES
----	-----

M9.4

Specify_____

M9.5 Do you find it difficult to come to the clinic every month for the medication

YES	1
NO	0
N/A	99

N/A

IF YES M9.6		
Why		
-		
M9.7 Who is taking care of the child?		
M9.8. With whom is the child during the day?		
M9.9 Are they responsible for giving the child the medication?	YE	3 S 1
	NC N/A	0
M9.8 Do they manage to give the baby the medication	177	11 77
112.0 Do they manage to give the bady the medication	YES	1
	NO	0
	DON'T KNOW	2
	N/A	99

M10. What are you currently feeding the baby and how many times in a day?

FOOD	YES (TICK)	TIMES PER DAY
Breastmilk		
commercial infant formula		
commercial semi-solid infant food such as purity		
home prepared cereals/porridge/ mashed fruit/vegetables		
traditional medicine		
over the counter unprescribed medicine such as Umuti wenyoni or gripe water – specify		
Medicine prescribed by a doctor or		
water/sugar water		
juice/tea		
other food / fluid, specify		

EXAMINATION MOTHER

OE1. Anthropometric measurements

Mother	
Height	Mid upper arm circumferencecm
Weightkg	

STAGING.			YES	NO
1. Skin	1. Acne	Face		
		Back		
	2. Herpes Zoster	Current		
	•	Scar		
	3. Dermatitis	Non specific		
		Seborrhoeic		
	4. Kaposi Sarcoma	'		
	5. Nail fungal infections			
2. Mouth	1. Oral candidiasis	White		
		Red		
		hypertrophic		
		periorbital		
	2. Oral hairy leukoplakia	1.		
	3. Oral ulceration			
	4. Gingivitis			
3. Lymph Nodes	1. Small			
	2. Large			
	3. Matted			
4. CNS	1. Appropriate			
	2. Inappropriate			
	3. Peripheral Neuropathy			
5. Chest	1. Dyspnoea			
	2. Tachypnoea			
	3. Cough	Dry		
		Productive		
	4. Crepitations	·		
	5. Consolidation			
	6. Effusion			
6. CVS	1. Normal			
	2. Tachycardia			
	3. Other			
7. GIT	1. HSM			
	2. Ascites			
	3. Diffusely tender			
8.	1. Oedema			
	2. Clubbing			
9.	1. Loss of weight			
	2. Cachexia			
Stage				

OE3. Any new medical	
problems	
	
	
OE4. Action	
taken	
D A DV	
BABY OB1. Baby weight	
Obi. Daby weight	
OB2. Baby length	
OB3 Sex of baby	
	MALE 1
	FEMALE 2
OB4. Any obvious illness	
•	YES 1
	NO 0
P1. Any new medical	
problems	
problems	
P2. Action	
taken	

18th Month Interview

Thank you for being willing to talk to us again. In this interview we want to find out how you have been since the last interview, how the baby has been and if there have been any changes in your life since we last saw you. We will also examine you and the baby and take some blood from you

First we would like to ask you some medical questions

A. Since you were informed of your HIV status, did you receive any information on what foods to eat to stay healthy:

YES	1
NO	0
DO NOT	2
KNOW	

B. From where did you obtain the information?

Serithi Project	1
Counselling session	2
Magazine/ other printed material	3
Self	4
Radio	5
Television	6
Other (specify)	7

C. From your viewpoint what is the main message on healthy eating for persons living with HIV?

D. Have you followed the advice you were given on healthy eating habits?

YES	1
NO	0
DO NOT KNOW	2

E. Have you lost a lot of weight in the past 6 months

YES	1
NO	0
DO NOT KNOW	2

IF YES

F. If you have lost a lot of weight would you say the change has been in:

One dress size	1
More than 1 dress size	2
Do not know	3
Other (specify)	4

						_
M1.	Are	vou	sexua	llv	active	٠.

IF NO go to M2

YE	1
S	
NO	0

If YES

M1.1. Are you using contraception?

YE	1
S	
NO	0
NA	5

IF YES

M1.2. What are you using?

CONDOMS	1
INJECTION	2
PILL	3
OTHERS - SPECIFY	4
N/A	99

IF YES OR NO TO M1.1

M1.2 Are you using a condom now?

ALL THE TIME	2
SOMETIMES	1
NEVER	0
N/A	99

M2. Have you been pregnant since the birth of your "Serithi baby"?

YES	1
NO	0

IF YES

M2.1 Did you plan the pregnancy?

YES	1
NO	0
N/A	99

M2.2 Are you pregnant now?

YES	1
NO	0
DON"T	2
KNOW	

M 3. Are you planning another child?

YES	1
NO	0

IF YES		
M3.1 whose decision	is	this?

RESPONDENT	1
PARTNER	2
JOINTLY	3
PRESSURE	4
FROM FAMILY	
OTHER	5
(SPECIFY)	
N/A	99

M4. Have you been ill since we last saw you	M4.	Have	you	been	ill	since	we	last	saw	you
--	-----	------	-----	------	-----	-------	----	------	-----	-----

IF	NO	ഗ	to	M 5
TT.	\mathbf{T}	gu	w	IVIO

YES	1
NO	0

M4.1. What was wrong_____

M4.2

Were you admitted to hospital?

YE	1
S	
N	0
O	
N/	9
A	9

M5. We acknowledge the work that traditional/spiritual healers do and respect their practices and are interested in hearing about their contribution in dealing with HIV so would like to hear from you if you have ever been to a traditional/spiritual healer about your HIV?

YES	1
NO	0

M5.1 What did he/she do to try and help you? ______.

M5.2 Do you think it helped you?

YE	1
S	
N	0
O	
N	9
A	9

M6. Are you on antiretrovirals?

YES	1
NO	0

IF NO GO TO M7

Now I wish to ask you about the possible problems with the medication. This will possibly help us to develop methods to try and solve these problems

M6.1 When did you start the medication?

M6.2 Have you seen any change in your condition?	
	YE 1
	S
	NO 0
	NO 2 T
	SU
	RE
	N/ 9
	A 9
MC 2 II do 1''	
M6.3 Have the medicines made you feel ill?	YE 1
	$\begin{bmatrix} 1 & 1 \\ S & \end{bmatrix}$
	N 0
	0
	N/ 9
	A 9
MC 21 Comment of the	
M6.31 Can you describe the symptoms?	
M6.4. Have you ever missed taking any tablets	
	YE 1
	S
	$\begin{bmatrix} \mathbf{N} & 0 \end{bmatrix}$
	O 9
	A 9
M6.5 Are still taking the tablets?	
	YE 1
	S
	$\begin{bmatrix} N & 0 \end{bmatrix}$
	O
	N/ 9 A 9
	A 9
IF NO	
M6.6 WHY WAS THIS	
M6.7 The ARV treatment requires that you have a person who is your treatment "buddy"?_	
M6.8	
Is he/she helping you	
	YES 1
	NO 0
	N/A 99
IF NO	
M6.9 Why is this?	
IF YES	
M6.10 How is your buddy helping you?	
• • • • • • • • • • • • • • • • • • • •	

M6.10 Is it a difficult to get to the clinic every month for the tablets?

YES	1
NO	0
N/A	99

IF	YES

M6.11 Why is this?

M6.12 Other than your treatment buddy does anybody else know you are on medication?	YE 1 S
M6.13 Have you had to disclose to more people because you are taking tablets?	YES 1 NO 0 N/A 99
IF YES M6.14. To whom did you have to disclose	
M6.15. Why was it necessary to disclose to these people/person?	
M6.16. Have people asked you why you have to keep on taking tablets	YES 1 NO 0 N/A 99
IF YES M6.17. What do you tell them?	
Now I wish to ask you some questions about your baby	
M7. Since we last saw you has the baby been ill?	
IF NO go to M8	YES 1 NO 0
IF YES M7.1. What was wrong with the baby?	
M7.2 Was the baby admitted to hospital?	YE 1 S N 0 O N/ 9 A 9
M8. Have you taken the baby to a traditional/spiritual healer	YES 1 NO 0 N/A 99

M8.1 Why did you take the baby?	
M8.2 What did he/she do?	

M8.3. Do you think it helped the baby?			
1710.5. Do you tillik it helped the outry.			YE 1
			S
			N 0
			0
			N/ 9
			A 9
M9. Is the baby HIV +ve?			
70.170			
If NO go to M10			TTEG 1
			YES 1
TE SZEG			NO 0
IF YES MO 1 What treatment is the behavior assisting?			
M9.1 What treatment is the baby receiving?	None		
	Bactrim		0
	Multivits		2
	Antiretroviral	c	3
	Other (Specif		4
	Other (Speen	<i>y)</i>	-
	N/A		99
(Can tick more than 1)			
,			
M9.2 Are you managing to remember to give the baby the antiretre	oviral medicine	every time	
			YE 1
			S
			N 0
			0
			N/ 9
			A 9
MO 2 Has the behy been ill because of the treatment			
M9.3Has the baby been ill because of the treatment		YES	1
		NO	0
		NOT SUI	
		N/A	99
		14/11	77
IF YES			
M9.4 Specify			
• •			
M9.5 Do you find it difficult to come to the clinic every month fo	r the medication	n	
			YES 1
			NO 0
			N/A 99
IF YES			
M9.6 Why			
~			
M9.7 Who is taking care of the child?			
1712-17 WHO IS LAKING CATE OF THE CHILD:			

M9.9 Are they responsible for M9.8 Do they manage to give			YES NO N/A
$\mathbf{M10}$. What are you currently	feeding the baby and	how many times in a day?	YES NO DON'T KNOW N/A
FOOD	YES (TICK)	TIMES PER DAY	
Breastmilk	125 (11011)		
commercial infant formula			
commercial semi-solid infant food such as purity			
home prepared cereals/porridge/ mashed fruit/vegetables			
traditional medicine			
over the counter unprescribed medicine such as Umuti			
wenyoni or gripe water – specify			
Medicine prescribed by a doctor or			
water/sugar water			
juice/tea			
other food / fluid, specify			
EXAMINATION MOTHER			
OE1. Anthropometric measu	rements		
Mother Heightm	3.7	id upper arm circumferenc	
. першm	IVI	ia udder arm circumterenc	ecm

M9.8. With whom is the child during the day?_____

STAGING.			YES	NO
1. Skin	1. Acne	Face	120	110
1. 5	1. 12010	Back		+
	2. Herpes Zoster	Current		1
	•	Scar		
	3. Dermatitis	Non specific		
		Seborrhoeic		
	4. Kaposi Sarcoma			
	5. Nail fungal infections			
2. Mouth	1. Oral candidiasis	White		
		Red		+
		hypertrophic		
		periorbital		
	2. Oral hairy leukoplakia	1 1		
	3. Oral ulceration			+
	4. Gingivitis			
3. Lymph Nodes	1. Small			
3. Lymph Nodes				_
	2. Large3. Matted			
	3. Matted			
4. CNS	1. Appropriate			
	2. Inappropriate			
	3. Peripheral Neuropathy			
5. Chest	1. Dyspnoea			
	2. Tachypnoea			
	3. Cough	Dry		
		Productive		
	4. Crepitations			
	5. Consolidation			
	6. Effusion			
6. CVS	1. Normal			
	2. Tachycardia			
	3. Other			
7. GIT	1. HSM			
	2. Ascites			
	3. Diffusely tender			
8.	1. Oedema			
	2. Clubbing			
9.	1. Loss of weight			
	2. Cachexia			
Stage				

OE3. Any new medical problems	-
OE4. Action taken	-

BABY	
OB1. Baby weight	
OB2. Baby length	
OB3 Sex of baby	
•	MALE 1
	FEMALE 2
OB4. Any obvious illness	
	YES 1
	NO 0
P1. Any new medical problems	
P2. Action taken	

SECTION A

I wish to ask you some questions about your personal life and how it may have changed since the last time we saw you. These questions we have asked you before and we apologise for this. The reason we want to ask them is to see how things have changed for you. This will help us with our research. This is the last time we will be asking these questions

A1 Did your marital status change in the last 6 months?

IF NO, continue with A6

YES	1
NO	2

IF YES:

A2.What is your marital status now?

SINGLE	1
MARRIED: (CIVIL OR	2
TRADITIONAL)	
NO CHANGE	3

A3 IF MARRIED Are you living with your partner?

YES	1
NO	2
NO CHANGE	3
N/A	99

A4 IF SINGLE:

LIVING WITH PARTNER	6
HAVE A PARTNER NOT	
LIVING TOGETHER	7
SINGLE WITHOUT A	8
PARTNER	
NO CHANGE	9
N/A	99

F "not living together"	'THEN Where does your partner stay'?)

A4. .Does your new husband/partner currently work	OIK:
--	------

YES	1
NO	0
NO CHANGE	2

TF	VFC	
		Ī

|--|

A6. Within the last 6 months has your husband/partner provided money you need for food, rent, and bills?

YES	1
NO	0
NO CHANGE	5

A7. Are you still staying in the same house?

YES	1
NO	0

IF NO

A8. Where are you staying now?

A9. Why did you move there?

A10. With whom do you share your home?

		~ .
PERSON	No.	Code
PARTNER		1
PARENT		2
DAUGHTER		3
SON		4
PARENT-IN-LAW		5
SON-IN-LAW		6
DAUGHTER-IN-		7
LAW		
GRANDCHILD		8
BROTHER/SISTER		9
OTHER		1
RELATIVES		
NOT RELATED		11
NO CHANGE		12

A11. In the past 6 months did	your work status	change?
-------------------------------	------------------	---------

YES	1
NO	0

TT	VIEC.
II	ILS:

A12 What kind of work do you do now? (includes self employment)

.....

(IF STILL WITH THE SAME PARTNER ASK THESE QUESTIONS)

A13. Did your partner's work situation changed the past 6 months?

2

YES	1
NO	0
NO PARTNER	2
NEW PARTNER	3

IF YES

A14. What kind of work does he do now?

A15. Have the other sources of income you had changed during the past 6 months?

YES	1
NO	0

IF YES:

A16. What other sources of income do you have now?

Old age pension / government	1
Pension from work/retirement	2
benefits	
Disability grant /.government	3
Compensation Fund (injury /	4
illness at work)	
State maintenance grant/r child	
support grant	5
Private maintenance parent/	
former spouse	6
Care dependency (single care)	
grant	7
Foster care grant	8
Unemployment Insurance Fund	
	9
Remittance/financial support	
people not in household	10
Gratuities/other lump sum	11
Other sources (specify)	12
NO CHANGE	13

A17 About how much is the income in your household each month?	R	
·		

A18. How many people live on this income?_____

SECTION B

In the past few interviews we have asked you about who makes decisions on certain things such as buying of food how money has spent who decides on your treatment if you are ill, if your baby is ill who makes the decision to have another child and sexual matters

B1 Do you think that any of these have changed at all?

YES	1
NO	0

B2. Who in your household decides on what food to buy?

RESPONDENT	1
HUSBAND/	2
PARTNER	
JOINTLY	3
OTHER,	4
SPECIFY	

B3. Who in your household has the final say on how money is spent?

RESPONDENT	1
HUSBAND/	2
PARTNER	
JOINTLY	3
OTHER,	4
SPECIFY	

B4. If you were sick and a decision had to be made about treatment, who in your household would have the final say in making the decision

RESPONDENT	1
HUSBAND/	2
PARTNER	
JOINTLY	3
OTHER,	4
SPECIFY	

B5. If your child were sick, who in your household would have the final say, if a decision needed to be made about treatment?

RESPONDENT	1
HUSBAND/	2
PARTNER	
JOINTLY	3
OTHER,	4
SPECIFY	

B6. Who in your household has the final say on whether to have another child

RESPONDENT	1
HUSBAND/	2
PARTNER	
JOINTLY	3
OTHER,	4
SPECIFY	
NA	5

B7. Partners do not always agree on everything, tell me between you and your partner who has the final say in decisions to do with sex?

RESPONDENT	1
HUSBAND/	2
PARTNER	
JOINTLY	3
NO PARTNER	4

B8. Who has the final say about whether to use contraception?

RESPONDENT	1
HUSBAND/	2
PARTNER	
JOINTLY	3
NO PARTNER	4

SECTION C

We now want to ask you about the people you have disclosed to

C1. Have you ever disclosed?

YES	1
NO	2

Who was it	Why was it that you wanted to disclose to this	What was this person's	Overall, do y	ou consider
that you told?	person?	reaction?	it a good or bad thing	
first,			that you disclosed to this	
second etc.			person?	
			Good I	Bad
1)				
2)				
3)				
4)				
4)				
5)				
3)				

PROMPT, BEFORE YOU FINISH COMPLETING DISCLOSURE SHEET: "IS THERE ANYONE ELSE YOU HAVE TOLD ABOUT THE HIV?"

SECTION D

The following is a list of statements that people with HIV have made about themselves. For each statement, please let me know the answer that comes closest to the way you feel about yourself. Let me know if you agree or disagree

D1 PERSONAL VIEW	AGREE	DISAGREE
1. When people know I have HIV I feel uncomfortable around them		
2. I feel ashamed that I have HIV		
3. I must have done something to deserve getting HIV		
4. If I drank from a tap and people knew I had HIV they would not		
drink from the same tap		
5. Most employers would not employ me because I am HIV+		
6. Although I have HIV I am a person who deserves as much		
respect as anyone else		
7. I feel that it is my fault that I got HIV		
8.People are right to be afraid of me because I have HIV		
9.Because of my HIV I feel I am less attractive to others		
10 I have a lot to teach people about life through having HIV		
11.I feel it is completely safe for me to handle other people's		
children		
12. I deserve a lot of praise for coping with HIV		
13 I would understand if people rejected my friendship because I		
am HIV+		
14. My neighbours would not like me living next door if they knew		
I had HIV		
15. I think less of myself because I have HIV		
16. I think my getting HIV was a matter of bad luck		
17. I feel that I am bewitched because I have HIV		
18. If I was in public or private transport and someone knew I had		
HIV they would not sit next to me		
19. Even though I have HIV I don't believe I am different from		
anyone else		
20. Getting HIV is a punishment for bad behaviour		

The general public has a wide range of beliefs about people who have AIDS or HIV. I am going to read a list of some of these beliefs and attitudes and I want you to let me know what you think most people in your community believe. Let me know if you agree or disagree that most people think like this.

D2 COMMUNITY VIEW	AGREE	DISAGREE
1.Most people think that getting HIV is a punishment for bad		
behaviour		
2. Most people think that someone with HIV is no different from		
anyone else		
3. Most people would not sit next to someone with HIV in public or		
private transport		
4. Most people feel that some people with HIV are bewitched		
5. Most people think that having HIV is just a matter of bad luck		
6. Most people think less of someone because they have HIV		
7. Most people would not like someone with HIV to be living next		
door.		
8. Most people would reject the friendship of someone with HIV		
9. Most people feel that a person with HIV deserves a lot of praise		
for the way that they cope with the disease		
10. Most people feel that it is safe for a person with HIV to look		
after somebody else's children		
11. Most people think that people with HIV can teach us a lot about		
life		
12. Most people would not be attracted to a person with HIV		
13. Most people are afraid to be around people with HIV		
14. Most people feel that if you have HIV it is your own fault		
15. Most people feel that people with HIV deserve as much respect		
as anyone else		
16.Most employers would not hire someone with HIV to work for		
them		
17. Most people would not drink from a tap if a person with HIV		
had just drunk from it		
18. Most people believe that if you have HIV you must have done		
something to deserve it		
19. Most people believe that someone with HIV should be ashamed		
of themselves.		
20. Most people feel uncomfortable around people with HIV		

I am now going to go through a list of things that some women have experienced because they have HIV. Please let me know whether you have experienced this and, if so, whether it was a little or a lot. (SHOW CARD)

little or a lot. (SHOW CARD)			
D3 ENACTED OR	NO	I HAVE	I HAVE
EXPERIENCED	EXPERIENCE	EXPERIENCED	EXPERIENCED
COMMUNITY STIMA	OF THIS	THIS A LITTLE	THIS A LOT.
1. I have lost friends because I'm			
HIV+			
2. I have felt hurt by how people			
have reacted to learning about my			
HIV			
3. People have avoided touching			
me because of my HIV			
4. People don't want me around			
their children because of my HIV			
5. People act as though it is my			
fault I am HIV+			
6. People don't want me to come			
to their houses because I am			
HIV+			
7. I have been shouted at because			
I am HIV +			
8. I have been called bad names			
because I am HIV+			
9. I have been hit or physically			
hurt because I am HIV+			
10. People have threatened to kill			
me because I am HIV+			

D4.My husband/ partner left me because I am HIV +

YES	1
NO	0

D5. Have you had any other experiences than those mentioned where people have discriminated against you or treated you badly because of your HIV

YES	1
NO	0

DO NOT FILL IN D6 IF NO EXPERIENCE OF ENACTED STIGMA

D6. I know this might be difficult for you, by	but could you please describe these experiences for me

SECTION E

The amount of support people get from others around them can be important to people with HIV. In the next few questions we want to get an understanding of how much support you get from others.

E1.If you were ill and had to stay in bed for days, is there someone who would take care of you?

NO	None	0
YES	As much as I need	3
	Quite a lot	2
	Only a little	1

E2.If you needed money for food would there someone to help you

NO	None	0
YES	As much as I need	3
	Quite a lot	2
	Only a little	1

E3. Is there someone you help you in an emergency even if they had to go out of their way?

	<u> </u>	
NO	None	0
YES	As much as I need	3
	Quite a lot	2
	Only a little	1

E4. Is there someone you could talk to about things that have been troubling you?

NO	None	0
YES	As much as I need	3
	Quite a lot	2
	Only a little	1

E5. Is there someone who really understands you, and what your life is like?

NO	None	0
YES	As much as I need	3
	Quite a lot	2
	Only a little	1

E6. If you were going through a tough time, would you have someone to talk to?

NO	None	0
YES	As much as I need	3
	Quite a lot	2
	Only a little	1

E7. If you were feeling low about yourself, or felt that you couldn't do anything right, is there someone who has faith in you?

NO	None	0
YES	As much as I need	3
	Quite a lot	2
	Only a little	1

E8. Is there someone who accepts you as you are, both your bad points and your good points

NO	None	0
YES	As much as I need	3
	Quite a lot	2
	Only a little	1

E9. Is there anyone who lets you know that they respect who you are and how you think and act?

NO	None	0
YES	As much as I need	3
	Quite a lot	2
	Only a little	1

E10. If you had a decision to make about the HIV, is there someone you could talk to who would give you good advice?

NO	None	0
YES	As much as I need	3
	Quite a lot	2
	Only a little	1

E11. If you had to be ospitalised for a few days because of your HIV is there someone who would care for your child(ren)?

NO	None	0
YES	As much as I need	3
	Quite a lot	2
	Only a little	1

E12. Is there someone who knows about your HIV and who really understands what you're going through?

NO	None	0
YES	As much as I need	3
	Quite a lot	2
	Only a little	1

Now I want to ask you about some negative and unwanted support that you have been given by family and friends.

E13. Are there any people in your circle of family and friends who are domineering, who try to tell you what to do or want to run your life for you?

NO	None	0
YES	All the time	3
	Sometimes	2
	Occasionally	1

E14. Are there any people in your circle of family and friends who try to protect you too much or treat you like a child?

NO	None	0
YES	All the time	3
	Sometimes	2
	Occasionally	1

E15. Are there people in your circle of family and friends who give you too much unwanted advice?

NO	None	0
YES	All the time	3
	Sometimes	2
	Occasionally	1

E16. Are there people in your circle of family and friends who didn't offer to help or support you when you thought they should?

NO	None	0
YES	All the time	3
	Sometimes	2
	Occasionally	1

SECTION F
I am now going to ask you how you are feeling about your life and yourself

F1	SELF ESTEEM	STRONG LY AGREE	AGREE	DISAGREE	STRONGLY DISAGREE
1. I th	ink I am no good at all				
2. I fe	el I have a number of good qualities				
3. I ca	3. I can do things as well as most other				
people					
4. I do	not have much to be proud about				
5. I fe	el useless at times				
6. I am as good as other people					
7 I res	7 I respect myself				
8. I th	8. I think I am a failure				
9. I ha	ve a positive attitude toward myself				
10. In	general I am satisfied with myself				

For each statement, how often have you felt of behaved this way DURING THE PAST WEEK? (SHOW CARD)

F2	DEPRESSION	RARELY OR NONE OF THE TIME (LESS THAN 1 DAY) 1	SOME OR LITTLE OF THE TIME (1-2 DAYS	OCCASIONALLY OR A MODERATE AMOUNT OF THE TIME (3-4 DAYS)	MOST OR ALL OF THE TIME (5-7 DAYS)
1. I was	s bothered by things that				
usually	don't bother me				
2. I did	not feel like eating; my				
	e was poor				
3. I felt	that I could not shake off the				
	ven with the help of my family				
4. I felt	that I was just as good as				
other p	•				
	trouble keeping my mind on				
	was doing				
	depressed				
	that everything I did was an				
effort					
	hopeful about the future				
	ught my life had been a failure				
1. I felt					
	sleep was restless				
	as happy				
<u> </u>	ked less than usual				
	14. I felt lonely				
	ple were unfriendly				
	joyed life				
	d crying spells				
18.I fel					
	lt that people disliked me				
20.I co	uld not get going				

People are very different in how they cope with things. The next few statements give us an idea of how people cope with different types of things. Please let me know whether you do these things to feel better. Now I would like you to select from the statements below the one that best describes how you try and cope with daily situations that confront you. (SHOW CARD)

F3	COPING	MOST OF THE TIME	SOME OF THE TIME	ALMOST NEVER
1. I take re	esponsibility to protect my and other people's			
2. I try to healthy wa	fight this virus by keeping fit and eating in a			
3. I learn t	o live with HIV			
changed	that I have HIV and that this cannot be			
5. I try to	get as much information as I can about HIV			
	someone with similar experience to find out o handle the situation			
7. I use my	y time to educate others to stay healthy			
8. I suppor	rt other people with HIV			
9. I am ins	pired to make the most of the rest of my life			
10. I refus	e to believe that it has happened to me			
11.I can co	ope as long as people do not know my status			
12. I talk t	o someone who can help me			
13. I get c	omfort and understanding from people			
14. I look	for something good in what is happening			
15. This si	tuation helped me to change my life for the			
16. I seek	comfort in my religion or spiritual beliefs			
17. I keep	myself busy to take my mind off HIV			
18. I try no	ot to think about the situation I am in			
19. I get u	pset and fight with other people			
20. I talk t	o let my unpleasant feelings escape			
21. I use a	lcohol or drugs to help me get through it			
22. I wish	I could escape from this situation			
23. There	is nothing I can do to make me feel better			
24 I do no	ot feel in control of my health			
25 I put m	y trust in God			

	of copin	_		in the past	t 3 month	s? (CII		,			
1	2	3	4	5	6	7	8	9.	10		
Not c	coping a	t all		In be	tween			Very	well		
S1. V	What eff	ect do y	ou think	your involv	vement wi	ith the S	erithi proj	ect has l	nad on y	our life?	
							Detrimen			1	
							No effect			2	
							Beneficia	<u>.l</u>		3	
S1.1	Why?										
S1.2	What ef	fect has	your invo	olvement w	ith Serith		n your abil Made it m Made it ea No differe	ore diffi sier		our HIV stat	us?
S2. V	What hav	ve you l	iked/disli	ked about \$	Serithi?						
						uestions	s, the new	ones an	d all th	e old ones, s	
Patie	nt addres				Iost of th	e old qı				king you ag	gain.
		SS		Address	of person		iestions w		ot be as		gain.
		ss		Address contact p	of person		n Add	e will no	ot be as		gain.
		SS			of person		n Add	e will no	ot be as		gain.
		SS			of person		n Add	e will no	ot be as		gain.
		ss			of person		n Add	e will no	ot be as		gain.
		ss			of person		n Add	e will no	ot be as		gain.
Tel n	0	ss			of person		n Add	e will no	ot be as		gain.

SERITHI PROJECT 24 Months QUESTIONAIRE

	24 Months QUE	SHUNAIKE
	IDEN	TIFICATION
CLINIC:		
TOWNSHIP:		
TOWNSHIF.		
PATIENT NAME:		
PATIENT REGISTR.	ATION NUMBER:	
	IN	TERVIEW
	INTERVIEW	RESULT CODES
DATE IN FULL:	DD /MM/YY	1. COMPLETED:
		2. REFUSED: ☐
		3. PARTIALLY COMPLETED:
		4. OTHER: ☐
INTERVIEWER'S N	AME:	
-		
Г		AVOLUE OF
	La	ANGUAGE
LANGUAGE OF INTERV		
HOME LANGUAGE OF	RESPONDENT:	
	LANC	SUAGE CODES
	Di ii te	ional cores
1 ENGLISH	5 IsiXhosa	9 ziTSONGA
2 sePEDI	6 isiZULU	10 isiNDEBELE
3 seTSWANA	7 seSOTHO	11 seSWATI
4 AFRIKAANS	8 tshiVENDA	<u> </u>
SUPERVISOR	DATA CAPTURER	OFFICE EDITOR
NAME:	NAME:	KEYED BY:
DATE:	DATE: DATE:	

Thank you for being willing to talk to us again. In this interview we want to find out how you have been since the last interview, how the baby has been and if there have been any changes in your life since we last saw you. We will also examine you and the baby and take some blood from you

First we would like to ask you some medical questions

A. Since you were informed of your HIV status, did you receive any information on what foods to eat to stay healthy:

YES	1
NO	0
DO NOT	2
KNOW	

B. From where did you obtain the information?

Serithi Project	1
Counselling session	2
Magazine/ other printed material	3
Self	4
Radio	5
Television	6
Other (specify)	7

C. From your viewpoint what is the main message on healthy eating for persons living with HIV?

D. Have you followed the advice you were given on healthy eating habits?

YES	1
NO	0
DO NOT	2
KNOW	

E. Have you lost a lot of weight in the past 6 months

YES	1
NO	0
DO NOT	2
KNOW	

IF YES

F. If you have lost a lot of weight would you say the change has been in:

One dress size	1
More than 1 dress size	2
Do not know	3

Other (specify)	4

M1. Are you sexually active?

IF NO go to M2

Y	1
Е	
S	
N	0
Ο	

If YES

M1.1. Are you using contraception?

Y	1
Е	
S	
N	0
О	
N	5
Α	

IF YES

M1.2. What are you using?

CONDOMS	1
INJECTION	2
PILL	3
OTHERS - SPECIFY	4
N/A	99

IF YES OR NO TO M1.1

M1.2 Are you using a condom now?

ALL THE TIME	2
SOMETIMES	1
NEVER	0
N/A	99

M2. Have you been pregnant since the birth of your "Serithi baby"?

YES	1
NO	0

IF YES

M2.1 Did you plan the pregnancy?

YES	1
NO	0
N/A	99

M2.2 Are y	ou pregnant	now?
-------------------	-------------	------

YES	1
NO	0
DON"T	2
KNOW	

M 3. Are you planning another child?

YES	1
NO	0

IF YES

M3.1 Whose decision is this?

RESPONDENT	1
PARTNER	2
JOINTLY	3
PRESSURE	4
FROM FAMILY	
OTHER	5
(SPECIFY)	
N/A	99

M4. Have you been ill since we last saw you?

IF NO go to M5

YES	1
NO	0

IF YES

M4.1. What was wrong_____

M4.2

WERE YOU ADMITTED TO HOSPITAL?

YES	1
NO	0
N/A	99

M5. We acknowledge the work that traditional/spiritual healers do and respect their practices and are interested in hearing about their contribution in dealing with HIV so would like to hear from you if you have ever been to a traditional/spiritual healer about your HIV?

YES	1
NO	0

M5.1 What did he/she do to try and help you? ______.

M5.2 Do you think it helped you?

YES	1
NO	0
NA	99

M6. Are you on antiretrovirals?

YES	1
NO	0

IF NO go to M7

Now I wish to ask you about the possible problems with the medication. This will possibly help us to develop methods to try and solve these problems

M6.1 When did you start the medic	ation?
-----------------------------------	--------

M6.2 Have you seen any change in your condition?

YES	1
NO	0
NOT	2
SURE	
N/A	99

M6.3 Have the medicines made you feel ill?

YES	1
NO	0
N/A	99

M6.31 Can you describe the symptoms?

M6.4. Have you ever missed taking any tablets

YES	1
NO	0
N/A	99

M6.5 Are still taking the tablets?

_		
	YES	1
	NO	0
	N/A	99

IF NO

M6.6 Why was this_______

M6.7 The ARV treatment requires that you have a person who is your treatment "buddy"?_____

M6.8

Is he/she helping you?

YES	1
NO	0
N/A	99

IF NO M6.9 Why is this?	
IF YES M6.10 How is your buddy helping you?	
M6.10 Is it a difficult to get to the clinic every month for the tablets?	YES 1 NO 0
IF YES M6.11 Why is this?	N/A 99
M6.12 Other than your treatment buddy does anybody else know you are on medication? YES NO N/A	1 0 99
M6.13 Have you had to disclose to more people because you are taking tablets?	YES 1 NO 0 N/A 99
IF YES M6.14. To whom did you have to disclose	N/A 99
M6.15. Why was it necessary to disclose to these people/person?	
M6.16. Have people asked you why you have to keep on taking tablets	YES 1 NO 0 N/A 99
IF YES M6.17. What do you tell them?	

NOW I WISH TO ASK YOU SOME QUESTIONS ABOUT YOUR BABY

IF NO GO TO M8

YES	1
NO	0

IF YES

M7.1. What was wrong with the baby?

M7.2 Was the baby admitted to hospital?

YE	1
S	
NO	0
N/	9
Α	9

M8. Have you taken the baby to a traditional/spiritual healer

YES	1
NO	0
N/A	99

IF YES

M8.1 Why did you take the baby?

M8.2 What did he/she do?

M8.3. Do you think it helped the baby?

YES	1
NO	0
N/A	99

M9. IS THE BABY HIV +VE?

IF NO GO TO M10

YES	1
NO	0

IF YES

M9.1 What treatment is the baby receiving?

None	0
Bactrim	1
Multivitamins	2
Antiretrovirals	3
Other (Specify)	4
N/A	99

(Can tick more than 1)

M9.2Are you managing to remember to give the baby the antiretroviral medicine every time

YES	1
NO	0
N/A	99

M9.3Has the baby been ill because of the treatment?

YES	1
NO	0
NOT SURE	2
N/A	99

M9.4

Specify

M9.5 Do you find it difficult to come to the clinic every month for the medication?

YES	1
NO	0
N/A	99

IF YES

M9.6

Why____

-

M9.7 Who is taking care of the

child?_____

M9.8. With whom is the child during the

day?__

M9.9 Are they responsible for giving the child the medication?

YES	1
NO	0
N/A	99

M9.8 Do they manage to give the baby the medication?

YES	1
NO	0
DON'T KNOW	2
N/A	99

M10. What are you currently feeding the baby and how many times in a day?

FOOD	YES (TICK)	TIMES PER DAY
Breastmilk		
commercial infant formula		
commercial semi-solid infant		
food such as purity		
home prepared cereals/porridge/		
mashed fruit/vegetables		
traditional medicine		
over the counter unprescribed		
medicine such as Umuti		
wenyoni or gripe water –		
specify		
25 11 11 11		
Medicine prescribed by a doctor		
or		
water/sugar water		
juice/tea		
other food / fluid, specify		

Examinationm Mother:

OE1. ANTHROPOMETRIC MEASUREMENTS

Mother	
Heightm	Mid upper arm circumferencecm
Weightkg	

0E2

STAGING.			YES	NO
1. Skin	1. Acne	Face		
		Back		
	2. Herpes Zoster	Current		
		Scar		
	3. Dermatitis	Non specific		
		Seborrhoeic		
	4. Kaposi Sarcoma	'		
	5. Nail fungal infections			
2. Mouth	1. Oral candidiasis	White		
		Red		
		hypertrophic		
		periorbital		
	2. Oral hairy leukoplakia			
	3. Oral ulceration			
	4. Gingivitis			
3. Lymph Nodes	1. Small			
	2. Large			
	3. Matted			
4. CNS	1. Appropriate			
	2. Inappropriate			
	3. Peripheral Neuropathy			
5. Chest	1. Dyspnoea			
	2. Tachypnoea			
	3. Cough	Dry		
		Productive		
	4. Crepitations	<u>.</u>		
	5. Consolidation			
	6. Effusion			
6. CVS	1. Normal			
	2. Tachycardia			
	3. Other			
7. GIT	1. HSM			
	2. Ascites			
	3. Diffusely tender			
8.	1. Oedema			
	2. Clubbing			
9.	1. Loss of weight			
	2. Cachexia			
Stage				

OE3. ANY NEW MEDICAL PROBLEMS	
OE4. ACTION TAKEN	
BABY OB1. Baby weight	
OB2. Baby length	
OB3 SEX OF BABY	MALE 1 FEMALE 2
OB4. ANY OBVIOUS ILLNESS	YES 1 NO 0
P1. ANY NEW MEDICAL PROBLEMS	
P2. ACTION TAKEN_	