

REFERENCES

- ADGER, W.N. & LUTTRELL, C. 2000. Property rights and the utilisation of wetlands. *Ecol. Econ.* 35: 75-89.
- ALLIRAND, J-M., & GOSSE, G. 1995. An above ground biomass production model for a common reed (*Phragmites communis* Trin.) stand. *Biomass Bioenerg.* 9: 441-448.
- ARMSTRONG, J., AFREEN-ZOBAYED, F., BLYTH, S. & ARMSTRONG, W. 1999. *Phragmites australis*: effects of shoot submergence on seedling growth and survival and radial oxygen loss from roots. *Aquat. Bot.* 64: 275-289.
- ASTOLFI, B. 1995. How to involve women in protected area issues. In: J.A. McNeely (Ed.), *Expanding partnerships in conservation*. (Pp. 151-155). Island Press, Washington DC.
- BARROW, E & FABRICIUS, C. 2002. 'Do rural people really benefit from protected areas: Rhetoric or reality? *Parks* 12: 67-79.
- BEGG, G.W. 1988. *The Wetlands of Natal*. Natal Town and Regional Planning Commission, Pietermaritzburg.
- BECKER, C.D. & OSTROM, E. 1995. Human ecology and resource sustainability: The importance of institutional diversity. *Annu. Rev. Ecol. Syst.* 26: 113-133.
- BJÖRK, S. & GRANÉLI, W. 1978. Energy reeds and the environment. *Ambio* 7: 150-156.
- BOTHMA, J. DU P. 2002. Objectives. In: J. du P. Bothma (Ed.), *Game Ranch Management* (Pp. 25-29). Van Schaik, Pretoria.
- BRANCH, B. 2000. Bushmeat: Slaughter or survival? *Africa Environment and Wildlife* 8: 33-40.
- BRIX, H. 1989. Gas exchange through dead culms of reed, *Phragmites australis* (Cav.) Trin. ex Steudel. *Aquat. Bot.* 35: 81-98.

- BROWNING, T.C. 2000. Preliminary study of the socio-economic value of *Phragmites* reeds to the people neighbouring Tembe Elephant Park, KwaZulu-Natal. Unpublished. BA (Hons) APL 770 Project Report. University of Pretoria, Pretoria.
- BRUTON, M.N., SMITH, M. & TAYLOR, R.H. 1980. A brief history of human involvement in Maputaland. In: M.N. Bruton & K.H. Cooper (Eds), Studies on the ecology of Maputaland. Rhodes University & Natal Branch of the Wildlife Society of Southern Africa, Durban.
- CAMPBELL, A. & CHILD, G. 1971. The impact of man on the environment of Botswana. *Botswana Notes and Records* 3: 91-110.
- CHAMBERS, R.M., MEYERSON, L.A. & SALTONSTALL, K. 1999. Expansion of *Phragmites australis* into tidal wetlands of North America. *Aquat. Bot.* 64: 261-273.
- ČIŽKOVÁ, H., ISTVÁNOVICS, V., BAUER, V. & BALÁZS, L. 2001. Low levels of reserve carbohydrates in reed (*Phragmites australis*) stands of Kis-Balaton, Hungary. *Aquat. Bot.* 69: 209-216.
- COX, C.B. & MOORE, P.D. 1994. Biogeography: an ecological and evolutionary approach. Blackwell Scientific Publishing, Oxford.
- CUNNINGHAM, A.B. 1985. The resource value of indigenous plants to rural people in a low agricultural potential area. Unpublished. PhD (Botany) thesis, University of Cape Town, Cape Town.
- DEN HARTOG, C., KVĚT, J. & SUKOPP, H. 1989. Reed: A common species in decline. *Aquat. Bot.* 35: 1-4.

- DERNBACH, J. 2001. From Rio to Johannesburg, implementing sustainable development at the global and local scale. In: Recommendations for achieving Sustainable Communities, Science and Solutions. Report from the second National Conference on Science, Policy and Environment (Pp: 46-50). National Council for Science and the Environment. Smithsonian National Museum of Natural History, Washington DC, The United States of America.
- DINI, J.A. & COWAN, G.I. 2000. Classification system for the South African wetland inventory. South African Wetlands Conservation Programme Department of Environmental Affairs and Tourism, Pretoria.
- ELS, H. 2000. Maputaland Conservation-Based Community Development and Research Programme, praxis orientated programme in multi-institutional and multi-disciplinary research co-operation. Programme presentation and planning report. University of Pretoria, Pretoria.
- ELS, H. & BOTHMA, J. DU P. 2000. Developing partnerships in a paradigm shift to achieve conservation reality in South Africa. *Koedoe* 43: 19-26.
- ELLIS, F. & BIGGS, S. 2001. Evolving themes in rural development 1950s-2000s. *Dev. Pol. Rev.* 19: 437-448.
- FABRICIUS, C. 2004. The fundamentals of community based natural resource management. In: Fabricius, C., Koch, E., Magome, H. & Turner, S (Eds). Rights, resources and rural development. Community-based natural resource management in southern Africa. Earthscan, London.
- FUGGLE, R.F. 1994. Environmental management: an introduction. In: R.F. Fuggle & M.A. Rabie (Eds), Environmental Management in South Africa. Juta & Co., Cape Town.
- GAUGRIS, J.Y. 2004. Sustainable utilization of plants in the Manqakulane Conservation Area, Maputaland, KwaZulu-Natal. MSc (Wildlife Management) Dissertation. University of Pretoria, Pretoria.

- GAUGRIS, J.Y., MATTHEWS, W.S., VAN ROOYEN, M.W., & BOTHMA, J du P. 2004. The vegetation of Tshanini Game Reserve and a comparison with equivalent units in the Tembe Elephant Park in Maputaland, South Africa. *Koedoe* 47: 9-29.
- GBADEGESIN, A. & AYILEKA, O. 2000. Avoiding the mistakes of the past: towards a community orientated management strategy for the proposed National Park in Abuja-Nigeria. *Land Use Pol.* 17: 89-100.
- GIBBS-RUSSELL, G.E., WATSON, L., KOEKEMOER, M., SMOOK, L., BARKER, N.P., ANDERSON, H.M. & DALLWITZ, M.J. 1990. Grasses of southern Africa. National Botanical Institute, Pretoria.
- GRANÉLI, W. 1984. Reed *Phragmites australis* (Cav.) Trin. ex Steudel as an energy source in Sweden. *Biomass* 4: 183-208.
- GRANÉLI, W. 1989. Influence of standing litter on shoot production in reed, *Phragmites australis* (Cav.) Trin. ex Steudel. *Aquat. Bot.* 35: 99-109.
- GRUNDLING, P-L. 1996. The implication of C14 and pollen derived peat ages on the characterisation of peat lands of the Zululand-Mozambique Coastal Plain, South Africa. Report no. 1996-0119. Council for Geoscience Geological Survey, Pretoria.
- GRUNDLING, P-L & BLACKMORE, A. 1998. Peat fire in the Vasi pan peatland. Report no. 1998-0208. Council for Geoscience Geological Survey, Pretoria.
- GRUNDLING, P-L. 1999. Some characteristics of the Muzi Peatland, in the Tembe Elephant Park, northern KwaZulu-Natal, South Africa. Report no. 1999-0066. Council for Geoscience Geological Survey, Pretoria.
- HARA, T., VAN DER TOORN, J. & MOOK, J.H. 1993. Growth dynamics and size structure of shoots of *Phragmites australis*, a clonal plant. *J. Ecol.* 81: 47-60.
- HASLAM, S.M. 1969a. The development of shoots in *Phragmites communis* Trin. *Ann. Bot* 33: 695-709.

- HASLAM, S.M. 1969b. The development and emergence of buds in *Phragmites communis* Trin. *Ann. Bot* 33: 289-301.
- HASLAM, S.M. 1970. The development of the annual population in *Phragmites communis* Trin. *Ann. Bot* 34: 571-591.
- HASLAM, S.M. 1989. Early decay of *Phragmites* thatch: an outline of the problem. *Aquat. Bot.* 35: 129-132.
- HAVENS, K.J., PRIEST, W.I & BERQUIST, H. 1997. Investigation and long-term monitoring of *Phragmites australis* within Virginia's constructed wetland sites. *Environ. Manage.* 21: 599-605.
- HILBORN, R., WALTERS, C.J. & LUDWIG, D. 1995. Sustainable exploitation of renewable resources. *Ann. Rev. Ecol. Syst.* 26: 45-67.
- HOCKING, P.J. 1989. Seasonal dynamics of production, and nutrient accumulation and cycling by *Phragmites australis* (Cav.) Trin. ex Steudel in a nutrient-enriched swamp in inland Australia. I. Whole plants. *Aust. J. Mar. Freshwater Res.* 40: 421-424.
- HODGE, I. & MCNALLY, S. 2000. Wetland restoration, collective action and the role of water management institutions. *Ecol. Econ.* 35: 107-118.
- JOHNSON, C. 2001. Local democracy, democratic decentralisation and rural development: theories, challenges and options for policy. *Dev. Pol. Rev.* 19: 521-532.
- KRIGE, E.J. 1988. The social system of the Zulus. Shuter & Shooter, Pietermaritzburg.
- KYLE, S. 2000. A summary and some comments on resource utilisation in the Tembe/Ndumo Game Reserve Complex during 2000. Unpublished report. Ezemvelo KwaZulu-Natal Wildlife, Pietermaritzburg.
- KSENOFONTOVA, T. 1989. General changes in the Matsalu Bay reedbeds in this century and their present quality (Estonian SSR). *Aquat. Bot.* 35: 111-120.

- KWAZULU-NATAL NATURE CONSERVATION SERVICE PROTECTED AREA MANAGEMENT PLAN. 1997. Part B: General description of the Tembe Ndumo Complex and key references. Unpublished Report. KwaZulu-Natal Nature Conservation Service, Pietermaritzburg.
- LOW, A.B. & REBELO, A.G. (Eds) 1996. Vegetation of South Africa, Lesotho and Swaziland. Department of Environmental Affairs and Tourism, Pretoria.
- MACHLIS, G.E. 1995. Social science and protected area management: the principles of partnership. In: J.A. McNeely (Ed.), Expanding partnerships in conservation. (Pp. 45-57). Island Press, Washington DC.
- MANDELA, N. 2000. Reflections on 100 years of conservation. In: E. Joseph & D. Parris (Eds.), Visions of change. Social ecology and South African National Parks. (Pp. 9-13). Branko Brkic, Johannesburg.
- MARKS, M., LAPIN, B. & RANDALL, J. 1994. *Phragmites australis* (*P. communis*): Threats management and monitoring. *Nat. Area. J.* 14: 285-294.
- MASSACCI, A., PIETRINI, F. & IANNELLI, M.A. 2001. Remediation of wetlands by *Phragmites australis*: the biological basis. *Minerva Biotechnol.* 13: 135-140.
- MATHIS, M.J. & MIDDLETON, B.A. 2001. Simulated herbivory and vegetation dynamics in coal slurry ponds reclaimed as wetlands. *Restor. Ecol.* 7: 392-398.
- MATTHEWS, W.S., VAN WYK, A.E., VAN ROOYEN, N. & BOTHA, G.A. 2001. Vegetation of the Tembe Elephant Park, Maputaland, South Africa. *S. Afr. J. Bot.* 67: 573-594.
- MAUCHAMP, A., BLANCH, S. & GRILLAS, P. 2001. Effects of submergence on the growth of *Phragmites australis* seedlings. *Aquat. Bot.* 69: 147-164.
- MCKEAN, S.G. 2001. Productivity and sustainable use of *Phragmites* in the Fuyeni reed bed - Hluluwe-Umfolozi Park - Management guidelines for harvest. *S. Afr. J. Bot.* 67: 274-280.

- MOOK, J.H. & VAN DER TOORN, J. 1982. The influence of environmental factors and management on stands of *Phragmites australis* II. Effects on yield and its relationship with shoot density. *J. Appl. Ecol.* 19: 501-517.
- MUNNIK, F. 1991. Incema is money: transforming tradition. *New Ground: the journal of development and environment* 2: 12-13.
- MUNRO, D.A. 1995. New partners in conservation. In: J.A. McNeely (Ed.), *Expanding partnerships in conservation.* (Pp. 13-18). Island Press, Washington DC.
- OSTENDORP, W. 1989. 'Die-back' of reeds in Europe - A critical review of literature. *Aquat. Bot.* 35: 5-26.
- PELTO, P.J. & PELTO, G.H. 1978. *Anthropological research: the structure of inquiry.* Cambridge University Press, London.
- POOLEY, E.S. 1980. Some notes on the utilization of natural resources by the tribal people of Maputaland. In: M.N. Bruton & K.H. Cooper (Eds), *Studies on the ecology of Maputaland* (Pp. 467-479). Rhodes University & Natal Branch of the Wildlife Society of Southern Africa, Durban.
- PRATT, B. & LOIZOS, P. 1992. *Choosing research methods: data collection for development workers.* Oxfam, Oxford.
- RAHMAN, A. & WESTLEY, J. 2001. The challenge of ending rural poverty. *Dev. Pol. Rev.* 19: 553-562.
- ROBERTSON, H.A. & MCGEE, T. 2003. Applying local knowledge: the contribution of oral history to wetland rehabilitation at Kanyapella Basin, Australia. *J. Environ. Manage.* 69: 275-287.
- SAMUELS, M.L. (1989) *Statistics for the life sciences.* Collier MacMillan, London.
- SANDERSON, E.W., REDFORD, K.H., VEDDER, A., COPPOLILLO, P.B. & WARD, S.E. 2002. A conceptual model for conservation planning based on landscape species requirements. *Landscape Urban Plan.* 58: 41-56.

- SOIL CLASSIFICATION WORKING GROUP. 1991. *Soil Classification. A taxonomic system for South Africa*. Memoirs on the agricultural natural resources of South Africa No. 15.
- SPSS for Windows®. Standard Version 11.5.0. SPSS Inc. South Africa.
- STAUTH, R.B. & BASKIND, P.H. 1994. Resource Economics. In: R.F. Fuggle & M.A. Rabie (Eds), *Environmental Management in South Africa*. Juta & Co., Cape Town.
- STATISTICAL ANALYSIS SYSTEMS. (1994). *SAS User's Guide: Statistics Version 6*. SAS Institute Inc. Cary, NC, USA.
- STATSOFT, INC. 2300 East 14th Street, Tulsa, OK 74104.
- SUKOPP, H. & MARKSTEIN, B. 1989. Changes of the reed beds along the Berlin Havel, 1962-1987. *Aquat. Bot.* 35: 27-39.
- TARR, J.A., VAN ROOYEN, M.W., & BOTHMA, J. DU P. 2004. The response of *Phragmites australis* to harvesting pressure in the Muzi Swamp of the Tembe Elephant Park, South Africa. *Land Degrad. Dev.* 15: 487-497.
- THOMAS, W.H. 2003. One last chance: tapping indigenous knowledge to produce sustainable conservation policies. *Futures* 35: 989-998.
- THOMPSON, D.J. & SHAY, J.M. 1985. The effects of fire on *Phragmites australis* in the Delta Marsh, Manitoba. *Can. J. Bot.* 63: 1864-1869.
- TIFFEN, M. 2003. Transition in Sub-Saharan Africa: Agriculture, urbanization and income growth. *World Development* 31: 1343-1366.
- TOSH, C. 2000. The effect of human harvesting on the height and diameter of *Phragmites australis* in Tembe Elephant Park. Unpublished undergraduate project, Department of Botany, University of Pretoria, Pretoria.
- TROLLOPE, W.S.W. 1990. Veld management with special reference to game ranching in the grassland and savanna areas of South Africa. *Koedoe* 33: 77-87.

- TURNER, R.K., VAN DEN BERGH, J.C.J.M., SÖDERQVIST, T., BARENDREGT, A., VAN DER STRAATEN, J., MALTBY, E. & VAN IERLAND, E.C. 2000. Ecological-economic analysis of wetlands: scientific integration for management and policy. *Ecol. Econ.* 35: 7-23.
- VAN DER TOORN, J. & MOOK, J.H. 1982. The influence of environmental factors and management on stands of *Phragmites australis* I. Effects of burning, frost and insect damage on shoot density and shoot size. *J. Appl. Ecol.* 19: 477-499.
- VAN DER WERFF, M. 1991. Common Reed. In: J. Rozema & J.A.C Verkleij (Eds), Ecological responses to environmental stresses (Pp. 172-182). Kluwer Academic Publishers, Netherlands.
- VAN OUDTSHOORN, F. 1999. Guide to grasses of southern Africa. Briza Publications, Pretoria.
- VAN ROOYEN, N. 2002. Veld management in the savannas. In: J. du P. Bothma (Ed.) Game Ranch Management (Pp. 571-620). Van Schaik, Pretoria.
- VAN WILGEN, B.W. & SCHOLES, R.J. 1997. The vegetation and fire regimes of southern hemisphere Africa. In: B.W. Van Wilgen, M.O. Andreae, J.G. Goldammer & J.A. Lindesay (Eds), Fire in southern African savannas (Pp. 27-46). Witwatersrand University Press, Johannesburg.
- VAN WYK, I. 2003. "Elephants are eating our money": A critical ethnography of development practice in Maputaland, South Africa. MA (Anthropology) Dissertation. University of Pretoria, Pretoria.
- VILJOEN, L. 1976. Uses of *Phragmites australis*. *Hand. Weidingsveren. S. Afr.* 11: 19-22.
- VON DROSTE, B. 1995. Biosphere reserves: a comprehensive approach. In: J.A. McNeely (Ed.), Expanding partnerships in conservation. (Pp. 58-62). Island Press, Washington DC.

- VRETARE, V., WEISNER, S.E.B., STRAND, J.A. & GRANÉLI, W. 2001. Phenotypic plasticity in *Phragmites australis* as a functional response to water depth. *Aquat. Bot.* 69: 127-145.
- WEISNER, S.E.B & GRANÉLI, W. 1989. Influence of the substrate conditions on the growth of *Phragmites australis* after a reduction in oxygen transport to below-ground parts. *Aquat. Bot.* 35: 71-80.
- WOODHOUSE, P. 2003. African enclosures: A default mode of development. *World Development* 31: 1705-1720.
- ZACHARIAS, P.J.K. 1990. Acock's Notes: key grasses of South Africa. Grassland Society of South Africa, Howick.