

LITERATURE REFERENCES

- Acock, S. 1963. *Hepaticae of South Africa*. Council, Stockholm.
- Arnold, T.H. 1997. *Geographic distribution of the vascular plants of South Africa*. Council, Stockholm.
- Acock, J.P.H. 1953. Veld types of South Africa. *Memoirs of the Botanical Survey of South Africa* No. 28: 1-192.
- Acock, J.P.H. 1971. The distribution of certain ecologically important grasses in South Africa. *Mitteilungen der Botanischen Staatssammlung München* 10: 149-160.
- Acock, J.P.H. 1975. Veld types of South Africa. *Memoirs of the Botanical Survey of South Africa* No. 40: 1-128.
- Adamson, R.S. 1938. *The vegetation of South Africa*. London.
- Afonina, O.M. & Czernyadjeva, I.V. 1995. Mosses of the Russian arctic: check-list and bibliography. *Arctoa* 5: 99-142.
- Agnew, S. & Vondracek, M. 1975. A moss flora of Iraq. *Feddes Repertorium* 86: 341-489.
- Akiyama, H. 1996. Taxonomic studies of mosses of Seram and Ambon (Moluccas, east Malesia) collected by Indonesian-Japanese botanical expeditions, IX. Pottiaceae. *Tropical Bryology* 12: 157-168.
- Al-Gifri, A.N., Kurschner, H. & Mies, B. 1995. New records, additions and a new species, *Sematophyllum socotrense* Buck (Sematophyllaceae, Musci) to the bryophyte flora of Socotra (Yemen). *Nova Hedwigia* 61: 467-480.
- Almborn, O. 1988. Some distribution patterns in the lichen flora of South Africa. *Monographs in Systematic Botany from the Missouri Botanical Garden* 25: 429-432.
- Andersson, P.-A. & Weimarck, G. 1996. Floristic patterns and phytogeography of Skane, S Sweden. *Symbolae Botanicae Upsaliensis: Arbeten från Botaniska Institutionen i Uppsala* 31: 239-264.
- Angus, A. & Chapman, J.D. 1996. A tribute to Frank White (5th March 1927 to 12th September 1994). *Bothalia* 26: 69-76.
- Anon. 1957. *Climate of South Africa*. Part 4. Rainfall maps. W.B.22. The Government Printer and Weather Bureau, Department of Transport, Pretoria.
- Anon. 1985. *Sci-Mate Software System: The Manager*. Institute for Scientific Information, Philadelphia, U.S.A.

- Arnell, S. 1963. *Hepaticae of South Africa*. Swedish Natural Science Research Council, Stockholm.
- Arnold, T.H. 1997. Getting to know PRECIS: questions and answers. *PlantLife* 17: 22-23.
- Arnold, T.H. & De Wet, C. 1993. Plants of southern Africa: names and distribution. *Memoirs of the Botanical Survey of South Africa* 62: 1-825. National Botanical Institute, Pretoria.
- Arrocha, C. 1992. Musgos de Costa Rica: nuevos registros. *Tropical Bryology* 5: 1-3.
- Aubreville, A. 1975. Essais sur l'origine et l'histoire des flores tropicales Africaines. Application de la théorie des origines polytopiques des Angiospermes tropicales. *Adansonia Ser.2*, 15: 31-56.
- Axelrod, D.I. & Raven, P.H. 1978. Late Cretaceous and Tertiary vegetation history of Africa. In M.J.A. Werger (ed.), *Biogeography and ecology of southern Africa* 1: 77-130. W. Junk, The Hague.
- Barnard, P.(ed.) 1998. *Biological diversity in Namibia: a country study*. Namibian National Biodiversity Taskforce, Windhoek.
- Bates, J.W. 1982. Quantitative approaches in bryophyte ecology. In A.J.E.Smith (ed.), *Bryophyte Ecology*: 1-44. Chapman And Hall, London.
- Bates, J.W. 1995. numerical analysis of bryophyte-environment relationships in a lowland English flora. *Fragmenta Floristica et Geobotanica* 40,1: 471-490.
- Bayer, A.W. 1971. Aspects of Natal's botanical history. *South African Journal of Science* 67: 401-411.
- Beentje, H.J., Adams, B. & Davis, D. 1994. Regional overview: Africa. In S.D. Davis, V.H. Heywood & A.C. Hamilton (eds.), *Centres of plant diversity. A guide and strategy for their conservation* 1: 227-235. The World Wide Fund For Nature And The World Conservation Union.
- Beever, J., Allison, K.W. & Child, J. 1992. *The mosses of New Zealand*. University of Otago Press, Dunedin.
- Bell, G. 1982. Leaf morphology of arid-zone moss species from South Australia. *The Journal of the Hattori Botanical Laboratory* 53: 147-151.
- Belland, R.J. 1987. The moss flora of the Gulf of St. Lawrence region: ecology and phytogeography. *Journal of the Hattori Botanical Laboratory* 62: 205-267.

- Belland, R.J. 1989. Floristic boundaries in the Gulf of St. Lawrence region: a numerical approach based on the moss flora. *Canadian Journal of Botany* 67: 1633-1644.
- Belland, R.J. & Vitt, D.H. 1995. Bryophyte vegetation patterns along environmental gradients in continental bogs. *Ecoscience* 2: 395-407.
- Bergstrom, D. & Selkirk, P. 1997. Distribution of bryophytes on subantarctic Heard Island. *The Bryologist* 100,3: 349-355.
- Bergstrom, D.M. & Seppelt, R.D. 1988(1989). The moss flora of Heard Island: revised checklist, annotations and phytogeographical considerations. *Lindbergia* 14: 184-190.
- Best, E.B. 1990. The bryophyta of Zimbabwe - an annotated check-list. *Kirkia* 13,2: 293-318.
- Birks, H.J.B., Heegaard, E., Birks, H.H. & Jonsgard, B. 1998. Quantifying bryophyte-environment relationships. In J.W. Bates, N.W. Ashton & J.G. Duckett (eds.), *Bryology for the Twenty-first Century*: 305-319. Maney Publishing and the British Bryological Society.
- Birks, H.L.B. 1987. Recent methodological developments in quantitative descriptive biogeography. *Annales Zoologici Fennici* 24: 165-178.
- Bizot, M. & Pócs, T. 1974. East African Bryophytes I. *Acta Academiae Paedagogicae Agriensis-nova* 12: 383-449.
- Bizot, M. & Pócs, T. 1979. East African bryophytes, III. *Acta Botanica Academiae Scientiarum Hungaricae* 25: 223-261.
- Bizot, M. & Pócs, T. 1982. East African Bryophytes, V. *Acta Botanica Academiae Scientiarum Hungaricae* 28: 15-64.
- Bizot, M. & Tixier, P. 1986-1987. Reliquiae Bizotianae Recoltes Bryologiques Du R.P. Assel Dans La Region D'abidjan (Cote d'Ivoire). *Annales de l'Université d'Abidjan, Sciences et Techniques* XXII-B: 33-58.
- Bizot, M., Dury, M.N. & Pócs, T. 1976. East African Bryophytes, II. Collections made by L. Ryvarden in Malawi, SE Africa. *Acta Botanica Academiae Scientiarum Hungaricae* 22: 1-8.
- Bizot, M., Friis, I., Lewinsky, J. & Pócs, T. 1978. East African Bryophytes IV. Danish Collections. *Lindbergia* 4: 259-284.

- Bizot, M., Pócs, T. & Sharp, A.J. 1979. Results of a bryogeographical expedition to East Africa in 1968, II. *Journal of the Hattori Botanical Laboratory* 45: 145-165.
- Bizot, M., Pócs, T. & Sharp, A.J. 1985. Results of a bryogeographical expedition to East Africa in 1968, III. *The Bryologist* 88: 135-142.
- Bjarnason, A.H. 1991. Vegetation on lava fields in the Hekla area, Iceland. *Acta Phytogeographica Suecica* 77: 1-110.
- Born, S. & Frahm, J.-P. & Pócs, T. 1993. Taxonomic results of the Bryotrop expedition to Zaire and Rwanda. 26. A new checklist of the mosses of central Africa. *Tropical Bryology* 8: 223-273.
- Bourell, M. 1992. A checklist of the bryophytes of Chiapas, Mexico. *Tropical Bryology* 6: 39-56.
- Bowers, F.D. 1974. The mosses reported from Costa Rica. *The Bryologist* 77: 150-171.
- Brassard, G.R. 1984. The bryogeographical isolation of the island of Newfoundland, Canada. *The Bryologist* 87: 56-65.
- Brown, L.R., Bredenkamp, G.J. & Van Rooyen, N. 1997. Phytosociological synthesis of the vegetation of the Borakalalo Nature Reserve, North-West Province. *South African Journal of Botany* 63,5: 242-253.
- Bryant, E.H., Stotler, B.C. & Stotler, R.E. 1973. A factor analysis of the distribution of some Puerto Rican liverworts. *Canadian Journal of Botany* 51: 1545-1554.
- Buck, W.R. 1985. A preliminary list of the mosses of Paraguay. *Candollea* 40: 201-209.
- Buck, W.R. & Ireland, R.R. 1985. A reclassification of the Plagiotheciaceae. *Nova Hedwigia* 41(1-4): 89-125.
- Buck, W.R. & Thiers, B.M. 1989. Review of bryological studies in the tropics. In D.G. Campbell & H.D. Hammond (eds.), *Floristic Inventories of Tropical Countries*: 484-493. New York Botanical Garden, New York.
- Cano, M.J., Guerra, J. & Ros, R.M. 1993. A revision of the moss genus *Crossidium* (Pottiaceae) with the description of the new genus *Microcrossidium*. *Plant Systematics and Evolution* 188: 213-236.
- Carruthers, V. 1990. *The Magaliesberg*. Southern Book Publishers, Johannesburg.
- Casas, C. 1991. New checklist of Spanish mosses. *Orsis* 6: 3-26.

- Catcheside, D.G. & Stone, I.G. 1988. The mosses of the Northern Territory, Australia. *Journal of the Adelaide Botanical Garden* 11: 1-17.
- Cawe, S.G. 1994. Rainfall and vegetation patterns in Transkei and environs. *South African Journal of Science* 90: 79-85.
- Cawe, S.G., Moll, E.J. & Mckenzie, B. 1994. An evaluation of the phytochorological classification of the forests of Transkei. In J.H. Seyani & A.C. Chikuni (eds.). *Proceedings of the XIIIth Plenary Meeting of AETFAT, Zomba, Malawi. 2-11 April 1991*: 1043-1059. National Herbarium and Botanic Gardens of Malawi, Zomba.
- Cetin, B. 1988(1989). Checklist of the mosses of Turkey. *Lindbergia* 14: 15-23.
- Chuah-Petiot, S. 1994. Western Mount Kenya bryophytes - I. *Journal of East African Natural History* 83: 5-16.
- Chuah-Petiot, M.S. 1994a. Western Mount Kenya bryophytes - II. *Journal of East African Natural History* 83: 199-208.
- Chuah-Petiot, M.S. 1995. Western Mount Kenya Bryophytes - III. *Journal of East African Natural History* 84: 39-65.
- Chuah-Petiot, M.S. 1996. Bryophytes from Saiwa Swamp National Park, Kenya. *Tropical Bryology* 12: 63-73.
- Chuah-Petiot, M.S. 1997. Contributions toward a bryoflora of the Aberdare range, Kenya. *Tropical Bryology* 13: 57-63.
- Churchill, S.P. 1989. Bryologia Novo Granatensis. Estudios de los musgos de Colombia IV. Catalogo nuevo de los musgos de Colombia. *Tropical Bryology* 1: 95-132.
- Churchill, S.P. 1991. Bryologia Novo Granatensis. V. Additional records for Colombia and Antioquia, with a review of the distribution of *Hydropogon fontinaloides* in South America. *The Bryologist* 94: 44-48.
- Churchill, S.P. 1991a. The floristic composition and elevational distribution of Colombian mosses. *The Bryologist* 94: 157-167.
- Churchill, S.P., Griffin III, D. & Lewis, M. 1995. Moss diversity of the tropical Andes. In S.P. Churchill, H. Balslev, E. Forero & L. Luteyn (eds.), *Biodiversity and conservation of Neotropical montane Forests*: 335-346. The New York Botanical Garden, Bronx, New York.

- Churchill, S.P., Sastre-De Jesus, I. & Balslev, H. 1991 (1992). The mosses of Anangu, Napo Province, Ecuador. *Lindbergia* 17: 50-54.
- Cilliers, S.S. & Bredenkamp, G.J. 1998. Vegetation analysis of railway reserves in the Potchefstroom municipal area, North West Province, South Africa. *South African Journal of Botany* 64: 271-280.
- Clayton, W.D. 1974. Chorology of the genera of Gramineae. *Kew Bulletin* 30: 111-132.
- Clayton, W.D. 1975. The chorology of African grasses. *Kew Bulletin* 31: 273-288.
- Clayton, W.D. & Cope, T.A. 1979. The chorology of Old World species of Gramineae. *Kew Bulletin* 35: 135-171.
- Clifford, H.T. 1953. The mosses of Macquarie Island and Heard Island. *Australian National Antarctic Research Expedition Reports Series B* 2: 1-13.
- Codd, L. E. & Gunn, M. 1982. The collecting activities of Anton Rehmann (1840-1917) in South Africa. *Bothalia* 14: 1-14.
- Coetzee, J.A. 1993. African flora since the terminal Jurassic. In P. Goldblatt (ed.), *Biological relationships between Africa and South America*: 37-61. Yale University Press.
- Coetzee, J.P., Bredenkamp, G.J. & Van Rooyen, N. 1995. The phytosociology of the grasslands of the Ba and Ib types in the Pretoria-Witbank-Heidelberg area. *South African Journal of Botany* 61,3: 123-133.
- Cooper, K.H. 1985. *The conservation status of indigenous forests in Transvaal, Natal and O.F.S. South Africa*. Wildlife Society of S.A. Conservation Division, Durban.
- Cooper, K.H. & Swart, W. 1992. *Transkei forest survey*. Wildlife Society of S.A., Conservation Division, Durban.
- Cooper, M.R. 1980. Palaeobiogeography and the reassembly of Gondwanaland. *South African Journal of Science* 76: 35-37.
- Corley, M.F.V. & Crundwell, A.C. 1991. Additions and amendments to the mosses of Europe and the Azores. *Journal of Bryology* 16: 337-356.
- Corley, M.F.V. et al. 1981. Mosses of Europe and the Azores; an annotated list of species, with synonyms from the recent literature. *Journal of Bryology* 11: 609-689.

- Cornelissen, J.H.C. & Gradstein, S.R. 1990. On the occurrence of bryophytes and macrolichens in different lowland rain forest types at Mabura Hill, Guyana. *Tropical Bryology* 3: 29-35.
- Cortini Pedrotti, C. 1992. Check-list of the mosses of Italy. *Flora Mediterranea* 2: 119-221.
- Cowling, R.M. 1983. Phytochorology and vegetation history in the south-eastern Cape, South Africa. *Journal of Biogeography* 10: 393-419.
- Cowling, R.M. & Hilton-Taylor, C. 1994. Patterns of plant diversity and endemism in southern Africa: an overview. In B.J. Huntley, Botanical diversity in southern Africa. *Strelitzia* 1: 31-52.
- Cowling, R.M. & Hilton-Taylor, C. 1997. Phytogeography, flora and endemism. In R.M. Cowling, D.M. Richardson & S.M. Pierce (eds.), *Vegetation of southern Africa*: 43-61. Cambridge University Press.
- Cowling, R.M. & Holmes, P.M. 1992. Flora and vegetation. In R.M. Cowling (ed.), *The ecology of fynbos. Nutrients, fire and diversity*: 23-61. Oxford University Press, Cape Town.
- Cowling, R.M. & Richardson, D. 1995. *Fynbos. South Africa's unique floral kingdom*. Fernwood Press and Institute for Plant Conservation, University of Cape Town.
- Cowling, R.M., Gibbs Russell, G.E., Hoffman, M.T. & Hilton-Taylor, C. 1989. Patterns of plant species diversity in southern Africa. In B.J. Huntley (ed.), *Biotic diversity in southern Africa: concepts and conservation*: 19-50. Oxford University Press, Cape Town.
- Cowling, R.M., Holmes, P.M. & Rebelo, A.G. 1992. Plant diversity and endemism. In R.M. Cowling (ed.), *The ecology of fynbos. Nutrients, fire and diversity*: 62-112. Oxford University Press, Cape Town.
- Cowling, R.M., Richardson, D.M. & Mustart, P.J. 1997. Fynbos. In R.M. Cowling, D.M. Richardson & S.M. Pierce (eds.), *Vegetation of southern Africa*: 99-130. Cambridge University Press.
- Cowling, R.M., Richardson, D.M. & Pierce, S.M. (eds.). 1997a. *Vegetation of southern Africa*. Cambridge University Press.
- Cowling, R.M., Richardson, D.M., Schulze, R.E., Hoffman, M.T., Midgley, J.J. & Hilton-Taylor, C. 1997b. Species diversity at the regional scale. In R.M.

- Cowling, D.M. Richardson and S.M. Pierce (eds.), *Vegetation of southern Africa*: 447-473. Cambridge University Press.
- Cowling, R.M., Rundel, P.W., Desmet, P.G. & Esler, K.J. 1998. Extraordinary high regional-scale diversity in southern African arid lands: subcontinental and global comparisons. *Diversity and Distributions* 4: 27-36.
- Cowling, R.M., Pressey, R.L., Lombard, A.T., Desmet, P.G. & Ellis, A.G. 1999. From representation to persistence: requirements for a sustainable system of conservation areas in the species-rich mediterranean-climate desert of southern Africa. *Diversity and Distributions* 5: 51-71.
- Croizat, L. 1965. An introduction to the subgeneric classification of *Euphorbia* L., with stress on the South African and Malagasy species. I. *Webbia* 20: 573-706.
- Crundwell, A.C., Greven, H.C. & Stern, R.C. 1994. Some additions to the bryophyte flora of the Azores. *Journal of Bryology* 18: 329-337.
- Cufodontis, G. 1951. Vorläufige Aufzählung der Laubmose Äthiopiens. *Österreichische Botanische Zeitschrift* 98: 217-244.
- Dahlgren, R. 1963. Studies on *Aspalathus*: phytogeographical aspects. *Botaniska Notiser* 116: 431-472.
- Dasmann, R.F. 1974. *Biotic provinces of the world*. IUCN Occasional Paper No. 9. IUCN, Morges, Switzerland.
- Davis, S.D., Heywood, V.H. & Hamilton, A.C. (eds.). 1994. *Centres of plant diversity. A guide and strategy for their conservation*. Volume 1. The World Wide Fund for Nature, and The World Conservation Union.
- Day, J.A. & King, J.M. 1995. Geographical patterns, and their origins, in the dominance of major ions in South African rivers. *South African Journal of Science* 91: 299-306.
- De Wit, M.J. 1990. Gondwana research: new breakthrough, old supercontinent. *South African Journal of Science* 86: 479-483.
- Deacon, H.J., Jury, M.R. & Ellis, F. 1992. *Selective regime and time*. In R.M. Cowling (ed.), *The ecology of fynbos. Nutrients, fire and diversity*. Oxford University Press, Cape Town.

- Debusk, G.H. 1998. A 37,500-year pollen record from Lake Malawi and implications for the biogeography of afromontane forests. *Journal of Biogeography* 25: 479-500.
- Delgadillo M., C. 1971. Phytogeographic studies on alpine mosses of Mexico. *The Bryologist* 74,3: 331-346.
- Delgadillo M., C. 1979. Mosses and phytogeography of the Liquidambar Forest of Mexico. *The Bryologist* 82: 432-449.
- Delgadillo M., C. 1992. Floristic corridors for moss distribution across the Neovolcanic Belt of Mexico. II. The cleistocarpic species. *Journal of Bryology* 17: 313-316.
- Delgadillo M., C. & Cardenas S., A. 1989. Phytogeography of high-elevation mosses from Chiapas, Mexico. *The Bryologist* 92: 461-466.
- Delgadillo M., C., Bello, B. & Cardenas S., A. 1995. Latmoss. A catalogue of neotropical mosses. *Monographs in Systematic Botany from the Missouri Botanical Garden* 56: 1-191. Missouri Botanical Garden.
- Demaret, F. 1946. Prodome des bryophytes du Congo Belge et du Ruanda-Urundi. I. Musci, Supplement 1. *Jardin Botanique de l'Etat Bruxelles* 18. S. 7-66.
- Denys, E. 1979. *De fytogeografische elementen van Afrika*. Licentiaat in de plantkundige wetenschappen, Katholieke Universiteit van Leuven.
- Denys, E. 1980. A tentative phytogeographical division of tropical Africa based on a mathematical analysis of distribution maps. *Bulletin Jardin Botanique National de Belgique* 50: 465-504.
- Dietz, R.S. & Holden, J.C. 1970. Reconstruction of Pangaea: breakup and dispersion of continents, Permian to present. *Journal of Geophysical Research* 75: 4939-4956.
- Dietz, R.S. & Holden, J.C. 1970a. The breakup of Pangaea. *Scientific American* 223: 30-41.
- Dilg, C. & Frahm, J.-P. 1997. Untersuchungen zur Flora der epiphytischen Moose der südlichen Drakensberge (Südafrika). *Tropical Bryology* 13: 35-45.
- Dingle, R.V., Siesser, N.G. & Newton, A.R. 1983. *Mesozoic and Tertiary geology of southern Africa*. Balkema, Rotterdam.

- Dirkse, G.M., Bouman, A.C. & Losada-Lima, A. 1993. Bryophytes of the Canary Islands, an annotated checklist. *Cryptogamie, Bryologie et Lichenologie* 14: 1-47.
- Dirkse, G.M., Van Dobben, H.F. & Tamm, C.O. 1991. *Effects offertilization on herb and moss layers of a scots pine stand in Lisselbo (Sweden); a multivariate analysis*. Rijksinstituut voor Natuurbeheer Report 91/7. Leersum, The Netherlands.
- Dirkse, G.M., Van Melick, H.M.H. & Touw, A. 1988(1989). Checklist of Dutch bryophytes. *Lindbergia* 14: 167-175.
- Dixon, H.N. & Gepp, A. 1923. Rehmann's South African mosses. *Kew Bulletin* 6: 193-238.
- Duda, J., Herben, T. & Novotny, I. 1990. Correlations of liverwort species on an intermediate landscape scale. *Journal of Vegetation Science* 1: 623-628.
- Duell, R. 1984. Distribution of the European and Macaronesian mosses (Bryophytina). Part I. *Bryologische Beitraege* 4: 1-114.
- Duell, R. 1985. Distribution of the European and Macaronesian mosses (Bryophytina). *Bryologische Beitraege* 5: 110-232.
- Duell, R. 1992. Distribution of the European and Macaronesian mosses (Bryophytina): annotations and progress. *Bryologische Beitraege* 8/9: 1-223.
- Duell, R. 1995. Moose Griechenlands. *Bryologische Beitraege* 10: 1-229.
- During, H.J. 1979. Life strategies of bryophytes: a preliminary review. *Lindbergia* 5: 2-18.
- During, H.J. 1992. Ecological classification of bryophytes and lichens. In J.W. Bates & A.M. Farmer (eds.), *Bryophytes and lichens in a changing environment*: 1-31. Clarendon Press, Oxford.
- Dusen, P. 1895. New and some little known mosses from the west coast of Africa. *Kongliga Svenska Vetenskapsakademiens Handlingar* 28: 1-45. Kungl. Boktryckeriet. P.A. Norstedt & Soner, Stockholm.
- Dyer, R.A. 1975. *The genera of southern African flowering plants*, Vol.1, *Dicotyledons*. The Government Printer, Pretoria.
- Dyer, R.A. 1976. *The genera of southern African flowering plants*, Vol.2, *Monocotyledons*. The Government Printer, Pretoria.

- Dzwonko, Z. & Kornas, J. 1994. Patterns of species richness and distribution of pteridophytes in Rwanda (central Africa): a numerical approach. *Journal of Biogeography* 21: 491-501.
- Eckhardt, H.C. Van Rooyen, N. & Bredenkamp, G.J. 1996. Plant communities and species richness of the *Agrostis lachnantha-Eragrostis plana* wetlands of northern Kwazulu-Natal. *South African Journal of Botany* 62,6: 306-315.
- Eckhardt, H.C., Van Rooyen, N. & Bredenkamp, G.J. 1996a. The plant communities and species richness of the *Alepidea longifolia-Monocymbium ceresiiforme* high-altitude grassland of northern Kwazulu-Natal. *Koedoe* 39: 53-68.
- Eckhardt, H.C., Van Rooyen, N. & Bredenkamp, G.J. 1997. Plant communities of the forests, woodlands and thickets in northern KwaZulu-Natal. *Koedoe* 40: 91-112.
- Eddy, A. 1985. A revision of African Sphagnales. *Bulletin of the British Museum of Natural History (Botany)* 12: 77-162.
- Edwards D. & Leistner, O.A. 1971. A degree reference system for citing biological records in southern Africa. *Mitteilungen der Botanischen Staatssammlung München* 10: 501-509.
- Een, G. 1997. Mosses from the Mascarenes - 6. *Tropical Bryology* 13: 21-34.
- Eggers, J. 1982. Artenliste der moose Makaronesiens. *Cryptogamie, Bryologie et Lichenologie* 3,4: 283-335.
- Egunyomi, A. 1980. Mosses from Nigeria III: New records from the middle-belt area. *Journal of the Hattori Botanical Laboratory* 48: 187-193.
- Egunyomi, A. & Olarinmoye S.O. 1979. Mosses from Nigeria II. Collections from the Obudu Cattle Ranch. *The Bryologist* 82: 76-77.
- El-Oqlah, A.A. & Lahham, J.N. 1985. Mosses from northern part of Jordan. *Candollea* 40: 147-152.
- El-Oqlah, A.A., Frey, W., & Kürschner, H. 1988. The bryophyte flora of Trans-Jordan. A catalogue of species and floristic elements. *Willdenowia* 18: 253-279.
- Eldridge, D.J. & Tozer, M.E. 1996. Distribution and floristics of bryophytes in soil crusts in semi-arid and arid eastern Australia. *Australian Journal of Botany* 44: 223-247.

- Eldridge, D.J. & Tozer, M.E. 1997. Environmental factors relating to the distribution of terricolous bryophytes and lichens in semi-arid eastern Australia. *The Bryologist* 100: 28-39.
- Ellery, W.N., Scholes, R.J. & Mentis, M.T. 1991. An initial approach to predicting the sensitivity of the South African Grassland Biome to climate change. *South African Journal of Science* 87: 499-503.
- Enroth, J. 1990. Altitudinal zonation of bryophytes on the Huon Peninsula, Papua New Guinea. A floristic approach, with phytogeographic considerations. *Tropical Bryology* 2: 61-90.
- Enroth, J. 1996. The Neckeraceae (Musci) collected by Mr Frank Muller in Bioko (Equatorial Guinea) in 1994. *Journal of Bryology* 19: 189-191.
- Fensham, R.J. & Streimann, H. 1997. Broad landscape relations of the moss flora from inland dry rainforest in North Queensland, Australia. *The Bryologist* 100: 56-64.
- Fife, A.J. 1984. Records of new or otherwise interesting mosses in New Zealand, including a new species of *Racomitrium*. *New Zealand Journal of Botany* 22: 1-6.
- Fife, A.J. 1995. Checklist of the mosses of New Zealand. *The Bryologist* 98: 313-337.
- Florschutz-De Waard, J. 1990. A catalogue of the bryophytes of the Guianas. II. Musci. *Tropical Bryology* 3: 89-104.
- Forbes, B.C. 1994. The importance of bryophytes in the classification of human-disturbed high arctic vegetation. *Journal of Vegetation Science* 5: 877-884.
- Frahm, J.-P. 1978. Zur moosflora der Sahara. *Nova Hedwigia* 30: 527-548.
- Frahm, J.-P. 1984. Ergänzungen zur Laubmoosflora der Elfenbeinküste. *Cryptogamie, Bryologie et Lichenologie* 5: 281-283.
- Frahm, J.-P. 1985. Afrikanische *Campylopus*-Arten (Dicranaceae, Musci). *Bryophytorum Bibliotheca* 31: 1-216.
- Frahm, J.-P. 1988. Bemerkenswerte Laubmoosfunde aus Nordafrika. *Cryptogamie, Bryologie et Lichenologie* 9: 231-234.
- Frahm, J.-P. 1988. The subantarctic and southern hemisphere species of *Campylopus* (Dicranaceae), with contributions to the origin and speciation of the genus. *Journal of the Hattori Botanical Laboratory* 64: 367-387.

- Frahm, J.-P. 1993. D. Taxonomy. I. Systematics of the Bryophytes. *Progress in Botany* 54: 373-385.
- Frahm, J.-P. 1997. D. Taxonomy. I. Systematics of the Bryophytes. *Progress in Botany* 58: 455-469.
- Frahm, J.-P. 1998. Taxonomische Notizen zur Gattung *Campylopus* XVII. *Cryptogamie, Bryologie et Lichenologie* 19: 27-34.
- Frahm, J.-P. & Gradstein, S.R. 1991. An altitudinal zonation of tropical forests using bryophytes. *Journal of Biogeography* 18: 669-678.
- Frahm, J.-P., Lindlar, A. & Muhle, H. 1996. Lista vermelha para os briofitos (Bryophyta). In Teresa Leyens & Wolfram Lobin, *Primeira lista vermelha de Cabo Verde*. Courier Forschungsinstitut Senckenberg 193: 27-36.
- Frahm, J.-P., Porembski, S., Seine, R. & Barthlott, W. 1996. Moose von Inselbergen aus Elfenbeinküste und Zimbabwe. *Nova Hedwigia* 62: 177-189.
- Frahm, J.P., Lindlar, A., Sollman, P. & Fischer, E. 1996. Bryophytes from the Cape Verde Islands. *Tropical Bryology* 12: 123-153.
- Frey, W. 1990. Genolemente pra-Angiospermen ursprungs bei Bryophyten. *Botanische Jahrbücher für Systematik, Pflanzengeschichte und Pflanzengeographie* 111: 433-456.
- Frey, W. & Kürschner, H. 1988. Bryophytes of the Arabian Peninsula and Socotra: floristics, phytogeography and definition of the Xerothermic Pangaean Element. *Studies In Arabian Bryophytes* 12. *Nova Hedwigia* 46: 37-120.
- Frey, W. & Kürschner, H. 1991. Das Fossombronio-Gigaspermetum mouretii in der Judäischen Wüste. 2. Ökosoziole und Lebensstrategien. *Cryptogamic Botany* 2: 73-84.
- Frey, W. & Kürschner, H. 1991a. Conspectus bryophytorum orientalum et Arabicorum. An annotated catalogue of the bryophytes of southwest Asia. *Bryophytorum Bibliotheca* 39: 1-181.
- Frey, W. & Kürschner, H. 1983. New records of bryophytes from Trans-Jordan with remarks on phytogeography and endemism in SW Asiatic mosses. *Lindbergia* 9: 121-132.
- Frey, W. & Kürschner, H. 1993. *Trichostomopsis trivialis* (C.Mull.) Robins. (Pottiaceae, Musci) eine Südafrikanisch- Mediterran disjunkte Sippe, neu für die Bryoflora Jordaniens. *Cryptogamic Botany* 3: 152-156.

- Frey, W. & Kürschner, H. 1995. Bryozoologische Untersuchungen in Jordanien. 3. Lebensstrategieenanalyse der terrestrischen und epilithischen Moosgesellschaften. *Fragmenta Floristica et Geobotanica* 40: 491-511.
- Friis, I. 1986. Ethiopia in regional phytogeography. *Symbolae Botanicae Upsalienses* 26: 68-85.
- Friis, I. 1994. Some general features of the Afromontane and Afro-Temperate floras of the Sudan, Ethiopia and Somalia. In J.H.Seyani & A.C. Chikuni (eds.), *Proceedings Of The XIIIth Plenary Meeting Of Aetfat, Zomba, Malawi, 2-11 April 1991*: 953-968. National Herbarium And Botanic Gardens Of Malawi, Zomba, Malawi.
- Gangulee, H.C. 1980. *Mosses of eastern India and adjacent regions. Fascicle 8. Hypnobryales-Hypninae, Floristic Trends, Index, Errata*. H.C. Gangulee, Calcutta.
- Gao, C. & Chang, K.C. 1983. Index Muscorum Chinae Boreali-Orientalis. *Journal of the Hattori Botanical Laboratory* 54: 187-205.
- Gauch, H.G. 1982. *Multivariate analysis in community ecology*. Cambridge University Press.
- Gauch, H.G. & Whittaker, R.H. 1981. Hierarchical classification of community data. *Journal of Ecology* 69: 537-557.
- Gauthier, R. 1987. Note sur trois mousses du Sahara Algerien. *Cryptogamie, Bryologie et Lichenologie* 8: 27-29.
- Geldenhuys, C.J. 1994. Phytogeography of the southern Cape forest flora. In J.H.Seyani & A.C. Chikuni (eds.), *Proceedings of the XIIIth Plenary Meeting of AETFAT, Zomba, Malawi, 2-11 April 1991*: 969-992. National Herbarium and Botanic Gardens of Malawi, Zomba.
- Geldenhuys, C.J. & Macdevette, D.R. 1989. Conservation status of coastal and montane evergreen forest. In B.J. Huntley (Ed.), *Biotic diversity in southern africa: concepts and conservation*: 224-238. Oxford University Press, Cape Town.
- Germano, S.R. & Porto, K.C. 1996. Floristic survey of epixylic bryophytes of an area remnant of the atlantic forest (Timbauba - Pe, Brazil). 1. Hepaticopsida (except Lejeuneaceae) and Bryopsida. *Tropical Bryology* 12: 21-28.

- Gess, S.K. 1992. Biogeography of the masarine wasps (Hymenoptera: Vespidae: Masarinae), with particular emphasis on the southern African taxa and on correlations between masarine and forage plant distributions. *Journal of Biogeography* 19: 491-503.
- Gibbs Russell, G.E. & the staff of the National Herbarium. 1984. List of species of southern African plants. *Memoirs of the Botanical Survey of South Africa* 48: 1-144. *Bothalia* 15: 613-629.
- Gibbs Russell, G.E. & Robinson, E.R. 1981. Phytogeography and speciation in the vegetation of the eastern Cape. *Bothalia* 13: 467-472.
- Gibbs Russell, G.E., Retief, E. & Smook, L. 1984. Intensity of plant collecting in southern Africa. *Bothalia* 15: 131-138.
- Gibbs Russell, G.E., Reid, C., Van Rooy, J. & Smook, L. 1985. List of species of southern African Plants, Edn 2, Part 1. *Memoirs of the Botanical Survey of South Africa* 51: 1-31.
- Gignac, L.D. & Vitt, D.H. 1990. Habitat limitations of *Sphagnum* along climatic, chemical, and physical gradients in mires of western Canada. *The Bryologist* 93: 7-22.
- Gignac, L.D., Nicholson, B.J. & Bayley, S.E. 1998. The utilization of bryophytes in bioclimatic modeling: present distribution of peatlands in the Mackenzie River Basin, Canada. *The Bryologist* 101: 560-571.
- Gignac, L.D., Nicholson, B.J. & Bayley, S.E. 1998a. The utilization of bryophytes in bioclimatic modeling: predicted northward migration of peatlands in the Mackenzie River Basin, Canada, as an result of global warming. *The Bryologist* 101: 572-587.
- Gill, A.M., Belbin, L. & Chippendale, G.M. 1985. Phytogeography of *Eucalyptus* in Australia. *Australian Flora and Fauna Series* 3: 1-53. Bureau of Flora and Fauna, Canberra.
- Goldblatt, P. 1978. An analysis of the flora of southern Africa: its characteristics, relationships, and origins. *Annals of the Missouri Botanical Garden* 65: 369-436.
- Golding, J. 1999. A plant red data list for southern Africa. *SABONET News* 4: 111-118.

- Gonzalez-Mancebo, J.M., Losada-Lima, A., Hernandez, C.D. & During, H.J. 1991 (1992). Bryophyte flora of volcanic caves in the Azores and the Canary Islands. *Lindbergia* 17: 37-46.
- Good, R. 1974. *The geography of the flowering plants*. (edition 4). London, Beccles and Colchester.
- Gradstein, S.R. 1995. Diversity of Hepaticae and Anthocerotae in montane forests of the tropical Andes. In S.P. Churchill, H. Balslev, E. Forero & L. Luteyn (eds.). *Biodiversity and Conservation of Neotropical Montane Forests*: 321-334. The New York Botanical Garden, Bronx, New York.
- Gradstein, S.R. & Pócs, T. 1989. Bryophytes. In H. Lieth & M.J.A. Werger (eds.), *Tropical rain forest ecosystems*. Elsevier Science Publishers B.V., Amsterdam.
- Gradstein, S.R., Pócs, T. & Váña, J. 1983. Disjunct Hepaticae in tropical America and Africa. *Acta Botanica Hungarica* 29: 127-171.
- Gradstein, S.R., Van Reenen, G.B.A. & Griffin, D. 1989. Species richness and origin of the bryophyte flora of the Colombian Andes. *Acta Botanica Neerlandica* 38,4: 439-448.
- Greene, D.M. 1986. *A conspectus of the mosses of Antarctica, South Georgia, the Falkland Islands and southern South America*. The British Antarctic Survey, Cambridge.
- Gremmen, N.J.M. 1982. The vegetation of the subantarctic islands Marion and Prince Edward. *Geobotany* 3: I-X, 1-149. Dr W. Junk, The Hague.
- Greven, H.C. 1995. Distribution of *Grimmia* Hedw. on Mediterranean islands. *Cryptogamie, Bryologie et Lichenologie* 16: 11-17.
- Grubb, P.J. & Whitmore, T. 1966. A comparison of montane and lowland rain forest in Ecuador. II. The climate and its effects on the distribution and physiognomy of the forests. *Journal of Ecology* 54: 303-333.
- Gunn, M. & Codd, L.E. 1981. *Botanical exploration of southern Africa*. A.A. Balkema, Cape Town.
- Hallingback, T. & Söderström, L. 1987. Sveriges mossor och deras Svenska namn - en kommenterad checklista. *Svensk Botanisk Tidskrift* 81: 357-388.
- Hammerbeck, E.C.I. & Allcock, R.J. 1985. *Geological map of southern Africa*. The Geological Society of South Africa.

- Hassel de Menendez, G.G., Greene S.W. & Matteri, C.M. 1984. The occurrence and distribution of bryophytes in southern Patagonia between latitude 51 and 52 S. *Journal of the Hattori Botanical Laboratory* 55: 45-64.
- Hedberg, O. 1994. Afroalpine Region. In S.D. Davis, V.H. Heywood & A.C. Hamilton (eds.), *Centres of plant diversity. A guide and strategy for their conservation* 1: 253-256. The WWF And IUCN.
- Hegewald, E. & Hegewald, P. 1977. Eine Moossammlung aus Peru. I. *Nova Hedwigia* 28: 731-758.
- Hegewald, E. & Hegewald, P. 1985. Eine Moossammlung aus Peru. III. *Nova Hedwigia* 41: 219-271.
- Hegewald, P. & Hegewald, E. 1975. Verzeichnis der Laubmoose von Peru nach Literaturangaben. *Journal of the Hattori Botanical Laboratory* 39: 39-66.
- Hegewald, E. & Van Zanten, B.O. 1986. A list of bryophytes from Bali (Indonesia) collected by E. and P. Hegewald in 1981. *Journal of the Hattori Botanical Laboratory* 60: 263-269.
- Heikkinen, R.K., Birks, H.J.B. & Kalliola, R.J. 1998. A numerical analysis of the mesoscale distribution patterns of vascular plants in the subarctic Kevo Nature Reserve, Northern Finland. *Journal of Biogeography* 25: 123-146.
- Herrnstadt, I. 1992. Check-list of the bryophytes collected during Iter Mediterraneum II. *Bocconea* 3: 217-222.
- Herrnstadt, I. & Heyn, C.C. 1991. A checklist of the mosses of Israel. *The Bryologist* 94: 168-178.
- Herzog, Th. 1926. *Geographie der Moose*. Gustav Fischer, Jena.
- Herzog, Th. 1940. Die Moose der Expedition Ljungner nach Patagonien, 1932/34. *Arkiv For Botanik* 29a, 21: 1-17.
- Higuchi, M. 1996. A checklist of the mosses of Vanuatu. *Bulletin of the Natural Science Museum, Tokyo* B, 22: 113-134.
- Hill, M.O. 1979. *TWINSPAN. A FORTRAN program for arranging multivariate data in an ordered two-way table by classification of individuals and attributes*. Cornell University, Ithaca.
- Hill, M.O. 1979a. *DECORANA - a FORTRAN program for detrended correspondence analysis and reciprocal averaging*. Cornell University, Ithaca, N.Y.

- Hill, M.O. & Dominguez Lozano, F. 1994. A numerical analysis of the distribution of liverworts in Great Britain. In M.O. Hill, C.D. Preston & A.J.E. Smith (eds.), *Atlas of the bryophytes of Britain & Ireland. Volume 3. Mosses* (Diplolepidae): 11-20. Harley Books, Colchester.
- Hill, T.R. 1996. Description, classification and ordination of the dominant vegetation communities, Cathedral Peak, Kwazulu-Natal Drakensberg. *South African Journal of Botany* 62: 263-269.
- Hilliard, O.M. & Burtt, B.L. 1987. The botany of the southern Natal Drakensberg. *Annals of Kirstenbosch Botanic Gardens* 15: 1-253.
- Hilton-Taylor, C. 1987. Phytogeography and origins of the Karoo flora. In R.M. Cowling & P.W. Roux (eds.), *The Karoo Biome: a preliminary synthesis. Part 2 - Vegetation and history*. South African National Scientific Programmes Report No 142.
- Hilton-Taylor, C. 1994. Western Cape Domain (Succulent Karoo). In S.D. Davis, V.H. Heywood & A.C. Hamilton (eds.), *Centres of plant diversity. A guide and strategy for their conservation* 1: 204-217. The WWF and IUCN.
- Hilton-Taylor, C. 1994a. The Kaokoveld. In S.D. Davis, V.H. Heywood & A.C. Hamilton (eds.), *Centres of plant diversity. A guide and strategy for their conservation* 1: 201-203. The WWF and IUCN.
- Hilton-Taylor, C. 1996. Patterns and characteristics of the Succulent Karoo Biome, southern Africa. In L.J.G. van der Maesen, X.M. van der Burgt & J.M. van Medenbach de Rooy (eds.), *The biodiversity of African plants*: 58-72. Kluwer Academic Publishers, Dordrecht.
- Hilton-Taylor, C. & Le Roux, A. 1989. Conservation status of the fynbos and karoo biomes. In B.J. Huntley (Ed.), *Biotic diversity in southern Africa: concepts and conservation*: 202-223. Oxford University Press, Cape Town.
- Hodgetts, N.G., Matcham, H.W. & Duckett, J.G. 1999. Bryophytes collected in Lesotho, the Natal Drakensberg and the Orange Free State, southern Africa. *Journal of Bryology* 21: 133-155.
- Hoe, W.J. 1974. Annotated checklist of Hawaiian mosses. *Lyonia* 1: 1-45.
- Hoe, W.J. 1979. Additional new and noteworthy records for Hawaiian mosses 5. *The Bryologist* 82: 79-82.

- Hoffman, M.T. & Cowling, R.M. 1991. Phytochorology and endemism along aridity and grazing gradients in the lower Sundays River Valley, South Africa: implications for vegetation history. *Journal of Biogeography* 18: 189-201.
- Hollis, S. & Brummit, R.K. 1992. *World geographical scheme for recording plant distributions*. Hunt Institute for Botanical Documentation, Carnegie Mellon University, Pittsburg for International Working Group on Taxonomic Databases for Plant Sciences, St. Louis, Missouri.
- Holmgren, P.K., Holmgren, N.H. & Barnett, L.C. 1990. *Index Herbariorum. Part I: the herbaria of the world*. New York Botanical Garden.
- Hu, R.L. & Wang, Y.F. 1987. A review of the moss flora of east China. *Memoirs of the New York Botanical Garden* 45: 455-465.
- Hyvönen, J. 1989. A synopsis of genus *Polygonatum* (Polytrichaceae, Musci). *Acta Botanica Fennica* 138: 1-87.
- Hyvönen, J. 1989. The bryophytes of Sabah (north Borneo) with special reference to the BRYOTROP transect of Mount Kinabalu. VI. Polytrichaceae and Buxbaumiaceae (Bryopsida). *Willdenowia* 18: 569-589.
- Ignatov, M.S. 1994. Bryophytes of Altai Mountains. I. Study area and history of its bryological exploration. *Arctoa* 3: 13-27.
- Ignatov, M.S. & Afonina, O.M. (eds.). 1992. Check-list of mosses of the former USSR. *Arctoa* 1: 1-86.
- Ihlenfeldt, H.-D. 1994. Phytogeography of Pedaliaceae R. Br. In J.H. Seyani & A.C. Chikuni (eds.), *Proceedings of the XIIIth Plenary Meeting of AETFAT, Zomba, Malawi, 2-11 April 1991*: 1063-1075. National Herbarium and Botanic Gardens of Malawi, Zomba.
- Irish, J. 1994. The biomes of Namibia, as determined by objective categorisation. *Navoring van die Nasionale Museum, Bloemfontein* 10: 549-529.
- IUCN/UNEP. 1987. The IUCN directory of Afrotropical protected areas. IUCN, Gland, Switzerland, and Cambridge, UK.
- Iversen, S.T. 1991. The Usambara Mountains, NE Tanzania: phytogeography of the vascular plant flora. *Acta Universitatis Upsaliensis Symbolae Botanicae Upsalienses* XXIX,3: 1-234.
- Iwatsuki, S. 1991. *Catalog of the mosses of Japan*. Hattori Botanical Laboratory, Nichinan, Miyazaki, Japan.

- Iwatsuki, Z. & Noguchi, A. 1973. Index Muscorum Japonicorum. *Journal of the Hattori Botanical Laboratory* 37: 299-418.
- Iwatsuki, Z. & Noguchi, A. 1979. Index Muscorum Japonicorum Supplement 1973-1978. *Journal of the Hattori Botanical Laboratory* 46: 235-255.
- Jacobsen, W.B.G. & Jacobsen, N.H.G. 1989. Comparison of the pteridophyte floras of southern and eastern Africa, with special reference to high-altitude species. *Bulletin Jardin Botanique National de Belgique* 59: 261-317.
- Jardine, N. 1972. Computational methods in the study of plant distributions. In D.H. Valentine (ed.), *Taxonomy, phytogeography and evolution*: 381-393. Academic Press, London-New York.
- Jonsson, B.G. 1996. Riparian bryophytes of the H.J. Andrews Experimental Forest in the western Cascades, Oregon. *The Bryologist* 99,2: 226-235.
- Jürgens, N. 1986. Untersuchungen zur Ökologie sukkulenter Pflanzen des südlichen Afrika. *Mitteilungen aus dem Institut für Allgemeine Botanik Hamburg* 21: 129-365.
- Jürgens, N. 1990. Remarks on the biogeography of Mesembryanthemaceae and their possible use in other arid regions. *Mitteilungen aus dem Institut für Allgemeine Botanik Hamburg* 23B: 1047-1060.
- Jürgens, N. 1991. A new approach to the Namib Region. I: phytogeographic subdivision. *Vegetatio* 97: 21-38.
- Jury, M.R., Weeks, S. & Gondwe, M.P. 1997. Satellite-observed vegetation as an indicator of climate variability over southern Africa. *South African Journal of Science* 93: 34-38.
- Kadmon, R. & Heller, J. 1998. Modelling faunal responses to climatic gradients with GIS: land snails as a case study. *Journal of Biogeography* 25: 527-539.
- Kanda, H. 1987. New localities and taxonomic remarks for some mosses in continental Antarctica. *Proceedings of the NIPR Symposium on Polar Biology* 1: 265-272.
- Karttunen, K. & Toivonen, H. 1995. Ecology of aquatic bryophyte assemblages in 54 small Finnish lakes, and their changes in 30 years. *Annales Botanici Fennici* 32: 75-90.
- Kent, L.E. 1980. *Stratigraphy of South Africa*. Handbook 8. Part 1: Lithostratigraphy of the Republic of South Africa, South West Africa/Namibia and the

- Republics of Bophuthatswana, Transkei and Venda. Department of Mineral and Energy Affairs, Republic of South Africa.
- Killick, D.J.B. 1963. An account of the vegetation of the Cathedral Peak area of the Natal Drakensberg. *Memoirs of the Botanical Survey of South Africa* 34: 1-178.
- Killick, D.J.B. 1978. The Afro-Alpine Region. In M.J.A. Werger, *Biogeography and ecology of southern Africa*: 515-560. W. Junk, The Hague.
- Killick, D.J.B. 1990. *A field guide to the flora of the Natal Drakensberg*. Ball and Donkers, Pretoria.
- Killick, D.J.B. 1994. Drakensberg Alpine Region. In S.D. Davis, V.H. Heywood & A.C. Hamilton (eds.), *Centres of plant diversity. A guide and strategy for their conservation* 1: 257-260. The WWF and IUCN.
- Killick, D.J.B. 1997. Alpine tundra of southern Africa. In F.E. Wielgolaski, *Ecosystems of the world. 3. Polar and alpine tundra*: 199-209. Elsevier, Amsterdam.
- King, L. 1978. The geomorphology of central and southern Africa. In Werger, M.J.A., *Biogeography and ecology of southern Africa*: 3-17. W. Junk, The Hague.
- King, L.C. 1963. *South African scenery: a textbook of geomorphology*. Oliver and Boyd, Edinburgh.
- Kis, G. 1985. *Mosses of South-East tropical Africa*. Institute of Ecology and Botany of the Hungarian Academy of Sciences, Vacratot, Hungary.
- Kopke, D. 1988. The climate of the eastern Cape. M.N. Bruton & F.W. Gess (eds.), *Towards an environmental plan for the eastern Cape*: 44-52. Rhodes University, Grahamstown.
- Koponen, T., Isoviita, P. & Lammes, T. 1977. The bryophytes of Finland: an annotated checklist. *Flora Fennica* 6: 1-77.
- Koponen, T., Karttunen, K. & Piippo, S. 1995. Suomen vesisammalkasvio (Aquatic bryophytes of Finland). *Bryobrothera* 3.
- Koponen, T. & Li, X.-J. 1992. Mosses from Kunming city and its surroundings, Yunnan Province, China. *Bryobrothera* 1: 185-194.
- Koponen, T. & Luo, J.-X. 1992. Moss flora of Wo-Long Nature Reserve, Sichuan Province, China. *Bryobrothera* 1: 161-175.

- Kornas, J. 1993. The significans of historical factors and ecological preference in the distribution of African pteridophytes. *Journal of Biogeography* 20: 281-286.
- Kruger, G.P. 1983. *Terrain morphological map of southern Africa*. Soil and Irrigation Research Institute, Department of Agriculture, Pretoria.
- Kürschner, H. 1995. Wissenschaftliche Ergebnisse der Bryotrop-Expedition nach Zaire und Rwanda. 5. Hohengliederung epiphytischer Moose im Östlichen Kongo-Becken und den angrenzenden Gebirgsstocken (Parc National de Kahuzi-Biega/Zaire, Forêt de Nyungwe/Rwanda). *Tropical Bryology* 11: 77-85.
- Kürschner, H. 1995a. Epiphytische Moosgesellschaften in Östlichen Kongo-Becken und den angrenzenden Gebirgsstocken (Parc National de Kahuzi-Biega/Zaire, Forêt de Nyungwe/Rwanda). Wissenschaftliche Ergebnisse der Bryotrop-Expedition nach Zaire und Rwanda. 4. *Nova Hedwigia* 61: 1-64.
- Kürschner, H. & Onraedt, M. 1990. Quelques bryophytes de la République de Djibouti (Territoire Français des Afars et des Issas). *Nova Hedwigia* 50: 181-189.
- Kurzweil, H., Linder, H.P. & Chesselet, P. 1991. The phylogeny and evolution of the *Pterygodium-Corycium* complex (Coryciinae, Orchidaceae). *Plant Systematics and Evolution* 175: 161-223.
- Lawes, M.J. & Piper, S.E. 1998. There is less to binary maps than meets the eye: the use of species distribution data in the southern African sub-region. *South African Journal of Science* 94: 207-210.
- Le Roux, P.J. 1967. *Die aanplant van sierbome, sierstruiken en rankplante in Suidwest-Afrika*. Departement van Bosbou Pamflet No. 43.
- Lebrun, J. 1947. La vegetation de la plaine alluviale au sud du lac Edouard. *Exploration des Parcs National Albert*. Fasc.1: 1-800. Parcs National Congo Belge, Brussels.
- Leistner, O.A. 1967. The plant ecology of the southern Kalahari. *Botanical Survey Memoir* No. 38: 1-172.
- Levyns, M.R. 1954. *The genus Muraltia*. The Journal of South African Botany Supplementary Volume No. II. Cape Times Ltd., Parow, Cape Town.
- Levyns, M.R. 1963. Migrations and origin of the Cape flora. *Transactions of the Royal Society of South Africa* 37: 85-107.

- Lewis, M. 1990. A bryogeographic map of the Americas. *The Bryological Times* 56: 6-8.
- Lin, S.-H. 1984. A taxonomic revision of Phyllogoniaceae (Bryopsida). Part II. *Journal of Taiwan Museum* 37,2: 1-54.
- Lin, P.-J., Piippo, S., Koponen, T. & Wu, P.-C. 1992. Bryophyte flora of Jianfengling Mts, Hainan Island, China. *Bryobrothera* 1: 195-214.
- Linder, H.P. 1983. The historical phytogeography of the Disinae (Orchidaceae). *Bothalia* 14: 565-570.
- Linder, H.P. 1990. On the relationship between the vegetation and floras of the Afromontane and the Cape Regions of Africa. *Mitteilungen aus dem Institut für Allgemeine Botanik Hamburg* 23b: 777-790.
- Linder, H.P. 1991. Environmental correlates of patterns of species richness in the south-western Cape Province of South Africa. *Journal of Biogeography* 18: 509-518.
- Linder, H.P. 1994. Afrotropical phytogeography: implications of cladistic biogeographical analyses. In J.H. Seyani & A.C. Chikuni (eds.). *Proceedings of the XIIIth Plenary Meeting of AETFAT, Zomba, Malawi, 2-11 April 1991:* 913-930. National Herbarium and Botanic Gardens of Malawi, Zomba.
- Linder, H.P., Meadows, M.E. & Cowling, R.M. 1992. History of the Cape flora. In R.M. Cowling (ed.), *The ecology of fynbos. Nutrients, fire and diversity:* 113-134. Oxford University Press, Cape Town.
- Liversidge, R. 1962. Distribution of birds in relation to vegetation. *Annals of the Cape Provincial Museum* II: 143-150.
- Livingstone, D.A. 1993. Evolution of African climate. In P. Goldblatt (ed.), *Biological relationships between Africa and South America:* 455-472. Yale University Press.
- Long, D.G. 1992. Mosses of Bhutan. I. *Bryobrothera* 1: 119-125.
- Long, D.G. 1994. Mosses of Bhutan II. A checklist of the mosses of Bhutan. *Journal of Bryology* 18: 339-362.
- Long, D.G., Crundwell, A.C. & Townsend, C.C. 1981. New records of bryophytes from the Canary Islands. *Journal of Bryology* 11: 521-536.
- Longton, R.E. 1988. Life-history strategies among bryophytes of arid regions. *Journal of the Hattori Botanical Laboratory* 64: 15-28.

- Losada Lima, A. & Beltran Tejera, E. 1987. Estudio de la flora briologica del Monte de Agua Garcia y Cerro del Lomo (Tenerife, Islas Canarias). *Anales Jardin Botanico de Madrid* 44: 233-254.
- Low, A.B. & Rebelo, A.G. (eds.). 1996. *Vegetation of South Africa, Lesotho and Swaziland*. Department of Environmental Affairs and Tourism, Pretoria, South Africa.
- Lux, A. & Bemmerlein-Lux. F.A. 1998. Two vegetation maps of the same island: floristic units versus structural units. *Applied Vegetation Science* 1: 201-210.
- MacVicar, C.N. 1973. *Soil Map. Republic of South Africa. Scale 1:2500000*. Department of Agricultural Technical Services, Pretoria, South Africa.
- Maggs, G.L., Kolberg, H.H. & Hines, C.J.H. 1994. Botanical diversity in Namibia - an overview. *Strelitzia* 1: 93-104.
- Magill, R.E. 1980. Musci Austro-Africanii II. Bryophyte collections in southern Africa and southern African type specimens in the National Herbarium, Pretoria. *Bothalia* 13: 127-133.
- Magill, R.E. 1981. *Flora of Southern Africa. Bryophyta* 1,1: 1-292.
- Magill, R.E. 1987. *Flora of Southern Africa. Bryophyta* 1,2: 293-444.
- Magill, R.E. & Schelpe, E.A. 1979. The Bryophytes of southern Africa: an annotated checklist. *Memoirs of the Botanical Survey of South Africa* 43: 1-39.
- Magill, R.E. & Van Rooy, J. 1998. *Flora of Southern Africa. Bryophyta* 1,3: 445-622.
- Magill, R.E. & Vitt, D.H. 1981. The phytogeography and ecology of *Macrocoma* (Orthotrichaceae, Musci) in Africa. *Bothalia* 13: 463-466.
- Magill, R.E., Gibbs Russell, G.E., Morris, J.W. & Gonsalves, P. 1983. PRECIS, the Botanical Research Institute herbarium data bank. *Bothalia* 14: 481-495.
- Manakyan, V.A. 1995. Results of bryological studies in Armenia. *Arctoa* 5: 15-33.
- Martensson, O. 1972. Sigfrid W. Arnell 1895-1970. *Journal of Bryology* 7: 239-242.
- Matthews, W.S., Van Wyk, A.E. & Bredenkamp, G.J. 1993. Endemic flora of the north-eastern Transvaal escarpment, South Africa. *Biological Conservation* 63: 83-94.
- McCullum, J. 1994. Southern African Ecozones. In M.Chenje & P.Johnson (eds.), *State of the environment in southern Africa*: 65-86. A report by the southern African Research & Documentation Centre in collaboration with IUCN - The

- World Conservation Union and The Southern African Development Community.
- McDonald, D.J., Cowling, R.M. & Boucher, C. 1996. Vegetation-environment relationships on a species-rich coastal mountain range in the Fynbos Biome (South Africa). *Vegetatio* 123: 165-182.
- McLaughlin, S.P. 1992. Are floristic areas hierarchically arranged? *Journal of Biogeography* 19: 21-32.
- Meadows, M.E. 1985. *Biogeography and ecosystems of South Africa*. Juta & Co., Cape Town.
- Meadows, M.E. & Linder, H.P. 1993. A palaeoecological perspective on the origin of Afromontane grasslands. *Journal of Biogeography* 20: 345-355.
- Meentemeyer, V. & Box, E.O. 1987. Scale effects in landscape studies. In M.G. Turner (ed.), *Landscape heterogeneity and disturbance*. *Ecological Studies* 64: 15-34. Springer Verlag, New York.
- Menzel, M. 1992. Preliminary checklist of the mosses of Peru. (Studies on Peruvian bryophytes IV). *Journal of the Hattori Botanical Laboratory* 71: 175-254.
- Menzel, M. & Passow-Schindhelm, R. 1990. The mosses of the Maldives Islands. *Cryptogamie, Bryologie-Lichenologie* 11: 363-367.
- Midgley, J.J., Cowling, R.M., Seydack, A.H.W. & Van Wyk, G.F. 1997. Forest. In R.M. Cowling, D.M. Richardson & S.M. Pierce (eds.), *Vegetation of southern Africa*: 278-299. Cambridge University Press.
- Mielke, H.W. 1989. *Patterns of life. Biogeography of a changing world*. Unwin Hyman, Boston.
- Milton, S.J., Yeaton, R.I., Dean, W.R.J. & Vlok, J.H.J. 1997. Succulent Karoo. In R.M. Cowling, D.M. Richardson & S.M. Pierce (eds.), *Vegetation of southern Africa*: 131-166. Cambridge University Press.
- Mohamed, M.A.H. & Tan, B.C. 1988. A checklist of mosses of peninsular Malaya and Singapore. *The Bryologist* 91,1: 24-44.
- Moll, E.J. & White, F. 1978. The Indian Ocean coastal belt. In M.J.A. Werger, *Biogeography and ecology of southern Africa*: 561-598. W. Junk, The Hague.
- Moll, E.J. & Bossi, L. 1984. Assessment of the extent of the natural vegetation of the fynbos biome of South Africa. *South African Journal of Science* 80: 355-358.

- Monod, T. 1957. *Les grands divisions chorologique de l'Afrique*. Csa/Ccta Publication Number 24: 1-150.
- Moon, B.P. & Dardis, G.F. (eds.). 1988. *The Geomorphology of Southern Africa*. Southern Book Publishers.
- Morris, J.W. & Manders R. 1981. Information available within the PRECIS data bank of the National Herbarium, Pretoria, with examples of uses to which it may be put. *Bothalia* 13: 473-485.
- Muller, F. 1996. Beitrag zur Moosflora der Insel Bioko (=Fernando Poo) Äquatorial-Guinea. *Tropical Bryology* 12: 75-96.
- Myers, N. 1990. The biodiversity challenge: expanded hot-spot analysis. *The Environmentalist*: 1-20.
- Myklestad, A. & Birks, H.J.B. 1993. A numerical analysis of the distribution patterns of *Salix* L. species in Europe. *Journal of Biogeography* 20: 1-32.
- Nicholson, B.J. & Gignac, L.D. 1995. Ecotope dimensions of peatland bryophyte indicator species along gradients in the Mackenzie River basin, Canada. *The Bryologist* 98: 437-451.
- Nicol, I.G. 1988. The geomorphology of the eastern Cape. M.N. Bruton & F.W. Gess (eds.), *Towards an environmental plan for the eastern Cape*: 24-36. Rhodes University, Grahamstown.
- Ninh, T. 1993. Mosses of the Tam Dao Mountains, Vietnam. *The Bryologist* 96: 573-581.
- Nishimura, N. & Higuchi, M. 1993. Checklist of mosses of Pakistan. In T. Nakaike & S. Malik (eds.), *Cryptogamic Flora of Pakistan* 2: 275-299. Tokyo.
- Nishimura, N. & Higuchi, M. 1994. Additions to the checklist of mosses of Pakistan. *Proceedings of the Bryological Society of Japan* 6: 98-99.
- Nordenstam, B. 1969. Phytogeography of the genus *Euryops* (Compositae). *Opera Botanica* 23: 1-77.
- O'Brien, E.M. 1993. Climatic gradients in woody plant species richness: towards an explanation based on an analysis of southern Africa's woody flora. *Journal of Biogeography* 20: 181-198.
- O'Shea, B.J. 1993. British Bryological Society expedition to Mulanje Mountain, Malawi. 2. Checklist of Malawi bryophytes. *Journal of Bryology* 17: 645-670.

- O'Shea, B.J. 1995. Checklist of the mosses of sub-Saharan Africa. *Tropical Bryology* 10: 91-198.
- O'Shea, B.J. 1997. The mosses of sub-Saharan Africa 1. A review of taxonomic progress. *Journal of Bryology* 19: 509-513.
- O'Shea, B.J. 1997a. The mosses of sub-Saharan Africa 2. Endemism and biodiversity. *Tropical Bryology* 13: 75-85.
- O'Shea, B.J., Frahm, J.-P. & Porembski, S. 1996. Die laubmoosflora der Seychellen. *Tropical Bryology* 12: 169-191.
- Ochi, H. 1973. A revision of African Bryoideae, Musci (second part). *The Journal of the Faculty of Education, Tottori University* 24: 23-50.
- Ochi, H. 1980. A revision of the neotropical Bryoideae, Musci (First Part). *The Journal of the Faculty of Education, Tottori University, Natural Science* 29,2: 49-154.
- Ochi, H. & Streimann, H. 1987. Miscellaneous additions of bryaceous mosses (Bryaceae) to the floras of Papua New Guinea and Australia. *Memoirs of the New York Botanical Garden* 45: 615-617.
- Ochyra, R. 1982. *Orthodontium lineare* Schwaegr.-a new species and genus in the moss flora of Poland. *Bryologische Beiträge* 1: 23-36.
- Ochyra, R. & Hertel, H. 1990. Contribution to the moss flora of the subantarctic island Marion. *Polish Botanical Studies* 1: 19-34.
- Ochyra, R. & Pócs, T. 1982. East African bryophytes, VI. Polish collections. *Acta Botanica Academiae Scientiarum Hungaricae* 28: 361-389.
- Ochyra, R. & Pócs, T. 1985. East African bryophytes, VIII. The Musci of the Usambara Rain Forest Project, 1982. *Acta Botanica Hungarica* 31: 135-146.
- Ochyra, R. & Pócs, T. 1985a. East African bryophytes, XI. Dr. L. Pentek's collection from Mozambique. *Abstracta Botanica* 9, Suppl.2: 63-86.
- Ochyra, R. & Pócs, T. 1986. East African bryophytes, X. K. K. Norikoshi's collection from Mahale Mountains National Park, western Tanzania. *Hikobia* 9: 387-394.
- Ochyra, R. & Pócs, T. 1992a. Bryophyta Africana Selecta: a new exsiccata from Africa. *Fragmenta Floristica et Geobotanica* 37,2: 379-388.
- Ochyra, R. & Pócs, T. 1994. Bryophyta Africana Selecta: centuria II. *Fragmenta Floristica et Geobotanica* 39: 129-135.

- Ochyra, R. & Sharp, A.J. 1988. Results of a bryogeographical expedition to East Africa In 1968, IV. *Journal of the Hattori Botanical Laboratory* 65: 335-377.
- Ochyra, R., Sergio, C. & Schumacker, R. 1988. *Racomitrium lamprocarpum* (C. Muell.) Jaeg., An austral moss disjunct in Portugal, with taxonomic and phytogeographical notes. *Bulletin Jardin Botanique National de Belgique* 58: 225-258.
- Odasz, A.M. 1996. Bryophyte vegetation and habitat gradients in the Tikhiaia Bay Region, Hooker Islands, Franz Josef Land, arctic Russia. *The Bryologist* 99,4: 407-415.
- Odland, A., Birks, H.J.B. & Line, J.M. 1990. Quantitative vegetation-environment relationships in west Norwegian tall-fern vegetation. *Nordic Journal of Botany* 10: 511-533.
- Oksanen, J. & Minchin, P.R. 1997. Instability of ordination results under changes in input data order: explanations and remedies. *Journal of Vegetation Science* 8: 447-454.
- Oksanen, L. & Virtanen, R. 1995. Topographic, altitudinal and regional patterns in continental and suboceanic heath vegetation of northern Fennoscandia. *Acta Botanica Fennica* 153: 1-80.
- Oliver, E.G.H. 1994. Phytogeography and endemism in the Ericoideae (Ericaceae). In J.H. Seyani & A.C. Chikuni (eds.), *Proceedings of the XIIIth Plenary Meeting of AETFAT, Zomba, Malawi, 2-11 April 1991* 2: 941-951. National Herbarium and Botanic Gardens of Malawi, Zomba, Malawi.
- Oliver, E.G.H., Linder, H.P. & Rourke, J.P. 1983. Geographical distribution of present-day Cape taxa and their phytogeographical significance. *Bothalia* 14: 427-440.
- Olson, J.S., Watts, J.A. & Allison, L.J. 1983. *Carbon in live vegetation of major world ecosystems*. Ornl-5862, Oak Ridge National Laboratory, Oak Ridge.
- Onraedt, M. 1986. Bryophytes de Sri Lanka IX. Mousses recoltées a Sri Lanka. *Bulletin Jardin Botanique National de Belgique* 56: 453-482.
- Palmer, A.R. 1990. A qualitative model of vegetation history in the eastern Cape midlands, South Africa. *Journal of Biogeography* 17: 35-46.

- Palmer, A.R. & Hoffman, M.T. 1997. Nama-Karoo. In R.M. Cowling, D.M. Richardson & S.M. Pearce (eds.), *Vegetation of southern Africa*: 167-188. Cambridge University Press.
- Partridge, T.C. 1997. Evolution of landscapes. In R.M. Cowling, D.M. Richardson & S.M. Pearce (eds.), *Vegetation of southern Africa*: 5-20. Cambridge University Press.
- Partridge, T.C. & Maud, R.R. 1987. Geomorphic evolution of southern Africa since the Mesozoic. *South African Journal of Geology* 90: 179-208.
- Pearse, R.O. 1973. *Barrier of spears. Drama of the Drakensberg*. Howard Timmins, Cape Town.
- Pederson, B. 1990. Distributional patterns of vascular plants in Fennoscandia: a numerical approach. *Nordic Journal of Botany* 10: 163-189.
- Perez, P.H. & Sanchez, M.I. 1996. Bryophytes from the Republic of Equatorial Guinea (west-central Africa) 1. Introduction and preliminary checklist. *Tropical Bryology* 12: 41-58.
- Perold, S.M. & Van Rooy, J. 1993. Hepaticae. In T.H. Arnold & B.C. de Wet, Plants of southern Africa: names and distribution. *Memoirs of the Botanical Survey of South Africa* 62: 5-16. National Botanical Institute, Pretoria.
- Perold 1997. Hepaticae. In N.L. Meyer, M.Mossmer, & G.F. Smith, Taxonomic literature of southern African plants. *Strelitzia* 5: 7-13.
- Perold, S.M. 1999. *Flora of Southern Africa*. Hepatophyta 1,1: 1-252.
- Phillips, E.P. 1917. A contribution to the flora of Leribe Plateau and environs: with a discussion on the relationships of the floras of Basutoland, the Kalahari, and the south-eastern regions. *Annals of the South African Museum* 16: 1-379.
- Phiri, P.S.M. & Ochyra, R. 1985. A preliminary account of the mosses of Zambia. *Journal of Bryology* 15,1: 177-197.
- Pielou, E.C. 1984. *The interpretation of ecological data*. John Wiley & Sons.
- Pitman III, W.C., Cande, S., Labrecque, J. & Pindell, J. 1993. Fragmentation of Gondwana: the separation of Africa from South America. In P.Goldblatt (ed.), *Biological relationships between Africa and South America*: 15-34. Yale University Press.
- Pocs, T. 1994. The altitudinal distribution of Kilimanjaro bryophytes. In: J.H.Seyani & A.C. Chikuni (eds). *Proceedings of the XIIith Plenary Meeting of AETFAT*,

- Zomba, Malawi, 2-11 April 1991: 797-812. National Herbarium and Botanic Gardens of Malawi, Zomba, Malawi.
- Pole Evans, I.B. 1936. A vegetation map of South Africa. *Memoirs of the Botanical Survey of South Africa* 15: 1-23.
- Porto, K.C. 1990. Bryoflores d'une forêt de plaine et d'une forêt d'altitude moyenne dans l'Etat de Pernambuco (Bresil): analyse floristique. *Cryptogamie, Bryologie et Lichenologie* 11: 109-161.
- Prendergast, H.D.V. 1984. Bryophytes of Lamto, Ivory Coast. *Cryptogamie, Bryologie et Lichenologie* 5: 285-288.
- Preston, C.D. 1984. A check-list of Greek mosses. *Journal of Bryology* 13: 43-95.
- Preston-Whyte, R.A. & Tyson, P.D. 1988. *The atmosphere and weather of southern Africa*. Oxford University Press, Cape Town.
- Proctor, M.C.F. 1967. The distribution of British liverworts: a statistical analysis. *Journal of Ecology* 55: 119-135.
- Pursell, R.A. & Reese, W.D. 1982. The mosses reported from New Caledonia. *Journal of the Hattori Botanical Laboratory* 53: 449-482.
- Pursell, R.A., Bruggeman-Nannenga, M.A. & Iwatsuki, Z. 1992. Species of *Fissidens* (Fissidentaceae, Musci) common to the Neotropics, Asia and Africa. *Bryobrothera* 1: 49-55.
- Raven, P.H. 1983. The migration and evolution of floras in the southern hemisphere. *Bothalia* 14: 325-328.
- Raven, P.H. & Axelrod, D.I. 1974. Angiosperm biogeography and past continental movements. *Annals of the Missouri Botanical Garden* 61: 539-673.
- Reader's Digest illustrated atlas of southern Africa. 1994. The Reader's Digest Association of South Africa, Cape Town.
- Reason, C.J.C. & Lutjeharms J.R.E. 1998. Variability of the South Indian Ocean and implications for southern African rainfall. *South African Journal of Science* 94: 115-123.
- Rebelo, A.G. 1994. Iterative selection procedures: centres of endemism and optimal placement of reserves. In B.J. Huntley, Botanical diversity in southern Africa. *Strelitzia* 1: 231-257.

- Rebelo, A.G. 1994a. Cape Floristic Region. In S.D. Davis, V.H. Heywood & A.C. Hamilton (eds.), *Centres of plant diversity. A guide and strategy for their conservation* 1: 218-224. The WWF and IUCN.
- Rebelo, A.G. & Cowling, R.M. 1991. The preservation of plant species in the Cape Floristic Region: problems with the available databases for the Riversdale Magisterial District. *South African Journal of Botany* 57: 186-190.
- Rebelo, A.G. & Siegfried, W.R. 1990. Protection of fynbos vegetation: ideal and real-world options. *Biological Conservation* 54: 15-31.
- Redfearn, P.L. 1990. Tropical component of the moss flora of China. *Tropical Bryology* 2: 201-222.
- Redfearn, P.L. & Wu, P.-C. 1986. Catalog of the mosses of China. *Annals of the Missouri Botanical Garden* 73: 177-208.
- Redfearn Jr., P.L., Tan, B.C. & He, S. 1996. A newly updated and annotated checklist of Chinese mosses. *The Journal of the Hattori Botanical Laboratory* 79: 163-357.
- Reese, W.D. 1991. The mosses of Grand Bahama Island. *The Bryologist* 94: 53-54.
- Rehman, A. 1880. 'Phytogeographical conditions in South Africa'. *Pamietnik Akademii Umiejetnosci, Wydzia Mtematyczno-Przyrodniczy* 5: 28-96, tables I-III, Krakow (in Polish).
- Richards, M.B., Cowling, R.M. & Stock, W.D. 1995. Fynbos plant communities and vegetation-environment relationship in the Soetansberg Hills, western Cape. *South African Journal of Botany* 61,6: 298-305.
- Richards, P.W. 1984a. The ecology of tropical forest bryophytes. In R.M. Schuster (ed.), *New manual of bryology* 2: 1233-1270. The Hattori Botanical Laboratory, Japan.
- Richards, P.W. & Argent, G.C.G. 1968. Notes on African mosses IV. New and interesting species mostly from Nigeria and the Cameroons. *Transactions of the British Bryological Society* 5: 573-586.
- Robinson, H. 1975. The mosses of Juan Fernandez Islands. *Smithsonian Contributions to Botany* 27: 1-88.
- Rubin, F. 1998. The physical environment and major plant communities of the Tankwa-Karoo National Park. *Koedoe* 41: 61-94.

- Russell, S. & Van Rooy, J. 1988. The Bryoflora of Namibia. In P. Goldblatt & P.P. Lowry II (eds.), *Proceedings of the eleventh plenary meeting of the Association for the Taxonomic Study of the Flora of Tropical Africa, Missouri Botanical Garden, St. Louis, June 10 – 14, 1985. Monographs in Systematic Botany* 25: 453–460.
- Russell, S. & Van Rooy, J. 1988a. Bryophyte diversity in the eastern Cape forests. In M.N. Bruton & F.W. Gess (eds.), *Towards an environmental plan for the eastern Cape, being the proceedings of a conference held at Rhodes University to review the environmental problems of the eastern Cape*: 136–143. Rhodes University, Grahamstown.
- Rutherford, M.C. 1997. Categorization of biomes. In R.M. Cowling, D.M. Richardson & S.M. Pierce (eds.), *Vegetation of southern Africa*: 91-98. Cambridge University Press.
- Rutherford, M.C. & Westfall, R.H. 1986. Biomes of southern Africa - an objective categorization. *Memoirs of the Botanical Survey of South Africa* 54: 1-98.
- Schafer-Verwimp, A. 1991. Contribution to the knowledge of the bryophyte flora Of Espírito Santo, Brazil. *Journal of the Hattori Botanical Laboratory* 69: 147-170.
- Schafer-Verwimp, A. 1992. New or interesting records of Brazilian bryophytes, III. *Journal of the Hattori Botanical Laboratory* 71: 55-68.
- Schafer-Verwimp, A. & Vital, D.M. 1989. New or interesting records of Brazilian bryophytes. *Journal of the Hattori Botanical Laboratory* 66: 255-261.
- Schmitz, M.O. 1984. Flora and vegetation. In G. Schmitz (ed.), *Lesotho: environment and management*: 31-44. National University of Lesotho, Roma.
- Schofield, W.B. 1985. *Introduction to bryology*. Macmillan, New York.
- Schofield, W.B. 1992. Bryophyte distribution patterns. In: J.W. Bates & A.M. Farmer (eds.), *Bryophytes and lichens in a changing environment*: 103-130. Clarendon Press, Oxford.
- Scholes, R.J. 1997. Savanna. In R.M. Cowling, D.M. Richardson & S.M. Pierce (eds.), *Vegetation of southern Africa*: 258-277. Cambridge University Press.
- Schopf, J.M. 1970. Relation of floras of the southern hemisphere to continental drift. *Taxon* 19: 657-824.
- Schultze-Motel, W. 1974. Die Moose der Samoa-Inseln. *Willdenowia* 7: 333-408.

- Schultze-Motel, W. 1975. Katalog der Laubmoose von West-Afrika. *Willdenowia* 7: 473-535.
- Schultze-Motel, W. 1979. Die Laubmoose von Togo, West-Afrika. *Lindbergia* 5: 89-92.
- Schulze, B.R. 1965. *Climate of South Africa*. Part 8. General Survey. Weather Bureau, Department of Transport, Republic of South Africa.
- Schulze, R.E. 1997. Climate. In R.M. Cowling, D.M. Richardson & S.M. Pierce (eds.), *Vegetation of southern Africa*: 21-42. Cambridge University Press.
- Schulze, R.E. 1997a. *South African Atlas of Agrohydrology and Climatology*. Report Tt82/96, Water Research Commission, Pretoria.
- Schulze, R.E. & Kunz, R.P. 1995. Potential shifts in optimum growth areas of selected commercial tree species and subtropical crops in southern Africa due to global warming. *Journal of Biogeography* 22: 679-688.
- Schulze, R.E. & McGee, O.S. 1978. Climatic indices and classifications in relation to the biogeography of southern Africa. In M.J.A. Werger, *Biogeography and ecology of southern Africa*: 19-52. W. Junk, The Hague.
- Schuster, R.M. 1983. Phytogeography of the Bryophyta. In R.M. Schuster (ed.), *New manual of bryology* 1: 463-626. Hattori Botanical Laboratory, Nichinan, Miyazaki, Japan.
- Scott, G.A.M. 1982. Desert bryophytes. In A.J.E. Smith (ed.), *Bryophyte ecology*: 105-122. Chapman and Hall, London.
- Scott, L., Anderson, H.M. & Anderson, J.M. 1997. Vegetation History. In R.M. Cowling, D.M. Richardson & S.M. Pierce (eds.), *Vegetation of southern Africa*: 62-84. Cambridge University Press.
- Seki, I. 1974. A moss flora of Provincia de Aysen, Chile. Results of the second scientific expedition to Patagonia by Hokkaido and Hiroshima Universities, 1967. *Journal of Science of the Hiroshima University*, Series. B, Division. 2, Bot. 15: 9-101.
- Seppelt, R.D. 1981. Studies on the bryoflora of Macquarie Island III. Collections, new moss additions and corrections, and a revised checklist. *The Bryologist* 84,2: 249-252.

- Seppelt, R.D., Green, T.G.A. & Schroeter, B. 1995. Lichens and mosses from the Kar Plateau, southern Victoria Land, Antarctica. *New Zealand Journal of Botany* 33: 203-220.
- Sergio, C. & Schumacker, R. 1992. Contribuição para o estudo da flora briológica do Parque Nacional da Peneda-Geres. *Portugaliae Acta Biologica*, Ser. 16: 107-137.
- Sharp, A.J., Crum, H. & Eckel, P.M. (eds.). 1994. The moss flora of Mexico. Part One Sphagnales to Bryales. *Memoirs of the New York Botanical Garden* 69: 1-580. The New York Botanical Garden, Bronx, New York.
- Sharp, A.J., Crum, H. & Eckel, P.M. (eds.). 1994a. The moss flora of Mexico. Part Two Orthotrichales to Polytrichales. *Memoirs of the New York Botanical Garden* 69: 581-1113. The New York Botanical Garden, Bronx, New York.
- Siegfried, W.R. 1989. Preservation of species in southern African nature reserves. In: B.J. Huntley (ed.), *Biotic diversity in southern Africa: concepts and conservation*: 186-201. Oxford University Press, Cape Town.
- Sillett, S.C. 1995. Branch epiphyte assemblages in the forest interior and on the clearcut edge of a 700-year-old Douglas Fir canopy in western Oregon. *The Bryologist* 98: 301-312.
- Sim, T.R. 1915. *Check list of the bryophytes of South Africa*. Royal Society of South Africa, Pietermaritzburg.
- Sim, T.R. 1926. The bryophyta of South Africa. *Transactions of the Royal Society of South Africa* 15: 1-475.
- Simmons, R.E., Griffin, M., Griffin R.E., Marais, E. & Kolberg, H. 1998. Endemism in Namibia: patterns, processes and predictions. *Biodiversity and Conservation* 7: 513-530.
- Sipman, H.J.M. 1992. Results of a lichenological and bryological exploration of Cerro Guaiquinima (Guayana Highland, Venezuela). *Tropical Bryology* 6: 1-31.
- Slack, N.G. 1982. Bryophytes in relation to ecological niche theory. *Journal of the Hattori Botanical Laboratory* 52: 199-217.
- Slack, N.G. 1984. A new look at bryophyte community analysis: fields and statistical methods. *Journal of the Hattori Botanical Laboratory* 55: 113-132.

- Smit, C.M., Bredenkamp, G.J., Van Rooyen, N., Van Wyk, A.E. & Combrink, J.M. 1997. Vegetation of the Witbank Nature Reserve and its importance for conservation of threatened Rocky Highveld Grassland. *Koedoe* 40: 85-104.
- Smith, A.G. & Hallam, A. 1970. The fit of the southern continents. *Nature* 225: 139-144.
- Smith, R.I.L. 1988. Bryophyte oases in ablation valleys on Alexander Island, Antarctica. *The Bryologist* 91,1: 45-50.
- So, M.L. 1995. Mosses new to Hong Kong (IV). *Tropical Bryology* 11: 1-4.
- So, S.Y. & So, M.L. 1995. Mosses new to Hong Kong (I). *Tropical Bryology* 10: 7-9.
- So, M.L. & Yip, K.L. 1995. Mosses new to Hong Kong (II). *Tropical Bryology* 10: 11-13.
- So, M.L. & Yip, K.L. 1995. Mosses new to Hong Kong (III). *Tropical Bryology* 10: 15-20.
- So, M.L. & Zhu, R.L. 1996. Some mosses newly reported for Hong Kong. *Journal of Bryology* 19,2: 354-357.
- Söderström, L. 1992. Invasions and range expansions and contractions of bryophytes. In: J.W. Bates & A.M. Farmer (eds.), *Bryophytes and lichens in a changing environment*: 131-158. Clarendon Press, Oxford.
- Stone, I.G. 1982. Some new and noteworthy records of mosses mostly from Queensland, Australia. *Austrobaileya* 1,5: 511-520.
- Stone, I.G. 1984. Notes on four species of moss which are common to South Africa and Australia. *Journal of Bryology* 13: 129-133.
- Stone, I.G. 1985. New records of mosses in Australia. *Journal of Bryology* 13: 475-478.
- Stone, I.G. 1990. nomenclatural changes and new moss record in Australia: including a description of the protonema of *Calomnion*. *Journal of Bryology* 16: 261-273.
- Stone, I.G. 1994. Miscellaneous studies on Australian *Fissidens*. *Journal of Bryology* 18: 159-167.
- Stoneburner, A., Wyatt, R., Catcheside, D.G. & Stone, I.G. 1993. Census of the mosses of Western Australia. *The Bryologist* 96: 86-101.
- Streimann, H. & Curnow, J. 1989. Catalogue of mosses of Australia and its external territories. *Australian Flora and Fauna Series* 10: 1-479.

- Streimann, H. & Touw, A. 1981. New records for some Australian mosses. *Journal of the Hattori Botanical Laboratory* 49: 261-271.
- Stuckenbergs, B.R. 1962. The distribution of the montane palaeogenetic element in the South African invertebrate fauna. *Annales of the Cape Provincial Museum* 2: 191-204.
- Sullivan, S. & Konstant, T.L. 1997. Human impacts on woody vegetation, and multivariate analysis: a case study based on data from Khowarib Settlement, Kunene region. *Dinteria* 25: 87-120.
- Tainton, N.M. (ed.) 1981. *Veld and pasture management in South Africa*. Shuter & Shooter, Pietermaritzburg.
- Takhtajan, A. 1986. *Floristic regions of the world*. University of California Press, Berkeley.
- Tan, B.C. 1987. New records of Philippine mosses. *Memoirs of the New York Botanical Garden* 45: 446-454.
- Tan, B.C. 1989. The bryophytes of Sabah (North Borneo) with special reference to the BRYOTROP Transect of Mount Kinabalu. II. *Dicranoloma* and *Brotherobryum* (Dicranaceae, Bryopsida). *Willdenowia* 18: 497-512.
- Tan, B.C. 1993. Noteworthy range extension of Malesian mosses. *The Journal of the Hattori Botanical Laboratory* 74: 227-233.
- Tan, B.C. & Iwatsuki, Z. 1991. A new annotated Philippine moss checklist. *Harvard Papers in Botany* 3: 1-64.
- Tan, B.C. & Iwatsuki, Z. 1993. A checklist of Indochinese mosses. *Journal of the Hattori Botanical Laboratory* 74: 325-405.
- Tan, B.C. & Koponen, T. 1989. Additions and corrections for Philippine moss flora. *Cryptogamie, Bryologie-Lichenologie* 10: 235-245.
- Tan, B.C., Lin, Q.-W., Crosby, M.R. & Wu, P.-C. 1994. A report on the 1991 Sino-American bryological expedition to Guizhou Province, China: new and noteworthy additions to Chinese moss taxa. *The Bryologist* 97,2: 127-137.
- Tankard, A.J., Jackson, M.P.A., Eriksson, K.A., Hobday, D.K., Hunter, D.R. & Minter, W.E.L. 1982. *Crustal evolution of southern Africa: 3.8 billion years of earth history*. Springer-Verlag, New York.
- Tarling, D.H. & Tarling, M.P. 1971. *Continental drift*. G. Bell & Sons, London.

- Taylor, H.C. 1978. Capensis. In M.J.A. Werger (ed.). *Biogeography and ecology of southern Africa*: 171-229. W. Junk, The Hague.
- Tixier, P. 1989. Bryophyta Exotica - 8. Recoltes de J.-F. Brunel au Togo (1983-1985). *Candollea* 44: 493-511.
- Tixier, P. 1995. Resultats taxonomiques de l' expédition Bryotrop au Zaire et Rwanda. 30. Bryophytes épiphytiques (recoltes de E. Fischer). *Tropical Bryology* 11: 11-76.
- Touw, A. 1974. Some notes on taxonomic and floristic research on exotic mosses. *Journal of the Hattori Botanical Laboratory* 38: 123-128.
- Touw, A. 1992. A survey of the mosses of the Lesser Sunda Islands (Nusa Tenggara), Indonesia. *Journal of the Hattori Botanical Laboratory* 71: 289-366.
- Townsend, C.C. 1978. Notes on mosses from Ceylon and India, 1-5. *Journal of Bryology* 10: 125-137.
- Townsend, C.C. 1984. A small collection of mosses from Jebel Marra, Sudan Republic. *Lindbergia* 10: 175-180.
- Townsend, C.C. 1986. Records of Greek mosses. *Journal of Bryology* 14: 135-137.
- Townsend, C.C. 1991. Two mosses of interest in the Soviet Union. *Journal of Bryology* 16: 648-649.
- Townsend, C.C. 1993. New records and a bibliography of the mosses of Pakistan. *Journal of Bryology* 17: 671-678.
- Townsend, C.C. 1994. Contributions to the moss flora of Dominica. *Journal of Bryology* 18: 187-194.
- Townsend, C.C. 1994a. A small collection of mosses from Himalayan Pakistan. *Journal of Bryology* 18: 181-185.
- Townsend, C.C. 1996. A small collection of mosses from Sulawesi. *Journal of Bryology* 19: 153-156.
- Troupin, G. 1966. Etude phytocenologique du Parc National de l'Akagera et du Rwanda oriental. *Publications d'Institut National de Recherches Scientifiques Butare, Rwanda* 2: 1-293.
- Truswell, J.F. 1977. *The geological evolution of South Africa*. Purnell, Cape Town.
- Tyson, P.D. 1986. *Climatic change and variability in southern Africa*. Oxford University Press, Cape Town.

- Tyson, P.D. 1999. Atmospheric circulation changes and palaeoclimates of southern Africa. *South African Journal of Science* 95: 194-201.
- Udvardy, M.D.F. 1975. A classification of the biogeographical provinces of the world. International Union for Conservation of Nature and Natural Resources Occasional Paper 18.
- Van Der Maarel, E. 1996. Vegetation dynamics and dynamic vegetation science. *Acta Botanica Neerlandica* 45: 421-442.
- Van Der Merwe, C.R. 1941. Soil groups and sub-groups of South Africa. *Department of Agriculture Science Bulletin* 231: 1-316.
- Van Der Merwe, I. 1998. *The Knysna and Tsitsikamma forests: their history, ecology and management*. Chief Directorate: Forestry, Department of Water Affairs and Forestry, South Africa.
- Van Groenewoud, H. 1992. The Robustness of correspondence, detrended correspondence, and TWINSPAN analysis. *Journal of Vegetation Science* 3: 239-246.
- Van Jaarsveld, A.S., Gaston, K.J., Chown, S.L. & Freitag, S. 1998. Throwing biodiversity out with the binary data? *South African Journal of Science* 94: 210-214.
- Van Reenen, G.B.A. & Gradstein, S.R. 1983. Studies on Colombian cryptogams XX. A transect analysis of the bryophyte vegetation along an altitudinal gradient on the Sierra Nevada de Santa Marta, Colombia. *Acta Botanica Neerlandica* 32: 163-175.
- Van Reenen, G.B.A. & Gradstein, S.R. 1984. An investigation of bryophyte distribution and ecology along an altitudinal gradient in the Andes of Colombia. *Journal of the Hattori Botanical Laboratory* 56: 79-84.
- Van Rooy, J. 1986. Bryophyta. In Staff of the National Herbarium, new taxa, new records and name changes for southern African plants. *Bothalia* 16: 109.
- Van Rooy, J. 1988. Bryophyta. G.E. Gibbs Russell (ed.), New taxa new records and name changes for southern African plants. *Bothalia* 18: 294-295.
- Van Rooy, J. 1989. Bryophyta. In B.C. de Wet (ed.), New taxa new records and name changes for southern African plants. *Bothalia* 19: 276.
- Van Rooy, J. 1990. Bryophyta. In B.C. de Wet (ed.), New taxa, new records and name changes for southern African plants. *Bothalia* 20: 249-250.

- Van Rooy, J. 1991. Bryophyta. In B.C. de Wet (ed.), New taxa, new records and name changes for southern African plants. *Bothalia* 21: 192-193.
- Van Rooy, J. 1993. Musci. In T.H. Arnold & B.C. de Wet, Plants of southern Africa: names and distribution. *Memoirs of the Botanical Survey of South Africa* 62: 17-46. National Botanical Institute, Pretoria.
- Van Rooy, J. 1997. Musci. In N.L. Meyer, M.Mössmer, & G.F. Smith, Taxonomic literature of southern African plants. *Strelitzia* 5: 13-29.
- Van Rooy, J. 1997a. New and interesting records of mosses in the Flora of Southern Africa area: 4. new records and geographic regions. *Bothalia* 27: 136-137.
- Van Rooy, J. & Magill, R.E. 1987. Bryaceae. In R.E. Magill, *Flora of southern Africa* 1,2: 335-393. National Botanical Institute, South Africa.
- Van Rooy, J. & Perold, S.M. 1984. Bryophyta. In G.E. Gibbs Russell (ed.), List of species of southern African plants. *Memoirs of the Botanical Survey of South Africa* 48: 5-11.
- Van Rooy, J. & Van Wyk, A.E. 1992. A conspectus of the subfamily Macromitrioideae (Bryopsida: Orthotrichaceae) in southern Africa. *The Bryologist* 95: 205-215.
- Van Wyk, A.E. 1990. The sandstone regions of Natal and Pondoland: remarkable centres of endemism. In K. Heine (ed.), *Palaeoecology of Africa* 21: 243-257. A.A. Balkema, Rotterdam.
- Van Wyk, A.E. 1994. Maputaland-Pondoland Region in South Africa, Swaziland and Mozambique. In S.D. Davis, V.H. Heywood & A.C. Hamilton (eds.), Centres of plant diversity. a guide and strategy for their conservation 1: 227-235. The World Wide Fund for Nature and The World Conservation Union.
- Van Wyk, A.E. 1996. Biodiversity of the Maputaland Centre. In L.J.G. van der Maesen, X.M. van der Burgt & J.M. van Medenbach de Rooy (eds.), *The biodiversity of African plants*: 198-207. Kluwer Academic Publishers, Dordrecht.
- Van Wyk, A.E. & Van Wyk, P. 1997. *Field guide to trees of southern Africa*. Struik, Cape Town.
- Van Wyk, B.-E. 1991. A synopsis of the genus *Lotononis* (Fabaceae-Crotalarieae). *Contributions from the Bolus Herbarium* 14: 1-292.

- Van Wyk, G.F., Everard, D.A., Midgley, J.J. & Gordon, I.G. 1996. Classification and dynamics of a southern African subtropical coastal lowland forest. *South African Journal of Botany* 62: 133-142.
- Van Zinderen Bakker, E.M. 1978. Quaternary vegetation changes in southern Africa. In M.J.A. Werger, *Biogeography and ecology of southern Africa*: 131-143. W. Junk, The Hague.
- Van Zinderen Bakker, E.M. 1983. The late Quaternary history of climate and vegetation in East and southern Africa. *Bothalia* 14: 369-375.
- Visser, D.J.L. 1984. *Geological map of the Republics of South Africa, Transkei, Bophuthatswana, Venda and Ciskei and the Kingdoms of Lesotho and Swaziland*. The Government Printer, Pretoria.
- Vital, D.M. & Pursell, R.A. 1992. New or otherwise interesting records of Brazilian bryophytes. *Journal of the Hattori Botanical Laboratory* 71: 119-122.
- Vitt, D.H. 1979. The moss flora of the Auckland Islands, New Zealand, with a consideration of habitats, origins and adaptations. *Canadian Journal of Botany* 57,20: 2226-2263.
- Vitt, D.H. 1981. Adaptive modes of the moss sporophyte. *The Bryologist* 84: 166-186.
- Vitt, D.H. 1984. Classification of the Bryopsida. In R.M. Schuster (ed.), *New Manual of Bryology* 2: 698-759. The Hattori Botanical Laboratory, Nichinan, Japan.
- Vitt, D.H. 1991. Distribution patterns, adaptive strategies, and morphological changes of mosses along elevational and latitudinal gradients on south Pacific islands. In P.L. Nimis & T.J. Crovello (eds.), *Quantitative approaches to phytogeography*: 205-231. Kluwer Academic Publishers, The Netherlands.
- Vitt, D.H. & Cao, T. 1989. Mosses new to China from Heilongjiang and Jilin Provinces. *Cryptogamie, Bryologie-Lichenologie* 10: 283-287.
- Volk, O.H. 1966. Die Florengebiete von Südwestafrika. *Journal of the South West African Scientific Society* 20: 25-58.
- Von Breitenbach, F. 1990. *Reports on indigenous forests part 1. Introduction and methods, south-eastern Transvaal forests, Kaapsehoop forests, Uitsoek forests*. Department of Environmental Affairs, Forestry Branch, Pretoria.

- Von M. Harmse, H.J. 1978. Schematic soil map of southern Africa south of latitude 16°30'S. In M.J.A. Werger (ed.), *Biogeography and ecology of southern Africa*: 71-57. W. Junk, The Hague.
- Vorster, P. 1970. *A floristic-ecological survey of the Bryophyta of Mariepskop*. M.Sc. Thesis, University of Pretoria.
- Vorster, P. 1990. The bryophytes of Mariepskop, South Africa: distribution within different phanerogam communities. *Mitteilungen aus dem Institut für Allgemeine Botanik Hamburg* 23a: 469-484.
- Wager, H.A. 1917. *A check list of the mosses of South Africa*. Transvaal Museum, Pretoria.
- Webster, G.L. 1995. The panorama of neotropical cloud forests. In S.P. Churchill, H. Balslev, E. Forero & L. Luteyn (eds.), *Biodiversity and conservation of neotropical montane forests*: 53-77. The New York Botanical Garden.
- Weimarck, H. 1941. Phytogeographical groups, centres and intervals within the Cape flora. *Lunds Universitets Arsskrift N.F. Avd. 2*, 37(5): 1-143.
- Wellington, J.H. 1955. *Southern Africa: a geographical study*. Volume I *Physical geography*: 1-528. Cambridge University Press.
- Werger, M.J.A. 1978. Biogeographical division of southern Africa. In M.J.A. Werger, *Biogeography and ecology of southern Africa*: 145-170. W. Junk, The Hague.
- Werger, M.J.A. 1978a. The Karoo-Namib Region. In M.J.A. Werger, *Biogeography and ecology of southern Africa*: 231-302. W. Junk, The Hague.
- Werger, M.J.A. (ed.). 1978c. *Biogeography and ecology of southern Africa*. W. Junk, The Hague.
- Werger, M.J.A. 1983. Vegetation geographical patterns as a key to the past, with emphasis on the dry vegetation types of South Africa. *Bothalia* 14: 405-410.
- Werger, M.J.A. & Coetze, B.J. 1978. The Sudano-Zambezian Region. In M.J.A. Werger, *Biogeography and ecology of southern Africa*: 301-462. W. Junk, The Hague.
- Werger, M.J.A. & Sprangers, J.T.C. 1982. Comparison of floristic and structural classification of vegetation. *Vegetatio* 50: 175-183.
- White, F. 1965. The Savanna-Woodlands of the Zambezian and Sudanian Domains. *Webbia* 19: 651-681.

- White, F. 1970. Floristics and plant geography. In J.D. Chapman & F. White, *The evergreen forests of Malawi*. Commonwealth Forestry Institute, University of Oxford.
- White, F. 1971. The taxonomic and ecological basis of chorology. *Mitteilungen der Botanischen Staatssammlung München* 10: 91-112.
- White, F. 1976. The vegetation map of Africa - the history of a completed project. *Boissiera* 24: 659-666.
- White, F. 1978. The Afromontane Region. In M.J.A. Werger, *Biogeography and ecology of southern Africa*: 463-513. W. Junk, The Hague.
- White, F. 1981. The history of the Afromontane archipelago and the scientific need for its conservation. *African Journal of Ecology* 19: 33-54.
- White, F. 1983. *The vegetation of Africa. A descriptive memoir to accompany the UNESCO/AETFAT/UNSO vegetation map of Africa*. UNESCO, Paris.
- White, F. 1983a. Long distance dispersal and the origins of the Afromontane flora. *Sonderbände des Naturwissenschaftlichen Vereins in Hamburg* 7: 87-116.
- White, F. 1993. The AETFAT chorological classification of Africa: history, methods and applications. *Bulletin Jardin Botanique National de Belgique* 62: 225-281.
- Whittier, H.O. & Whittier, B.A. 1974. List of mosses of southeastern Polynesia. *The Bryologist* 77: 427-446.
- Wickens, G.E. 1976. The flora of Jebel Mara (Sudan Republic) and its geographical affinities. *Kew Bulletin Additional Series* 5: 1-368.
- Wiersma, P. 1984. Moss flora and vegetation of Saba and St. Eustatius (West Indies). *Proceedings Koninklijke Nederlandse Akademie van Wetenschappen Ser.C*, 87: 337-364.
- Wild, H. 1964. The endemic species of the Chimanimani mountains and their significance. *Kirkia* 4: 125-157.
- Woodward, F.I. 1987. *Climate and plant distribution*. Cambridge University Press, Cambridge.
- Wu, P. 1992. The mossflora of Xishuangbanna, southern Yunnan, China. *Tropical Bryology* 5: 27-33.
- Yano, O. 1981. A checklist of Brazilian mosses. *Journal of the Hattori Botanical Laboratory* 50: 279-456.

- Yano, O. 1989. An additional checklist of Brazilian bryophytes. *Journal of the Hattori Botanical Laboratory* 66: 371-434.
- Yano, O. 1995. A new additional annotated checklist of Brazilian bryophytes. *The Journal of the Hattori Botanical Laboratory* 78: 137-182.
- Yano, O. 1996. A checklist of the Brazilian bryophytes. *Buletin do Instituto de Botanica* 10: 47-232.
- Zander, R.H. 1993. Genera of the Pottiaceae: mosses of harsh environments. *Bulletin of the Buffalo Society of Natural Sciences* 32: 1-378.
- Zemanek, A. & Zemanek, B. 1990. Antoni Rehman, a pioneer of Polish plant geography. *Polish Botanical Studies* 1: 7-17.
- Zhang, L. 1996. Additions to the bryophyte flora of Hainan Island, China. *Journal of Bryology* 19: 143-147.