

9. REFERENCES

- Aja, A.M. (2000). Sub-modelling techniques for static analysis. *MSC Software first European Technology Conference*.
- ASTM (American Society for Testing of Materials) E 1049-85. (1989). *Standard practices for cycle counting in fatigue analysis*.
- ABAQUS Standard User's Manual, Vol. I, Version 5.6. (1996). Hibbit, Karlsson & Sorensen Inc.
- Bannantine, J.A., Comer, J.J. & Handrock, J.L. (1990). *Fundamentals of metal fatigue analysis*. Prentice-Hall.
- Barton, R. (1991). Optimal accelerated life-time plans that minimize the maximum test-stress. *IEEE Transactions on reliability*. 40(2).
- Bathe, K. (1996). *Finite element procedures*. Prentice Hall.
- Bathe, K. and Wilson, E.L. (1976). *Numerical methods in finite element analysis*. Prentice Hall.
- Beamgard, R.S., Snodgrass, K. P. & Stornant, R. F. (1979). A field performance technique for light truck structural components. *SAE 791034*.
- Bekker, M.G. (1969). *Introduction to terrain-vehicle systems*. Ann Arbor: The University of Michigan Press, 1969.
- Berger, C., Eulitz, K.-G., Heuler, P., Kotte, K.-L., Naundorf, H., Schuetz, W., Sonsino, C.M., Wimmer, A. and Zenner, H. (2002). Betriebsfestigkeit in Germany – an overview. *International Journal of Fatigue*, 24(6).
- Bishop, N.W.M. and Sherratt, F. (2000). *Finite element based fatigue calculations*. Glasgow: NAFEMS Ltd.
- Blom, T.F. and Wannenburg, J. (Sept. 2000). Rough with the smooth: Durability testing gets a boost from a new international roughness index. *Testing Technology International*.
- British Standards Institution. (1993). Fatigue design and assessment of steel structures. *BS 7608*.
- British Standards Institution. (1991). Structural use of aluminium. *BS 8118. Part 1*.
- Broek, D. (1989). *The practical use of fracture mechanics*. Dordrecht: Kluwer Academic Publishers.
- Bogsjø, K. and Forsen, A. (2004). Fatigue relevant road surface statistics. *Vehicle System Dynamics*, v 41.
- Butkunas, A.A. and Bussa, S.L. (1975). Quantification of inputs for vehicle system analysis. *SAE 750133*.
- Captain, K.M., Boghani, A.B. & Wormley, D.M. (1979). Analytical tyre models for dynamic vehicle simulations. *Vehicle system dynamics*, 3.
- Chu, C.C. (1998). Multi-axial fatigue life prediction method in the ground vehicle industry. *International journal of fatigue*, 19(1).
- Code of Federal Regulations. *Title 49 – Transportation*. US Goverment Printing Office, 178.
- Coleman, T.F. and Li, Y. (1994). On the Convergence of Reflective Newton Methods for Large-Scale Nonlinear Minimization Subject to Bounds, *Mathematical Programming*, Vol. 67, Number 2, pp. 189-224.
- Coleman, T.F. and Li, Y. (1996) An Interior, Trust Region Approach for Non-linear Minimization Subject to Bounds, *SIAM Journal on Optimization*, Vol. 6, pp. 418-445.
- Conle, F.A. and Mousseau, C.W. (1991). Using vehicle dynamics simulations and finite element results to generate fatigue life contours for chassis components. *International journal of fatigue*, 13(3).

- Conle, F.A., Chu, C.C. (1998). Fatigue analysis and the local stress-strain approach in complex vehicular structures, *International journal of fatigue*, 19(1).
- Cutler, A.N. (Jan. 1998). Modern statistical ideas in fatigue testing. *Journal of the engineering integrity society*.
- Devlukia, J. (1985). Correlating endurance performance on roads, proving grounds and rigs. *Colloquium on vehicle test data collection and analysis*. Institution of Electrical Engineers (Great Britain).
- Dietz, S., Netter, H. & Sachau, D. (1998). Fatigue life prediction of a railway bogie under dynamic loads through simulation. *Vehicle system dynamics*, 29.
- Dodds, C.J. and Robson, J.D. (1973). The description of road surface roughness. *Journal of sound and vibration*, 31.
- Dodds, C.J. (1973). The laboratory simulation of vehicle service stress, *ASME Paper*, 73(24).
- Dong, J. (1995). Time series models for vehicle random vibration simulation tests. *International journal of vehicle design*, 16(6).
- Dressler, K. and Kottgen, V.B. (1999). Synthesis of realistic loading specifications, *European journal of mechanical engineering*, 41(3).
- European Agreement on the Transport of Dangerous Goods (ADR)*, Her Majesty's Stationery Office, London.
- European Convention for Constructional Steelwork (ECCS). (1985). *Recommendations for the fatigue design of steel structures*.
- Faria, L.O., Oden, J.T., Yavari, B., Tworzydlo, W.W., Bass J.M. & Becker, E.B. (1992). Tyre modeling by finite elements. *Tyre science technology*, 20.
- Gerharz, J.J. (1987). Standardised environmental fatigue sequence for the evaluation of composite components in combat aircraft (ENSTAFF = ENvironmental FalSTAFF).
- Giuntini, M.E. and Giuntini, R.E. (1991). Development of a weibull posterior distribution by combining a weibull prior with a actual failure distribution using bayesian inference. *American institute of aeronautics and astronautics*, AIAA-91-4133.
- Goes, F. (1995) Back to Basics: If cavemen could understand the principles of product testing, surely today's advanced man can? *Testing technology international*.
- Gopalakrishnan, R. and Agrawal, H.N. (1993). Durability analysis of full automotive body structures. *Simulation and development in automotive simultaneous engineering*, SAE SP-973.
- Grubisic, V. (1994). Determination of load spectra for design and testing, *International journal of vehicle design*, 15(1).
- Grzeskowiak, H., Fortunet, N. & Leuridan, J. (1992). System for tailoring the mechanical vibration environment - progress and results of the EUREKA project 420, ENVIB. *Annual Technical Meeting - Institute of Environmental Sciences*.
- Gurney, T.R. (1976). Fatigue design rules for welded steel joints. *The welding institute research bulletin*, 17.
- Hawking, S. H. (1989). *A brief history of time*. Bantam Press.
- Heuler, P., Bruder, T., Klaetschke, H. (2005). Standardised load-time histories – a contribution to durability issues under spectrum loading. *Mat.-wiss. u. Werkstofftech*, 36(11).
- Hines, W. H. and Montgomery, C. D. (1980). *Probability and statistics in engineering and management science*. John Wiley & Sons.
- Hurd, A. (March 1992). Using data energy content to accelerate road simulation tests. *Environmental engineering*.
- Kepka, M. and Rehor, P. (1993). Methodology of experimental research into operating strength and fatigue life of bus and trolleybus bodywork, *International journal of vehicle design*, 13(3).

- Kuo, Y. and Kelkar, S.G. (July 1995). Body-structure durability analysis. *Automotive engineering*.
- Lee, Y.L. (1995). Durability design process of a vehicle suspension component. *Journal of testing and evaluation*, 23(5).
- Leese, G.E. and Mullin, R.L. (1991). The role of fatigue analysis in the vehicle test simulation laboratory. *SAE technical paper series*, 910166.
- Leever, R.C. (1983). *Application of life prediction methods to as-welded steel structures*. International conference on advances in life prediction methods. ASME, New York.
- Leser, C., Thangjitham, S.; Dowling, N.E. (1994). Modelling of random vehicle loading histories for fatigue analysis. *International journal of vehicle design*, 15(3).
- Libertiny, G.Z. (1993). A new look at the service life expectancy of passenger cars in the United States. *Simulation and development in automotive simultaneous engineering*, SAE SP-973.
- Lin, Z. and Fei, H. (1991). A non-parametric approach to progressive stress accelerated life testing. *IEEE Transactions on reliability*, 40(2).
- Lund, R.A. and Donaldson, K.H. (1992). Approaches to vehicle dynamics and durability testing. *SAE 820092*.
- MacGinley, T.J. and Ang, T.C. (1992). *Structural steelwork – design to limit state theory*. Butterworth Heineman.
- Mann, R.N. (1992). *Methods for statistical analysis of reliability and life data*. New York: John Wiley & Sons.
- Marcondes, J. and Singh, S. P. (1992). Predicting vertical acceleration in vehicles through road roughness. *Journal of transportation engineering*, 118(1).
- Miner, M.A. (1945). Cumulative damage in fatigue. *Journal of Applied Mechanics*, 12, Trans. ASME, 67.
- Moon, S-K. (1997) *Application of neural networks in development of vehicle durability testing method*. 30th International symposium on automotive technology & automation, Italy.
- Moura, C.M. (1992). A method to estimate the acceleration factor for sub-assemblies. *IEEE Transactions on reliability*, 41(3).
- MSC Software Corporation. (2002). *MSC Fatigue 2003 User's Manual*.
- MSC Software Corporation. (1997). *MSC/NASTRAN V70 Advanced Dynamics User's Guide*.
- Neuber, H. (1969). Anisotropic non-linear stress-strain laws and yield conditions. *International Journal of Solids & Structures*, v 5, n 12.
- Niemand, L.J. (1996). *Probabilistic establishment of vehicle fatigue test requirements*. Masters degree thesis. University of Pretoria.
- Niemi, E.J. and Marquis, G.B. (2003). Structural hot spot stress method for fatigue analysis of welded components. In *Metal structures – design, fabrication, economy*. Edited by Jarmai & Farkas. Rotterdam: Millpress.
- Olagnon, M. (July 1994) Practical computation of statistical properties of rainflow counts, *Fatigue*, 16.
- Olofsson, U., Svensson, T. & Torstensson, H. (1995). Response spectrum methods in tank-vehicle design, *Experimental mechanics* , v 35, n 4.
- Oyan, C. (1998). Dynamic simulation of Taipei EMU train. *Vehicle system dynamics*, 30.
- Pountney, R.E. and Dakin, J.D. (1992). Integration of test and analysis for component durability. *Environmental engineering*, 5(2).
- Raath, A.D. (1997). A new time domain parametric dynamic system identification approach to multiaxial service load simulation testing in components. *International journal of fatigue*, 19(5).

- Rhaman, A. (Autumn 1997). Towards reliable finite element analysis. *Environmental engineering*.
- Richards, D.P. (Dec. 1990). A review of analysis and assessment methodologies for road transportation vibration and shock data. *Environmental engineering*.
- Riedl, H. (Jan. 1998). Test substantiation of aluminium chassis with particular consideration of extreme loads. *Journal of the engineering integrity society*.
- Rixen, D.J. (2001). Generalized mode acceleration methods and modal truncation augmentation. *Collection of Technical Papers - AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics and Materials Conference*, v 2, p 884-894.
- Rui, Y., Borsos, R.S., Gopalakrishnan, R., Agrawal, H.N. & Rivard, C. (1993). The fatigue life prediction method for multi-spot-welded structures. *Simulation and development in automotive simultaneous Engineering*, SAE SP-973.
- Rupp, A. (1989). Ermittlung von ertragbaren Schnittkraften fur die betriebsfeste Bemessung von Punktschweissverbindungen im Automobilbau. *Forschungsvereinigung Automobiltechnik EV*, 78.
- Ryu, J., Kim, H. & Wang, S. (1997). A method of improving dynamic stress computation for fatigue life prediction of vehicle structures. *SAE 971534*.
- SABS (South African Bureau of Standards) 1518. (1996). *Transportation of dangerous goods – design requirements for road tankers*.
- SABS (South African Bureau of Standards) 1398. (1994). *Road tank vehicles for petroleum based flammable liquids*.
- Schutz, D. et al. (1990). *Standardized load sequences for car wheel suspension components (car loading standard)*- CARLOS. LBF – Bericht No. FB-191/IABG – Bericht No. TF-2695.
- Sherratt, F. (1996). Current applications of frequency domain fatigue life estimation, *Environmental engineering*, 9(4).
- Skattum, K.S., Harris, J.F. & Howell, L.J. (1975). Preliminary vehicle structural design for comparison with quantitative criteria. *SAE 750136*.
- Slavik, M.M. and Wannenburg, J. (1998). *Prognosis of vehicle failures due to fatigue*. Conference proceedings of Risk, economy & safety failure minimisation and analysis: Failures '98. Rotterdam: AABalkema.
- Socie, D.F. and Pompertzki, M.A. (2004). Modeling variability in service loading spectra. *Journal of ASTM International*, Vol. 1, No. 2.
- Society of Automotive Engineers Inc. (1988). *SAE Fatigue design handbook*. 2nd Edition. Warrendale, PA: SAE.
- Society of Automotive Engineers Inc. (1997). *SAE Fatigue design handbook AE-22*. 3rd Edition. Warrendale, PA: SAE.
- Stephens, R.I., Dopker, B., Haug, E. J., Baek, W. K., Johnson, L. P. & Liu, T. S. (1987). Computational fatigue life prediction of welded and non-welded ground vehicle components. *SAE 87967*.
- Svensson, T. (1997). Prediction uncertainties at variable amplitude fatigue. *International journal of fatigue*, 19(1).
- Van Rensburg, W., and Wannenburg, J., (1996). *Validating design life-times using vibrational measurements*. Proceedings of international conference on noise & vibration engineering, ISMA21. Leuven.
- Wannenburg, J. (1999). *The applicability of static equivalent design criteria for the fatigue design of dynamically loaded structures*. Proceedings of the fifth international colloquium on ageing of materials and methods for the assessment of lifetimes of engineering plant. Edited by Penny, R.,K. Chameleon Press Ltd.
- Wannenburg, J. (1993). The probabilistic establishment of durability requirements based on field failure data. *Iron & Steelmaker (I&SM)*, v 20, n 9.

REFERENCES

- Wannenburg, J.J. (1966). *'n Studie van die vloei van lemroosters*. PhD proefskrif. Universiteit van Stellenbosch.
- Xu, H. (1998). An introduction of a modal scaling technique: An alternative and supplement to quasi-static g loading technique with application in structural analysis. SAE 982810.

REFERENCES

1. Broek (1985)
2. Svensson (1997)
3. Dressler and Kottgen (1999)
4. Rhaman (1997)
5. Hawking (1989)
6. Wannenburg (1993)
7. Van Rensburg and Wannenburg (1996)
8. ISO 1496-3:1991(E)
9. Kuo and Kelkar (1995)
10. Bathe (1996)
11. MSC/NASTRAN User's Guide
12. Dietz et al. (1998)
13. Oyan (1998)
14. Captain et al (1979)
15. Faria et al. (1992)
16. SAE Fatigue Design Handbook (1997)
17. Gopalakrishnan and Agrawal (1993)
18. Conle and Chu (1991)
19. Bannantine et al. (1990)
20. Gurney (1976)
21. Niemi and Marquis (2003)
22. ECCS (1985)
23. BS 8118 (1991)
24. Stephens et al. (1987)
25. Leever (1983)
26. Rupp (1989)
27. Rui et al. (1993)
28. Chu (1998)
29. ASTM E 1049-85 (1989)
30. Olagnon (1994)
31. Lund and Donaldson (1992)
32. Sherratt (1996)
33. Leese and Mullin (1991)
34. Barton (1991)
35. Niemand (1996)
36. Moon (1997)
37. Lin and Fei (1991)
38. Hurd (1992)
39. Moura (1992)
40. Raath (1997)
41. Dong (1995)
42. Kepka and Rehor (1993)
43. Pountney and Dakin (1992)
44. Cutler (1998)
45. Giuntini (1991)
46. Slavik and Wannenburg (1998)
47. Beamgard et al. (1979)
48. Libertiny (1993)
49. Grubisic (1994)
50. Marcondes and Singh (1992)

REFERENCES

51. Blom and Wannenburg (2000)
52. Richards (1990)
53. Devlukia (1985)
54. Grzeskowiak et al. (1992)
55. MacGinley and Ang (1992)
56. SABS 1398 (1994)
57. SABS 1518 (1996)
58. Code of Federal Regulations, Title 49
59. Skattum et al. (1975)
60. Riedl (1998)
61. Leser et al. (1994)
62. Olofsson et al. (1995)
63. European Agreement on the Transport of Dangerous Goods (ADR)
64. Code of Federal Regulations, Title 49
65. Miner (1945)
66. Niemand (1996)
67. ISO 1496-3:1991(E)
68. Gurney (1976)
69. Miner (1945)
70. Wannenburg (1966)
71. MSC/NASTRAN V70 Advanced Dynamics User's Guide (1997)
72. Bathe (1996)
73. Craig (1981)
74. Dodds (1973)
75. Bishop and Sherratt (2000)
76. ABAQUS/Standard User's Manual (1996)
77. MSC.Fatigue 2003 User's Manual (2002)
78. Ryu et al. (1997)
79. Xu (1998)
80. BS 7608 (1993)
81. Goes (1995)
82. Hines and Montgomery (1980)
83. Niemi and Marquis (2003)
84. Bathe and Wilson (1976)
85. Rixen (2001)
86. Bogsjo et al. (2004)
87. Neuber (1969)
88. Socie and Pompertzki (2004)
89. Coleman and Li (1994)
90. Coleman and Li (1996)
91. Gerharz (1987)
92. Heuler et al. (2005)
93. Schutz et al. (1990)