

## REFERENCES

## REFERENCES

- Adkins, S.W. & Sowerby, M.S. 1996. Allelopathic potential of the weed, *Parthenium hysterophorus* L., in Australia. *Plant Protection Quarterly*, 11 (1), 20-23.
- Agrawal, A.A. 2001. Phenotypic plasticity in the interactions and evolution of species. *Science*, 294, 321–326.
- Agricol Product Guide, undated.  
[http://www.agricol.co.za/perennial\\_summer\\_grasses.html](http://www.agricol.co.za/perennial_summer_grasses.html)
- An, M., Johnson, I. & Lovett, J. 1993. Mathematical modelling of allelopathy: biological response to allelochemicals and its interpretation. *Journal of Chemical Ecology*, 19, 2379-2388.
- An, M., Johnson, I.R. & Lovett, J.V. 2002. Mathematical modelling of residue allelopathy: the effects of intrinsic and extrinsic factors. *Plant and Soil*, 246, 11-22.
- An, M., Liu, D.L., Johnson, I.R. & Lovett, J.V. 2003. Mathematical modelling of allelopathy: II. The dynamics of allelochemicals from living plants in the environment. *Ecological modelling*, 161, 53-66.
- Anon. 1978. *Annual report of the Land Administration Commission 1977-78*. Queensland Department of Lands, Brisbane.
- Baldwin, I.T. 1989. Mechanism of damage-induced alkaloid production in wild tobacco. *Journal of Chemical Ecology*, 27, 381-392.
- Batish, D.R., Kohli, R.K., Saxena, D.B. & Singh, H.P. 1997. Growth regulatory response of parthenin and its derivatives. *Plant Growth Regulation*, 21, 189-194.
- Batish, H.P., Singh, H.P., Pandher, J.V., Arora, V. & Kohli, R.K. 2002a. Phytotoxic effect of parthenium residues on the selected soil properties and growth of chickpea and radish. *Weed Biology and Management*, 2, 73-78.
- Batish, D.R., Singh, H.P., Kohli, R.K., Saxena, D.B., & Kaur, S. 2002b. Allelopathic effects of parthenin against two weedy species, *Avena fatua* and *Bidens pilosa*. *Environmental and Experimental Botany*, 47, 149-155.
- Belz, R.G., Reinhardt, C.F., Foxcroft, L.C. & Hurle, K. 2006. Residue allelopathy in *Parthenium hysterophorus* L. - does parthenin have a leading role? In press: *Crop Protection*.

## REFERENCES

- Bhutani, K.K & Thakur, R.N. 1991. The microbiological transformation of parthenin by *Beauveria bassiana* and *Sporotrichum pulverulentum*. *Phytochemistry*, 30, 3599-3600.
- Blum, U., Shafer, S.R. & Lehman, M.E. 1999. Evidence for inhibitory allelopathic interactions involving phenolic acids in field soils: concepts vs. an experimental model. *Critical Reviews in Plant Science*, 18, 673-693.
- Bromilow, C. 2001. Problem Plants of South Africa. Briza Publications, Pretoria.
- Buckley, Y.M., Rees, M., Paynter, Q. & Lonsdales, M. 2004. Modelling integrated weed management of an invasive shrub in tropical Australia. *Journal of Applied Ecology*, 41, 547-560.
- Callaway, R.M., Nadkarni, N.M. & Mahall, B.E. 1991. Facilitating and interfering effects of *Quercus douglasii* in central California. *Ecology*, 72, 1484-1499.
- Calvet, R., Terce, M., & Arvieu, J.C. 1980. Adsorption des pesticides par les sols et leur Constituents. *Annals of Agronomy*, 31, 125.
- Chapin, F.S. III, Walker, L.R., Fastie, C.L. & Sharman, L.C. 1994. Mechanisms of primary succession following deglaciation at Glacier Bay, Alaska. *Ecological Monograph*, 64, 149-175.
- Cheng, H.H. 1992. A conceptual framework for assessing allelochemicals in the soil environment. In *Allelopathy: Basic and applied aspects*. Edited by S.J.H Rizvi & V. Rizvi. London: Chapman and Hall, pp.21-29.
- Chippendale, J.F. & Panetta, F.D. 1994. The cost of parthenium weed to the Queensland cattle industry. *Plant Protection Quarterly*, 9, 73-76.
- Chou, C.S. 1999. Role of allelopathy in plant diversity and sustainable agriculture. *Critical Reviews in Plant Sciences*, 18, 673-693.
- Clout, M.K. & De Poorter, M.D. 2005. International initiatives against invasive alien species. *Weed Technology*, 19, 523-527.
- Cousens, R. 1991. Aspects of the design and interpretation of competition (interference) experiments. *Weed Technology*, 5, 664-673.
- Dakshini, K.M.M., Foy, C.L. & Inderjit. 1999. Allelopathy: one component in a multifaceted approach to ecology. In *Principles and Practices in Plant Ecology: Allelochemical interactions*. Edited by Inderjit, K.M.M. Dakshini, C.L. Foy. CRC Press, pp3-14.

## REFERENCES

- Dalton, B.R., Blum, U. & Weed, S.B. 1989. Differential sorption of exogenously applied ferulic, p-coumaric, p-hydroxybenzoic, and vanillic acids in soil. *Soil Science Society of America Journal*, 53, 757-762.
- Datta, S. & Saxena, D.B. 2001. Pesticidal properties of parthenin (from *Parthenium hysterophorus*) and related compounds. *Pest Management Science*, 57, 95-101.
- Dayan, F.E., Romangi, J., Tellez, M., Rimando, A. & Duke, S. 1999. Managing weeds with natural products. *Pesticide Outlook*, 5, 185-188.
- De la Fuente, J.R., Uriburu, M.L., Burtom, G. & Sosa, V.E. 2000. Sesquiterpene lactone variability in *Parthenium hysterophorus* L. *Phytochemistry*, 55, 769-772.
- Dominguez, X.A. & Sierra, A. 1970. Isolation of a new diterpene alcohol and parthenin from *Parthenium hysterophorus*. *Planta Medica*, 18, 275-277.
- Duke, S.O., Dayan, F.E., Rimando, A.M., Schrader, K.K., Aliotta, G., Olivia, A. & Romangi, J.G. 2002. Chemicals from nature for weed management. *Weed Science*, 50, 138-151.
- Duke, S.O. & Inderjit. 2003. Ecophysiological aspects of allelopathy. *Planta*, 217, 529-539.
- Duke, S.O., Canel, C., Rimando, A.M., Tellez, M.R., Duke, M.V. & Paul, R.N. 2000. Current and potential exploitation of plant glandular trichome productivity. *Advances in Botanical Research*, 31, 121-151.
- Einhellig, F.A. 1995. Allelopathy: Current status and future goals. In *Allelopathy: Organisms, Processes and Applications*. Edited by Inderjit, K.M.M. Dakshini, F.A. Einhellig. ACS Symposium Series 582, American Chemical Society, Washington, DC, pp. 1- 25.
- Evans, H.C. 1997. *Parthenium hysterophorus*: a review of its weed status and the possibilities for biological control. *Biocontrol News and Information*, 18(3), 89-98.
- Fair, J. 1989. Guide to profitable pastures. 2nd ed. Harrismith: M & J Publications.
- Fomsgaard, I.S., Mortensen, A.G., Gents, M.B. & Understrup, A.G. 2004. Time-dependent transformation of varying concentrations of the hydroxamic acid metabolites MBOA and BOA in soil. Second European Allelopathy Symposium "Allelopathy - from understanding to application". Pulawy, Poland, June 3-5.
- Fonseca, J.M., Rushingb, J.W., Rajapakse, N.C., Thomas, R.L. & Riley, M.B. 2005. Parthenolide and abscisic acid synthesis in feverfew are associated but environmental factors affect them dissimilarly. *Journal of Plant Physiology*, 162, 485-494.

## REFERENCES

- Fowler, S.V., Memmot, J., Paynter, Q.E., Sheppard, A.W. & Syrett, P. 2001. The scope and value of extensive ecological studies in the broom biological control programme. In *Evaluating indirect ecological effects of biological control*. Edited by E. Wajnberg, J.K. Scott & P.C. Quimby. CABI Publishing, CABI International, Wallingford, Oxon, United Kingdom, pp. 229-248.
- Foxcroft, L.C. & Richardson, D.M. 2003. Managing alien plant invasions in the Kruger National Park, South Africa. *Plant Invasions: Ecological threats and Management Solutions*.  
<http://web.uct.ac.za/innopac.up.ac.za/depts/ipc/pdf/richard/rich16.pdf> 385-404.
- Foy, C.L. & Inderjit. 2001. Understanding the role of allelopathy in weed interference and declining plant diversity. *Weed Technology*, 15, 873-878.
- Fuerst, E.P. & Putnam, A.R. 1983. Separating the competitive and allelopathic components of interference: theoretical principles. *Journal of Chemical Ecology*, 9, 937-944.
- Gibbs Russell, G.E., Watson, L., Koekemoer, M., Smook, L., Barker N.P., Anderson, H.M. & Dallwitz, M.J. 1991. Grasses of Southern Africa. *Memoirs of the Botanical Survey of South Africa*, no. 58, Botanical Research Institute.
- Goodall, J.M. & Naudé, D.C. 1998. An ecosystem approach for planning sustainable management of environmental weeds in South Africa. *Agriculture, Ecosystems and Environment*, 68, 109-123.
- Goslee, S.C., Peters, D.P.C. & Beck K.G. 2001. Modelling invasive weeds in grasslands: the role of allelopathy in *Acroptilon repens* invasion. *Ecological Modelling*, 139, 31-45.
- Grover, R. 1988. Environmental chemistry of herbicides. Volume I. CRC Press, Florida.
- Gupta, O.P., & Sharma, J.J. 1977. Parthenium menace in India and possible control measures. *FAO Plant Protection Bulletin*, 25, 112-117.
- Gupta, S. & Chanda, S. 1991. Aerobiology and some chemical parameters of *Parthenium hysterophorus* pollen. *Grana*, 30, 497-503.
- Harborne, J.B., 1999. Classes and functions of secondary products from plants. In *Chemicals from Plants, Perspectives on Plant Secondary Products*. Edited by N.J. Walton, D.E. Brown. Imperial College Press, London, pp. 1-26.
- Hardin, G. 1960. The competitive exclusion principle. *Science*, 131, 1292-1297.

## REFERENCES

- Harper, J.R. & Balke, N.E. 1981. Relationship of salicylic acid absorption to inhibition of potassium absorption in oat roots. In *Abstracts Meeting of WSSA, Las Vegas, Nevada*. In *Weed Crop Ecology*. Edited by R. J. Aldrich. Breton Publishers, Wadsworth Inc., Belmont, pp. 215–243.
- Harrison, P.G. 1982. Control of microbial growth and of amphipod grazing by water soluble compounds from leaves of *Zostera marina*. *Marine Biology*, 67, 225-230.
- Haseler, W.H. 1976. *Parthenium hysterophorus* L. in Australia. *PANS*, 22, 515-517.
- Hedge, B.A., and Patil, T.M. 1982. Effect of salt stress on the structure and carbon flow mechanism in a noxious weed *Parthenium hysterophorus* L. *Weed Research*, 22, 51-56.
- Hedin, P.A. 1990. Bioregulator-induced changes in allelochemicals and their effects on plant resistance to pests. *Critical Reviews in Plant Science*, 9, 371-379.
- Henderson, L. undated. Parthenium infestation status in South Africa.  
[http://www.iprng.org/IPRNG-parthenium\\_a&w7.htm](http://www.iprng.org/IPRNG-parthenium_a&w7.htm).
- Herz, W. & Watanabe, H. 1959. Parthenin: a new guanolid. *Journal of American Chemical Society*, 81, 6088-6089.
- Inderjit. 2001. Soil: Environmental effects on allelochemical activity. *Agronomy Journal*, 93, 79-84.
- Inderjit & Keating, K.I. 1999. Allelopathy: principles, procedures, processes, and promises for biological control. *Advances in Agronomy*, 67, 141-231.
- Inderjit & Weiner, J. 2001. Plant allelochemical interference or soil chemical ecology? *Perspectives in Plant Ecology, Evolution and Systematics*, 4(1), 3-12.
- Inderjit & Weston, L.A. 2000. Are laboratory bioassays suitable for prediction of field responses? *Journal of Chemical Ecology*, 26, 2111-2118.
- Ito, I., Kobayashi, K., & Yoneyama, T. 1998. Fate of dehydromatricaria ester added to soil and implications for the allelopathic effect of *Solidago altissima* L. *Annals of Botany*, 82, 625-630.
- Jordon-Thaden, I.E. & Louda, S.M. 2003. Chemistry of *Cirsium* and *Carduus*: A role in ecological risk assessment for biological control of weeds. *Biochemical Systematics and Ecology*, 31, 1353–1396.
- Joshi, S. 1991a. Biocontrol of *Parthenium hysterophorus* L. *Crop Protection*, 10, 429-431.
- Joshi, S. 1991b. Interference effects of *Cassia Uniflora* Mill on *Parthenium hysterophorus* L. *Plant and Soil*, 132, 213-218.

## REFERENCES

- Kanchan, S.D. 1975. Growth inhibitors from *Parthenium hysterophorus* Linn. *Current Science*, 44, 358-359.
- Kanchan, S.D. & Jayachandra. 1979. Allelopathic effects of *Parthenium hysterophorus* L. I. Exudation of inhibitors through roots. *Plant Soil*, 53, 27-35.
- Kanchan, S.D. & Jayachandra. 1980a. Allelopathic effects of *Parthenium hysterophorus* L. Part IV. Identification of inhibitors. *Plant Soil*, 55, 67-75.
- Kanchan, S.D. & Jayachandra. 1980b. Allelopathic effects of *Parthenium hysterophorus* L. Part II. Leaching of inhibitors from aerial vegetative parts. *Plant and Soil*, 55, 61-66.
- Khosla, S.N. & Sobti, S.N. 1981. Effective control of *Parthenium hysterophorus* L. *Pesticides*, 15, 18-19.
- Kluge, R.L. & Erasmus, D.J. 1991. An approach towards promoting progress with the control of woody alien invasive plants in Natal. *South African Forestry Journal*, 157, 86-90.
- Kobayashi, K., Onoe, M. & Sugiyama, H. 1994. Thenylchlor concentration in soil water and its herbicidal activity. *Weed Research (Jpn)*, 39, 160-164.
- Kobayashi, A., Nakamura, N., Shim, I.S. & Nagatsuka, S. 1996. Relationship of herbicidal activity of soil-applied mefenacet to its concentration in soil water and adsorption in soil. *Weed Research (Jpn)*, 41, 98-102.
- Kobayashi, K., Koyama, H. & Shim, I.S. 2004. Relationship between behaviour of dehydromatricaria ester in soil and the allelopathic activity of *Solidago altissima* L. in the laboratory. *Plant and Soil*, 259, 97-102.
- Koepe, D.E., Rohrbaugh, L.M., Rice, E.L. & Wender, S.H. 1970. Tissue age and caffeoylquinic acid concentration in sunflower. *Phytochemistry*, 9, 297-301.
- Kohli, R.K., Rani, D. & Verma, R.C. 1993. A mathematical model to predict tissue response to parthenin - an allelochemical. *Biol Plant*, 35(3), 567-576.
- Kimura, H., Harris, M.S., Sakamoto, T., Gopalakrishna, R., Gundimeda, U. Cui, J.Z., Spee, C., Hinton, D.R. & Ryan, S.J. 1977. Hypericin inhibits choroidal endothelial cell proliferation and cord formation *in vitro*. *Current Eye Research*, 16, 967-972.
- Kraus, S. 2003. Allelopathic potential of *Parthenium hysterophorus* L., an alien invasive plant in South Africa. Unpublished diploma thesis, Department of Weed Science, Univeristy of Hohenheim, Stuttgart, Germany.
- Kumari, A. & Kohli, R.K., 1987. Autotoxicity of ragweed parthenium (*Parthenium hysterophorus*). *Weed Science*, 35, 629-632.

## REFERENCES

- Kuo, Y.L., Chiu, C.Y. & Chou, C.H. 1989. Comparative allelopathic dominance of tropical vegetation in the Heng-chun Peninsula of southern Taiwan. In *Phytochemical Ecology: Allelochemicals, Mycotoxins and Insect Pheromones and Allomones*. Edited by C.H. Chou, G.R. Waller. Institute of Botany, Academia Sinica Monograph Series No. 9 Taipei, ROC, pp. 303-314.
- Kynoch Pasture Handbook. 2004. 1st Edn. Kejafa Knowledge Works: Maanhaarand.
- Lewis, W.H., Dixit, A.B. & Wedner, H.J. 1988. Reproductive biology of *Parthenium hysterophorus* (Asteraceae). *Journal of Palynology*, 23, 73-82.
- Lewis, W.H., Dixit, A.B. & Wedner, H.J. 1991. Asteraceae aeropollen of the western United States Gulf Coast. *Annals of Allergy*, 67, 43-53.
- Lomniczi de Upton, I.M., de la Fuente, J.R., Esteve-Romero, J.S., García-Alvarez-Coque, M.C. & Carda-Broch, S. 1999. Chromatographic detection of sesquiterpene lactones in parthenium plants from northwest Argentina. *Journal of Liquid Chromatography & Related Technologies*, 22(6), 909-921.
- Lovett, J.V. & Houlst, A.H.C. 1995. Allelopathy and self defense in barley. In *Allelopathy: Organisms, Processes and Applications*. Edited by Inderjit, K.M.M. Dakshini, F.A. Einhellig. ACS Symposium Series 582, American Chemical Society, Washington, DC, pp. 170-183.
- Mabry, T.J. 1973. The chemistry of geographical races. *Pure and Applied Chemistry*, 34, 377.
- Macías, F.A., Galindo, J.C.G. & Massanet, G.M. 1992. Potential allelopathic activity of several sesquiterpene lactones models. *Phytochemistry*, 31, 1969-1977.
- McClure, J.M. 1975. Physiology and function of flavonoids. In *The Flavonoids*. Edited by J.B. Harborne, H. Mabry. Academic Press, London, pp. 970-1055.
- McFadyen, R.E. 1992. Biological control against parthenium weed in Australia. *Crop Protection*, 11, 400-407.
- McFadyen, R.E. 1995. Parthenium weed and human health in Queensland. *Australian Family Physician*, 24, 1455-1458.
- Mersie, W. & Singh, M. 1987. Allelopathic effects of parthenium (*Parthenium hysterophorus* L.) extract and residue on some agronomic crops and weeds. *Journal of Chemical Ecology*, 13, 1739-1747.
- Mersie, W. & Singh, M. 1988. Effects of phenolic acids and ragweed parthenium (*Parthenium hysterophorus*) extracts on tomato (*Lycopersicon esculentum*) growth and nutrient and chlorophyll content. *Weed Science*, 36, 278-281.



## REFERENCES

- Morton, J.F. 1981. Atlas of Medicinal Plants of Middle America: Bahamas to Yucatan. Charles C. Thomas Publisher, Springfield, IL, pp.1420.
- Narasimhan, T.R., Keshava Murthy, B.S., Harindarnath, N. & Subbra Rao, P.V. 1984. Characterisation of a toxin from *Parthenium hysterophorus* and its mode of excretion in animals. *Journal of Biological Science*, 6(5), 729-738.
- Nath, R. 1988. *Parthenium hysterophorus* L., a review. *Agricultural reviews*, 9, 171-179.
- Navie, S.C., McFadyen, R.E., Panetta, F.D., and Adkins, S.W. 1996. The Biology of Australian Weeds 27. *Parthenium hysterophorus* L. *Plant Protection Quarterly*, 11(2), 76-88.
- Navie, S.C., Panetta, F.D., McFadyen, R.E., & Adkins, S.W. 1998. Behaviour of buried and surface-sown seeds of *Parthenium hysterophorus*. *Weed Research*, 38, 335-341.
- Nel, J.L., Richardson, D.M., Rouget, M., Mgidi, T.N., Mdzeke, N., Le Maitre, D.C., Van Wilgen, B.W., Schonegevel, L., Henderson, L. & Naser, S. 2004. A proposed classification of invasive alien plant species in South Africa: towards prioritizing species and areas for management action. *South Africa Journal of Science*, 100, 53-64.
- Niemeyer, H. M.1988. Hydroxamic acids (4-hydroxy-1,4-benzoxazin-3-ones), defence chemicals in the Gramineae. *Phytochemistry*, 27, 3349–3358.
- Njoroge, J.M. 1986. New weeds in Kenya coffee. A short communication. *Kenya Coffee*, 51, 333-335.
- Pandey, H.N. & Dubey, S.K. 1989. Growth and population dynamics of an exotic weed *Parthenium hysterophorus* Linn. *Proceedings of the Indian Academy of Science (Plant Sciences)*, 99, 51-58.
- Pandey, H.N. & Dubey, S.K. 1991. Nutrient allocation and their use efficiency in *Parthenium hysterophorus* Linn. *Acta Oecologica*, 12, 509-516.
- Pandey, D.K., Kauraw, L.P. & Bhan, V.M. 1993. Inhibitory effect of parthenium (*Parthenium hysterophorus* L.) residue on growth of water hyacinth (*Eichhornia crassipes* Mart Solms.). I. Effect of leaf residue. *Journal of Chemical Ecology*, 19, 2651-2662.
- Pandey, D.K. 1994. Inhibition of salvinia (*Salvinia molesta* MITCHELL) by parthenium (*Parthenium hysterophorus* L.). II. Relative effect of flower, leaf, stem



## REFERENCES

- and root residue on salvinian and paddy. *Journal of Chemical Ecology*, 20(12), 3123-3130.
- Pandey, D.K. 1996. Phytotoxicity of sesquiterpene lactone parthenin on aquatic weeds. *Journal of Chemical Ecology*, 22, 151-160.
- Parsons, W.T., & Cuthbertson, E.G. 1992. Noxious weeds of Australia. Melbourne: Inkata, pp. 292.
- Parthenium Action Group. 2000. Parthenium Weed, Best Management Practice. Department of Primary Industries, Information series QI99082, Manager DPI Publications.
- Patil, T.M. & Hedge, B.A. 1988. Isolation and purification of a sesquiterpene lactone from the leaves of *Parthenium hysterophorus* L. – it's allelopathic and cytotoxic effects. *Current Science*, 57, 1178-1181.
- Patterson, D.T. 1981. Effects of allelopathic chemicals on growth and physiological responses of soybean (*Glycine max*). *Weed Science*, 29, 53-59.
- Picman, A.K., Elliot, R.H. & Towers, G.H.N. 1981. Cardiac inhibiting properties of the sesquiterpene lactone, parthenin, in the migratory grass hopper, *Melanoplus sanguinipes*. *Canadian Journal of Zoology*, 59, 285-292.
- Picman, A.K. 1986. Biological activities of sesquiterpene lactones. *Biochemical Systematics and Ecology*, 14(3), 255-281.
- Picman, A.K. 1987. Persistence and disappearance of the sesquiterpene lactone, isoalantolactone, in soils. *Biochemical Systematics and Ecology*, 15(3), 361-363.
- Picman, A.K., Rodriguez, E. & Towers, G.H. 1979. Formation of adducts of arthenin and related sesquiterpene lactones with cysteine and glutathione. *Chemico-biological interactions*, 28, 83-89.
- Picman, A.K., Towers, G.H.N. & Subba Rao, P.V. 1980. Coronopilin - another major sesquiterpene lactone in *Parthenium hysterophorus*. *Phytochemistry*, 19, 2206-2207
- Picman, A.K. & Towers, G.H.N. 1982. Sesquiterpene lactones in various populations of *Parthenium hysterophorus*. *Biochemical Systematics and Ecology*, 10, 145.
- Picman, J. and Picman, A.K. 1984. Autotoxicity in *Parthenium hysterophorus* and its possible role in control of germination. *Biochemical Systematics and Ecology*, 12(3), 287-292.
- Putnam, A. R. 1988. Allelochemicals from plants as herbicides. *Weed Technology*, 2(4), 510-518.

## REFERENCES

- Qasem, J. R. & Foy, C. L. 2001. Weed allelopathy, its ecological impacts and future prospects: a review. In: *Allelopathy in Agroecosystems*. Edited by R. K. Kohli, H. P. Singh, & D. R. Batish, Haworth Press, New York, pp. 43–119
- Reinhardt, C.F., Khalil, S. & Bezuidenhout, S. 1999. Bioassay techniques in assessing the allelopathic effects of weeds on crop and plantation species. *Proceedings of the 1st World Congress on Allelopathy. Cadiz, Spain*: 133.
- Reinhardt, C., Kraus, S., Walker, F., Foxcroft, L., Robbertse, P. & Hurle, K. 2004. The allelochemical parthenin is sequestered at high level in capitate-sessile trichomes on leaf surfaces of *Parthenium hysterophorus*. *Journal of Plant Diseases and Protection*, XIX, 253-261.
- Reinhardt, C., Van der Laan, M., Belz, R.G., Hurle, K. & Foxcroft, L. 2006. Production of the allelochemical parthenin in the leaves of *Parthenium hysterophorus* L. In press: *Journal of Plant Diseases and Protection*.
- Retig, B.; Holm, L.G. & Struckmeyer, B.E. 1972. Effects of weeds on the anatomy of roots of cabbage and tomato. *Weed Science*, 20(1), 33-36.
- Rice, E.L. 1974. *Allelopathy*; Academic Press; New York.
- Rice, E.L. 1984. *Allelopathy*; 2nd ed; Academic Press; New York, pp. 1-7.
- Ridenour, W.M. & Callaway, R.M. 2001. The relative importance of allelopathy in interference: the effects of an invasive weed on a native bunchgrass. *Oecologia*, 126, 444-450.
- Rodriguez, E. 1977. Ecogeographic distribution of secondary constituents in parthenium (Compositae). *Biochemical Systematics and Ecology*, 5, 207-218.
- Rodriguez, E., Dillon, M.O., Mabry, T.J., Mitchell, J.C. & Towers, G.H.N. 1975. Dermatologically active sesquiterpene lactones in trichomes of *Parthenium hysterophorus* L. (Compositae). *Experientia*, 32, 236-238.
- Romo de Vivar, A., Brattoeff, E.A. & Ríos, T. 1966. Structure of hysterin, a new sesquiterpene lactone. *Journal of Organic Chemistry*, 31, 673-677.
- Schmidt, S.K. & Ley, R.E. 1999. Microbial competition and soil structure limit the expression of phytochemicals in nature. In *Principles and Practices in Plant Ecology: Phytochemical interactions*. Edited by Inderjit, K.M.M. Dakshini & C.L. Foy. CRC Press, Boca Raton, pp. 339-351.
- Shibuya, T., Fujii, Y. & Asakawa, Y. 1994. Effects of soil factors on manifestation of allelopathy in *Cytisus scoparius*. *Weed Research (Jpn)*, 39, 222-228.

## REFERENCES

- Singh, H.P., Batish, D.B. & Kohli, R.K. 2003. Allelopathic interactions and allelochemicals: New possibilities for sustainable weed management. *Critical Reviews in Plant Sciences*, 22(3&4), 239-311.
- Strathie, L.W., Wood, A.R., van Rooi, C. & McConnachie, A.J. 2006. *Parthenium hysterophorus* (Asteraceae) in southern Africa, and initiation of biological control against it in South Africa. *Proceedings of the 2nd International Conference on Parthenium Management, India, Dec 2005*, in press.
- Subba Rao, P.V., Mangala, A., Subba Rao, B.S. & Prakash, K.M. 1977. Clinical and immunological studies on persons exposed to *Parthenium hysterophorus* L. *Experientia*, 33, 1387-1388.
- Swaminathan, C., Vinaya Rai, R.S. & Sureshi, K.K. 1990. Allelopathic effects of *Parthenium hysterophorus* L. on germination and seedling growth of a few multi-purpose trees and arable crops. *The International Tree Crops Journal*, 6, 143-150.
- Takahashi, H., Kobayashi, K. & Shim, I.S. 1994. Effects of soil types on the allelopathic activity of coumarin. *Grassland Science*, 40, 223-226.
- Tamado, T., Ohlander, L., & Milberg, P. 2002a. Interference by the weed *Parthenium hysterophorus* L. with grain sorghum: influence of weed density and duration of competition. *International Journal of Pest Management*, 48(3), 183-188.
- Tamado, T., Schütz, W. & Milberg, P. 2002b. Germination ecology of the weed *Parthenium hysterophorus* in eastern Ethiopia. *Annals of Applied Biology*, 140, 263-270.
- Tefera, T. 2002. Allelopathic effects of *Parthenium hysterophorus* extracts on seed germination and seedling growth of *Eragrostis tef*. *Journal of Agronomy and Crop Science*, 188, 306-310.
- Thompson, A.C. (Ed.) 1985. The chemistry of allelopathy: Biochemical interactions among plants, ACS symposium, Ser. 268, American Chemical Society, Washington, DC.
- Towers, G.H.N. 1981. Allergic eczematous contact dermatitis from parthenium weed (*Parthenium hysterophorus*). In *Proceedings of the Sixth Australian Weeds Conference, Gold Coast*. Edited by B.J. Wilson & J.T. Swarbrick, pp. 143-150.
- Towers, G.H.N., Subba Rao, P.V., Panetta, F.D. & Adkins, S.W. 1992. Impact of the pan-tropical weed, *Parthenium hysterophorus* L. on human affairs. *Proceedings of the First International Weed Control Congress, Melbourne*, 134-138.
- Uphof, J.C. Th. 1959. Dictionary of economic plants. Englemann Weinheim.

## REFERENCES

- Van Andel, J. 2005. Species interactions structuring plant communities. In *Vegetation Ecology*. Edited by E. van der Maarel, Blackwell publishing, pp. 238-264.
- Van Oudtshoorn, F.P. 2002. Guide to Grasses of South Africa. Briza Publications, Pretoria.
- Vyvyan, J.R. 2002. Allelochemicals as leads for new herbicides and agrochemicals. *Tetrahedron*, 58, 1631-1646.
- Wardle, D.A., Nilsson, M.C., Gallet, C. & Zackrisson, O. 1998. An ecosystem level perspective of allelopathy. *Biological Reviews*, 73, 305-319.
- Weidenhamer, J.D. 1996. Distinguishing resource competition and chemical interference: overcoming the methodological impasse. *Agronomy Journal*, 88, 866-875.
- Weidenhamer, J.D. & Romeo, J.T. 2004. Allelochemicals of *Polygonella myriophylla*: Chemistry and soil degradation. *Journal of Chemical Ecology*, 30(5), 1067-1082.
- Welden, C.W. & Slauson, W.L. 1986. The intensity of competition verses its importance: an overlooked distinction and some implications. *Critical Reviews in Botany*, 61, 23-44.
- Weston, L.A. & Duke, S.O. 2003. Weed and Crop Allelopathy. *Critical Reviews in Plant Sciences*, 22(3&4), 367-389.
- Weston, L.A., Harmon, R. & Mueller, S. 1989. Allelopathic potential of sorghum-sudangrass hybrid (sudex). *Journal of Chemical Ecology*, 15, 1855-1865.
- Williams, J.D. & Groves, R.H. 1980. The influence of temperature and photoperiod on growth and development of *Parthenium hysterophorus* L. *Weed Research*, 20, 47-52.
- Williams, R.D. & Hoagland, R.E. 1982. The effects of naturally occurring phenolic compounds on seed germination. *Weed Science*, 30, 206-212.
- Wolfson, J.L. & Murdock, L.L. 1990. Growth of *Manduca sexta* on wounded tomato plants: role of induced proteinase inhibitors. *Entomologia Experimentalis et Applicata*, 54, 257-264.
- Woodhead, S. & Bernays, E.A. 1978. The chemical basis of resistance of *Sorghum bicolor* to attack by *Locusta migratoria*. *Entomologia Experimentalis et Applicata*, 24, 123-144.

## REFERENCES

---

- Woodhead, S. 1981. Environmental and biotic factors affecting the phenolic content of different cultivars of *Sorghum bicolor*. *Journal of Chemical Ecology*, 7, 1035-1047.