

BIBLIOGRAPHY

- Agrawal, P. and Lim, H.C. 1984. Analyses of various control schemes for continuous bioreactors. *Adv. Biochem. Eng. / Biotechnol.*, 30 : 61 – 90.
- Aiba, S., Humphrey, A.E. and Millis, N.F. 1965. *Biochemical Engineering*. New York : Academic Press.
- Augustyn, M.P. 1995. *An evaluation of process operating parameters for Geotrichum biomass production on C₂ – C₅ monocarboxylic acids in a continuous airlift reactor with internal recycle*. MSc dissertation, Univ. of the Free State, Bloemfontein.
- Austermann-Haun, U., Seyfried, C.F., Kunst, S., Brockmann, M., Bänziger, W. and Rosenwinkel, K.H. 1994. Anaerobic pretreatment in campaign industries. *Seventh International Symposium on Anaerobic Digestion. Cape Town, Jan. 23-27*.
- Bailey, J.E. and Ollis, D.F. 1986. *Biochemical Engineering Fundamentals*. 2nd edition. New York : McGraw-Hill.
- Benefield, L.D., Judkins, J.F. and Weand, B.L. 1982. *Process chemistry for water and wastewater treatment*. Englewood Cliffs, New Jersey : Prentice-Hall.
- Blanch, H.W. and Clark, D.S. 1997. *Biochemical Engineering*. New York : Marcel Dekker.
- Brierly, M.R. and Steel, R. 1959. Agitation in submerged fermentation. Part 2. Effect of solid disperse phase on oxygen adsorption in a fermenter. *Appl. Microbiol.*, 57(7), as quoted by Aiba *et al.*, 1965.
- Brune, G., Schoberth, S.M. and Sahm, H. 1982. Anaerobic treatment of an industrial wastewater containing acetic acid, furfural and sulphite. *Process Biochem.*, May/June, 35 : 20 – 24.
- Bryson, V. and Szibalski, W. 1952. Microbial selection. *Science*, 116 : 45 – 51.
- Chisholm, S.W., and Stross, R.G. and Nobbs, P.A. 1975. *J. Phycol.*, 11 : 367 – 373.
- Choi, J. and Lee, S.Y. 1999. High-level production of poly (3-Hydroxybutyrate-co-3-Hydroxyvalerate) by fed-batch culture of recombinant *Escherichia coli*. *Appl. Environ. Microbiol.*, 65(10) : 4363 – 4368.
- CSIR. 1970a. *Special Report CHEM 153*. Council for Scientific and Industrial Research, Pretoria.
- CSIR. 1970b. *Special Report CHEM 214*. Council for Scientific and Industrial Research, Pretoria.
- Defrance, M.B., Elmaleh, S., Ghommida, C. and Navarro, J.M. 1996. *Wat. Res.*, 30(10) : 2526 – 2529.
- Demirer, G.N. and Speece, R.E. 1999. Inhibitory effects and biotransformation of acrylic acid in computer-controlled pH-stat CSTRs. *Biotechnol. Bioeng.*, 62(2) : 200 – 207.

- Demirer, G.N. and Speece, R.E. 2000. Comparison of anaerobic acrylic acid biotransformation in single- and two-stage pH-stat completely stirred tank reactor systems. *Wat. Environ. Res.*, 72(1) : 84 – 89.
- Driesssen, F.M., Ubbels, J. and Stadhouders, J. 1977. Continuous manufacture of yogurt. I. Optimal conditions and kinetics of the prementation process. *Biotechnol. Bioeng.*, 14 : 821–839.
- Duetz, W.A., Winson, M.K., van Andel, J.G. and Williams, P.A. 1991. Mathematical analysis of catabolic function loss in a population of *Pseudomonas putida* mt – 2 during non – limited growth on benzoate. *J. Gen. Microbiol.*, 137(6) : 1363 – 1368.
- Du Preez, J.C. and Van der Walt, J.P. 1983. Fermentation of D – xylose to ethanol by a strain of *Candida shehatae*. *Biotechnol. Lett.*, 5(5) : 357 – 362.
- Edwards, V.H., Ko, R.C. and Balogh, S.A. 1972. Dynamics and control of continuous propagators to subject substrate inhibition. *Biotechnol. Bioeng.*, 14 : 939 – 974.
- Fiebig, R. and Dellweg, H. 1985. Comparison between the process performance of an UASB – reactor and an UASB-fixed film-combination with an acetic enrichment culture. *Biotechnol. Lett.*, 7(7) : 487 – 492.
- Fraleigh, S.P., Bungay, H.R. and Clesceri, L.S. 1989. Continuous culture, feedback control and auxostats. *Trends Biotechnol.*, 7 : 159 – 164.
- Fuld, G.J. and Dunn, C.G. 1957. New process control applications in fermentation. *Ind. Eng. Chem.*, 49 (8) : 1215 – 1220.
- Gaudy, A.F. and Gaudy, E.T. 1980. *Microbiology for Environmental Scientists and Engineers*. New York : McGraw-Hill.
- Gerhardt, P., Murray, R.G.E., Costilow, R.N., Nester, E.W., Wood, W.A., Krieg, N.R. and Phillips, G.B. 1981. *Manual of methods for general bacteriology*. Washington : American Society for Microbiology.
- Girginov, T. 1965. *Lebensm. Ind.*, 12 : 263, cited by Driesssen *et al.*, 1977.
- Gottschal, J.C. 1990. Different types of continuous culture in ecological studies. *Methods in Microbiol.*, 22 : 87 – 124.
- Grady, C.P.L. and Lim, H.C. 1980. *Biological Wastewater treatment, theory and application*. New York : Marcel Dekker.
- Grady, C.P.L., Daigger, G.T. and Lim, H.C. 1999. *Biological Wastewater Treatment*. New York : Marcel Dekker.
- Herbert, D., Elsworth, R. and Telling, R.C. 1956. The continuous culture of bacteria; a theoretical and experimental study. *J. Gen. Microbiol.*, 14 : 601 – 622.

- Herbert, D. 1959. Some principles of continuous culture. *Recent progress in microbiology : VI International Congress for Microbiology. Stockholm, 1959.*
- Hospodka, J. 1966a. Oxygen-absorption rate-controlled feeding of substrate into aerobic microbial cultures. *Biotechnol. Bioeng.,* 8 : 117 –134.
- Hospodka, J., Málek, I. (ed.) and Fencl, Z. (ed.). 1966b. Theoretical and methodological basis of continuous culture of microorganisms. New York : Academic Press.
- IAWPRC. 1986. *Activated Sludge Model No.1.* International Association on Water Pollution Research and Control, London.
- IWA. 2000. *Activated Sludge Models ASM 1, ASM 2, ASM 2D and ASM 3.* Londen : IWA Publishing.
- Kistner, A., Kornelius, J.H. and Miller, G.S. 1983. Kinetic measurements on bacterial cultures growing on fibres. *S.Afr. J. Anim. Sci.,* 13(3) : 217 – 220.
- Kobayashi, G., Tanaka, K., Itoh, H., Tsuge, T., Sonomoto, K. and Ishizaki, A. 2000. Fermentative production of P(3HB-co-3HV) from propionic acid by *Alcaligenes eutrophus* in fed – batch culture with pH-stat continuous substrate feeding method. *Biotechnol. Lett.,* 22(13) : 1067 – 1069.
- Kühn, A.L. and Pretorius W.A. 1988. Use of the crossflow-microscreen technique for SCP production form dilute substrates. *Appl. Microbiol. Biotechnol.,* 27 : 593 – 600.
- Kühn, A.L. and Pretorius, W.A. 1989. Biologiese suiwering van nywerheidsuitvloeisel met gelyktydige produksie van enkelselproteïen. *SA Tyd. Chem. Ing.,* 1(1) : 14 – 22.
- Kühn, A.L. 1989. *Enkelselproteïenproduksie uit monokarboksieluur afvalwater.* PhD thesis, Univ. of Pretoria, Pretoria.
- Levenspiel, O. 1999. *Chemical Reaction Engineering.* 3rd edition. New York : John Wiley.
- Lim, D. 1998. *Microbiology.* New York : McGraw-Hill.
- Linder, P.W., Torrington, R.G. and Williams, D.R. 1984. *Analysis Using Glass Electrodes.* Belfast : Open University Press.
- Loewenthal, R.E. and Marais, G.v.R. 1976. *Carbonate Chemistry of Aquatic Systems : Theory & Application.* Michigan : Ann Arbor Science.
- Loewenthal, R.E., Ekama, G.A. and Marais, G.v.R. 1989. Mixed weak acid/base systems, Part I – Mixture characterisation. *Water SA,* 15(1) : 3 – 23.
- Loewenthal, R.E., Wentzel, M.C., Ekama, G.A. and Marais, G.v.R. 1991. Mixed weak acid/base systems, Part II : Dosing estimation, aqueous phase. *Water SA,* 17(2) : 107 – 122.

- MacBean, R.D., Hall, R.J. and Linklater, P.M. 1979. Analysis of pH-stat continuous cultivation and the stability of the mixed fermentation in continuous yogurt production. *Biotechnol. Bioeng.*, 21: 1517 – 1541.
- Martin, A.M., Goddard, S. and Bemister, P. 1993. Production of *Candida utilis* biomass as aqua – culture feed. *J. Sci. Food Agric.*, 61 : 363 – 370.
- Martin, G.A. and Hempfling, W.P. 1976. A method for the regulation of microbrial population density during continuous culture at high growth rates. *Arch. Microbiol.*, 107 : 41 – 47.
- McCarty, P.L. 1975. Stoichiometry of Biological reaction. *Prog. Wat. Technol.*, 7(1) : 157 – 172.
- McCarty, P.L. and Mosey, F.E. 1991. Modelling of anaerobic digestion processes. *Wat. Sci. Technol.*, 24(8) : 17 – 33.
- Menawat, A.S. and Balachander, J. 1991. Alternate control structures for chemostat. *AIChE J.*, 37(2) : 302 – 306.
- Monod, J. 1942. *Recherces sur la croissance des cultures bacteriennes* Paris : Hermann and Cie, cited by Monod, 1949.
- Monod, J. 1949. The growth of bacterial cultures. *Ann. Rev. of Microbiol.*, 3 : 371 – 394.
- Monod, J. 1950. La technique de culture continue; théorie et applications. *Ann. Inst. Pasteur, Paris.* 79 : 390, cited by Herbert *et al.*, 1956.
- Moosbrugger, R.E., Wentzel, M.C., Ekama, G.A. and Marais, G.v.R. 1993a. Alkalinity measurement : Part 1- A 4 pH point titration method to determine the carbonate weak acid/base in an aqueous carbonate solution. *Water SA*, 19(1) : 11 – 22.
- Moosbrugger, R.E., Wentzel, M.C., Ekama, G.A. and Marais, G.v.R. 1993b. Alkalinity measurement : Part 2- A 4 pH point titration method to determine the carbonate weak acid/base in aqueous solutions containing other weak acid/bases of known concentrations. *Water SA*, 19(1) : 23 – 28.
- Moosbrugger, R.E., Wentzel, M.C., Ekama, G.A. and Marais, G.v.R. 1993c. Lauter tun (brewery) waste in UASB systems – Feasibility, alkalinity requirements and pH control. *Water SA*, 19(1) : 41 – 52.
- Moosbrugger, R.E., Wentzel, M.C., Ekama, G.A. and Marais, G.v.R. 1993d. Weak acid/bases and pH control in anaerobic systems – A review. *Water SA*, 19(1) : 1 – 10.
- Moosbrugger, R.E., Wentzel, M.C., Loewenthal, R.E., Ekama, G.A. and Marais, G.v.R. 1993. Alkalinity measurement : Part 3- A 5 pH point titration method to determine the carbonate and SCFA weak acid/bases in aqueous solution containing also known concentrations of other weak acid/base. *Water SA*, 19(1) : 29 – 40.

- Müller, R.H., Simon, D., Große, H.J. and Babel, W. 1997. Substrate inhibition under stationary growth conditions – nutritstat experiments with *Ralstonia eutropho* JMP 134 during growth on phenol and 2,4 – dichlorophenoxyacetate. *Appl. Microbiol. Biotechnol.*, 48(5) : 648 – 655.
- Musvoto, E.V., Wentzel, M.C., Loewenthal, R.E. and Ekama, G.A. 1997. Kinetic – based model for mixed weak acid/base systems. *Water SA*, 23(4) : 311 – 322.
- Nel, L.H., Britz, T.J. and Lategan, P.M. 1985. The effect of trace elements on the performance efficiency of an anaerobic fixed film reactor treating a petrochemical effluent. *Water SA*, 11(3) : 107 – 110.
- Nguyen, A – L., Duff, S.J.B. and Sheppard, J.D. 2000. Application of feedback control based on dissolved oxygen to a fixed – film sequencing batch reactor for treatment of brewery wastewater. *Wat. Environ. Res.*, 72(1) : 75 – 83.
- Novick, A. and Szilard, L. 1950. Experiments with the chemostat on spontaneous mutations of bacteria. *Proc. Nat. Acad. Sci.*, 36 : 708.
- Olsson, G. and Newell, B. 1999. *Wastewater Treatment Systems. Modelling, Diagnosis and Control*. London : IWA Publishing.
- Oltmann, L.F., Schoenmaker G.S., Reijnders, W.N.M. and Stouthamer, A.H. 1978. Modification of the pH-auxostat culture method for the mass cultivation of bacteria. *Biotechnol. Bioeng.*, 20 : 921 – 925.
- Pretorius, W.A. 1987. A conceptual basis for microbial selection in biological wastewater treatment. *Wat. Res.*, 21(8) : 891 – 894.
- Pretorius, W.A. 1995. pH-Controlled feed-on-demand for high-rate anaerobic systems. *Wat. Sci. Tech.*, 30(8) : 1 – 8.
- Ratledge, C. and Kristiansen, B.(eds). 2001. *Basic Biotechnology*. 2nd edition, Cambridge : Cambridge University Press.
- Rice, C.W. and Hempfling, W.P. 1978. Oxygen – limited continuous culture and respiratory energy conservation in *Escherichia coli*. *J. Bacteriol.*, 134(1) : 115 – 124.
- Rice, C.W. and Hempfling, W.P. 1985. Nutrient – limited continuous culture in the phauxostat. *Biotechnol. Bioeng.*, 27 : 187 – 191.
- Ross, W.R. and Louw, J.M. 1987. Monitoring and control of anaerobic digestion. *Water SA*, 13(4) : 193 – 196.
- Rutgers, M., Bogte, J.J., Breure, A.M. and Van Andel, J.G. 1993. Growth and enrichment of pentachlorophenol – degrading microorganisms in the nutritstat, a substrate concentration – controlled continuous culture. *Appl. Environ. Microbiol.*, 59(10) : 3373 – 3377.

- Rutgers, M., Gooch, D.D., Breure, A.M. and Van Andel, J.G. 1996. Assessment of inhibition kinetics of the growth of strain P5 on pentachlorophenol under steady – state conditions in a nutristat. *Arch. Microbiol.*, 165(3) : 194 – 200.
- Rutgers, M., Van Bommel, S., Breure, A.M., Van Andel, J.G. and Dentz, W.A. 1998. Effect of pH on the toxicity and biodegradation of pentachlorophenol by *Sphingomonas* sp. strain P5 in nutristat culture. *Environ. Toxicol. Chem.*, 17(5) : 792 – 797.
- Sam-Soon, P.A.L.N.S., Loewenthal, R.E., Wentzel, M.C., Moosbrugger, R.E. and Marais, G.v.R. 1991. Effects of a recycle in upflow anaerobic sludge bed (UASB) systems. *Water SA*, 17(1) : 37 – 46.
- Sawyer, C.N., McCarty, P.L. and Parkin, G.F. 1994. *Chemistry for Environmental Engineering*. 4th edition. New York : McGraw-Hill.
- Schulze, D., Fiebig, R. and Dellweg, H. 1988. Development of granular sludge in the UASB-treatment of model waste waters containing gelatine. *Biotechnol. Lett.*, 10(5) : 319 – 324.
- Šestáková, M. 1979. Growth of *Candida utilis* on a Mixture of Monosaccharides, Acetic Acid and Ethanol as a Model of Waste Sulphite liquor. *Folia Microbiol.*, 24 : 318 – 327.
- Snoeyink, V.L. and Jenkins, D. 1980. *Water Chemistry*. New York : John Wiley.
- Sowers, K.R., Nelson, M.J. and Ferry, J.G. 1984. Growth of Acetotrophic, Methane – producing Bacteria in a pH Auxostat, *Cur. Microbiol.*, 11 : 227 – 230.
- Speece, R.E. 1996. *Anaerobic Biotechnology : For Industrial Wastewaters*. Nashville, Tennessee : Archæe Press.
- Standard Methods for the Examination of Water and Wastewater*. 1980. 15th edition. New York : APHA.
- Standard Methods for the Examination of Water and Wastewater*. 1995. 19th edition. Washington : APHA.
- Stouthamer, A.H. and Bettenhaussen, C.W. 1976. Energetic Aspects of Anaerobic Growth of *Aerobacter aerogenes* in Complex Medium. *Arch. Miciobiol.*, 111 : 21 – 23.
- Stumm, W. and Morgan, J. 1970. *Aquatic Chemistry*. New York : John Wiley.
- Stumm, W. and Morgan, J. 1981. *Aquatic Chemistry. An Introduction Emphasizing Chemical Equilibria in Natural Waters*. 2nd edition. New York : John Wiley.
- Sugimoto, T., Tsuge, T., Tanaka, K. and Ishizaki, A. 1999. Control of Acetic Acid Concentration by pH-Stat Continuous Substrate Feeding in Heterotrophic Culture Phase of Two-Stage Cultivation of *Alcaligenes eutrophus* for Production of P(3HB) from CO₂, H₂ and O₂ under non-Explosive Conditions. *Biotechnol. Bioeng.*, 62(6) : 625 – 631.

- Suzuki, T., Yasuda, T., Yamané, T. and Shimizu, S. 1986. Detection and automatic control of ammonium ion concentration in microbial culture with an ammonium ion selective electrode. *J. Ferment. Technol.*, 64(1) : 63 – 70.
- Tsuge, T., Tanaka, K., Shimoda, M. and Ishizaki, A. 1999. Optimization of L – lactic acid feeding for the production of poly – D – 3 – hydroxybutyric Acid by *Alcaligenes eutrophus* in fed – batch culture. *J. Biosci. Bioeng.*, 88(4) : 404 – 409.
- Van der Westhuizen, H. 1993. *Seleksie van spesifieke organismes met 'n mikrosif-gebaseerde mikrobiële seleksieproses*. MSc dissertation, Univ. of Pretoria, Pretoria.
- Watson, T.G. 1969. Steady state operation of a continuous culture at maximum growth rate by control of carbon dioxide production. *J. Gen. Microbiol.*, 59 : 83 – 89.
- Watson, T.G. 1972. The present status and future prospects of the turbidostat. *J. Appl. Chem. Biotechnol.*, 22 : 229 – 243.
- Weast, R.C. (ed). 1974. *Handbook of Chemistry and Physics*. 55th edition. Cleveland, Ohio : CRC Press.
- Wilkowske, H.H. and Fouts, E.L. 1958. Continuous and automatic propagation of dairy cultures. *J. Dairy Sci.* 41 : 49 – 56.
- WRC. 1986. *Softening and Stabilization of Municipal Waters*. Pretoria : Water Research Commission.
- WRC. 1992. *Simple titration procedures to determine $H_2CO_3^*$ alkalinity and short – chain fatty acids in aqueous solutions containing known concentrations of ammonium, phosphate and sulphide weak acid/bases*. Pretoria : Water Research Commission.
- Zhao, Y. and Skogestad, S. 1997. Comparison of various control configurations for continuous bioreactors. *Ind. Eng. Chem. Res.*, 36 : 697 – 705.