

CHAPTER 9

REFERENCES

- ABENSPERG-TRAUN, M. 2009. CITES, sustainable use of wild species and incentive-driven conservation in developing countries, with an emphasis on southern Africa. *Biological Conservation* **142**: 948-963.
- ACOCKS, J.P.H. 1953. Veld Types of South Africa. *Memoirs of the Botanical Survey of South Africa* **28**: 1-192.
- ACOCKS, J.P.H. 1988. Veld Types of South Africa. 3rd edition. *Memoirs of the Botanical survey of South Africa*. No. 57.
- ANGASSA, A. AND OBA, G. 2010. Effects of grazing pressure, age of enclosures and seasonality on bush cover dynamics and vegetation composition in southern Ethiopia. *Journal of Arid Environments* **74**: 111-120.
- ANTOCI, A., BORGHESSI, S. AND RUSSU, P. 2005. Biodiversity and economic growth: Trade-offs between stabilization of the ecological system and preservation of natural dynamics. *Ecological Modelling* **189**: 333-346.
- ARONSON, J., MILTON, S.J., BLIGNAUT, J.N. AND CLEWELL, A.F. 2006. Nature Conservation as if people mattered. *Journal for Nature Conservation* **14**: 260-263.
- BEISINGER, S.R. AND MCCULLOUGH, D.R. 2002. Population viability analysis. The University of Chicago Press, Chicago, USA.
- BERGER, K., CRAFFORD, J.E., GAIGHER, I., GAIGHER, M.J., HAHN, N. AND MACDONALD, I. 2003. A first synthesis of the environmental, biological and

cultural assets of the Soutpansberg. Leach printers, Louis Trichardt, South Africa.

BERLINER, D. 2005. Systematic conservation planning for the forest biome of South Africa. Approach, methods and results of the selection of priority forests for conservation action, Water and Forestry Support Programme, Department of Water Affairs and Forestry, Pretoria.

BESSONG, P.O., OBI, C.L., ANDREOLA, M.L., ROJAS, L.B., POUSEGU, L., IGUMBOR, E., MEYER, J.J.M., QUIDEAU, S. AND LITVAK, S. 2005. Evaluation of selected South African medicinal plants for inhibitory properties against human immunodeficiency virus type 1 reverse transcriptase and integrase. *Journal of Ethnopharmacology* **99: 83-91.**

BESSONG, P.O., ROJAS, L.B., OBI, L.C., TSHISIKHawe, P.M. AND IGUMBOR, E.O. 2006. Further screening of Venda medicinal plants for activity against HIV type 1 reverse transcriptase and integrase. *African Journal of Biotechnology* **5: 526-528.**

BHATTARAI, S., CHAUDHARY, R.P., QUAVE, C.L. AND TAYLOR, R.S.I. 2010. The use of medicinal plants in the trans-Himalayan arid zone of Mustang District, Nepal. *Journal of Ethnobiology and Ethnomedicine* **6: 14-24.**

BODEKER, G.C. 1995. Introduction: Medicinal plants for Conservation and Healthcare. Institute of Health Sciences, University of Oxford, Oxford.

BOON, R. 2010. Pooley's trees of eastern South Africa: A complete guide. Flora and Fauna Publications Trust, Durban, South Africa.

BOTHA, J., WITKOWSKI, E.T.F. AND SHACKLETON, C.M. 2001. An inventory of medicinal plants traded on the western boundary of the Kruger National Park. *Koedoe* **44: 7 – 46.**

- BOTHA, J., WITKOWSKI, E.T.F. AND SHACKLETON, C.M. 2004a. Market profiles and trade in medicinal plants in the Lowveld, South Africa. *Environmental Conservation* **31**: 38-46.
- BOTHA, J., WITKOWSKI, E.T.F. AND SHACKLETON, C.M. 2004b. The impact of commercial harvesting on *Warburgia salutaris* ('pepper-bark tree') in Mpumalanga, South Africa. *Biodiversity and Conservation* **13**: 1675–1698.
- BOTHA, J., WITKOWSKI, E.T.F. AND SHACKLETON, C.M. 2007. Factors influencing prices of medicinal plants traded in the Lowveld, South Africa. *International Journal of Sustainable Development and World Ecology* **14**: 450-469.
- BOUDREAU, S., LAWES, M.J., PIPER, S.E. AND PHADIMA, L.J. 2005. Subsistence harvesting of pole-size understorey species from Ongoye Forest Reserve, South Africa: Species preference, harvest intensity, and social correlates. *Forest Ecology and Management* **216**: 149-165.
- BROOKS, T.M., MITTELMEIER, R.A., MITTELMEIER, C.G., DA FONSECA, G.A.B., RYLANDS, A.B., CONSTANT, W.R., FLICK, P., PILGRIM, J., OLDFIELD, S., MAGIN, G. AND HILTON-TAYLOR, C. 2002. Habitat loss and extinction in hotspots of biodiversity. *Conservation Biology* **16**: 909-923.
- BUCKING, W. 2003. Are there threshold numbers for protected forests? *Journal of Environmental Management* **67**: 37-45.
- BUENZ, E.J. 2005. Country development does not presuppose the loss of forest resources for traditional medicine use. *Journal of Ethnopharmacology* **100**: 118-123.
- BURGMAN, M.A., POSSINGHAM, H.P., LYNCH, J.J., KEITH, D.A., McCARTHY, M.A., HOPPER, S.D., DRURY, W.L., PASIOURA, J.A. AND

- DEVRIES, R.J. 2001. A method for setting the size of plant conservation target areas. *Conservation Biology* **15**: 603-616.
- CABEZA, M. AND VAN TEEFFELEN, A.J.A. 2009. Strategies of reserve selection. Encyclopedia of Life Sciences. John Wiley & Sons, Chichester. DOI: 10.1002/9780470015902.a0021224.
- CASWELL, H. 2001. Matrix population models: Construction, Analysis and Interpretation. 2nd edition. Sinauer Associates, Inc. Publishers, Massachusetts, USA.
- CHASE, J.M., LEIBOLD, M.A., DOWNING, A.L. AND SHURIN, J.B. 2000. The effects of productivity, herbivory, and plant species turnover in grassland and food webs. *Ecology* **81**: 2485-2497.
- CONDIT, R., SUKUMAR, R., HUBBEL, S. AND FOSTER, R. 1998. Predicting population trends from size distributions: a direct test in a tropical tree community. *American Naturalist* **152**: 495-509.
- COWLING, R.M., PRESSEY, R.L., ROUGET, M. AND LOMBARD, A.T. 2003. A conservation plan for a global biodiversity hotspot – the Cape Floristic Region, South Africa. *Biological Conservation* **112**: 191–216.
- COWLING, R.M., RICHARDSON, D.M. AND PIERCE, S.M. 1997. Vegetation of Southern Africa. Cambridge University Press, Cambridge, United Kingdom.
- CRONE, E.E., MENGES, E.S., ELLIS, M.M., BIERZYCHUDEK, P., EHRLEN, J., KAYE, T.N., KNIGHT, T.M., LESICA, P., MORRIS, W.F., OOSTERMEIJER, G., QUINTANA-ASCENCIO, P.F., STANLEY, A., TICKTIN, T., VALVERDE, T. AND WILLIAMS, J.L. 2011. How do plant ecologists use matrix population models? *Ecology Letters* **14**: 1–8.

- CUNNINGHAM, A.B. 1993. African medicinal plants: Setting priorities at the interface between conservation and primary healthcare. UNESCO, Paris.
- CUNNINGHAM, A.B. 2001. Applied ethnobotany: people, wild plant use and conservation. Earthscan Publication, London.
- CUNNINGHAM, A.B. AND MBENKUM, F.T. 1993. Sustainability of harvesting *Prunus africana* bark in Cameroon. People and Plants Working Paper, 2. UNESCO, Paris, France.
- DE KROON, H., VAN GROENENDAEL, J. AND EHRLIN, J. 2000. Elasticities: A review of methods and model limitations. *Ecology* **81**: 607-618.
- DE LANGE, H.J., SALA, S., VIGHI, M. AND FABER, J.H. 2010. Ecological vulnerability in risk assessment – A review and perspectives. *Science of the Total Environment* **408**: 3871-3879.
- DELVAUX, C., SINSIN, B., AND VAN DAMME, P. 2010. Impact of season, stem diameter and intensity of debarking on survival and bark re-growth pattern of medicinal tree species, Benin, West Africa. *Biological Conservation* **143**: 2664-2671.
- DELVAUX, C., SINSIN, B., DARCHAMBEAU, F. AND VAN DAMME, P. 2009. Recovery from bark harvesting of 12 medicinal tree species in Benin, West Africa. *Journal of Applied Ecology* **46**: 703-712.
- DENGLER, J. 2009. A flexible multi-scale approach for standardised recording of plant species richness patterns. *Ecological Indicators* **9**: 1169-1178.
- DERNBACH, J. 2001. From Rio to Johannesburg, Implementing Sustainable Development at the Global and Local Scale. Pp. 46-50. In: Recommendations for Achieving Sustainable Communities, Science and Solutions. Report from the second National Conference on Science, Policy and Environment. National

Council for Science and the Environment. Smithsonian National Museum of Natural History, Washington, DC.

DESMET, P.G., COWLING, R.M., ELLIS, A.G. AND PRESSEY, R.L. 2002.

Integrating biosystematics data into conservation planning: Perspectives from Southern Africa's Succulent Karoo. *Systematic Biology* **51**: 317–330.

DESMET, P.G., SHACKLETON, C.M. AND ROBINSON, E.R. 1996. The population dynamics and life-history attributes of a *Pterocarpus angolensis* DC. population in the Northern Province, South Africa. *South African Journal of Botany* **62**:160-166.

DIEDERICHS, N., GELDENHUYJS, C. AND MITCHELL, D. 2002. The first legal harvesters of protected medicinal plants in South Africa. *Science in Africa: Africa's first on-line science magazine*. November 2002.

DLADLA, S. 2001. Muthi Trade Boom: Unemployment finds refuge in traditional world. *Sunday World*, South Africa. p.19.

DOBBERTIN, M. AND BRANG, P. 2001. Crown defoliation improves tree mortality models. *Forest Ecology and Management* **141**: 271-284.

DOLD, A.P. AND COCKS, M.L. 2002. The trade in medicinal plants in the Eastern Cape Province, South Africa. *South African Journal of Science* **98**:589-597.

DREWES, S.E., CROUCH, N.R., MASHIMBYE, M.J., DE LEEUW, B.M. AND HORN, M.M. 2001. A phytochemical basis for the potential use of *Warburgia salutaris* (pepper-bark tree) leaves in the place of bark. *South African Journal of Science* **97**: 383–386.

DREWES, S.E., MASHIMBYE, M.J., FIELD, J.S. AND RAMESAR, N. 1991. 11, 11-dimethyl-1,3,8,10-tetrahydroxy-9-methoxypeltogynan and three

pentacyclic triterpenes from *Cassine transvaalense*. *Phytochemistry* **30:** 3490-3493.

DRIVER, A., COWLING, R.M. AND MAZE, K.E. 2003. Planning for living landscapes: Perspectives and lessons from South Africa. Botanical Society of South Africa, Cape Town.

DZEREFOS, C.M. AND WITKOWSKI, E.T.F. 2001. Density and potential utilization of medicinal grassland plants from Abe Bailey Nature Reserve, South Africa. *Biodiversity and Conservation* **10:** 1875-1896.

EBERT, T.A. 1999. Plant and animal populations: methods in demography. Academic Press, San Diego.

EELEY, H.A.C., LAWES, M.J. AND REYERS, B. 2001. Priority areas for the conservation of subtropical indigenous forest in southern Africa: a case study from Kwazulu-Natal. *Biodiversity and Conservation* **10:** 1221-1246.

EMANUEL, P.L., SHACKLETON, C.M. AND BAXTER, J.S. 2005. Modelling the sustainable harvest of *Sclerocarya birrea* subsp. *caffra* fruits in the South African lowveld. *Forest Ecology and Management* **214:** 91-103.

ETNIER, M.A. 2007. Defining and identifying sustainable harvests of resources: Archeological examples of pinniped harvests in the eastern North Pacific. *Journal for Nature conservation* **15:** 196-207.

EVERARD, D.A., MIDGLEY, J.J. AND VAN WYK, G.F. 1995. Dynamics of some forests in KwaZulu-Natal, South Africa, based on ordinations and size class distributions. *South African Journal of Botany* **61:** 283-292.

EVERARD, D.A., VAN WYK, G.F. AND MIDGLEY, J. J. 1994. Disturbance and the diversity of forests in Natal, South Africa: lessons for their utilisation. *Strelitzia* **1:** 275-285.

- FABRICIUS, C. 2004. The fundamentals of community-base natural resource management. In Rights, Resources and Rural Development Community-based Natural Resource Management in Southern Africa. Eds. FABRICIUS, C., KOCH, E., MAGOME, H. AND TURNER, S. Earthscan Publishers, USA.
- FARNSWORTH, N.R. AND SOEJARTO, D.D. 1991. Global importance of medicinal plants. In: Akerele, O., Heywood, V. & Synge, H. (Eds.) Conservation of medicinal plants, pp. 25-42. Cambridge University Press, Cambridge.
- FASOLA, T.R. AND EGUNYOMI, A. 2005. Nigerian usage of bark in phytomedecine. *Ethnobotany Research and Application* **s3**:73–77.
- FENNELL, C.W., LINDSEY, K.L., McGAW, L.J., SPARG, S.G., STAFFORD, G.I., ELGORASHI, E.E., GRACE, O.M. AND VAN STADEN, J. 2004. Assessing African medicinal plants for efficacy and safety: pharmacological screening and toxicology. *Journal of Ethnopharmacology* **94**: 205-217.
- FISHER, A.C. AND KRUTILLA, J.V. 1974. Valuing long run ecological consequences and irreversibilities. *Journal of Environmental Economics and Management* **1**: 96-108.
- GANESAN, R. AND SIDDAPPA, S.R. 2004. Regeneration of *Amla*, an important non-timber forest product from Southern India. *Conservation and Society* **2**: 365-375.
- GAUGRIS, J.Y. AND VAN ROOYEN, M.W. 2007. The structure and harvesting potential of the sand forest in Tshanini Game Reserve, South Africa. *South African Journal of Botany* **73**: 611–622.

GAUGRIS, J.Y. AND VAN ROOYEN, M.W. 2010. Evaluating the adequacy of reserves in the Tembe-Tshanini Complex: a case study in Maputaland, South Africa. *Oryx* **44**: 399-410.

GAUGRIS, J.Y. AND VAN ROOYEN, M.W. 2011. The effect of herbivores and humans on the Sand Forest species of Maputaland, northern KwaZulu-Natal, South Africa. *Ecological Research* **26**: 365-376.

GAUGRIS, J.Y., VAN ROOYEN, M.W. AND BOTHMA, J.P. 2008. Growth rate of selected woody species in the northern Maputaland, KwaZulu-Natal, South Africa. *South African Journal of Botany* **74**: 85-92.

GAUGRIS, J.Y., VASICEK, C.A. AND VAN ROOYEN, M.W. 2007. Selecting tree species for sustainable harvest and calculating their sustainable harvesting quota in Tshanini Conservation Area, Maputaland, South Africa. *Ethnobotany Research and Applications* **5**: 373-389.

GAUTHIER, P., DEBUSSCHE, M. AND THOMPSON, M.D. 2010. Regional priority setting for rare species based on a method combining three criteria. *Biological Conservation* **143**: 1501-1509.

GELDENHUYSEN, C.J. 2004. Bark harvesting for traditional medicine: from illegal resource degradation to participatory management. *Scandinavian Journal of Forest research* **19**: 103-115.

GELDENHUYSEN, C.J. 2004. Meeting the demand for *Ocotea bullata* bark: implications for the conservation of high value and medicinal tree species. In: Indigenous forests and woodlands in South Africa – Policy, People and Practice. Eds. LAWES, M.J., EELEY, H.A.C., SHACKLETON, C.M. AND GEACH. B.G.S. University of Kwazulu-Natal Press, Durban, South Africa: 517-550.

- GELDENHUYSEN, C.J., SYAMPUNGANI, S., MEKE, G.S. AND VERMEULEN, W.J. 2007. Response of different species to bark harvesting for traditional medicine in Southern Africa. In J.J. Bester, A.H.W. Seydack, T. Vorster, I.J. Van der Merwe AND S. Dzivhani (eds). *Multiple Use Management of Natural Forests and Woodlands: Policy Refinement and Scientific Progress.* pp. 55–62. Department of Water Affairs and Forestry, Pretoria, South Africa.
- GEYID, A., ABEBE, D., DEBELLA, A., MAKONNEN, Z., ABERRA, F., TEKA, F., KEBEDE, T., URGA, K., YERSAW, K., BIZA, T., MARIAM, B.H. AND GUTA, M. 2005. Screening of some medicinal plants of Ethiopia for their antimicrobial properties and chemical profiles. *Journal of Ethnopharmacology* **97**: 421-427.
- GHIMIRE, S.K., McKEY, D. AND AUMEERUDDY-THOMAS, Y. 2005. Conservation of Himalayan medicinal plants: Harvesting patterns and ecology of two threatened species, *Nardostachys grandiflora* DC and *Neopicrorhiza scrophulariiflora* (Pennell) Hong. *Biological Conservation* **124**: 463-475.
- GHIMIRE, S.K., GIMENEZ, O., PRADEL, R., MCKEY, D. AND AUMEERUDDY-THOMAS, Y. 2008. Demographic variation and population viability in a threatened Himalayan medicinal and aromatic herb *Nardostachys grandiflora*: matrix modelling of harvesting effects in two contrasting habitats. *Journal of Applied Ecology* **45**: 41–51.
- GIHO, H. AND SENO, H. 1997. Transition matrix modelling on disturbance-controlled persistence of plant population. *Ecological Modelling* **94**: 207-219.
- GOODLAND, R. 1995. The concept of environmental sustainability. *Annual Review of Ecology and Systematics* **26**:1-24.

GUEDJE, N.M., ZUIDEMA, P.A., DURING, H., FOAHOM, B. AND LEJOLY, J.

2007. Tree bark as a non-timber forest product: The effect of bark collection on population structure and dynamics of *Garcinia lucida* Vesque. *Forest Ecology and Management* **240**: 1-12.

GURIB-FAKIM, A. 2006. Medicinal Plants: Traditions of yesterday and drugs of tomorrow. *Molecular Aspects of Medicines* **27**: 1-93.

HAHN, N. Undated. Tree list of the Soutpansberg. Fanticue Publishers, Pretoria.

HAMILTON, A. 2003. Medicinal plants and conservation: issues and approaches. Paper presented to International Plants Conservation Unit, World Wide Wildlife Foundation, UK.

HARROP, S.R. AND PRITCHARD, D.J. 2011. A hard instrument goes soft: The implications of the Convention on Biological Diversity's current trajectory. *Global Environmental Change* **21**: 474-480.

HARTSHORN, G.S. 1995. Ecological basis for sustainable development in Tropical forests. *Annual Review of Ecology and Systematics* **26**: 155-175.

HESS, G.R. AND FISCHER, R.A. 2001. Communicating clearly about conservation corridors. *Landscape and Urban Planning* **55**: 195-208.

HEYWOOD, V.H. AND IRIONDO, J.M. 2003. Plant Conservation: old problems, new perspectives. *Biological Conservation* **113**: 321-335.

HILL, D.A., FASHAM, M., TUCKER, G., SHEWRY, M. AND SHAW, P. 2005. Handbook of biodiversity methods: survey, evaluation and monitoring. Cambridge University Press, Cambridge.

HOSTETTMANN, K., MARSTON, A., NDJOKO, K. AND WOLFFENDER, J. 2000. The potential of African plants as a source of drugs. *Current Organic Chemistry* **4**: 973-1010.

- HOWELL, J. AND MESHER, K. 1997. Taking care of each other: The relationship between the *Labrador metis* and the environment. Workshop on traditional and western scientific environmental knowledge. Northwest River, Labrador. September 10-11.
- HUTCHING, A. 1996. Zulu Medicinal Plants: An Inventory. University of Natal Press, Pietermaritzburg, South Africa.
- IUCN 2001. Analytic framework for assessing factors that influence sustainability of uses of wild living natural resources. Technical Advisory Committee. IUCN SSC Sustainable Use Specialist Group, Washington D.C. USA.
- IUCN/UNEP/WWF. 1980. World Conservation Strategy: Living resource conservation for sustainable development. International Union for the Conservation of Nature, Gland.
- JACKSON, P.W. AND KENNEDY, K. 2009. The Global Strategy for Plant Conservation: a challenge and opportunity for the international community. *Trends in Plant Science* **14**: 578-580.
- JAGER, A.K. 2005. Is traditional medicine better off 25 years later? *Journal of Ethnopharmacology* **100**: 3-4.
- JENSEN, A.L. 1995. Simple density-dependent matrix model for population projection. *Ecological Modelling* **77**: 43-48.
- JOHANNES, R.E. 2002. Did indigenous conservation ethics exist? *SPC Traditional Marine Resource Management and Knowledge Information Bulletin* **14**: 3-7.
- JORDAAN, S.P. AND JORDAAN, A. 1987. The Republic of Venda: The insight series. De Jager-HAUM Publishers. Pretoria, South Africa.
- KALE, R. 1995. Traditional healers in South Africa: a parallel health care system. *BMJ*, **310**.

- KEIRUNGI, J. AND FABRICIUS, C. 2005. Selecting medicinal plants for cultivation at Nqabara on the Eastern Cape Wild Coast, South Africa. *South African Journal of Science* **101**: 497-501.
- KENNEDY, D. 2001. Sustainability: Problems, science and solutions. Pp. 35-39 in Recommendations for Achieving Sustainable Communities, Science and Solutions. Report from the second National Conference on Science, Policy and Environment. National Council for Science and the Environment. Smithsonian National Museum of Natural History, Washington, DC.
- KOHIRA, M. AND NINOMIYA, I. 2003. Detecting tree populations at risk for forest conservation management: using single-year vs. long-term inventory data. *Forest Ecology and Management* **174**: 423-435.
- KROG, M., FALCAO, M.P. AND OLSEN, C.S. 2006. Medicinal plant markets and trade in Maputo, Mozambique. *Forest and Landscape* Working Papers no. 16-2006. Danish Centre for Forest, Landscape and Planning, KVL., Denmark.
- KUNIYAL, J.C. 2002. Mountain expedition: minimizing the impact. *Environmental Impact Assessment Review* **22**: 561-581.
- KUROKAWA, H., YISHIDA, T., NAKAMURA, T., LAI, J. AND NAKASHIZUKA, T. 2003. The age of tropical rain-forest canopy species, Borneo ironwood (*Eusideroxylon zwageri*), determined by ¹⁴C dating. *Journal of Tropical Ecology* **19**: 1-7.
- LAURANCE, W.F. 1999. Reflections on the tropical deforestation crisis. *Biological Conservation* **91**:109-117.
- LAURANCE, W.F., GOOSEM, M. AND LAURANCE, S.G.W. 2009. Impacts of roads and linear clearings on tropical forests. *Trends in Ecology and Evolution* **24**: 659-669.

- LAWES, M.J. AND OBIRI, J.A.F. 2003. Using the spatial grain of regeneration to select harvestable tree species in subtropical forest. *Forest Ecology and Management* **184**: 105-114.
- LAWES, M.J., EELEY, H.A.C., SHACKLETON, C.M. AND GEACH, B.G.S. 2004. Indigenous forests and woodlands in South Africa: Policy, People and Practice. University of KwaZulu-Natal Press. Pietermaritzburg, South Africa.
- LEBRETON, J.D. 2005. Age, stages, and the role of generation time in matrix models. *Ecological Modelling* **188**: 22-29.
- LETSELA, T., WITKOWSKI, E.T.F. AND BALKWILL, K. 2002. Direct use values of communal resources in Bokong and Tsehlanyane in Lesotho: Whither the commons: *The International Journal of Sustainable Development and World Ecology* **9**: 351-68.
- LEVITS, E. 1992. Traditional medicine - friend or foe? *Publico* **92**.
- LEWINGTON, A. 1993. Medicinal plants and plants extracts: a review of their importation into Europe. *TRAFFIC International*.
- LIENERT, J. 2004. Habitat fragmentation effects on fitness of plant populations – a review. *Journal for Nature Conservation* **12**: 53-72.
- LIM, M.K., SADARANGANI, P., CHAN, H.L. AND HENG, J.Y. 2005. Complementary and alternative medicine use in multiracial Singapore. *Complimentary Therapies in Medicine* **13**: 16-24.
- LINDENMAYER, D.B., FRANKLIN, J.F. AND FISCHER, J. 2006. General management principles and a checklist of strategies to guide forest biodiversity conservation. *Biological Conservation* **131**: 433-441.
- LINK, W.A. AND DOHERTY, P.F. 2002. Scaling in sensitivity analysis. *Ecology* **83**: 3299-3305.

- LOIBEL, S., DO VAL, J.B.R. AND ANDRADE, M.G. 2006. Inference for the Richards growth model using Box and Cox transformation and bootstrap techniques. *Ecological Modelling* **191**: 501-512.
- LOMBARD, A.T., COWLING, R.M., PRESSEY, R.L. AND REBELO, A.G. 2003. Effectiveness of land classes as surrogates for species in conservation planning for the Cape Floristic Region. *Biological Conservation* **112**: 45-62.
- LORTON COMMUNICATIONS. Venda: Land of Legend. Undated. Creda Press.
- LOUETTE, G., ADRIAENS, D., ADRIAENS, P., ANSELIN, A., DEVOS, K., SANNEN, K., VAN LANDUYT, W., PAELINCKX, D. AND HOFFMANN, M. 2011. Bridging the gap between the Natura 2000 regional conservation status and local conservation objectives. *Journal for Nature Conservation* **19**: 224-235.
- LOUHAICHI, M., SALKINI, A.K., ESTITA, H.E. AND BELKHIR, S. 2011. Initial assessment of medicinal plants across the Libyan Mediterranean coast. *Advances in Environmental Biology* **5**: 359-370.
- LOW, A.B. AND REBELO, A.G. 1996. Vegetation of South Africa, Lesotho and Swaziland. A companion of the vegetation map of South Africa, Lesotho and Swaziland. Department of Environmental Affairs and Tourism. Pretoria, South Africa.
- LOZANO, F.D. AND SCHWARTZ, M.W. 2005. Patterns of rarity and taxonomic group size in plants. *Biological Conservation* **126**: 146-154.
- LYKKE, A.M., 1998. Assessment of species composition change in savanna vegetation by means of woody plants' size class distributions and local information. *Biodiversity and Conservation* **7**: 1261-1275.

MABOGO, D.E.N. 1990. The ethnobotany of the Vhavenda. Master of science thesis. University of Pretoria, Pretoria, South Africa.

MAKOE, A. 1994. Muthi trade – affordable health care for our people. On track **Summer 12-14.**

MANNHEIMER, C. AND CURTIS, B. 2009. Le Roux and Mueller's field guide to the trees and shrubs of Namibia. MacMillan Education Namibia, Windhoek.

MARON, J.L. AND CRONE, E. 2006. Herbivory: effects on plant abundance, distribution and population growth. *Proceedings of The Royal Botanical Society* **273: 2575-2584.**

MARSCHKE, M. AND BERKES, F. 2005. Local level sustainability planning for livelihoods: A Cambodian experience. *International Journal of Sustainable Development and World Ecology* **12: 21-33.**

McCHESNEY, J.D., VENKATARAMAN, S.K. AND HENRI, J.T. 2007. Plant natural products: Back to the future or into extinction? *Phytochemistry* **68:2015-2022.**

McGEOCH, L., GORDON, I. AND SCHMITT, J. 2008. Impacts of land use, anthropogenic disturbance, and harvesting on an African medicinal liana. *Biological Conservation* **141: 2218-2229.**

MIAO, H., CHEN, S., CHEN, J., ZHANG, W., ZHANG, P., WEI, L., HAN, X. AND LIN, G. 2009. Cultivation and grazing altered evapotranspiration and dynamics in Inner Mongolia steppes. *Agricultural and Forest Meteorology* **149: 1810-1819.**

MIDGLEY, G.F. AND THUILLER, W. 2007. Potential vulnerability of Namaqualand plant diversity to anthropogenic climate change. *Journal of Arid Environments* **70: 615-628.**

- MIDGLEY, J., SEYDACK, A., REYNELL, D. AND MCKELLY, D. 1990. Fine-grain pattern in southern Cape plateau forests. *Journal of Vegetation Science* **1**: 539-546.
- MOLLER, M., SUSCHKE, U., NOLKEMPER, S., SCHNEELE, J., DISTL, M., SPORER, F., REICHLING, J. AND WINK, M. 2006. Antibacterial, antiviral, antiproliferative and apoptosis-inducing properties of *Brackenridgea zanguebarica* (Ochnaceae). *Journal of Pharmacy and Pharmacology* **58**: 1131-1138.
- MORRIS, W.F. AND DOAK, D.F. 2002. Quantitative conservation biology: theory and practice of population viability analysis. Sinauer Associates, Sunderland, Massachusetts.
- MOYO, M., BAIRU, M.W., AMOO, S.O., VAN STADEN, J. 2011. Plant biotechnology in South Africa: Micropropagation research endeavours, prospects and challenges. *South African Journal of Botany* **77**: 996-1011.
- MUCINA, L. AND RUTHERFORD, M.C. (eds). 2006. The vegetation of South Africa, Lesotho and Swaziland. *Strelitzia* **19**. South African National Biodiversity Institute, Pretoria.
- MUCINA, L., RUTHERFORD, M.C. AND POWRIE, L.W. (Eds.) 2005. Vegetation map of South Africa, Lesotho and Swaziland, 1 : 1 000 000 scale sheet maps. South African National Biodiversity Institute, Pretoria.
- MULAUDZI, R.B., NDHALA, A.R., KULKARNI, M.G., FINNIE, J.F. AND VAN STADEN, J. 2011. Antimicrobial properties and phenolic contents of medicinal plants used by the Venda people for conditions related to venereal diseases. *Journal of Ethnopharmacology* **135**:330-337.

- MURTHY, I.K., MURALI, K.S., HEGDE, G.T., BHAT, P.R. AND RAVINDRANATH, N.H. 2002. A comparative analysis of regeneration in natural forests and joint forest management plantations in Uttara Kannada district, Western Ghats. *Current Science* **83**: 1358-1364.
- NAMAALWA, J., EID, T. AND SANKHAYAN, P. 2005. A multi-species density-dependent matrix growth model for the dry woodlands of Uganda. *Forest Ecology and Management* **213**: 312-327.
- NANTEL, P., BOUCHARD, A., BROUILLET, L. AND HAY, S. 1998. Selection of areas for protecting rare plants with integration of land use conflicts: A case study for the west coast of Newfoundland, Canada. *Biological Conservation* **84**: 223-234.
- NAUGHTON-TREVES, L., KAMMEN, D.M. AND CHAPMAN, C. 2007. Burning biodiversity: woody biomass use by commercial and subsistence groups in western Uganda's forests. *Biological Conservation* **134**: 232-241.
- NDANGALASI, H.J., BITARIHO, R. AND DOVIE, D.B.K. 2007. Harvesting of non-timber forest products and implications for conservation in two montane forests of East Africa. *Biological Conservation* **134**: 242-250.
- NEKE, K.S., OWEN-SMITH, N. AND WITKOWSKI, E.T.F. 2006. Comparative resprouting response of Savanna woody plant species following harvesting: the value of persistence. *Forest Ecology and Management* **232**: 114-123.
- NETSHILUVHI, T.R. 1999. Demand, propagation and seedling establishment of selected medicinal trees. *South African Journal of Botany* **65**: 331-338.
- NETSHIUNGANI, E.N. AND VAN WYK, A.E. 1980. Mutavhatsindi – mysterious plant from Venda. *Veld and Flora* **66**: 87-89.

NEWTON, D. 1997. Flora and fauna in the Medicine Cupboard. *Endangered Wildlife*

26.

NEWTON, D.J. AND VAUGHAN, H. 1996. South Africa's *Aloe ferox* plant, parts and derivatives industry. TRAFFIC East/Southern Africa Publishers. Johannesburg, South Africa.

NIKLAS, K.J., MIDGLEY, J.J. AND RAND, R.H. 2003a. Size-dependent species richness: trends within plant communities and across latitude. *Ecology Letters* **6: 631-636.**

NIKLAS, K.J., MIDGLEY, J.J. AND RAND, R.H. 2003b. Tree size frequency distributions, plant density, age and community disturbance. *Ecology Letters* **6: 405-411.**

NJOROGE, G.N., KAIBUI, I.M., NJENGA, P.K. AND ODHIAMBO, P.O. 2010. Utilization of priority medicinal plants and local people's knowledge on their conservation status in arid lands of Kenya (Muringi District). *Journal of Ethnobiology and Ethnomedicine* **6: 22-29.**

NORRIS, K. AND MCCULLOCH, N. 2003. Demographic models and the management of endangered species: a case study of the critically endangered Seychelle magpie robin. *Journal of Applied Ecology* **40: 890-899.**

NYIKA, A. 2009. The ethics of improving African traditional medical practice: Scientific or African traditional research methods? *Acta Tropica* **112s: s32-s36.**

OATES, J.F. 1999. Myth and Reality in the Rainforest - How Conservation Strategies are Failing in West Africa. University of California Press, Berkeley.

- OBIRI, J., LAWES, M. AND MUKOLWE, M. 2002. The dynamics and sustainable use of high-value tree species of the coastal Pondoland forests of the Eastern Cape Province, South Africa. *Forest Ecology and Management* **166**: 131-148.
- OLI, M.K. 2003. Partial life-cycle models: how good are they? *Ecological Modelling* **169**: 313-325.
- OSHO, J.S.A. 1996. Modelling the tree population dynamics of the most abundant species in a Nigerian tropical rain forest. *Ecological Modelling* **89**: 175-181.
- PALGRAVE, K.C. 1988. Trees of Southern Africa. 4th edition. Struik Publishers. Cape Town, South Africa.
- PARASKEVA, M.A. 2008. A phytochemical and pharmacological study of ten *Commiphora* species indigenous to South Africa. PhD thesis, University of Witwatersrand, Johannesburg.
- PELLETIER, J.D. 2000. Model assessment of the optimal design of nature reserves for maximizing species longevity. *Journal of Theoretical Biology* **202**: 25-32.
- PERRYMAN, BL. AND OLSEN, R.A. 2000. Age-stem diameter relationships of big sagebrush and their management implications. *Journal of Range Management* **53**: 342-346.
- PETERS, C.M. 1996. *The Ecology and Management of Non-Timber Forest Resources*. World Bank Technical Paper No. 332. Washington, D.C., U.S.A.
- PFAB, M.F. AND SCHOLES, M.A. 2004. Is the collection of *Aloe peglerae* from the wild sustainable? An evaluation using stochastic population modeling. *Biological Conservation* **118**: 695-701.
- PFAB, M.F. AND WITKOWSKI, E.T.F. 2000. A simple population viability analysis of the critically endangered *Euphorbia clivicola* R.A. Dyer under four management scenarios. *Biological Conservation* **96**: 263-270.

- PHILLIPS, E.A. 1959. Methods of vegetation study. Holt, Rinehart and Winston. New York, USA.
- POIANI, K.A., RICHTER, B.D., ANDERSON, M.G. AND RICHTER, H. 2000. Biodiversity conservation at multiple scales: functional sites, landscapes and networks. *BioScience* **50**: 133-146.
- PORTE, A. AND BARTELINK, H.H. 2002. Modelling mixed forest growth: a review of models for forest management. *Ecological Modelling* **150**: 141-188.
- PULLIN, A.S., KNIGHT, T.M., STONE, D.A. AND CHARMAN, K. 2004. Do conservation managers use scientific evidence to support their decision-making? *Biological Conservation* **119**: 245-252.
- PUPPIM DE OLIVEIRA, J.A., BALABAN, O., DOLL, C.N.H., MORENO-PENARANDA, R., GASPARATOS, A., IOSSIFOVA, D. AND SUWA, A. 2011. Cities and biodiversity: Perspectives and governance challenges for implementing the convention on biological diversity (CBD) at the city level. *Biological Conservation* **144**: 1302-1313.
- PYKH, Y.A. AND EFREMOVA, S.S. 2000. Equilibrium, stability and chaotic behavior in Leslie matrix models with different density-dependent birth and survival rates. *Mathematics and Computers in Simulation* **52**: 87-112.
- QUINN, G.P. AND KEOUGH, M.J. 2002. Experimental design and data analysis for biologists. Cambridge University Press, Cambridge.
- RABE, T. AND VAN STADEN, J. 1997. Antibacterial activity of South African plants used for medicinal purposes. *Journal of Ethnopharmacology* **56**: 81-87.
- RAIMONDO, D., VON STADEN, L., FODEN, W., VICTOR, J.E., HELME, N.A., TURNER, R.C., KAMUNDI, D.A. AND MANYAMA, P.A. 2009. Red list of

South African Plants. *Strelitzia* **25**. South African National Biodiversity Institute, Pretoria.

- RASKIN, I., RIBNICKY, D.M., KOMARNITSKY, S., ILIC, N., POULEV, A., BORISJUK, N., BRINKER, A., MORENO, D.A., RIPOLL, C., YAKOBY, N., O'NEAL, J.M., CORNWELL, T., PASTOR, I. AND FRIDLENDER, B. 2002. Plants and human health in the twenty-first century. *Trends in biotechnology* **20**: 522-531.
- RATES, S.M.K. 2001. Plants as source of drugs. *Toxicon* **39**: 603-613.
- RAVENTOS, J., SEGARRA, J. AND ACEVEDO, M.F. 2004. Growth dynamics of tropical savanna grass species using projection matrices. *Ecological Modelling* **174**: 85-101.
- ROBINSON, J.G. 1993. The limits to caring: sustainable living and the loss of biodiversity. *Conservation Biology* **7**: 20-28.
- RODGERS, H.M., GLEW, L., HONZAK, M. AND HUDSON, M.D. 2010. Prioritizing key biodiversity areas in Madagascar by including data on human pressure and ecosystem services. *Landscape and Urban Planning* **96**: 48-56.
- ROKAYA, M.B., MUNZBERGOVA, S. AND TIMSINA, B. 2010. Ethnobotanical study of medicinal plants from the Humla district of western Nepal. *Journal of Ethnopharmacology* **130**: 485-504.
- ROUT, G.R., SAMANTARAY, S. AND DAS, P. 2000. *In vitro* manipulation and propagation of medicinal plants. *Biotechnology Advances* **18**: 91-120.
- RUTHERFORD, M.C. AND WESTFALL, R.H. 1986. Biomes of Southern Africa. An objective characterisation. *Memoirs of the Botanical Survey of South Africa* **54**: 1-98.

- SAIDI, T.A. AND TSHIPALA-RAMATSHIMBILA, T.V. 2006. Ecology and management of a remnant *Brachystegia spiciformis* (miombo) woodland in Northeastern Soutpansberg, Limpopo Province. *South African Geographical Journal* **88**: 205-212.
- SALAFSKY, N., MARGOLUIS, R., REDFORD, K.H. AND ROBINSON, J.G. 2002. Improving the practice of conservation: a conceptual framework and research agenda for conservation science. *Conservation Biology* **16**: 1469-1479.
- SAMIE, A., OBI, C.L., BESSONG, P.O. AND LALL, N. 2005. Activity profiles of fourteen selected medicinal plants from rural Venda communities in South Africa against fifteen clinical bacterial species. *African Journal of Biotechnology* **4**: 1443-1451.
- SANDERSON, E.W., REDFORD, K.H., VEDDER, A., COPPOLILLO, P.B. AND WARD, S.E. 2002. A conceptual model for conservation planning based on landscape species requirements. *Landscape and Urban Planning* **58**: 41-56.
- SARKAR, S., PRESSEY, R.L., FAITH, D.P., MARGULES, C.R., FULLER, T., STOMS, D.M., MOFFET, A., WILSON, K.A., WILLIAMS, K.J., WILLIAMS, P.H. AND ANDELMAN, S. 2006. Biodiversity conservation planning tools: present status and challenges for the future. *Annual Reviews of Environment and Resources* **31**: 123-159.
- SCHIPPmann, U., LEAMAN, D. AND CUNNINGHAM, A.B. 2006. A comparison of cultivation and wild collection of medicinal and aromatic plants under sustainability aspects. In: BOGERS, R.J., CRAKER, L.E., LANGE, D. (eds). Medicinal and aromatic plants, agricultural, commercial, ecological, legal, pharmacological and social aspects, pp. 75-95. Springer, Dordrecht, the

Netherlands (Wageningen UR Frontis Series 17).

SCHMIDT, E., LOTTER, M. AND McCLEALAND, W. 2002. Trees and shrubs of Mpumalanga and Kruger National Park. Jacana Publishers, Johannesburg, South Africa.

SCHULZE, M., GROGAN, J., LANDIS, R.M. AND VIDAL, E. 2008. How rare is too rare to harvest? Management challenges posed by timber species occurring at low densities in the Brazilian Amazon. *Forest Ecology and Management* **256: 1443-1457.**

SCHWARTZ, M.W., CARO, T.M. AND BANDA-SAKALA, T. 2002. Assessing the sustainability of harvest of *Pterocarpus angolensis* in Rukwa Region, Tanzania. *Forest Ecology and Management* **170: 259-269.**

SEIGLER, D.S. 2003. Phytochemistry of *Senegalia-sensu lato*. *Biochemical Systematic and Ecology* **31: 845-873.**

SHAI, L.J., McGAW, L.J. AND ELOFF, J.N. 2009. Extracts of the leaves and twigs of the threatened tree *Curtisia dentata* (Cornaceae) are more active against *Candida albicans* and other microorganisms than the stem bark. *South African Journal of Botany* **75: 363-366.**

SHAUKAT, S.S., AZIZ, S., AHMED, W. & SHAHZAD, A. 2012. Population structure, spatial pattern and reproductive capacity of two semi-desert undershrubs *Senna holosericea* and *Fagonia indica* in Pakistan. *Pakistan Journal of Botany* **44: 1-9.**

SHUKLA, S. AND GARDNER, J. 2006. Local knowledge in community based approaches to medicinal plant conservation: lessons from India. *Journal of Ethnobiology and Ethnomedicine* **2: 20-24.**

- SILVERTOWN, J. AND CHARLESWORTH, D. 2001. Plant population biology. 4th edition. Blackwell Science, Oxford.
- SINHA, A. AND BAWA, K.S. 2002. Harvesting techniques, hemiparasites and fruit production in two non-timber forest tree species in South India. *Forest Ecology and Management* **168**: 289-300.
- SMITH, R.J., GOODMAN, P.S. AND MATTHEWS, W. 2006. Systematic conservation planning: a review of perceived limitations and an illustration of the benefits, using a case study from Maputaland, South Africa. *Oryx* **40**: 400-410.
- SOLBRIG, O.T. 1980. Demography and evolution in plant populations. Blackwell Scientific Publishers, California.
- SPRINGFIELD, E.P., EAGLES, P.K.F. AND SCOTT, G. 2005. Quality assessment of South African herbal medicines by means of HPLC fingerprinting. *Journal of Ethnopharmacology* **101**: 75-83.
- STEENKAMP, V. 2003. Traditional herbal remedies used by South African women for gynaecological complaints. *Journal of Ethnopharmacology* **86**: 97-108.
- STEWART, K.M. 2001. The commercial bark harvest of the African cherry (*Prunus africana*) on Mount Oku, Cameroon: effects on traditional uses and population dynamics. PhD thesis. Florida International University.
- STEWART, K. 2009. Effects of bark harvest and other human activity on populations of African cherry (*Prunus africana*) on Mount Oku, Cameroon. *Forest Ecology and Management* **258**: 1121-1128.
- STOFFBERG, G.H., VAN ROOYEN, M.W., VAN DER LINDE, M.T. AND GROENEVELD, H.T. 2009. Modelling dimensional growth of three street

tree species in the urban forest of the City of Tshwane, South Africa. *Southern Forests* **71**: 273-277.

SUAREZ, M.L., RENISON, D., MARCORA, P. AND HENSON, I. 2008. Age-size-habitat relationships for *Polylepis australis*: dealing with endangered forest ecosystems. *Biodiversity & Conservation* **17**: 2617- 2625.

SUNDERLAND, T.C.H. AND TAKO, C.T. 1999. The exploitation of *Prunus africana* on the island of Bioko, Equatorial Guinea. A report for People and Plants Initiatives, WWF-Germany and the IUCN/SSC Medicinal Plant Specialist Group.

SVANCARA, L.K., BRANNON, R., SCOTT, J.M., GROVES, C.R., NOSS, R.F. AND PRESSEY, R.L. 2005. Policy-driven versus evidence-based conservation: a review of political targets and biological needs. *BioScience* **55**: 989-995.

TABUTI, J.R.S., DHILLION, S.S. AND LE, K.A. 2003. Traditional medicine in Bulamogi county, Uganda: its practitioners, users and viability. *Journal of Ethnopharmacology* **85**: 119-129.

THOMPSON, J.D., MATHEVET, R., DELANOE, O., GIL-FOURIE, C., BONNIN, M. AND CHEYLAN, M. 2011. Ecological solidarity as a conceptual tool for rethinking ecological and social interdependence in conservation policy for protected areas and their surrounding landscape. *Comptes Rendus Biologies* **334**: 412-419.

TODD, C.B., KHOROMMBI, K., VAN DER WAAL, B.C. AND WEISSER, P.J. 2004. Conservation of woodland biodiversity: A complementary traditional approach and western approach towards protecting *Brackenridgea zanguebarica*. In: Indigenous forests and woodlands in South Africa – Policy,

- People and Practice. Eds. LAWES, M.J., EELEY, H.A.C., SHACKLETON, C.M. AND GEACH, B.G.S. University of Kwazulu-Natal Press, Durban, South Africa: 737-750.
- TSHIKALANGE, T.E., MEYER, J.J.M., LALL, N., MUÑOZ, E., SANCHO, R., VAN DE VENTER, M. AND OOSTHUIZEN, V. 2008. *In vitro* anti-HIV-1 properties of ethnobotanically selected South African plants used in the treatment of sexually transmitted diseases. *Journal of Ethnopharmacology* **119**:478-481.
- TSHISIKHAWE, M.P. 2002. Trade of indigenous medicinal plants in the Northern Province, Venda region: their ethnobotanical importance and sustainable use. M.Sc. dissertation, University of Venda, Thohoyandou, South Africa.
- TSHISIKHAWE, M.P. 2005. Synthesis on medicinal plants of the Soutpansberg region.
http://www.soutpansberg.com/workshop/synthesis/medicinal_plants.htm
- UNESCO 2009. 22 new biosphere reserves selected by UNESCO.
<http://www.unesco.org>
- VAN ANDEL, T. AND HAVINGA, R. 2008. Sustainability of commercial medicinal plant harvesting in Suriname. *Forest Ecology and Management* **256**: 1540-1545.
- VAN ECK, H., HAM, C. AND VAN WYK, G. 1997. Survey of indigenous tree uses and preferences in the Eastern Cape Province. *Southern African Forestry Journal* **180**: 61-64.
- VAN SETERS, A.P. 1995. Forest based medicines in traditional and cosmopolitan health care. Rainforest Medical Foundation. The Netherlands.

- VAN STADEN, J. 2008. Ethnobotany in South Africa. *Journal of Ethnopharmacology* **119**: 329-330.
- VAN WYK, A.E. AND SMITH, G.F. 2001. Regions of floristic endemism in southern Africa: A review with emphasis on succulents. Umdaus Press, Pretoria.
- VAN WYK, B. AND VAN WYK, P. 1997. Field guide to trees of Southern Africa. Struik Publishers. Cape Town, South Africa.
- VAN WYK, B. AND VAN WYK, P. 2009. Field guide to trees of Southern Africa. Struik Publishers, Cape Town, South Africa.
- VAN WYK, B.E. AND GERICKE, N. 2000. People's plants. Briza publications, Pretoria, South Africa.
- VAN WYK, B.E., VAN OUDTSHOORN, B. AND GERICKE, N. 1997. Medicinal plants of South Africa. Briza Publications, Pretoria, South Africa.
- VAN WYK, P. 1996. Field guide to the trees of the Kruger National Park. Struik Publishers, Cape Town, South Africa.
- VAN WYK, P. 2008. Field guide to the trees of the Kruger National Park. Struik Publishers, Cape Town, South Africa.
- VAN WYK, B., VAN WYK, P. AND VAN WYK B.E. 2008. Photo guide to trees of southern Africa. Briza publications, Pretoria, South Africa.
- VENTER, F. AND VENTER, J-A. 1996. Making the most of indigenous trees. Briza Publications, Pretoria, South Africa.
- VERLINDEN, A. AND DAYOT, B. 2005. A comparison between indigenous environmental knowledge and a conventional vegetation analysis in north central Namibia. *Journal of Arid Environments* **62**: 143-175.

VERMEULEN, S.J. 1996. Cutting trees by local residents in a communal area and an adjacent state forest in Zimbabwe. *Forest Ecology and Management* **81**: 101-111.

VERMEULEN, W.J. 2006. Sustainable harvesting for medicinal use: matching species to prescriptions. In: J.J. BESTER, A.H.W. SEYDACK, T. VOSTER, I.J. VAN DER MERWE AND S. DZIVHANI (Eds) Multiple use management of natural forests and woodlands: policy refinements and scientific progress: Symposium on Natural forests and Savanna Woodlands, Symposium IV.

[http://www2.dwaf.gov.za/webapp/resourcecentre/Documents/
Reports/4259_Day1_session3_item4.pdf](http://www2.dwaf.gov.za/webapp/resourcecentre/Documents/Reports/4259_Day1_session3_item4.pdf)

VERMEULEN, W.J. AND GELDENHUYSEN, C.J. 2004. Experimental protocols and lessons learnt from strip harvesting of bark for medicinal use in the southern Cape forests. DIFID, UK.

VISCONTI, P., PRESSEY, R.L., SEGAN, D.B. AND WINTLE, B.A. 2010. Conservation planning with dynamic threats: the role of spatial design and priority setting for species' persistence. *Biological Conservation* **143**: 756-767.

VON BREITENBACH, F. 1981. Standard names of trees in southern Africa (Part II). *Journal of Dendrology* **1**: 84-94.

VON MALTITZ, G.P. AND SHACKLETON, S.E. 2004. Use and management of forests and woodlands in South Africa: stakeholders, institutions and processes from past to present. In: Lawes, M.J., Eeley, H.A., Shackleton, C.M. & Geach, B.G. (eds). *Indigenous forests and woodlands in South Africa: policy people and practice*. pp. 109-135. University of KwaZulu-Natal Press, Pietermaritzburg.

- WAINWRIGHT, W. AND WEHRMEYER, W. 1998. Success in integrating conservation and development? A study from Zambia. *World Development* **26**: 933-944.
- WALTER, H. AND LIETH, H. 1960-1967. Klimadiagramm Weltatlas. G. Fischer Verlag, Jena.
- WANG, Y., SOLBERG, S., YU, P., MYKING, T., VOGT, R.D. AND DU, S. 2007. Assessments of tree crown condition of two masson pine forests in the acid rain region in south China. *Forest Ecology and Management* **242**: 530-540.
- WATT, J.M. AND BREYER-BRANDWIJK, M.G. 1962. The medicinal and poisonous plants of southern and eastern Africa: Being an account of their medicinal and other uses, chemical composition, pharmacological effects and toxicology in man and animal. 2nd edition. E. and S. Livingstone Publishers. Edinburgh, Scotland.
- WEATHER BUREAU. 1998. *Climate of South Africa: Climate statistics up to 1990*. WB 42. Government Printer, Pretoria.
- WESSELS, K.J., FREITAG, S. AND VAN JAARSVELD, A.S. 1999. The use of land facets as biodiversity surrogates during reserve selection at a local scale. *Biological Conservation* **89**: 21-38.
- WEST, P. AND BROCKINGTON, D. 2006. An anthropological perspective on some unexpected consequences of protected areas. *Conservation Biology* **20**: 609-616.
- WIEGAND, K., JELTSCH, F. AND WARD, D. 1999. Analysis of the population dynamics of *Senegalia* trees in the Negev desert, Israel with a spatial-explicit computer simulation model. *Ecological Modelling* **117**: 203-224.
- WIERSUM, K.F., DOLD, A.P., HUSSELMAN, M. AND COCKS, M.

2006.Cultivation of medicinal plants as a tool for biodiversity conservation and poverty alleviation in the Amatola region, South Africa. In: BOGERS, R.J., CRAKER, L.E., LANGE, D. (eds). Medicinal and aromatic plants, agricultural, commercial, ecological, legal, pharmacological and social aspects, pp. 43-57.Springer, Dordrecht, the Netherlands (Wageningen UR Frontis Series 17).

WILLIAMS, V.L. 1996. The Witwatersrand muthi trade. *Veld and Flora* **3:** **12-14.**

WILLIAMS, V.L., BALKWILL, K. AND WITKOWSKI, E.T.F. 2000. Unraveling the commercial market for medicinal plants and plant parts on the Witwatersrand, South Africa. *Economic Botany* **54:** **310-327.**

WILLIAMS, V.L., BALKWILL, K. AND WITKOWSKI, E.T.F. 2007. Size-class prevalence of bulbous and perennial herbs sold in the Johannesburg medicinal plant markets between 1995 and 2001. *South African Journal of Botany* **73:** **144-155.**

WILLIAMS, V.L., FALCAO, M.P. AND WOJTASIK, E.M. 2010. *Hydnora abyssinica*: ethonobotanical evidence for its occurrence in southern Mozambique. *South African Journal of Botany* **77:** **474-478.**

WILLIAMS, V.L., WITKOWSKI, E.T.F AND BALKWILL, K. 2007. The relationship between bark thickness and diameter at breast height for six tree species used medicinally for bark in South Africa. *South African Journal of Botany* **73:** **449-465.**

WORLD COMMISSION ON ENVIRONMENT AND DEVELOPMENT 1987. Our common future. Oxford University Press, Oxford.

WORLD HEALTH ORGANIZATION. 2002. Traditional Medicine Strategy 2002 – 2005. Traditional Medicine Strategy.

www.who.int/medicines/publications/traditionspolicy/index.html.

- ZAFRA-CALVO, N., CERRO, R., FULLER, T., LOBO, J.M., RODRIGUEZ, M.A. AND SARKAR, S. 2010. Prioritizing areas for conservation and vegetation restoration in post-agricultural landscapes: A biosphere reserve plan for Bioko, Equatorial Guinea. *Biological Conservation* **143**: 787-794.
- ZHAO, D., BORDERS, B. AND WILSON, M. 2005. A density-dependent matrix model for bottomland hardwood stands in the Lower Mississippi Alluvial Valley. *Ecological Modelling* **184**: 381-395.
- ZHOU, Z.C., GAN, Z.T., SHANGGUAN, Z.P. AND DONG, Z.B. 2010. Effects of grazing on soil physical properties and soil erodibility in semiarid grassland of the Northern Loess Plateau (China). *Catena* **82**: 87-91.
- ZIERL, B. 2004. A simulation study to analyze the relations between crown condition and drought in Switzerland. *Forest Ecology and Management* **188**: 25-38.
- ZSCHOCKE, S., DREWES, S.E., PAULUS, K., BAUER, R. AND VAN STADEN, J. 2000a. Analytical and pharmacological investigation of *Ocotea bullata* (black stinkwood) bark and leaves. *Journal of Ethnopharmacology* **71**: 219-230.
- ZSCHOCKE, S., RABE, T., TAYLOR, J.L.S., JÄGER, A.K. AND VAN STADEN, J. 2000b. Plant part substitution – a way to conserve endangered medicinal plants? *Journal of Ethnopharmacology* **71**: 281-292.

APPENDIX A

Table 1: The woody plant species in Venda compiled from PRECIS and Hahn (undated). Bark use as reported in the literature* has been indicated by x

Botanical names	Common names (English (E), Venda (V))	Family	Reported bark use
<i>Acalypha glabrata</i>	Copperleaves (E), Mulambila (V)	Euphorbiaceae	
<i>Acokanthera oppositifolia</i>	Bushman's poison (E), Mutsilili (V)	Apocynaceae	*
<i>Acokanthera rotundata</i>	Round-leaved Poison-bush (E)	Apocynaceae	
<i>Adansonia digitata</i>	Boabab (E), Muvhuyu (V)	Malvaceae	*
<i>Adenia spinosa</i>	Elephant's foot (E), Tshivhuyudumbu (V)	Passifloraceae	*
<i>Adenium multiflorum</i>	Impala lily (E)	Apocynaceae	
<i>Adenopodia spicata</i>	Spiny splinter-bean (E)	Fabaceae	
<i>Aeschynomene nodulosa</i>	False teeth bush (E), Muvumbaredzi (V)	Fabaceae	
<i>Afzelia quanzensis</i>	Pod-mahogany (E), Mutokota (V)	Fabaceae	*
<i>Albizia adianthifolia</i>	Flat-crown (E), Muelela (V)	Fabaceae	*
<i>Albizia amara</i>	Bitter albiza (E), Muvhola (V)	Fabaceae	
<i>Albizia anthelmintica</i>	Wormbark falsethorn (E), Muime (V)	Fabaceae	*
<i>Albizia brevifolia</i>	Mountain falsethorn (E), Mutsilari (V)	Fabaceae	
<i>Albizia forbesii</i>	Broad-pod false-thorn (E), Mupfumbadzi (V)	Fabaceae	
<i>Albizia harveyi</i>	Sickle-leaved Albizia (E), Muvhola (V)	Fabaceae	
<i>Albizia tanganyicensis</i>	Paperbark albizia (E), Mulelu (V)	Fabaceae	*
<i>Albizia versicolor</i>	Largeleaf false-thorn (E), Mutamba-pfundu (V)	Fabaceae	*
<i>Alchornea laxiflora</i>	Lowveld bead-string (E)	Euphorbiaceae	
<i>Allophylus decipiens</i>	Cape Bramble (E)	Sapindaceae	
<i>Allophylus melanocarpus</i>	Black false-currant (E), Sudzungwane (V)	Sapindaceae	
<i>Allophylus transvaalensis</i>	Black Bastard Currant (E)	Sapindaceae	
<i>Aloe angelica</i>	Tshikhophpha (V)	Asphodelaceae	-
<i>Aloe arborescens</i>	Japan aloe (E), Tshikhophpha (V)	Asphodelaceae	-
<i>Aloe excelsa</i>	Tshikhophpha (V)	Asphodelaceae	-
<i>Aloe littoralis</i>	Tshikhophpha (V)	Asphodelaceae	-
<i>Aloe marlothii</i>	Binamutsho (V)	Asphodelaceae	-
<i>Andrachne ovalis</i>	False Lightning Bush (E)	Euphorbiaceae	
<i>Androstachys johnsonii</i>	Lebombo ironwood (E), Musimbiri (V)	Picridendraceae	
<i>Annona senegalensis</i>	Muembe (V)	Annonaceae	*
<i>Anthocleista grandiflora</i>	Forest fever-tree (E), Mueneene (V)	Gentianaceae	*
<i>Antidesma venosum</i>	Tasselberry (E), Mupalakhwali (v)	Phyllanthaceae	
<i>Aphloia theiformis</i>	Mountain peach (E)	Flacourtiaceae	
<i>Apodytes dimidiata</i>	Birds-eye (E), Tshiphophpha-madi (V)	Icacinaceae	*
<i>Artobotrys brachypetalus</i>	Mudzidzi (V)	Annonaceae	
<i>Artobotrys monteiroae</i>	Munnamutswu (V)	Annonaceae	
<i>Azanza garckeana</i>	Azanza (E), Mutogwe (V)	Malvaceae	
<i>Azima tetracantha</i>	Murunda (V)	Salvadoraceae	
<i>Balanites maughamii</i>	Torchwood (E), Mudulu (V)	Balanitaceae	*
<i>Balanites pedicellaris</i>	Danzwa-nombe (V)	Balanitaceae	

Botanical names	Common names (English (E), Venda (V))	Family	Reported bark use
<i>Bauhinia galpinii</i>	Pride of De Kaap (E), Mutswiriri (V)	Fabaceae	
<i>Bauhinia tomentosa</i>	Yellow Bauhinia	Fabaceae	*
<i>Berchemia discolor</i>	Brown-ivory (E), Munie (V)	Rhamnaceae	*
<i>Berchemia zeyheri</i>	Red-ivory (E), Munieniane (V)	Rhamnaceae	*
<i>Bersama tysoniana</i>	White Ash Forest (E), Sando (V)	Melianthaceae	*
<i>Bersama lucens</i>	Glossy bersama (E)	Melianthaceae	*
<i>Bolusanthus speciosus</i>	Tree-wisteria (E), Mukambana (V)	Fabaceae	*
<i>Boscia albitrunca</i>	Shepherd tree (E), Muthobi (V)	Capparaceae	*
<i>Boscia foetida</i>	Stink shepherd tree (E), Tshithobi (v)	Capparaceae	
<i>Brachylaena discolor</i>	Coast silver-oak (E), Mufhata (v)	Asteraceae	
<i>Brachylaena huillensis</i>	Silver oak (E), Mutonzhe (V)	Asteraceae	
<i>Brachylaena transvaalensis</i>	Forest silve oak (E), Mufhata (V)	Asteraceae	
<i>Brachystegia spiciformis</i>	Bean-pod tree (E)	Fabaceae	*
<i>Brackenridgea zanguebarica</i>	Yellow peeling plane (E), Mutavhatsindi (V)	Ochnaceae	*
<i>Breonadia salicina</i>	Matumi (E)	Rubiaceae	*
<i>Bridelia cathartica</i>	Blue sweetberry (E)	Phyllanthaceae	
<i>Bridelia micrantha</i>	Coast gold- leaf (E), Munzere (V)	Phyllanthaceae	*
<i>Bridelia mollis</i>	Velvet Sweetberry (E), Mukumba-kumbane (V)	Phyllanthaceae	
<i>Buddleja saligna</i>	False Olive (E)	Buddlejaceae	
<i>Buddleja salviifolia</i>	Sagewood (E), Mudiatholana (V)	Buddlejaceae	
<i>Burkea africana</i>	Wild seringa (E), Mufhulu (v)	Fabaceae	*
<i>Cadaba aphylla</i>	Desert broom (E), Tshikuni (V)	Capparaceae	
<i>Cadaba natalensis</i>	Natal Worm Bush (E)	Capparaceae	
<i>Cadaba termitaria</i>	Grey-leaved Wormbush (E)	Capparaceae	
<i>Calodendrum capense</i>	Cape-chestnut (E), Muvhaha (V)	Rutaceae	
<i>Calpurnia aurea</i>	Wild laburnum (E), Muhalika (V)	Fabaceae	
<i>Canthium ciliatum</i>	Hairy Turkey-berry (E), Mulume-khoda (V)	Rubiaceae	
<i>Canthium inerme</i>	Turkeyberry (E), Muvhibvela-shadani (V)	Rubiaceae	
<i>Canthium mundianum</i>	Rock alder (E), Mutomboti (V)	Rubiaceae	
<i>Canthium setiflorum</i>	Rough-leaved Turkey-berry (E)	Rubiaceae	
<i>Capparis fascicularis</i>	Weeping caper creeper (E)	Capparaceae	
<i>Capparis sepiaria</i>	Hedge caper-bush (E), Gwambadzi (V)	Capparaceae	
<i>Capparis tomentosa</i>	Wooly caper-bush (E), Muobadali (v)	Capparaceae	*
<i>Carissa bispinosa</i>	Forest num-num (E), Mutungulu (V)	Apocynaceae	
<i>Carissa edulis</i>	Simple-spined num-num (E), Mutungulu (V)	Apocynaceae	
<i>Carissa tetramera</i>	Sand num-num (E)	Apocynaceae	
<i>Cassia abbreviata</i>	Long-tail cassia (E), Muvhonela-thangu (V)	Fabaceae	*
<i>Cassine peragua</i>	Spoonwood (E)	Celastraceae	
<i>Cassipourea malosana</i>	Pillarwood (E)	Rhizophoraceae	*
<i>Catha edulis</i>	Bushman's tea (E), Luthadzi (V)	Celastraceae	
<i>Catophractes alexandri</i>	Trumpet-thorn (E)	Boraginaceae	*
<i>Catunaregam spinosa</i>	Common Emetic Nut (E)	Rubiaceae	
<i>Celtis africana</i>	Whitestinkwood (E), Mumvumvu (V)	Celtidaceae	
<i>Cephaelanthus natalensis</i>	Strawberry bush (E)	Rubiaceae	
<i>Chaetacme aristata</i>	Thorny elm (E)	Celtidaceae	*
<i>Chionanthus battiscombei</i>	-	Oleaceae	
<i>Choristylis rhamnoides</i>	Mukuda-khombe (V)	Escalloniaceae	

Botanical names	Common names (English (E), Venda (V))	Family	Reported bark use
<i>Clausena anisata</i> var. <i>anisata</i>	Horsewood (E)	Rutaceae	
<i>Clerodendrum glabrum</i>	Smooth tinderwood (E)	Lamiaceae	
<i>Cliffortia strobilifera</i>	Tree euphorbia (E)	Rosaceae	
<i>Cnestis polyphylla</i>	Itch pod (E)	Connaraceae	
<i>Coddia rufa</i>	Small Bone-apple (E)	Rubiaceae	
<i>Colophospermum mopane</i>	Mopane (E), Mupani (V)	Fabaceae	*
<i>Combretum apiculatum</i>	Red bushwillow (E), Musungidzi (V)	Combretaceae	
<i>Combretum collinum</i>	Weeping bushwillow (E), Muvuvha (V)	Combretaceae	
<i>Combretum erythrophylllum</i>	River bushwillow (E), Muvuvhu (V)	Combretaceae	*
<i>Combretum hereroense</i>	Russet bushwillow (E), Mugavhi (V)	Combretaceae	
<i>Combretum imberbe</i>	Leadwood (E), Mudzwiri (V)	Combretaceae	*
<i>Combretum kraussii</i>	Forest bushwillow (E), Muvuvhu-thavha (V)	Combretaceae	
<i>Combretum microphyllum</i>	Flame creeper (E), Mukopokopo (V)	Combretaceae	
<i>Combretum moggii</i>	Rock Bush Willow (E), Muvuvha-thavha (V)	Combretaceae	
<i>Combretum molle</i>	Velvet bushwillow (E), Mugwiti (V)	Combretaceae	*
<i>Combretum mossambicense</i>	Knobbly creeper (E), Gopo-gopo (V)	Combretaceae	
<i>Combretum vendae</i>	Venda Bushwillow (E)	Combretaceae	
<i>Combretum zeyheri</i>	Largefruit bushwillow (E), Mufhatela-thundu (V)	Combretaceae	*
<i>Commiphora africana</i>	Poison-grub corkwood (E)	Burseraceae	
<i>Commiphora angolensis</i>	Sand corkwood (E)	Burseraceae	
<i>Commiphora edulis</i>	Rough-leaved corkwood (E), Mubobobo (V)	Burseraceae	
<i>Commiphora glandulosa</i>	Tall firethorn corkwood (E)	Burseraceae	
<i>Commiphora marlothii</i>	Paperbark corkwood (E), Mukarakara (V)	Burseraceae	*
<i>Commiphora mollis</i>	Velvetleaf corkwood (E), Muukhuthu (v)	Burseraceae	
<i>Commiphora neglecta</i>	Sweet Root Corkwood (E), Mundalindali (V)	Burseraceae	
<i>Commiphora pyracanthoides</i>	Common corkwood (E), Mutualu (V)	Burseraceae	*
<i>Commiphora schimperi</i>	Glossy-leaved corkwood (E), Tshiuvhu (V)	Burseraceae	
<i>Commiphora tenuipetiolata</i>	Satin-bark corkwood (E), Mutahadzi (V)	Burseraceae	
<i>Commiphora viminea</i>	Zebrabark corkwood (E)	Burseraceae	*
<i>Coptosperma rhodesiacum</i>	-	Rubiaceae	
<i>Coptosperma supra-axillare</i>	Narrow-leaved butterspoon (E)	Rubiaceae	
<i>Coptosperma zygoon</i>	-	Rubiaceae	
<i>Cordia africana</i>	Mufahfa (V)	Boraginaceae	
<i>Cordia caffra</i>	Septee tree (E), Mududa (V)	Boraginaceae	
<i>Cordia grandicalyx</i>	Mutogwa (V)	Boraginaceae	
<i>Cordia ovalis</i>	Sandpaper saucer-berry (E), Munganingani (V)	Boraginaceae	
<i>Cordia sinensis</i>	Grey-leaved saucer berry (E)	Boraginaceae	*
<i>Crossopteryx febrifuga</i>	Common crown-berry (E), Mukhobigwa (V)	Rubiaceae	
<i>Crotalaria capensis</i>	Cape rattle-pod (E), Musumbudza-nduhu (V)	Fabaceae	
<i>Croton gratissimus</i>	Lavender feverberry (E), Mufhorola (V)	Euphorbiaceae	*
<i>Croton megalobotrys</i>	Large feverberry (E), Muruthu (V)	Euphorbiaceae	*
<i>Croton menyharthii</i>	Rough-leaved feverberry (E)	Euphorbiaceae	
<i>Croton pseudopulchellus</i>	Small lavender feverberry (E)	Euphorbiaceae	
<i>Croton sylvaticus</i>	Forest feverberry (E), Mulathoho (V)	Euphorbiaceae	*
<i>Cryptocarya transvaalensis</i>	Wild Quince (E)	Lauraceae	*
<i>Curtisia dentata</i>	Assegai (E), Musangwe (V)	Cornaceae	*
<i>Cussonia natalensis</i>	Rock cabbagetree (E)	Araliaceae	
<i>Cussonia spicata</i>	Cabbage tree (E), Musenzhe (V)	Araliaceae	*

Botanical names	Common names (English (E), Venda (V))	Family	Reported bark use
<i>Cyathea capensis</i>	Forest Tree Fern (E)	Cyatheaceae	-
<i>Cyathea dregei</i>	Tree fern (E)	Cyatheaceae	-
<i>Dalbergia armata</i>	Thorny rope (E)	Fabaceae	
<i>Dalbergia melanoxylon</i>	Zebrawood (E), Muuluri (V)	Fabaceae	*
<i>Dalbergia nitidula</i>	Glossy flat-bean (E)	Fabaceae	*
<i>Deinbollia xanthocarpa</i>	Northern soap-berry (E)	Sapindaceae	
<i>Dichrostachys cinerea</i>	Sickle bush (E), Murenzhe (V)	Fabaceae	*
<i>Diospyros dichrophylla</i>	Poison star-apple (E), Tshithala (V)	Ebenaceae	
<i>Diospyros lycioides</i>	Bluebush (E), Muthala (V)	Ebenaceae	
<i>Diospyros mespiliformis</i>	Jackalberry (E), Musuma (V)	Ebenaceae	*
<i>Diospyros villosa</i>	Hairy Star Apple (E)	Ebenaceae	
<i>Diospyros whyteana</i>	Bladdernut (E), Munyavhili (V)	Ebenaceae	*
<i>Diplorhynchus condylocarpon</i>	Hornpod (E), Muthowa, Musunzi (V)	Apocynaceae	
<i>Dodonaea angustifolia</i>	Sand Olive (E)	Sapindaceae	
<i>Dombeya burgessiae</i>	Pink wild pear (E), Mufulwi (V)	Malvaceae	
<i>Dombeya rotundifolia</i>	Wild pear (E), Tshiluvhari (V)	Malvaceae	*
<i>Dovyalis caffra</i>	Kei-apple (E), Mutunu (V)	Salicaceae	
<i>Dovyalis lucida</i>	Glossy Kei-apple (E), Munwevha (V)	Salicaceae	
<i>Dovyalis zeyheri</i>	Apricot Kei-apple (E), Mutunu (V)	Salicaceae	
<i>Dracaena aletriformis</i>	Dragon dracaena (E)	Dracaenaceae	
<i>Drypetes gerrardii</i>	Forest ironplum (E), Mutongola (V)	Putranjivaceae	
<i>Ehretia amoena</i>	Sandpaper puzzle-bush (E), Shombe (V)	Boraginaceae	
<i>Ehretia obtusifolia</i>	Glandular puzzle-bush (E)	Boraginaceae	
<i>Ehretia rigida</i>	Puzzlebush (E), Mutepe (V)	Boraginaceae	
<i>Ekebergia capensis</i>	Cape ash (E), Mutobvuma (V)	Meliaceae	*
<i>Ekebergia pterophylla</i>	Rock Cape-ash (E)	Meliaceae	
<i>Elaeodendron croceum</i>	Common saffron (E)	Celastraceae	*
<i>Elaeodendron transvaalense</i>	Transvaal saffron (E), Mulumanamana (V)	Celastraceae	*
<i>Elephantorrhiza goetzei</i>	Narrow-pod elephant root (E)	Fabaceae	
<i>Elephantorrhiza burkei</i>	Elephant root (E)	Fabaceae	
<i>Elephantorrhiza elephantina</i>	Eland's bean (E)	Fabaceae	*
<i>Encephalartos transvenosus</i>	Modjadji cycad (E), Tshifhangwa (V)	Zamiaceae	
<i>Englerophytum magalismontanum</i>	Stemfruit (E), Munombelo (V)	Sapotaceae	
<i>Ensete ventricosum</i>	Wild-banana (E), Mulolo (V)	Musaceae	
<i>Entandrophragma caudatum</i>	Mountain mahogany (E), Munzhounzhou (V)	Meliaceae	
<i>Erica simii</i>	-	Ericaceae	
<i>Erythrina humeana</i>	Dwarf coral tree (E), Tshivhale (V)	Fabaceae	
<i>Erythrina latissima</i>	Broadleaf coraltree (E), Muvhale (V)	Fabaceae	*
<i>Erythrina lysistemon</i>	Common coral tree (E), Muvhale (V)	Fabaceae	*
<i>Erythrococca menyharthii</i>	Northern red-berry (E)	Euphorbiaceae	
<i>Erythroxylum emarginatum</i>	African coca-tree (E), Nyathonge (V)	Erythroxylaceae	
<i>Euclea crispa</i>	Blue guarri (E)	Ebenaceae	
<i>Euclea divinorum</i>	Magic guarri (E), Mutangule (V)	Ebenaceae	
<i>Euclea linearis</i>	-	Ebenaceae	
<i>Euclea natalensis</i>	Hairy guarri (E)	Ebenaceae	*
<i>Euclea schimperi</i>	Bush guarri (E)	Ebenaceae	*
<i>Euclea undulata</i>	Common guarri (E)	Ebenaceae	*
<i>Fmoenia natalitia</i>	Forest myrtle (E), Tshitawatawane (V)	Murtaeae	

Botanical names	Common names (English (E), Venda (V))	Family	Reported bark use
<i>Eugenia woodii</i>	Hairy myrtle (E), Tshitawatawane (V)	Myrtaceae	
<i>Euphorbia confinalis</i>	Lebombo euphorbia (E), Tshikone-ngala (V)	Euphorbiaceae	
<i>Euphorbia cooperi</i>	Transvaal candelabratree (E), Mukonde-ngala (V)	Euphorbiaceae	
<i>Euphorbia espinosa</i>	-	Euphorbiaceae	
<i>Euphorbia guerichiana</i>	Paper-bark euphorbia (E)	Euphorbiaceae	
<i>Euphorbia ingens</i>	Naboom (E), Mukonde (V)	Euphorbiaceae	*
<i>Euphorbia tirucalli</i>	Hedge euphorbia (E), Mutungu (V)	Euphorbiaceae	
<i>Euphorbia zoutpansbergensis</i>	Mukonde-ngala (V)	Euphorbiaceae	
<i>Faidherbia albida</i>	Anatree (E)	Fabaceae	*
<i>Faurea galpinii</i>	Forest Boekenhout (E), Mutango (V)	Proteaceae	
<i>Faurea rochetiana</i>	Broad-leaf Boekenhout (E)	Proteaceae	
<i>Faurea saligna</i>	Boekenhout (E), Mutango (V)	Proteaceae	
<i>Ficus abutilifolia</i>	Largeleaf rock fig (E)	Moraceae	
<i>Ficus capreifolia</i>	Muhuyu-lukumbe (V)	Moraceae	
<i>Ficus craterostoma</i>	Forest fig (E)	Moraceae	
<i>Ficus glomosa</i>	Hairy rock-fig (E)	Moraceae	
<i>Ficus ingens</i>	Redleaf fig (E), Tshikululu (V)	Moraceae	*
<i>Ficus natalensis</i>	Coast strangler fig (E), Muumo (V)	Moraceae	
<i>Ficus salicifolia</i>	Wonderboom fig (E), Muungulawe (V)	Moraceae	
<i>Ficus sansibarica</i>	Knob fig (E)	Moraceae	*
<i>Ficus stuhlmannii</i>	Lowveld fig (E)	Moraceae	
<i>Ficus sur</i>	Broomcluster fig (V), Muhuyu (V)	Moraceae	*
<i>Ficus sycomorus</i>	Sycomore fig (E), Tshikululu (V)	Moraceae	*
<i>Ficus tettensis</i>	Small-leaved rock fig (E), Tshikululu (V)	Moraceae	
<i>Ficus thonningii</i>	Comonn wild-fig (E), Muumo (V)	Moraceae	*
<i>Flacourtie indica</i>	Governers-plum (E)	Flacourtiaceae	
<i>Flueggea virosa</i>	Whiteberry bush (E), Mutangauma (V)	Euphorbiaceae	
<i>Garcinia livingstonei</i>	African mangosteen (E), Muphiphi (V)	Clusiaceae	
<i>Gardenia resiniflua</i>	Gummy gardenia (E)	Rubiaceae	
<i>Gardenia ternifolia</i>	Yellow gardenia (E)	Rubiaceae	
<i>Gardenia volkensii</i>	Bushveld gardenia (E)	Rubiaceae	*
<i>Grewia bicolor</i>	White raisin (E), Murabva (V)	Malvaceae	
<i>Grewia caffra</i>	Climbing raisin (E)	Malvaceae	
<i>Grewia flava</i>	Velvet raisin (E), Muredwa (V)	Malvaceae	
<i>Grewia flavescens</i>	Sandpaper raisin (E), Mupharasheni (V)	Malvaceae	
<i>Grewia gracillima</i>	-	Malvaceae	
<i>Grewia hexamita</i>	Giant raisin (E), Mukukunu (V)	Malvaceae	
<i>Grewia inaequilatera</i>	False silver raisin (E)	Malvaceae	
<i>Grewia microthyrsa</i>	Sand raisin (E)	Malvaceae	
<i>Grewia monticola</i>	Silver raisin (E)	Malvaceae	
<i>Grewia occidentalis</i>	Crossberry (E), Mulembu (V)	Malvaceae	*
<i>Grewia retinervis</i>	False sandpaper raisin (E)	Malvaceae	
<i>Grewia subspathulata</i>	False grey raisin (E)	Malvaceae	
<i>Grewia sulcata</i>	Stellar raisin (E)	Malvaceae	
<i>Grewia tenax</i>		Malvaceae	
<i>Grewia villosa</i>	Mallow raisin (E), Tshirabva (V)	Malvaceae	
<i>Greyia radlkoferi</i>	Woolly bottlebrush (E)	Greyiaceae	
<i>Guibourtia coninxoata</i>	Small False Mopane (E)	Fabaceae	

Botanical names	Common names (English (E), Venda (V))	Family	Reported bark use
<i>Gymnosporia buxifolia</i>	Spikethorn (E)	Celastraceae	*
<i>Gymnosporia maranguensis</i>	Tropical spikethorn (E)	Celastraceae	
<i>Gymnosporia mossambicensis</i>	Black forest spikethorn (E)	Celastraceae	
<i>Gymnosporia putterlickioides</i>	Forest false spikethorn (E)	Celastraceae	
<i>Gymnosporia senegalensis</i>	Red spikethorn (E)	Celastraceae	
<i>Gymnosporia tenuispina</i>	Bell spikethorn (E)	Celastraceae	
<i>Gyrocarpus americanus</i>	Propeller tree (E)	Hernandiaceae	*
<i>Halleria lucida</i>	Tree-fuchsia (E)	Scrophulariaceae	
<i>Heinsia crinita</i>	Bush apple (E)	Rubiaceae	
<i>Heteromorpha arborescens</i>	Parsley tree (E), Muthathavhanna (V)	Apiaceae	*
<i>Heteropyxis natalensis</i>	Lavendertree (E), Mudedede (V)	Heteropyxidaceae	*
<i>Holarrhena pubescens</i>	Fever pod (E)	Apocynaceae	*
<i>Homalium dentatum</i>	Brown-ironwood (E)	Salicaceae	
<i>Hymenocardia ulmoides</i>	Small red-heart (E), Tshikonwa (V)	Phyllanthaceae	
<i>Hyperacanthus amoenus</i>	Thorny gardenia (E)	Rubiaceae	
<i>Hypericum revolutum</i>	Curry bush (E), Mudyanongo (V)	Hypericaceae	
<i>Hyphaene petersiana</i>	Norther lala-palm (E), Mulala (V)	Arecaceae	
<i>Ilex mitis</i>	Cape holly (E), Mutanzwa-khamelo (V)	Aquifoliaceae	*
<i>Indigofera lyalli</i>	Venda Indigo (E)	Fabaceae	
<i>Karomia speciosa</i>	Wild parasol flower (E)	Lamiaceae	
<i>Keetia gueinzii</i>	Climbing Turkey-berry (E)	Rubiaceae	
<i>Kigelia africana</i>	Sausage tree (E), Muvevha (V)	Bignoniaceae	*
<i>Kiggelaria africana</i>	Wild-peach (E)	Achariaceae	
<i>Kirkia acuminata</i>	Common kirkia (E), Mubvumela (V)	Kirkiaceae	
<i>Kirkia wilmsii</i>	Mountain-seringa (E)	Kirkiaceae	
<i>Lagynias dryadum</i>	Woodland pendent-medlar (E)	Rubiaceae	
<i>Lannea discolor</i>	Live-long (E), Muvhumbu (V)	Anacardiaceae	*
<i>Lannea schweinfurthii</i>	False marula (E), Mulivhadza (V)	Anacardiaceae	*
<i>Lauridea tetragona</i>	Climbing saffron (E)	Celastraceae	
<i>Leucosidea sericea</i>	Oldwood (E)	Rosaceae	
<i>Mackaya bella</i>	Forest bell-bush (E)	Acanthaceae	
<i>Maclura africana</i>	African Osage-orange (E)	Moraceae	
<i>Maerua angolensis</i>	Bead-bean (E)	Capparaceae	*
<i>Maerua cafra</i>	Bush-cherry (E)	Capparaceae	*
<i>Maerua parvifolia</i>	Small-leaf bush-cherry (E)	Capparaceae	
<i>Maerua rosmarinoides</i>	Needle-leaf bush-cherry (E)	Capparaceae	
<i>Maesa lanceolata</i>	False-assegai (E), Mutibamela (v)	Maesaceae	
<i>Manilkara mochisia</i>	Lowveld milkberry (E)	Sapotaceae	
<i>Margaritaria discoidea</i>	Peacock-berry (E)	Phyllanthaceae	*
<i>Markhamia zanzibarica</i>	Bell bean tree (E)	Bignoniaceae	
<i>Maytenus acuminata</i>	Silk-bark (E), Tshinembane (V)	Celastraceae	
<i>Maytenus peduncularis</i>	Cape blackwood (E), Mukwatule (V)	Celastraceae	
<i>Maytenus undata</i>	Koko tree (E), Tshiphandwa (V)	Celastraceae	
<i>Memecylon natalense</i>	Small-leaf rose-apple (E)	Melastomataceae	
<i>Micrococca capensis</i>	False bead-string (E), Mulambilana (V)	Euphorbiaceae	
<i>Milletia stuhlmannii</i>	Panga-panga (E), Muangaila (V)	Fabaceae	
<i>Mimusops zeyheri</i>	Common redmilkwood (E), Mumbubulu (V)	Sapotaceae	
<i>Monodora mynieri</i>	Green apple (E), Nyagokwane (V)	Annonaceae	

Botanical names	Common names (English (E), Venda (V))	Family	Reported bark use
<i>Morella pilulifera</i>	Broadleaf waxberry (E)	Myricaceae	
<i>Mundulea sericea</i>	Corkbush (E), Mukundandou (V)	Fabaceae	*
<i>Myrsine africana</i>	Cape myrtle (E)	Myrsinaceae	
<i>Mystroxylon aethiopicum</i>	Kooboo-berry (E)	Celastraceae	*
<i>Nuxia congesta</i>	Wild-elder (E)	Buddlejaceae	
<i>Nuxia floribunda</i>	Forest elder (E), Mulanotshi (V)	Buddlejaceae	
<i>Nuxia oppositifolia</i>	Water elder (E)	Buddlejaceae	
<i>Obetia tenax</i>	Mountain nettle (E)	Urticaceae	
<i>Ochna arborea</i>	Murambo (V)	Ochnaceae	
<i>Ochna holsti</i>	Red-ironwood ochna (E), Tshipfure (V)	Ochnaceae	*
<i>Ochna inermis</i>	Stunted plane (E)	Ochnaceae	
<i>Ochna natalitia</i>	Natal plane (E)	Ochnaceae	
<i>Ochna pulchra</i>	Peeling-bark ochna (E), Tshithothonya (V)	Ochnaceae	
<i>Ocotea kenyensis</i>	False stinkwood (E)	Lauraceae	*
<i>Olax dissitiflora</i>	Small false-sourplum (E), Munie-dombo (V)	Olacaceae	
<i>Olea capensis</i>	Ironwood (E)	Oleaceae	
<i>Olea europaea subsp. africana</i>	African olive (E)	Oleaceae	*
<i>Olea woodiana</i>	Forest olive (E)	Oleaceae	
<i>Olinia emarginata</i>	Mountain hardpear (E)	Oliniaceae	
<i>Olinia rochetiana</i>	Mulondwane (V)	Oliniaceae	
<i>Oncoba spinosa subsp. spinosa</i>	Snuff-box tree (E)	Salicaceae	
<i>Oricia transvaalensis</i>	Twin-berry Tree (E)	Rutaceae	
<i>Ormocarpum trichocarpum</i>	Caterpillar bush (E), Muthari (V)	Fabaceae	*
<i>Osyris lanceolata</i>	Rock tannin-bush (E), Mupeta (V)	Santalaceae	
<i>Oxyanthus speciosus</i>	Wild-loquat (E)	Rubiaceae	
<i>Ozoroa albicans</i>	-	Anacardiaceae	
<i>Ozoroa engleri</i>	White resin tree (E), Mudumbula (V)	Anacardiaceae	*
<i>Ozoroa paniculosa</i>	Common resintree (E), Tshinungumafhi (V)	Anacardiaceae	
<i>Pachystigma bowkeri</i>	Forest crowned-medlar (E)	Rubiaceae	
<i>Pachystigma triflorum</i>	Waterberg medlar (E)	Rubiaceae	
<i>Pappea capensis</i>	Jacket-plum (E), Tshikavhvahve (V)	Sapindaceae	
<i>Parinari curatellifolia</i>	Mabola-plum (E), Muvhula (V)	Chrysobalanaceae	*
<i>Passerina montana</i>	Mountain gonna (E)	Thymelaeaceae	
<i>Pavetta eylesii</i>	Flaky-bark bride's-bush (E)	Rubiaceae	
<i>Pavetta gardeniifolia</i>	Stink-leaf brides-bush (E)	Rubiaceae	
<i>Pavetta inandensis</i>	Forest brides-bush (E)	Rubiaceae	
<i>Pavetta lanceolata</i>	Weeping brides-bush (E)	Rubiaceae	
<i>Pavetta schumanniana</i>	Poison brides-bush (E), Tshituku (V)	Rubiaceae	
<i>Pavetta trichardtensis</i>	-	Rubiaceae	
<i>Peddiea africana</i>	Poison olive (E)	Thymelaeaceae	
<i>Peltophorum africanum</i>	African-wattle (E), Musese (V)	Fabaceae	*
<i>Philenoptera violacea</i>	Appleleaf (E), Mufhanda (V)	Fabaceae	*
<i>Phoenix reclinata</i>	Wild datepalm (E), Mutshevho (V)	Arecaceae	
<i>Phyllanthus pinnatus</i>	Mopane potato bush (E)	Phyllanthaceae	
<i>Phyllanthus reticulatus</i>	Potato bush (E), Mutangauma-vhadzimu (V)	Phyllanthaceae	
<i>Piliostigma thonningii</i>	Camelfoot (E), Mukolokote (V)	Fabaceae	*
<i>Piper capensis</i>	Golden shrimp plant (E), Mukara (V)	Piperaceae	*
<i>Pittosporum viridiflorum</i>	Cheesewood (E)	Pittosporaceae	*

Botanical names	Common names (English (E), Venda (V))	Family	Reported bark use
<i>Plectroniella armata</i>	False Turkey-berry (E)	Rubiaceae	
<i>Pleurostylia capensis</i>	Coffee-pear (E), Murumelela (V)	Celastraceae	*
<i>Podocarpus falcatus</i>	Outeniqua yellowwood (E), Mufhanza (V)	Podocarpaceae	
<i>Podocarpus latifolius</i>	Broadleaf yellowwood (E), Muhovho-hovho (V)	Podocarpaceae	*
<i>Portulacaria afra</i>	Porkbush (E), Tshilepetwe (V)	Portulacaceae	
<i>Pouzolzia mixta</i>	Soap-nettle (E), Muthanzwa (V)	Urticaceae	*
<i>Protea caffra</i>	Common sugarbush (E), Tshidzungu (V)	Proteaceae	*
<i>Protea gaguedi</i>	White sugarbush (E), Tshididiri (V)	Proteaceae	
<i>Protea rhodantha</i>	Common sugarbush (E)	Proteaceae	
<i>Protea roupelliae</i>	Silver sugarbush (E), Tshididiri (V)	Proteaceae	*
<i>Protorhus longifolia</i>	Red-beech (E)	Anacardiaceae	
<i>Prunus africana</i>	Red stinkwood (E)	Rosaceae	*
<i>Pseudolachnostylis maprouneifolia</i>	Kuduberry (E), Mutondowa (V)	Phyllanthaceae	*
<i>Psoralea pinnata</i>	Broad-leaf fountain-bush (E)	Fabaceae	
<i>Psychotria capensis</i>	Black bird-berry (E), Tshinangana (V)	Rubiaceae	
<i>Psychotria zombamontana</i>	Red bird-berry (E)	Rubiaceae	
<i>Psydrax livida</i>	Green tree (E)	Rubiaceae	
<i>Psydrax locuples</i>	Sand quar (E)	Rubiaceae	
<i>Psydrax obovata</i>	Quar (E)	Rubiaceae	
<i>Ptaeroxylon obliquum</i>	Sneezewood (E), Munari (V)	Ptaeroxylaceae	*
<i>Pteleopsis myrtifolia</i>	Stink-bushwillow (E)	Combretaceae	
<i>Pterocarpus angolensis</i>	Kiaat, Bloodwood (E), Mutondo (V)	Fabaceae	*
<i>Pterocarpus rotundifolius</i>	Roundleaf bloodwood (E), Mukwatamba (V)	Fabaceae	
<i>Pterocelastrus echinatus</i>	White candlewood (E)	Celastraceae	
<i>Pterocelastrus rostratus</i>	Red candlewood (E)	Celastraceae	*
<i>Pterolobium stellatum</i>	Red-wing (E)	Fabaceae	
<i>Pyrostria hystrix</i>	Porcupine bush (E)	Rubiaceae	
<i>Rapanea melanophloeos</i>	Cape-beech (E)	Myrsinaceae	*
<i>Rauvolfia caffra</i>	Quinine tree (E), Munadzi (V)	Apocynaceae	*
<i>Rawsonia lucida</i>	Forest peach (E)	Flacourtiaceae	
<i>Rhamnus prinoides</i>	Dogwood (E)	Rhamnaceae	*
<i>Rhigozum zambesiacum</i>	Mopane pomegranate (E)	Bignoniaceae	
<i>Rhoicissus digitata</i>	Five-finger grape (E)	Vitaceae	
<i>Rhoicissus revoilii</i>	Forest grape (E), Tshikundwi-mai (V)	Vitaceae	
<i>Rhoicissus rhomboidea</i>	Glossy forest grape (E), Tshikundwi-mai (V)	Vitaceae	
<i>Rhoicissus tomentosa</i>	Common forest grape (E)	Vitaceae	
<i>Rhoicissus tridentata</i>	Bushman grape (E), Murumbula-mbudzana (V)	Vitaceae	
<i>Rhynchosia clivorum</i>	Escarpment shaggy-bush (E)	Fabaceae	
<i>Rinorea angustifolia</i>	White violet-bush (E)	Violaceae	
<i>Robsonodendron eucleiforme</i>	False silky-bark (E)	Celastraceae	
<i>Rothmannia capensis</i>	False-gardenia (E), Murathamapfene (V)	Rubiaceae	
<i>Rothmannia fischeri</i>	Bushveld false-gardenia (E)	Rubiaceae	
<i>Rothmannia globosa</i>	September bells (E)	Rubiaceae	
<i>Salix mucronata subsp. woodii</i>	Wild willow (E), Munengeledzi (V)	Salicaceae	*
<i>Salvadora australis</i>	Narrowleaf mustardtree (E)	Salvadoraceae	
<i>Schefflera umbellifera</i>	False-cabbagetree (E)	Araliaceae	*
<i>Schotia brachypetala</i>	Weeping schotia (E), Mulubi (V)	Fabaceae	*
<i>Schrobera alata</i>	Wild-jasmine (E)	Oleaceae	

Botanical names	Common names (English (E), Venda (V))	Family	Reported bark use
<i>Sclerocarya birrea</i>	Marola (E), Mufula (V)	Anacardiaceae	*
<i>Sclerochiton harveyanus</i>	Blue lips (E)	Acanthaceae	
<i>Scolopia zeyheri</i>	Thorn pear (E)	Flacourtiaceae	
<i>Scutia myrtina</i>	Cat-thorn (E)	Rhamnaceae	
<i>Searsia chirindensis</i>	Red-currant (E), Muvhadelaphanga (V)	Anacardiaceae	*
<i>Searsia gueinzii</i>	Thorny karee (E), Mushakaladza (V)	Anacardiaceae	
<i>Searsia lancea</i>	Karee (E), Mushakaladza (V)	Anacardiaceae	
<i>Searsia leptodictya</i>	Mountain karee (E), Mushakaladza (V)	Anacardiaceae	*
<i>Searsia lucida</i>	Glossy currant (E)	Anacardiaceae	
<i>Searsia pentheri</i>	Crow-berry (E), Mutasiri (V)	Anacardiaceae	
<i>Searsia pyroides</i>	Common wild-currant (E), Mutasiri (V)	Anacardiaceae	
<i>Searsia rehmanniana</i>	Blunt-leaf crow-berry (E), Tshitasiri (V)	Anacardiaceae	
<i>Searsia tomentosa</i>	Bicolour currant (E), Tshidzimba-vhalisa (V)	Anacardiaceae	
<i>Searsia transvaalensis</i>	Escarpment currant (E), Mutshaku-tshaku (V)	Anacardiaceae	
<i>Searsia tumulicola</i>	Hard-leaf currant (E)	Anacardiaceae	
<i>Securidaca longepedunculata</i>	Violet tree (E), Mupesu (V)	Polygalaceae	*
<i>Senegalia ataxacantha</i>	Flame thorn (E), Muluwa (V)	Fabaceae	
<i>Senegalia burkei</i>	Black monkey thorn (E)	Fabaceae	*
<i>Senegalia caffra</i>	Common hookthorn (E), Muvunda-mbado (V)	Fabaceae	*
<i>Senegalia davyi</i>	Corky thorn (E), Muunga (V)	Fabaceae	
<i>Senegalia erioloba</i>	Camel thorn (E), Musivhitha (V)	Fabaceae	*
<i>Senegalia erubescens</i>	Blue thorn (E), Mulondo (V)	Fabaceae	
<i>Senegalia gerrardii</i>	Greyhair thorn (E), Muunga (V)	Fabaceae	*
<i>Senegalia grandicornuta</i>	Horned thorn (E)	Fabaceae	
<i>Senegalia karroo</i>	Sweet thorn (E), Muunga (V)	Fabaceae	*
<i>Senegalia mellifera</i>	Black thorn (E)	Fabaceae	
<i>Senegalia nebrownii</i>	Water thorn (E)	Fabaceae	
<i>Senegalia nigrescens</i>	Knob thorn (E), Munanga (V)	Fabaceae	
<i>Senegalia nilotica</i>	Scented pod (E)	Fabaceae	*
<i>Senegalia permixta</i>	Hairy senegalia (E)	Fabaceae	
<i>Senegalia polyacantha</i>	White thorn (E), Tshikwalo (V)	Fabaceae	
<i>Senegalia rehmanniana</i>	Silky thorn (E), Musivhitha (V)	Fabaceae	
<i>Senegalia robusta</i>	Robust thorn (E), Muvumba-ngwena (V)	Fabaceae	*
<i>Senegalia schweinfurthii</i>	Muombaluwa (V)	Fabaceae	
<i>Senegalia senegal</i> var. <i>leiorhachis</i>	Three-hook thorn (E), Muunga-thuda (V)	Fabaceae	
<i>Senegalia senegal</i> var. <i>rostrata</i>	Three-hook thorn (E), Muunga-thuda (V)	Fabaceae	*
<i>Senegalia sieberiana</i>	Paperbark thorn (E)	Fabaceae	*
<i>Senegalia tortilis</i>	Umbrella thorn (E), Musu (V)	Fabaceae	*
<i>Senegalia welwitschii</i>	Delagoa thorn (E), Munangania (V)	Fabaceae	
<i>Senegalia xanthophloea</i>	Fever tree (E), Muunga-ngwena (V)	Fabaceae	*
<i>Senna petersiana</i>	Monkey pod (E), Munembenembe (V)	Fabaceae	*
<i>Sericanthe andongensis</i>	Venda coffee (E)	Rubiaceae	
<i>Sesamothamnus lugardii</i>	Sesamebush (E)	Pedaliaceae	
<i>Sesbania sesban</i>	Egyptian pea (E)	Fabaceae	
<i>Sideroxylon inerme</i>	Whitemilkwood (E)	Sapotaceae	*
<i>Solanum aculeastrum</i>	Bitter-apple (E)	Solanaceae	
<i>Solanum giganteum</i>	Giant bitter-apple (E)	Solanaceae	
<i>Sphinctostachys africana</i>	Tamboti (E), Muonze (V)	Euphorbiaceae	*

Botanical names	Common names (English (E), Venda (V))	Family	Reported bark use
<i>Steganotaenia araliacea</i>	Carrot-tree (E)	Apiaceae	*
<i>Sterculia rogersii</i>	Star-chetsnut (E), Mukakate (V)	Malvaceae	
<i>Strophanthus speciosus</i>	Forest poison-rope (E)	Apocynaceae	
<i>Strychnos decussata</i>	Cape-teak (E)	Strychnaceae	*
<i>Strychnos henningsii</i>	Red bitterberry (E)	Strychnaceae	*
<i>Strychnos madagascariensis</i>	Black monkey-orange (E), Mukwakwa (V)	Strychnaceae	*
<i>Strychnos mitis</i>	Yellow bitterberry (E)	Strychnaceae	
<i>Strychnos potatorum</i>	Black bitterberry (E)	Strychnaceae	
<i>Strychnos pungens</i>	Spineleaf monkey-orange (E), Muramba (V)	Strychnaceae	*
<i>Strychnos spinosa</i>	Green monkey-orange (E)	Strychnaceae	*
<i>Strychnos usambarensis</i>	Blue bitterberry (E)	Strychnaceae	*
<i>Suregada africana</i>	Common canary-berry (E)	Euphorbiaceae	
<i>Suregada procera</i>	Forest canary-berry (E), Tshitongola (V)	Euphorbiaceae	
<i>Synadenium cupulare</i>	Dead-mans tree (E), Muswoswo (V)	Euphorbiaceae	*
<i>Syzygium cordatum</i>	Water berry (E), Mutu (V)	Myrtaceae	*
<i>Syzygium gerrardii</i>	Forest water-berry (E), Mutawi (V)	Myrtaceae	*
<i>Syzygium guineense</i>	Woodland waterpear (E), Mutumadi (V)	Myrtaceae	*
<i>Syzygium legatii</i>	Mountain umdoni (E)	Myrtaceae	
<i>Tabernaemontana elegans</i>	Toadtree (E), Muhatu (V)	Apocynaceae	
<i>Tarchonanthus camphoratus</i>	Wild camphor bush (E), Mutwari (V)	Asteraceae	
<i>Tarchonanthus trilobus</i>	Three-lobed camphor bush (E), Mutwari (V)	Asteraceae	
<i>Tarennia supra-axillaris</i>	Narrow-leaf butterspoon (E)	Rubiaceae	
<i>Tarennia zygoon</i>	-	Rubiaceae	
<i>Teclea natalensis</i>	Natal cherry-orange (E)	Rutaceae	
<i>Tecomaria capensis</i>	Wild honeysuckle (E)	Bignoniaceae	*
<i>Terminalia prunioides</i>	Purplefruit clusterleaf (E)	Combretaceae	*
<i>Terminalia sericea</i>	Silver cluster-leaf (E), Mususu (V)	Combretaceae	*
<i>Tetradenia riparia</i>	Ginger bush (E)	Lamiaceae	
<i>Thilachium africanum</i>	Cucumber-bush (E)	Capparaceae	
<i>Tinnea rhodesiana</i>	-	Lamiaceae	
<i>Toddalia asiatica</i>	Climbing orange (E)	Rutaceae	
<i>Toddaliopsis bremekampii</i>	Mutswolotswondo (V)	Rutaceae	
<i>Trema orientalis</i>	Pigeonwood (E), Mukurukuru (V)	Celtidaceae	
<i>Tricalysia capensis</i> var. <i>capensis</i>	Cape-coffee (E)	Rubiaceae	
<i>Tricalysia junodii</i>	Fluffy-flower jackal-coffee (E)	Rubiaceae	
<i>Tricalysia lanceolata</i>	Jackal-coffee (E)	Rubiaceae	
<i>Trichilia dregeana</i>	Forest natal-mahogany (E), Mutuhu (V)	Meliaceae	*
<i>Trichilia emetica</i>	Natal mahogany (E), Mutshikili (V)	Meliaceae	*
<i>Trichocladus grandiflorus</i>	Splendid underbrush (E)	Hamamelidaceae	
<i>Trilepisium madagascariense</i>	Venda fig (E)	Moraceae	
<i>Trimeria grandifolia</i>	Wild mulberry (E)	Salicaceae	
<i>Turraea nilotica</i>	Lowveld honeysuckle-tree (E), Tshigombo (V)	Meliaceae	
<i>Turraea obtusifolia</i>	Small honey-suckle tree (E)	Meliaceae	*
<i>Uvaria gracilipes</i>	Small-leaved cluster-pear (E)	Annonaceae	
<i>Vangueria cyanescens</i>	Smooth wild-medlar (E)	Rubiaceae	
<i>Vangueria infausta</i>	Wild-medlar (E), Muzwilu (V)	Rubiaceae	
<i>Vangueria soutpansbergensis</i>	-	Rubiaceae	
<i>Venris lanceolata</i>	White-ironwood (E), Muhondwa (V)	Rutaceae	

Botanical names	Common names (English (E), Venda (V))	Family	Reported bark use
<i>Vepris reflexa</i>	Bushveld white-ironwood (E)	Rutaceae	
<i>Vernonia amygdalina</i>	Bitter leaf (E)	Asteraceae	
<i>Vernonia colorata</i>	Lowveld tree vernonia (E)	Asteraceae	
<i>Vernonia myriantha</i>	Silver vernonia (E)	Asteraceae	
<i>Vitex ferruginea</i>	Plum fingerleaf (E)	Lamiaceae	
<i>Vitex patula</i>	Golden finger-leaf (E)	Lamiaceae	
<i>Vitex pooara</i>	Smelly-berry fingerleaf (E)	Lamiaceae	
<i>Vitex rehmannii</i>	Pipe-stem finger-leaf (E)	Lamiaceae	
<i>Warburgia salutaris</i>	Pepper-bark tree (E), Mulanga (V)	Cannellaceae	*
<i>Widdringtonia nodiflora</i>	Mountain-cypres (E)	Cupressaceae	
<i>Wrightia natalensis</i>	Saddlepod (E), Musunzi (V)	Apocynaceae	*
<i>Xanthocercis zambesiaca</i>	Nyalatree (E), Mutshato (V)	Fabaceae	
<i>Xeroderris stuhlmannii</i>	Wingpod (E)	Fabaceae	
<i>Ximenia americana</i>	Muthanzwa (V)	Olacaceae	*
<i>Ximenia caffra</i>	Sourplum (E), Mutshili (V)	Olacaceae	*
<i>Xylopia parviflora</i>	Muvhula-vhusiku (V)	Annonaceae	
<i>Xymalos monospora</i>	Tshipengo (V)	Monimiaceae	*
<i>Zanthoxylum capense</i>	Small knobwood (E), Munungunungwane (V)	Rutaceae	*
<i>Zanthoxylum davyi</i>	Forest knobwood (E), Munungu (V)	Rutaceae	*
<i>Zanthoxylum humile</i>	Hairy knobwood (E), Munungwane (V)	Rutaceae	
<i>Zanthoxylum leprieurii</i>	Sand knobwood (E), Munungu (V)	Rutaceae	
<i>Zanthoxylum thorncroftii</i>	Small knobwood (E)	Rutaceae	
<i>Ziziphus mucronata</i>	Buffalo thorn (E), Mukhalu (V)	Rhamnaceae	*
<i>Ziziphus rivularis</i>	False buffalo-thorn (E), Mabalantsa (V)	Rhamnaceae	
<i>Zoutpansbergia caerulea</i>	-	Asteraceae	

* Watt and Breyer-Brandwijk 1962, Palgrave 1988, Mabogo 1990, Van Wyk *et al.* 1997, Venter and

Venter 1996, Tshisikhawe 2002, Schmidt *et al.* 2002, Van Wyk 2008, Van Wyk *et al.* 2008, Van Wyk

and Van Wyk 2009, Mannheimer and Curtis 2009, Boon 2010.

APPENDIX B

Derivation of the vulnerability scores for the species where a score of 1, 0 or -1 was given based on expert knowledge.

Species	Score																		
	No & size of populations	Widespread distribution	Generalist status	Temporal niche dependent	Extreme fluctuations	Post disturbance regeneration	Vigorous growth	Competitive ability	Time to reproduction	Reproductive life-span	Reliable seed production	No of seeds	Seed longevity	Dispersal ability	Fire response	Grazing, drought resistance	Coppicing ability	Pathogen susceptibility	Mutualist dependent
<i>Senegalia karroo</i>	1	1	-1	1	1	1	-1	1	1	1	1	1	1	1	1	1	1	1	
<i>Senegalia tortilis</i> subsp. <i>heteracantha</i>	1	1	-1	1	1	-1	-1	1	1	1	1	1	1	1	1	1	1	1	
<i>Adansonia digitata</i>	1	1	-1	1	1	-1	-1	-1	-1	-1	1	1	-1	-1	-1	-1	-1	-1	
<i>Adenia spinosa</i>	-1	-1	-1	1	-1	-1	-1	-1	-1	-1	1	1	-1	-1	-1	-1	-1	-1	
<i>Afzelia quanzensis</i>	-1	1	-1	1	1	1	1	1	-1	1	1	1	1	1	1	1	1	1	
<i>Albizia adianthifolia</i>	-1	-1	-1	1	-1	-1	1	1	-1	1	1	1	1	-1	-1	-1	-1	1	
<i>Albizia versicolor</i>	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	1	1	1	-1	-1	-1	-1	1	
<i>Annona senegalensis</i>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
<i>Berchemia discolor</i>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
<i>Bolusanthus speciosus</i>	-1	-1	-1	1	1	-1	1	1	-1	1	1	1	1	-1	-1	-1	1	-1	
<i>Brackenridgea zanguebarica</i>	-1	-1	-1	1	-1	-1	-1	-1	1	1	-1	1	1	-1	-1	-1	1	-1	
<i>Burkea africana</i>	1	1	-1	1	1	1	1	1	-1	1	1	1	1	1	1	1	1	1	
<i>Combretum molle</i>	1	1	1	1	1	1	1	1	-1	1	1	1	1	-1	1	1	1	1	
<i>Commiphora marlothii</i>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
<i>Commiphora merkeri</i>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
<i>Croton gratissimus</i> var. <i>gratissimus</i>	1	-1	-1	1	1	-1	1	1	-1	1	1	1	-1	-1	1	-1	-1	1	
<i>Croton megalobotrys</i>	-1	-1	-1	-1	-1	-1	1	1	-1	1	1	1	-1	-1	-1	-1	-1	1	
<i>Cussonia spicata</i>	1	1	1	1	1	-1	1	1	1	1	1	1	1	-1	-1	1	1	1	
<i>Dalbergia melanoxylon</i>	1	-1	-1	1	1	1	1	1	-1	1	1	1	1	1	1	1	1	-1	

<i>Dichrostachys cinerea</i> subsp. <i>africana</i>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Diospyros mespiliformis</i>	-1	-1	1	1	1	1	1	-1	-1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Dombeya rotundifolia</i> var. <i>rotundifolia</i>	1	1	1	1	1	1	1	-1	-1	1	1	1	1	-1	1	1	1	1	1	1	1	1
<i>Ekebergia capensis</i>	1	-1	-1	1	1	-1	1	1	-1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Elaeodendron transvaalense</i>	1	-1	-1	1	1	1	1	-1	1	1	1	-1	1	1	1	1	1	1	1	1	1	-1
<i>Elephantorrhiza elephantina</i>	-1	-1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Erythrina lysistemon</i>	1	-1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Euphorbia ingens</i>	1	1	1	1	1	1	1	1	1	1	1	1	-1	1	1	-1	-1	1	1	1	1	1
<i>Faidherbia albida</i>	-1	-1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Ficus ingens</i>	1	1	1	1	1	-1	1	-1	-1	1	1	1	1	1	1	1	1	-1	1	1	1	1
<i>Ficus sansibarica</i> subsp. <i>sansibarica</i>	-1	1	1	1	1	-1	1	1	-1	1	1	1	1	1	1	1	1	1	-1	1	1	1
<i>Maerua angolensis</i> subsp. <i>angolensis</i>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Maerua caffra</i>	1	1	1	1	1	1	1	1	1	-1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Mundulea sericea</i>	1	1	1	1	1	1	1	1	1	1	1	1	1	-1	1	1	1	1	1	1	1	1
<i>Ozoroa engleri</i>	1	-1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Parinari curatellifolia</i>	1	-1	1	1	1	1	1	-1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Peltophorum africanum</i>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-1
<i>Piliostigma thonningii</i>	1	-1	1	1	1	1	1	-1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Pleurostyla capensis</i>	-1	1	1	1	1	-1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Podocarpus latifolius</i>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Pseudolachnostylis maprouneifolia</i>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Pterocarpus angolensis</i>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-1
<i>Rapanea melanophloeos</i>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Rauvolfia caffra</i>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Schotia brachypetala</i>	1	1	1	1	1	1	1	-1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Sclerocarya birrea</i> subsp. <i>caffra</i>	1	1	1	1	1	1	1	-1	1	1	1	1	1	1	1	1	1	1	1	1	1	-1
<i>Searsia leptodictya</i>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Securidaca longepedunculata</i>	-1	-1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Spirostachys africana</i>	1	1	1	1	1	1	1	1	-1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Strychnos madagascariensis</i>	1	1	1	1	1	1	1	-1	1	-1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Synadenium cupulare</i>	1	1	-1	-1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Syzygium cordatum</i>	1	1	-1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Syzygium guineense</i>	1	1	-1	1	1	1	1	1	1	1	1	1	1	1	1	-1	1	1	1	1	1	1
<i>Terminalia sericea</i>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Trichilia dregeana</i>	-1	-1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Trichilia emetica</i> subsp. <i>emetica</i>	-1	-1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Warburgia salutaris</i>	-1	-1	1	1	1	1	1	1	-1	-1	-1	-1	-1	-1	-1	-1	-1	1	-1	1	-1	-1
<i>Wrightia natalensis</i>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-1	1	1	1	1	1	1	1
<i>Zanthoxylum davyi</i>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1