Bibliography

[1] J-P. Merlet. *Parallel Robots*. Kluwer Academic Publishers, Dordrecht, The Netherlands, 2000.

[2] J-P Merlet. Parallel manipulators: state of the art and perspectives. *Advanced Robotics*, 8(6):589–596, 1994.

[3] B. Dasgupta and T.S. Mruthyunjaya. The Stewart platform manipulator: a review. *Mechanism and Machine Theory*, 35:15–40, 2000.

[4] J-P Merlet. Personal website, Accessed September 2003. http://www-sop.inria.fr/coprin/equipe/merlet/merlet_eng.html.

[5] V. Zamanov and Z. Sotirov. A contribution to the serial and parallel manipulator duality. In *Proceedings of the 8th World Congress on the Theory of Machines and Mechanisms*, pages 517–520, Prague, Czechoslovakia, 26–31 August 1991.

[6] K.J. Waldron and K.H. Hunt. Series-parallel dualities in actively coordinated mechanisms. *The International Journal of Robotics Research*, 10(5):473–480, October 1991.

[7] J. Duffy. *Statics and Kinematics with Applications to Robotics*. Cambridge University Press, Cambridge, 1996.

159

[8] E.F. Fichter and E.D. MacDowell. A novel design for a robot arm. In *Proceedings of the ASME International Computer Technology Conference*, pages 250–256, San Francisco, August 1980.

[9] J.E. Gwinnett. Amusement devices. US Patent No. 1,789,680, 20 January 1931. http://www.delphion.com/details?&pn10=US01789680.

[10] I. Bonev. The true origins of parallel robots. *Online article*, Accessed September 2003. http://www.parallemic.org /Reviews/Review007.html.

[11] W.L.V. Pollard. Position controlling apparatus. US Patent No. 2,286,571, 16 June 1942.

[12] D. Stewart. A platform with six degrees of freedom. *Proceedings of the Institute of Mechanical Engineers*, 180(15):371–386, 1965-66. Part 1.

[13] V.E. Gough and S.G. Whitehall. Universal tyre test machine. In *Proceedings of the FISITA 9th International Technical Congress*, pages 117–137, May 1962.

[14] K.L. Cappel. Motion simulator. US Patent No. 3,295,224, 3 January 1967.

[15] J-P Merlet, C.M. Gosselin, and N. Mouly. Workspaces of planar parallel manipulators. *Mechanism and Machine Theory*, 33(1/2):7–20, 1998.

[16] E.J. Haug, C.M. Luh, C.M. Adkins, and J.Y. Wang. Numerical algorithms for mapping boundaries of manipulator workspaces. Concurrent Engineering Tools for Dynamic Analysis and Optimization: IUTAM Fifth Summer School on Mechanics, Aalborg, Denmark, 1994.

[17] E.J. Haug, J.Y. Wang, and J.K. Wu. Dextrous workspaces of manipulators. 1. Analytical Criteria. *Mechanics of Structures and Machines*, 20(3):321–361, 1992.

[18] L.J. Du Plessis and J.A. Snyman. A numerical method for the determination of dextrous workspaces of Gough-Stewart platforms. *International Journal for Numerical Methods in Engineering*, 52:345–369, 2001.

[19] J-P Merlet. Determination of the orientation workspace of parallel manipulators. *Journal of Intelligent and Robotic Systems*, 13:143–160, 1995.

[20] I.A. Bonev, D. Zlatanov, and C.M. Gosslelin. Advantages of the modified Euler angles in the design and control of PKMs. In R. Neugebauer, editor, *Proceedings of PKS2002 Parallel Kinematics Seminar*, pages 171–187, Chemnitz, Germany, 23–25 April 2002.

[21] C.M. Gosselin and J. Angeles. The optimum kinematic design of a planar three-degree-of-freedom manipulator. *Journal of Mechanisms, Transmissions and Automation in Design*, 110:35–41, 1988.

[22] C.M. Gosselin and M. Jean. Determination of the workspace of planar parallel manipulators with joint limits. *Robotics and Autonomous Systems*, 17:129–138, 1996.

[23] C.M. Gosselin. Determination of the workspace of 6-dof parallel manipulators. *Journal of Mechanical Design*, 112:331–336, September 1990.

[24] J-P Merlet. Détermination de l'espace de travail d'un robot parallèle pour une orientation constante. *Mechanism and Machine Theory*, 29(8):1099–1113, 1994.

[25] I.A. Bonev and J. Ryu. A geometrical method for computing the constant-orientation workspace of 6-$\underline{P}RRS$ parallel manipulators. *Mechanism and Machine Theory*, 36:1–13, 2001.

[26] I.A. Bonev and C.M. Gosselin. A geometric algorithm for the computation of the constant-orientation workspace of 6-$\underline{R}US$ parallel manipulators. In *Proceedings of the ASME 2000 Design Engineering Technical*

Conferences, Baltimore, Maryland, 10-13 September 2000. CD ROM Proceedings, Paper no. DETC2000/MECH-14106.

[27] T. Huang, J. Wang, C.M. Gosselin, and D. Whitehouse. Determination of closed form solution to the 2-d orientation workspace of Gough-Stewart parallel manipulators. *IEEE Transactions on Robotics and Automation*, 15(6):1121–1125, December 1999.

[28] A. Bajpai and B. Roth. Workspace and mobility of a closed-loop manipulator. *The International Journal of Robotics Research*, 5(2):131–142, 1986.

[29] R.L. Williams II and C.F. Reinholtz. Closed-form workspace determination and optimization for parallel robotic mechanisms. In *Proceedings of ASME 20th Biennial Mechanisms Conference*, pages 341–351, Kissimmee, Orlando, September 1988.

[30] D-Y Jo and E.J. Haug. Workspace analysis of multibody mechanical systems using continuation methods. *Journal of Mechanisms, Transmissions and Automation in Design*, 111:581–589, 1989.

[31] D-Y Jo and E.J. Haug. Workspace analysis of closed-loop mechanisms with unilateral constraints. *ASME Advances in Design Automation*, 19(3):53–60, 1989.

[32] E.J. Haug, F.A. Adkins, C. Qiu, and J. Yen. Analysis of barriers to control of manipulators within accessible output sets. Technical report, University of Iowa, Center for Computer Aided Design and Department of Mechanical Engineering, 1994.

[33] E.J. Haug, F.A. Adkins, and C-M Luh. Operational envelopes for working bodies of mechanisms and manipulators. *Journal of Mechanical Design*, 120:84–91, March 1998.

[34] F.A. Adkins and E.J. Haug. Operational envelope of a spatial Stewart platform. *Journal of Mechanical Design*, 119:330–332, June 1997.

[35] E.J. Haug, F.A. Adkins, C-M Luh, and J-Y Wang. Domains of interference between working bodies in mechanisms and manipulators. In *ASME Advances in Design Automation*, volume 82, pages 651–658, September 1995.

[36] E.J. Haug, F.A. Adkins, and C-M Luh. Domains of operation and interference for bodies in mechanisms and manipulators. In J-P Merlet and B. Ravani, editors, *Computational Kinematics*, pages 193–202. Kluwer Academic Publishers, 1995.

[37] E.J. Haug, F.A. Adkins, and C-M Luh. Numerical methods for mechanism and manipulator workspace analysis. In J. Angeles and E. Zakhariev, editors, *Computational Methods in Mechanical Systems: Mechanism Analysis, Synthesis and Optimization*, pages 145–163. Springer-Verlag, 1998.

[38] D.C.H. Yang and T.W. Lee. Feasibility study of robotic manipulators from a kinematic viewpoint. *Journal of Mechanisms, Transmissions and Automation in Design*, 106:191–198, June 1984.

[39] M. Sorli and M. Ceccarelli. On the workspace of a 6-dof platform with articulated double-parallelograms. In *Proceedings of the 6th International Conference on Advanced Robotics*, pages 147–152, Tokyo, 1993.

[40] J.J. Cervantes-Sánchez and J.G. Rendón-Sánchez. A simplified approach for obtaining the workspace of a class of 2-dof planar parallel manipulators. *Mechanism and Machine Theory*, 34:1057–1073, 1999.

[41] M. Ceccarelli and M. Sorli. The effects of design parameters on the workspace of the Turin robot. *The International Journal of Robotics Research*, 17(8):886–902, August 1998.

[42] E.F. Fichter. A Stewart platform-based manipulator: general theory and practical construction. *The International Journal of Robotics Research*, 5(2):157–182, 1986.

[43] K.M. Lee and D.K. Shah. Kinematic analysis of a three-degrees-of-freedom in-parallel actuated manipulator. *IEEE Journal of Robotics and Automation*, 4(3):354–360, June 1988.

[44] O. Masory and J. Wang. Workspace evaluation of Stewart platforms. *ASME Robotics, Spatial Mechanisms, and Mechanical Systems*, 45:337–346, 1992.

[45] T. Arai, T. Tanikawa, J-P Merlet, and T Sendai. Development of a new parallel manipulator with fixed linear actuator. In *Proceedings of the ASME Japan/USA Symposium on Flexible Automation*, volume 1, pages 145–149, 1996.

[46] R. Stamper, L-W. Tsai, and G.C. Walsh. Optimization of a three-dof translational platform for well-conditioned workspace. In *IEEE International Conference on Robotics and Automation*, pages 3250–3255, Albuquerque, New Mexico, 21–28 April 1997.

[47] Z. Wang, Z. Wang, W. Liu, and Y. Lei. A study on workspace, boundary workspace analysis and workpiece positioning for parallel machine tools. *Mechanism and Machine Theory*, 36:605–622, 2001.

[48] J.A. Snyman, L.J. du Plessis, and J. Duffy. An optimization approach to the determination of the boundaries of manipulator workspaces. *Journal of Mechanical Design*, 122:447–455, 2000.

[49] A.M. Hay and J.A. Snyman. The determination of nonconvex workspaces of generally constrained planar Stewart platforms. *Computers and Mathematics with Applications*, 40:1043–1060, 2000.

[50] A.M. Hay and J.A. Snyman. The chord method for the determination of non-convex workspaces of planar parallel manipulators. *Computers and Mathematics with Applications*, 43:1135–1151, 2002.

[51] L.J. Du Plessis. An optimization approach to the determination of manipulator workspaces. Master's thesis, University of Pretoria, Department of Mechanical and Aeronautical Engineering, Pretoria, 1998.

[52] J.A. Snyman and A.M. Hay. The Dynamic-Q optimisation method: An alternative to SQP? *Computers and Mathematics with Applications*, 44:1589–1598, 2002.

[53] A.M. Hay. Methods for the determination of accessible workspaces of planar Stewart platforms of general design. Master's thesis, University of Pretoria, Department of Mechanical and Aeronautical Engineering, Pretoria, 1999.

[54] L.T. Wang and J. Hsieh. Extreme reaches and reachable workspace analysis of general parallel robotic manipulators. *Journal of Robotic Systems*, 15(3):145–159, 1998.

[55] S. Bhattacharya, H. Hatwal, and A. Ghosh. On the optimum design of Stewart platform type parallel manipulators. *Robotica*, 13:133–140, 1995.

[56] D. Chakarov. Study of the passive compliance of parallel manipulators. *Mechanism and Machine Theory*, 34:373–389, 1999.

[57] V. Hayward, C. Nemri, X. Chen, and B. Duplat. Kinematic decoupling in mechanisms and application to a passive hand controller design. *Journal of Robotic Systems*, 10(5):767–790, 1993.

[58] X-J. Liu, Z-L. Jin, and F. Gao. Optimum design of 3-dof spherical parallel manipulators with respect to the conditioning and stiffness indices. *Mechanism and Machine Theory*, 35:1257–1267, 2000.

[59] D. Zhang, F. Xi, and C. Mechefske. Optimization of reconfigurable parallel mechanisms with revolute actuators. In *CD-ROM Proceedings of the 1st CIRP International Conference on Reconfigurable Manufacturing*, Ann Arbor, Michigan, May 2001.

[60] N. Simaan and M. Shoham. Stiffness synthesis of a variable geometry planer robot. In J. Lenarčič and F. Thomas, editors, *Advances in Robot Kinematics*, pages 463–472, Caldes de Malavella, Spain, June 2002. Kluwer Academic Publishers.

[61] C.M. Gosselin. On the design of efficient parallel mechanisms. In J. Angeles and E. Zakhariev, editors, *Computational Methods in Mechanical Systems: Mechanism Analysis, Synthesis and Optimization*, pages 68–96. Springer-Verlag, 1998.

[62] J. Wang and C.M. Gosselin. Static balancing of spatial three-degree-of-freedom parallel mechanisms. *Mechanism and Machine Theory*, 34(3):437–452, 1999.

[63] J. Wang and C.M. Gosselin. Static balancing of spatial four-degree-of-freedom parallel mechanisms. *Mechanism and Machine Theory*, 35(4):563–592, 2000.

[64] C.M. Gosselin and J. Wang. Static balancing of spatial six-degree-of-freedom parallel mechanisms with revolute actuators. *Journal of Robotic Systems*, 17(3):159–170, 2000.

[65] C.M. Gosselin, J. Wang, T. Laliberté, and I. Ebert-Uphoff. On the design of a statically balanced 6-dof parallel manipulator. In *Proceedings of the 10th World Conference on the Theory of Machines and Mechanisms*, pages 1045–1050, Oulu, Finland, 21–24 June 1999.

[66] J.L. Herder. Some considerations regarding statically balanced parallel mechanisms. In C.M. Gosselin and I. Ebert-Uphoff, editors, *Proceedings of the Workshop on Fundamental Issues and Future Research Directions for Parallel Mechanisms and Manipulators*, pages 40–45, Quebec City, Quebec, 3–4 October 2002.

[67] M. Weck and M. Giesler. Task-oriented multi-objective-optimization of parallel kinematics for machine tools. In R. Neugebauer, editor,

Proceedings of PKS2002 Parallel Kinematics Seminar, pages 197–211, Chemnitz, Germany, 23–25 April 2002.

[68] C.A. Klein and B.E. Blaho. Dexterity measures for the design and control of kinematically redundant manipulators. *The International Journal of Robotics Research*, 6(2):72–83, Summer 1987.

[69] C.M. Gosselin and J. Angeles. The optimum kinematic design of a spherical three-degree-of-freedom parallel manipulator. *Journal of Mechanisms, Transmissions and Automation in Design*, 111:202–207, 1989.

[70] C.M. Gosselin and E. Lavoie. On the kinematic design of spherical three-degree-of-freedom parallel manipulators. *The International Journal of Robotics Research*, 12(4):394–402, August 1993.

[71] K.H. Pittens and R.P. Podhorodeski. A family of Stewart platforms with optimal dexterity. *Journal of Robotic Systems*, 10(4):463–479, 1993.

[72] K.E. Zanganeh and J. Angeles. Kinematic isotropy and the optimum design of parallel manipulators. *The International Journal of Robotics Research*, 16(2):185–197, April 1997.

[73] J-P Merlet. An initiative for the kinematics study of parallel robots. In C.M. Gosselin and I. Ebert-Uphoff, editors, *Proceedings of the Workshop on Fundamental Issues and Future Research Directions for Parallel Mechanisms and Manipulators*, pages 2–9, Quebec City, Quebec, 3–4 October 2002. Keynote address.

[74] C.M. Gosselin and J. Angeles. A global performance index for the kinematic optimization of robotic manipulators. *Journal of Mechanical Design*, 113:220–226, 1991.

[75] L-W. Tsai and S. Joshi. Kinematics and optimization of a spatial 3-UPU parallel manipulator. *Journal of Mechanical Design*, 122:439–446, 2000.

[76] R. Kurtz and V. Hayward. Multiple-goal kinematic optimization of a parallel spherical mechanism with actuator redundancy. *IEEE Transactions on Robotics and Automation*, 8(5):644–651, 1992.

[77] S. Leguay-Durand and C. Reboulet. Optimal design of a redundant spherical parallel manipulator. *Robotica*, 15:399–405, 1997.

[78] R.S. Stoughton and T. Arai. A modified Stewart platform manipulator with improved dexterity. *IEEE Transactions on Robotics and Automation*, 9(2):166–173, 1993.

[79] J. Lee, J. Duffy, and M. Keler. The optimum quality index for the stability of in-parallel planar platform devices. In *Proceedings of the ASME 24th Biennial Mechanisms Conference*, Irvine, California, 18–22 August 1996. Paper no. 96-DETC/MECH1135.

[80] J. Lee, J. Duffy, and K.H. Hunt. The optimum quality index for some spatial in-parallel devices. In *Proceedings of the 1997 Florida Conference on Recent Advances in Robotics*, Miami, Florida, 10–11 April 1997.

[81] Y. Zhang and J Duffy. The optimum quality index for a redundant 4-4 in-parallel manipulator. In *RoManSy 12: Theory and Practice of Robots and Manipulators, Proceedings of the Twelfth CISM-IFToMM Symposium*, pages 289–296, Paris, 1998.

[82] J. Lee, J. Duffy, and K.H. Hunt. A practical quality index based on the octahedral manipulator. *The International Journal of Robotics Research*, 17(10):1081–1090, 1998.

[83] J.A. Carretero, R.P. Podhorodeski, M.A. Nahon, and C.M. Gosselin. Kinematic analysis and optimization of a new three degree-of-freedom

spatial parallel manipulator. *Journal of Mechanical Design*, 122:17–24, March 2000.

[84] C.M. Gosselin and M. Guillot. The synthesis of manipulators with prescribed workspace. *Journal of Mechanical Design*, 113:451–455, 1991.

[85] R. Boudreau and C.M. Gosselin. The synthesis of planar parallel manipulators with a genetic algorithm. *Journal of Mechanical Design*, 121:533–537, 1999.

[86] R. Boudreau and C.M. Gosselin. La synthèse d'une plate-forme de Gough-Stewart pour un espace atteignable prescrit. *Mechanism and Machine Theory*, 36:327–342, 2001.

[87] A.P. Murray, F. Pierrot, P. Dauchez, and J.M. McCarthy. A planar quaternion approch to the kinematic synthesis of a parallel manipulator. *Robotica*, 15:361–365, 1997.

[88] A. Murray and M. Hanchak. Kinematic synthesis of planar platforms with RPR, PRR and RRR chains. In J. Lenarčič and M.M. Stanišić, editors, *Advances in Robot Kinematics*, pages 285–292, Piran, Slovenia, June 2000. Kluwer Academic Publishers.

[89] A. Perez and McCarthy. Dual quaternion synthesis of a 2-TPR constrained parallel robot. In C.M. Gosselin and I. Ebert-Uphoff, editors, *Proceedings of the Workshop on Fundamental Issues and Future Research Directions for Parallel Mechanisms and Manipulators*, pages 150–157, Quebec City, Quebec, 3–4 October 2002.

[90] J-P Merlet. Designing a parallel manipulator for a specific workspace. Research Report 2527, INRIA, Sophia-Antipolis, France, April 1995.

[91] J-P Merlet. Designing a parallel manipulator for a specific workspace. *The International Journal of Robotics Research*, 16(4):545–556, 1997.

[92] J-P Merlet. DEMOCRAT: A design methodology for the conception of robots with parallel architecture. *Robotica*, 15:367–373, 1997.

[93] Z. Ji. Analysis of design parameters in platform manipulators. *Journal of Mechanical Design*, 118:526–531, 1996.

[94] J. Kirchner and R. Neugebauer. How to optimize parallel link mechanisms – proposal of a new strategy. In *Year 2000 Parallel Kinematic Machines International Conference*, pages 307–315, Ann Arbor, Michigan, 13–15 September 2000.

[95] M. Gallant and B. Boudreau. The synthesis of planar parallel manipulators with prismatic joint for an optimal, singularity-free workspace. *Journal of Robotic Systems*, 19(1):13–24, 2002.

[96] C.M. Gosselin. Optimization of multi-dof mechanisms. In J. Angeles and E. Zakhariev, editors, *Computational Methods in Mechanical Systems: Mechanism Analysis, Synthesis and Optimization*, pages 97–129. Springer-Verlag, 1998.

[97] M.S. Bazaraa, H.D. Sherali, and C.M. Shetty. *Nonlinear Programming, Theory and Algorithms*. John Wiley, New York, 1993. p.300.

[98] R. Fletcher and C.M. Reeves. Function minimization by conjugate gradients. *Computer Journal*, 7:149–154, 1964.

[99] E. Polak and G. Ribière. Note sur la convergence de methods de directions conjugées. *Revue Française Informat, Recherche Operationelle*, 13:35–43, 1969.

[100] J.A. Snyman. Practical mathematical optimization: An introduction to basic optimization theory and algorithms. Optimization course notes, Department of Mechanical Engineering, University of Pretoria, 2003.

[101] J.A. Snyman. A new and dynamic method for unconstrained minimization. *Applied Mathematical Modelling*, 6:449–462, 1982.

[102] J.A. Snyman. An improved version of the original leap-frog method for unconstrained minimization. *Applied Mathematical Modelling*, 7:216–218, 1983.

[103] J.A. Snyman. The LfopC leap-frog algorithm for constrained optimization. *Computers and Mathematics with Applications*, 40:1085–1096, 2000.

[104] D. Goldberg. *Genetic algorithms in search optimization and machine learning*. Addison-Wesley, Reading, MA, 1989.

[105] Z. Michalewicz. *Genetic algorithms and data structures : evolution programs*. Springer-Verlag, Berlin, 3rd edition, 1992.

[106] S. Kirkpatrick, J.R. Gellatt, and M.P. Vecchi. Optimization by simulated annealing. *Science*, 220:671–680, 1985.

[107] N. Metropolis, A. Rosenbluth, M. Rosenbluth, A. Teller, and E. Teller. Equations of state calculations by fast computing machines. *Journal of Chemical Physics*, 21:1087–1091, 1953.

[108] C.M. Gosselin, L. Perrault, and C. Vaillancourt. Simulation and computer-aided kinematic design of three-degree-of-freedom spherical parallel manipulators. *Journal of Robotic Systems*, 12(12):857–869, 1995.

[109] J-P Merlet. The need for a systematic methodology for the evaluation and optimal design of parallel manipulators. In R. Neugebauer, editor, *Proceedings of PKS2002 Parallel Kinematics Seminar*, pages 49–61, Chemnitz, Germany, 23–25 April 2002. Keynote address.

[110] J-P Merlet. Still a long way to go on the road for parallel mechanisms. In *Proceedings of the ASME 2002 Design Engineering Technical Conferences*, Montréal, Quebec, 29 September–2 October 2002. CD-ROM proceedings: Keynote address.

[111] J.C. Gilbert and J. Nocedal. Global convergence properties of conjugate gradient methods. *SIAM Journal on Optimization*, 2:21–42, 1992.

[112] J.J. Moré and D. Thuente. Linesearch algorithms with guaranteed sufficient decrease. *ACM Transactions on Mathematical Software*, 20:286–307, 1994.

[113] S.S. Rao. *Engineering Optimization, Theory and Practice*. John Wiley, New York, 1994.

[114] J.A. Snyman. Unconstrained minimization by combining the dynamic and conjugate gradient methods. *Quaestiones Mathematicae*, 8:33–44, 1985.

[115] D.M. Himmelblau. *Applied Nonlinear Programming*. McGraw-Hill, New York, 1972.

[116] A.I. Manevich. Perfection of the conjugate directions method for unconstrained minimization problems. In *Third World Congress of Structural and Multidisciplinary Optimization*, volume 1, Buffalo, New York, 17–21 May 1999.

[117] P.Y. Papalambros and D.J. Wilde. *Principles of Optimal Design*. Cambridge University Press, Cambridge, 1993.

[118] M.J.D. Powell. Algorithms for nonlinear constraints that use Lagrangian functions. *Mathematical Programming*, 14:224–248, 1978.

[119] J.A. Snyman, W.J. Roux, and N. Stander. A dynamic penalty function method for the solution of structural optimization problems. *Applied Mathematical Modelling*, 18:435–460, 1994.

[120] W. Hock and K. Schittkowski. *Lecture Notes in Economics and Mathematical Systems. No 187: Test examples for nonlinear programming codes*. Springer-Verlag, Berlin, Heidelberg, New York., 1981.

[121] K. Svanberg. The MMA for modeling and solving optimization problems. In *Proceedings of the 3rd World Conference on Structural and Multidisciplinary Optimization*, Buffalo, New York, 17–21 May 1999.

[122] J.A. Snyman and A.M. Hay. The chord method for the determination of non-convex workspaces of planar parallel platforms. In J. Lenarčič and M.M. Stanišić, editors, *Advances in Robot Kinematics*, pages 285–292, Piran, Slovenia, June 2000. Kluwer Academic Publishers.

[123] N.G. Dagalakis, J.S. Albus, B.L. Wang, J. Unger, and J.D. Lee. Stiffness study of a parallel link robot crane for shipbuilding applications. *ASME Journal of Offshore Mechanics and Arctic Engineering*, 111(3):183–193, 1989.

[124] R. Bostelman, J. Albus, N. Dagalakis, A. Jacoff, and A. Gross. Applications of the NIST Robocrane. *Robotics and Manufacturing*, 5:403–410, 1994.

[125] R. Verhoeven, M. Hiller, and S. Tadokoro. Workspace of tendon-driven Stewart platforms: Basics, classification, details on the planar 2-dof class. In *Proceedings of the 4th International Conference on Motion and Vibration Control*, ETH Zurich, Switzerland, 25–28 August 1998.

[126] R. Bostelman, W. Shackleford, F. Proctor, J. Albus, and A. Lytle. The Flying Carpet: A tool to improve ship repair efficiency. Technical report, National Institute of Standards and Technology,USA, 2002. Online report: www.nsrp.org/projects/deliverables/flying_carpet.pdf.

[127] R. Verhoeven and M. Hiller. Tension distribution in tendon-based Stewart platforms. In J. Lenarčič and F. Thomas, editors, *Advances in Robot Kinematics*, pages 117–124, Caldes de Malavella, Spain, June 2002. Kluwer Academic Publishers.

[128] P. Lafourcade, M. Llibre, and C. Reboulet. Design of a parallel wire-driven manipulator for wind tunnels. In C.M. Gosselin and I. Ebert-Uphoff, editors, *Workshop on Fundamental Issues and Future Research Directions for Parallel Mechanisms and Manipulators*, pages 187–194, Quebec City, Quebec, Canada, 3–4 October 2002.

[129] R. Verhoeven and M. Hiller. Estimating the controllable workspace of tendon-based Stewart platforms. In J. Lenarčič and M.M. Stanišić, editors, *Advances in Robot Kinematics*, pages 277–284, Piran, Slovenia, June 2000. Kluwer Academic Publishers.

[130] A. Fattah and S.K. Agrawal. Design of cable-suspended planar parallel robots for an optimal workspace. In C.M. Gosselin and I. Ebert-Uphoff, editors, *Proceedings of the Workshop on Fundamental Issues and Future Research Directions for Parallel Mechanisms and Manipulators*, pages 195–202, Quebec City, Quebec, 3–4 October 2002.