

References

- Altschul, S.F., Gish, W., Miller, W., Meyers, E.W. and Lipman, D.J. (1990). Basic Local Alignment Search Tool. *Journal of Molecular Biology* **215**: 403-410.
- Armstrong-Schellenberg, J.R.M. Hanson, K., Kikumbih, N., Mponda, H., Nathan, R., Lake, S., Mills, A., Tanner, M. and Lengeler, C. (2003). Cost-effectiveness of social marketing of insecticide-treated nets for malaria control in the United Republic of Tanzania. *Bulletins of the World Health Organisation*. **81**: 269-276.
- Baca, A.M. and Hol, W.G. (2000). Overcoming codon bias: a method for high-level overexpression of *Plasmodium* and other AT-rich parasite genes in *Escherichia coli*. *International Journal of Parasitology* **30**: 113-118.
- Bairoch, A., Bucher, P. and Hofmann, K. (1997). The PROSITE database, its status in 1997. *Nucleic Acids Research* **25**: 217-221.
- Bognar, A.L., Osborne, C., Shane, B., Singer, S.C. and Ferone, R. (1985). Folyl-poly-gamma-glutamate synthetase-dihydrofolate synthetase-cloning and high expression of the *Escherichia coli* *folC* gene and purification and properties of the gene product. *The Journal of Biological Chemistry* **260**: 5625–5630.
- Bradford, M.M. (1976). A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Analytical Biochemistry* **72**: 248-254.
- Brooker, S., Guyatt, H., Omumbo, J., Shrett, R., Drake, L. and Ouma, J. (2000). Situation analysis of malaria in school-aged children in Kenya - what can be done? *Parasitology Today* **16**: 183-186.

Brooks, D.R., Wang, P., Read, M., Watkins, W.M., Sims, P.F.G. and Hyde, J.E. (1994). Sequence variation of the hydroxymethylidihydropterin pyrophosphokinase:dihydropteroate synthase gene in lines of the human malaria parasite, *Plasmodium falciparum*, with differing resistance to sulfadoxine. *European Journal of Biochemistry* **224**: 397-405.

Bzik, D.J., Li, W., Horii, T. and Inselburg, J. (1987). Molecular cloning and sequence analysis of the *Plasmodium falciparum* dihydrofolate reductase-thymidylate synthetase gene. *Proceedings of the National Academy of Science USA* **84**: 8360-8364.

Carlton, J.M. Angiuoli, S.V., Suh, B.B., Kooij, T.W., Pertea, M., Silva, J.C., Ermolaeva, M.D., Allen, J.E., Selengut, J.D., Koo, H.L. *et al.* (2002). Genome sequence and comparative analysis of the model rodent malaria parasite *Plasmodium yoelii*. *Nature* **419**: 512-519.

Carpenter, E., Withers-Martinez, C., Hackett, F., Ely, B., Sajid, M., Grainger, M. and Blackman, M (1999). PCR based gene synthesis as an efficient approach for expression of the A+T rich malaria genome. *Protein Engineering* **12**: 1113-1120.

Cherest, H., Thomas, D. and Surdin-Kerjan, Y. (2000). Polyglutamylation of folate coenzymes is necessary for methionine biosynthesis and maintenance of an intact mitochondrial genome in *Saccharomyces cerevisiae*. *The Journal of Biological Chemistry* **275**: 14056-14063.

Clark, J.B., and Webb, R.B. (1955). A comparison of the crystal violet nuclear stain with other techniques. *Staining Technology* **30**: 73-78.

Cobb, B.D. and Clarkson, J.M. (1994). A simple procedure for optimising the polymerase chain reaction (PCR) using modified Taguchi methods. *Nucleic Acids Research* **22**: 3801-3805.

Coombs, G. Goldberg, D.E., Klemba, M., Berry, C., Kay, J. and Mottram, J.C. (2001). Aspartic proteases of *Plasmodium falciparum* and other parasitic protozoa as drug targets. *Trends in Parasitology* **17**: 532-537.

Corpet, F., Gouzy, J. and Kahn, D. (1999). Whole genome protein domain analysis using a new method for domain clustering. *Computational Chemistry* **23**: 333-340.

Costi, M.P. and Ferrari, S. (2001). Update on antifolate drug targets. *Current drug targets* **2**: 135-166.

Crabb B.S., Cooke, B.M., Reeder, J.C., Waller, R.F., Caruana, S.R., Davern, K.M., Wickham, M.E., Brown, G.V., Coppel, R.L. and Cowman, A.F. (1997). Targeted gene disruption shows that knobs enable malaria-infected red cells to cytoadhere under physiological shear stress. *Cell* **89**: 287-96.

Desai, S., Bezrukov, S. and Zimmerberg, J. (2000). A voltage-dependent channel involved in nutrient uptake by red blood cells infected with the malaria parasite. *Nature* **406**: 1001-1005.

Djimde, A., Doumbo, O., Mahamadou, D., and Plowe, C.V. (2002). Host genetics and clearance of drug-resistant *Falciparum* malaria. 3rd Pan African Multilateral Initiative on Malaria (MIM) conference, Arusha, Tanzania.

Doolan, D. and Hoffman, S.L. (2001). DNA-based vaccines against malaria: status and promise of the multistage malaria DNA vaccine operation. *International Journal of Parasitology* **31**: 753-762.

Edelman M.J. and Gandara, D. R. (1996). Promising new agents in the treatment of non-small cell lung cancer. *Cancer Chemotherapy and Pharmacology* **37**: 385-393.

Eggleson, K. Duttin, K. and Goldberg, D. (1999). Identification and characterisation of Falcilysin, a metallopeptidase involved in hemoglobin catabolism within the malaria parasite *Plasmodium falciparum*. *The Journal of Biological Chemistry* **274**: 32411-32417.

Fadili, A.E., Kundig, C. and Oullette, M. (2002). Characterization of the folylpolyglutamate synthetase gene and polyglutamylation of folates in the protozoan parasite *Leishmania*. *Molecular and Biochemical Parasitology* **124**: 63-71.

Ferone, R. (1977). Folate metabolism in malaria. *Bulletins of the World Health Organisation* **55**: 291-298.

Fichera, M. and Roos, D. (1997). A plastid organelle as a drug target in apicomplexan parasites. *Nature* **390**: 407-409.

Foth, B.J., Ralph, S.A., Tonkin, C.J., Struck, N.S., Fraunholz, M., Roos, D.S., Cowman, A.F. and McFadden G.I. (2003). Dissecting apicoplast targeting in the malaria parasite *Plasmodium falciparum*. *Science* **299**: 705-708.

Francis, S., Sullivan, D.J. and Goldberg, D. (1997). Hemoglobin metabolism in the malaria parasite *Plasmodium falciparum*. *Annual Review of Microbiology* **51**: 97-123.

Fry, M. and Beesly, J. (1991). Mitochondria of mammalian *Plasmodium* spp. *Parasitology Today* **102**: 17-26.

Fu, C., Smith, S., Simkins, S.G. and Agris, P.F. (2002). Identification and quantification of protecting groups remaining in commercial oligonucleotide products using monoclonal antibodies. *Analytical Biochemistry* **306**: 135-143.

Gallup, J.L. and Sachs, J.D. (2001). The economic burden of malaria. *American Journal of Tropical Medicine and Hygiene*. **64**: 85-96.

Gangjee, A., Dubash, N.P., Zeng, Y. and McGuire J.J. (2002). Recent advances in the chemistry and biology of folypoly-gamma-glutamate synthetase substrates and inhibitors. *Current Medicinal Chemistry and Anti-Cancer Agents* **2**: 331-355.

Gardner, M. J., Hall, N., Fung, E., White, O., Berriman, M. *et al.* (2002). Genome sequence of the human malaria parasite *Plasmodium falciparum*. *Nature* **419**: 498-511.

Garnier, J., Gibrat, J.F. and Robson B (1996). GOR secondary structure prediction method version IV *Methods in Enzymology* R.F. Doolittle Ed. **266**: 540-553.

Gentile, G., Slotman, M., Ketmaier, V., Powell, J.R. and Caccone, A. (2001). Attempts to molecularly distinguish cryptic taxa in *Anopheles gambiae* s.s. *Insect Molecular Biology* **10**: 25-32.

Hoffman, S.L., Subramanian, G.M., Collins, F.H. and Venter, J.C. (2002). *Plasmodium*, human and *Anopheles* genomics and malaria. *Nature* **415**: 702-709.

Holding, P.A. and Snow, R.W. (2001). Impact of *Plasmodium falciparum* malaria on performance and learning: review of the evidence. *American Journal of Tropical Medicine and Hygiene*. **64**: 68-75.

Huang, J., Villemain, J., Padilla, R. and Sousa, R. (1999). Mechanisms by which T7 lysozyme specifically regulates T7 RNA polymerase during different phases of transcription. *Journal of Molecular Biology* **293**: 457-475.

Hyde, J.E. (1989). Point mutations and pyrimethamine resistance in *Plasmodium falciparum*. *Parasitology Today* **5**: 252-255.

James, A.A. (2003). Blocking malaria parasite invasion of mosquito salivary glands. *Journal of Experimental Biology* **206**: 3817-3821.

Karplus, K., Barrett, C. and Hughey, R. (1998). Hidden Markov models for detecting remote protein homologies. *Bioinformatics* **14**: 846-856.

Keshavjee, K., Pyne, C., Kimlova, L.J., Huy, J., Beebakhee, G. and Bognar, A.L. (1991). Mutagenesis of the *folC* gene encoding folylpolyglutamate synthetase-dihydrofolate synthetase in *Escherichia coli*. *Archives of Biochemistry and Biophysics*. **284**: 9-16.

Kester, K.E., McKinney, D.A., Tornieporth, N., Ockenhouse, C.F., Heppner, D.G., Hall, T., Krzych, U., Delchambre, M., Voss, G., Dowler, M.G., Palensky, J., Witten, J. and Cohen J, (2001). Efficacy of recombinant circumsporozoite protein vaccine regimens against experimental *Plasmodium falciparum* malaria. *Journal of Infectious Diseases* **183**: 640-647.

Koukourakis, M.I., Giatromanolaki, A. and Sivridis, E. (2003). Lactate dehydrogenase isoenzymes 1 and 5: Differential expression by neoplastic and stromal cells in non-small cell lung cancer and other epithelial malignant tumors. *Tumor Biology* **24**: 199-202.

Krishna, S., Eckstein-Ludwig, U., Webb R.J., Van Goethem, I.D., East, J.M., Lee, A.G., Kimura, M., O'Neill, P.M., Bray, P.G. and Ward, S.A. (2003). Artemisinins target the SERCA of *Plasmodium falciparum*. *Nature* **424**: 57-961.

Kristan, M., Fleischman, H., della Torre, A., Stich, A. and Curtis, C.F. (2003). Pyrethroid resistance/susceptibility and different urban/rural distribution of *Anopheles arabiensis* and *A. gambiae* ss. vectors in Nigeria and Ghana. *Medicinal and Veterinary Entomology* **17**:326-332.

Krungkrai, J., Webster, H. and Yuthavong, Y. (1989). *De novo* and salvage biosynthesis of pteroylpentaglutamates in the human malaria parasite, *Plasmodium falciparum*. *Molecular and Biochemical Parasitology* **32**:25-38.

Lee, C.S., Salcedo, E., Wang, Q., Wang, P., Sims, P. and Hyde, J. (2001). Characterisation of three genes encoding enzymes of the folate biosynthetic pathway in *Plasmodium falciparum*. *Parasitology* **122**:1-13.

Lell, B., Ruangweerayut, R., Wiesner, J., Missinou, M.A., Schindler, A., Baranek, T., Hintz, M., Hutchinson, D., Jomaa, H. and Kremsner, P.G. (2003). Fosmidomycin, a novel chemotherapeutic agent for malaria. *Antimicrobial Agents and Chemotherapy* **47**: 35-738.

Li, Y.C., Korol, A.B., Fahima, T., Beiles, A. and Nevo, E. (2002). Microsatellites: genomic distribution, putative functions and mutational mechanisms: a review. *Molecular Ecology* **11**: 453-2468.

Lupas, A. (1996). Coiled coils: new structures and new functions. *Trends in Biochemical Sciences* **21**: 375-382.

Manning, S.K., Woodrow, C., Zuniga, F.A., Iserovich, P., Fischbarg, J., Louw, A.I. and Krishna, S. (2002). Mutational analysis of the hexose transporter of *Plasmodium falciparum*

and development of a three-dimensional model. *The Journal of Biological Chemistry* **277**: 30942-30949.

Marsh, K., Forster, D., Waruiru, C., Mwangi, I., Winstanley, M., Marsh, V., Newton, C., Winstanley, P., Warn, P., Peshu, N., et al. (1995). Indicators of life-threatening malaria in African children. *New England Journal of Medicine* **332**: 1399-1404.

McKie, J.H., Douglas, K.T., Chan, C., Roser, S., Yates, R., Read, M., Hyde, J.E., Dascombe, M., Yuthavong, Y and Sirawaraporn, W. (1998). Rational drug design approach for overcoming drug resistance: Application to pyrimethamine resistance in malaria. *Journal of Medicinal Chemistry* **41**: 1367-1370.

McGuire, J.J. and Bertino, J.R. (1981). Enzymatic synthesis and function of folylpolyglutamates. *Molecular and Cellular Biochemistry*. **38**: 1 -48.

Merril, C.R., Goldman, D., Sedman, S.A. and Ebert, M.H. (1981). Ultrasensitive stain for proteins in polyacrylamide gels shows regional variation in cerebrospinal fluid proteins. *Analytical Biochemistry* **72**: 248-254.

Miller, L.H. (1999). Evolution of the human genome under selective pressure from malaria: applications for control. *Parasitologia* **41**: 77-82.

Miller, L.H., Baruch, D.I., Marsh, K. and Doumbo, O.K. (2002). The pathogenic basis of malaria. *Nature* **415**: 673-679.

Moran, R.G. (1999). Role of folylpoly-gamma-glutamate synthetase in therapeutics with tetrahydrofolate antimetabolites: an overview. *Seminars in Oncology* **26**: 24-32.

Morris, A., McArthur, M., Hutchinson, E. and Thornton, J. (1992). Stereochemical quality of protein structure coordinates. *Proteins* **12**: 345-364.

Muentener, P., Schlagenhauf, P. and Steffen, R. (1999). Imported malaria (1985-95): trends and perspectives. *Bulletins of the World Health Organisation* **77**: 560-566.

Ohkanda, J., Lockman, J.W., Yokoyama, K., Gelb, M.H., Croft, S.L., Kendrick, H., Harrell, M.I., Feagin, J.E., Blaskovich, M.A., Sebti, S.M. and Hamilton AD. (2001). Peptidomimetic inhibitors of protein farnesyltransferases show antimalarial activity. *Bioorganic and Medicinal Chemistry Letters* **11**: 761-764.

Osborne, C., Lowe, KE and Shane, B. (1993). Regulation of folate and one-carbon metabolism in mammalian cells. Folate metabolism in Chinese hamster ovary cells expressing *Escherichia coli* or human folylpoly-gamma-glutamate synthetase activity. *Journal of Biological Chemistry* **268**: 21 657–21 664.

Pizzi, E and Frontali, C. (2001). Low-Complexity regions in *Plasmodium falciparum* proteins. *Genome Research* **11**: 218-229.

Prapunwattana, P., Sirawaraporn, W., Yuthavong, Y. and Santi, D.V. (1996). Chemical synthesis of the *Plasmodium falciparum* dihydrofolate reductase-thymidylate synthase gene. *Molecular and Biochemical Parasitology* **83**: 93-106.

Quigley, M. and Holmes, D.S. (1981). A rapid boiling method for the preparation of bacterial plasmids. *Analytical Biochemistry* **114**: 193-197.

Ramage, P., Hemming, R., Mathis, B., Cowan-Jacob, S.W., Rondeau, J.M., Kallen, J., Blommers, M.J.J., Zurini, M and Rudisser, S. (2002). Snags with tags: Some observations made with (His)₆-tagged proteins *Life Science News (Amersham Biosciences)* **11**: 1-5.

Ravanel, S., Cherest, H., Jabrin, S., Grunwald, D., Surdin-Kerjan, Y., Douce, R. and Rebeille, F. (2001). Tetrahydrofolate biosynthesis in plants: Molecular and functional characterization of dihydrofolate synthetase and three isoforms of folylpolyglutamate synthetase in *Arabidopsis thaliana*. *Proceedings of the National Academy of Science USA* **98**: 15360–15365.

Richie, T.L. and Saul, A. (2002). Progress and challenges for malaria vaccines. *Nature* **415**: 694-709.

Ridley, R.G. (2002). Medical need, scientific opportunity and the drive for antimalarial drugs. *Nature Insight* **415**: 686-693.

Rogers, D.J., Randolph, S.E., Snow, R.W. and Hay, S.I. (2002). Satellite imagery in the study and forecast of malaria. *Nature Insight* **415**: 710-715.

Romanos, M.A., Makoff, A., Fairweather, N., Beesley, K., Slater, D., Rayment, F., Payne, M and Clare, J. (1991). Expression of tetanus toxin fragment C in yeast-gene synthesis is required to eliminate fortuitous polyadenylation sites in AT rich DNA. *Nucleic Acids Research*. **19**: 1461-1467.

Rost, B. and Sander, C. (1993). Prediction of protein secondary structure at better than 70% accuracy. *Journal of Molecular Biology* **232**: 584-599.

Sabeti, P.C., Reich, D.E., Higgins, J.M., Levine, H.C. Richter, D.J., Schaffner, S.F., Gabriel, S.B. and Platko, J.V. (2002). Detecting recent positive selection in the human genome from haplotype structure. *Nature* **419**: 832-837.

Sachs, J. and Malaney, P. (2002). The economic and social burden of malaria. *Nature Insight* **415**: 680-685.

Salcedo, E., Cortese, J.F., Plowe, C.V., Sims, P.F.G. and Hyde, J.E. (2001). A bifunctional dihydrofolate synthetase– folylpolyglutamate synthetase in *Plasmodium falciparum* identified by functional complementation in yeast and bacteria. *Molecular and Biochemical Parasitology* **112**: 239-252.

Sali, A. and Blundell, T.L. (1993). Comparative protein modelling by satisfaction of spatial restraints. *Journal of Molecular Biology* **234**: 779-815.

Sambrook, J., Fritsch, E.J. and Maniatis, T. (1989). In: *Molecular cloning: A laboratory manual* (2nd ed) Cold Spring Harbor, New York.

Santi, D., Nolan, P. and Shane, B. (1987). Folylpolyglutamates in *Leishmania major*. *Biochemical and Biophysical Research Communications* **146**: 1089-1092.

Saul, A. (1999). The role of variant surface antigens on malaria-infected red blood cells. *Parasitology Today* **15**: 455-457.

Shane, B. (1980). Pteroylpoly- γ -glutamate synthesis by *Corynebacterium* species. *The Journal of Biological Chemistry* **255**: 5649-5654.

Sheng, Y., Sun, X., Shen, Y., Bognar, A.L., Baker, E.N. and Smith, C.A. (2000). Structural and functional similarities in the AMP-forming amide bond ligase superfamily: implications for a substrate-induced conformational change in folylpolyglutamate synthetase. *Journal of Molecular Biology* **302**: 427-440.

Shenai, B., Sijwali, P., Singh, A. and Rosenthal, P. (2000). Characterisation of native and recombinant falcipain-2, a principal trophozoite cysteine protease and essential hemoglobinase of *Plasmodium falciparum*. *Journal of Biological Chemistry* **275**: 29000-29010.

Sibley, C.H., Hyde, J.E., Sims, P.F.G., Plowe, C.V., Kublin, J.G., Mberu, E.K., Cowman, A.F., Winstanley, P.A., Watkins, W.M. and Nzila, A.M. (2001). Pyrimethamine-sulfadoxine resistance in *Plasmodium falciparum*: what next? *Trends in Parasitology* **17**: 582-568.

Sirawaraporn, W., Prapunwattana, P., Sirawaraporn, R., Yuthavong, Y. and Santi, D.V. (1993). The dihydrofolate reductase domain of *Plasmodium falciparum* thymidylate synthase-dihydrofolate reductase. *The Journal of Biological Chemistry* **268**: 21637-21644.

Skerra, A. (1994). Use of the tetracycline promoter for the tightly regulated production of a murine antibody fragment in *Escherichia coli*. *Gene* **151**: 131-135.

Stokstad, E.L.R. and Koch, J. (1967). Folic acid metabolism. *Physiology Reviews* **47**: 83-116.

Stowers, A.W., Cioce, V., Shimp, R.L., Lawson, M., Hui, G., Muratova, O., Kaslow, D.C., Robinson, R., Long, C.A. and Miller, L.H. (2001). Efficacy of two alternate vaccines based on *Plasmodium falciparum* merozoite surface protein 1 in an *Aotus* challenge trial. *Infections and Immunity* **69**: 1536-1546.

Sugiyama, T., Suzue, K., Okamoto, M., Inselburg, J., Tai, K. and Horii, T. (1996). Production of recombinant SERA proteins of *Plasmodium falciparum* in *Escherichia coli* by using synthetic genes. *Vaccine* **14**: 1069-1076.

Sun, X., Bognar, A., Baker, E and Smith, C. (1998). Structural homologies with ATP- and folate-binding enzymes in the crystal structure of folylpolyglutamate synthetase. *Biochemistry* **95**: 6647-6652.

Thompson, J.D., Gibson, T.J., Plewniak, F., Jeanmaugin, F. and Higgins, D.G. (1997). The CLUSTAL X windows interface: flexible strategies for multiple sequence alignment aided by quality analysis tools. *Nucleic Acids Research* **25**: 4876-4882.

Triglia, T., Wang, P., Sims, P.F.G., Hyde, J.E. and Cowman, A.F. (1998). Allelic exchange at the endogenous genomic locus in *Plasmodium falciparum* proves the role of dihydropteroate synthase in sulfadoxine-resistant malaria. *The EMBO Journal* **17**: 3807-3815.

Voet, D. and Voet, J.G. (1995). In: *Biochemistry* (3rd edition) John Wiley and Sons Inc, pp. 896-897.

Wang, P., Brobey, R.K.B, Horii, T., Sims, P.F.G. and Hyde, J.E. (1999). Utilization of exogenous folate in the human malaria parasite *Plasmodium falciparum* and its critical role in antifolate drug synergy. *Molecular Microbiology* **32**: 1254-1262.

Wang, P., Brooks, D.R., Sims, P.F.G. and Hyde, J.E. (1995). A mutation-specific PCR system to detect sequence variation in the dihydropteroate synthetase gene of *Plasmodium falciparum*. *Molecular and Biochemical Parasitology* **71**: 115-125.

Wang, P., Read, M., Sims, P.F.G. and Hyde, J.E. (1997). Sulfadoxine resistance in the human malaria parasite *Plasmodium falciparum* is determined by mutations in dihydropteroate synthase and an additional factor associated with folate utilization. *Molecular Microbiology* **23**: 979-986.

Wirth, D. F. (2002). Biological revelations. *Nature* **419**: 495-496.

Wootton, J.C. and Federhen, S. (1996). Analysis of compositionally biased regions in sequence databases. *Methods in Enzymology* **266**: 554-571.

Yuthavong, Y. (2002). Basis for antifolate action and resistance in malaria. *Microbes and Infection* **4**: 175-182.

Yuvaniyama, J., Chitnumsub, P., Kamchonwongpaisan, S., Vanichtanankul, J., Sirawaraporn, W, Taylor, P., Ikinshaw, M.D. and Yuthavong, Y. (2003). Insights into antifolate resistance from malarial DHFR-TS structures. *Nature Structural Biology* **10**: 357-365.

Zangenberg, G., Saiki, R. and Reynolds, R. (1999). *Multiplex PCR: Optimisation Guidelines* In: PCR Applications: Protocols for Functional Genomics. Innis, M.A., Gelfand, D.H., and Sninsky, J.J. (eds.), Academic Press: San Diego, pp. 73–94.

Zhang, H., Howard, E.M. and Roepe, P.D. (2002). Analysis of the Antimalarial Drug Resistance Protein PfCRT Expressed in Yeast. *The Journal of Biological Chemistry* **277**: 49767-49775.