

## References

- Alshibli, K.A., Batiste, S.N. and Sture, S. (2003) "Strain localization in sand: Plane strain versus triaxial compression". Journal of the Geotechnical Engineering Division, ASCE, Vol. 129 (6), pp. 483-494.
- Arthur, J.R.F., Chau, K.S. and Dunstan, T. (1977a) "Induced anisotropy in sand". Géotechnique, Vol. 27 (1), pp. 13-30.
- Arthur, J.R.F., Dunstan, T., Al-Ani, Q.A.J.L. and Assadi, A. (1977b) "Plastic deformation and failure in granular media". Géotechnique, Vol. 27 (1), pp. 53-74.
- ASTM D422-63 (1998) "Standard test method for particle-size analysis of soils", ASTM.
- ASTM D4253-93 (1996) "Standard test method for maximum index density and unit weight of soils using a vibratory table", ASTM.
- ASTM D4885-88 (1988) "Standard test method for determining performance strength of geomembranes by the wide strip tensile method", ASTM.
- ASTM D5617-94 (1994) "Standard test method for multi-axial tension test for geosynthetics", ASTM.
- ASTM D638-94 (1994) "Standard test method for tensile properties of plastic", ASTM.
- Atkinson, J.H. and Sallfors, G. (1991) "Experimental determination of soil properties". Proceedings of the Tenth European Conference on Soil Mechanics, Florence, Vol. 3, pp. 915-956.

**University of Pretoria etd – Wesseloo, J (2005)**  
**References**

- Baladi, G.Y. (1980) "A discussion on the stress-strain applications in geotechnical engineering". Application of plasticity and generalized stress-strain in geotechnical engineering. Proceedings of the symposium on limit equilibrium, plasticity and generalized stress strain applications in geotechnical engineering, Hollywood, Florida, 27-31 October, 1980. Yong, N.R. and Selig, E.T. (Eds.). New York: ASCE, pp. 341-350.
- Barden, L. and Khayatt A.J. (1966) "Incremental strain rate ratios and strength of sand in the triaxial test". *Géotechnique*, Vol. 16 (4), pp. 338-357.
- Bathurst, R.J. and Crowe, R.E. (1994) "Recent case histories of flexible geocell retaining walls in North America". Recent case histories of permanent geosynthetic-reinforced soil retaining walls. Tatsuoka, F. and Leshchinsky, D. (Eds.). Rotterdam: Balkema, pp. 3-19.
- Bathurst, R.J. and Karpurapu, R. (1993) "Large-scale triaxial compression testing of geocell-reinforced granular soils". *Geotechnical Testing Journal*, Vol. 16 (3), pp. 296-303.
- Batiste, S.N., Alshibli, K.A., Lankton, M.R., Stein, S., Swanson, R.A. and Costes, N.C. (2001) "Computed tomography investigations of microgravity-tested sand samples". Application of accelerators in research and industry - Sixteenth international conference. Duggan, J.L. and Morgan, I.L. (Eds.). American Institute of Physics, pp. 1091-1094.
- Beijer, J.G.J. and Spoormaker, J.L. (2000) "Modelling of creep behaviour in injection-moulded HDPE". *Polymer*, Vol. 41, pp. 5443–5449.
- Billam, J. (1971) "Some aspects of the behaviour of granular materials at high pressures". Stress-strain behaviour of soils. Proceedings of the Roscoe Memorial Symposium, Cambridge University 29-31 March 1971. Parry, R.H.G. (Ed.). Henley-on-Thames: G.T. Foulis & Co., pp. 69-80.
- Bishop, A.W. (1950) "Undrained triaxial tests in saturated sand and their significance in the general theory of shear strength". *Géotechnique*, Vol. 2 (1), pp. 13-32.
- Bishop, A.W. (1954) "Correspondence on shear characteristics of a saturated silt, measured in triaxial compression". *Géotechnique*, Vol. 4 (1), pp. 43-45.

- Bishop, A.W. (1971) "Discussion leader's closing comments: Session 1 - The meaning and measurement of basic soil parameters". Stress-strain behaviour of soils. Proceedings of the Roscoe Memorial Symposium, Cambridge University 29-31 March 1971. Parry, R.H.G. (Ed.). Henley-on-Thames: G.T. Foulis & Co., pp. 125-133.
- Bishop, A.W. and Green, G.E. (1965) "The influence of end restraint on the compression strength of a cohesionless soil". *Géotechnique*, Vol. 15 (3), pp. 243-266.
- Bishop, A.W. and Henkel, D.J. (1957) "The measurement of soil properties in the triaxial test", London: Edward Arnold Publishers.
- Bishop, A.W., Webb, D.L. and Skinner, A.E. (1965) "Triaxial tests on soil at elevated cell pressures". Proceedings of the Sixth International Conference on Soil Mechanics and Foundation Engineering, Montreal, Vol. 1, pp. 170-174.
- Bolton, M.D. (1986) "The strength and dilatancy of sands". *Géotechnique*, Vol. 36 (1), pp. 2101-2108.
- Borg, I., Friedman, M., Handin, J. and Higgs, D.V. (1960) "Experimental deformation of St. Peter sand: A study of cataclastic flow". Rock deformation (A Symposium), Geological Society of America, pp. 133-191.
- Bromwell, L.G. (1966) "The friction of quartz in high vacuum". Research Report B66-18, Dept. of Civil Engineering, M.I.T.
- BS 1377-4:1990 "Methods of test for soils for civil engineering purposes. Compaction related tests", British Standards Institution.
- BS 1377-5:1990 "Methods of test for soils for civil engineering purposes. Compressibility, permeability and durability tests", British Standards Institution.
- BS 1377-6:1990 "Methods of test for soils for civil engineering purposes. Consolidation and permeability tests in hydraulic cells and with the pore pressure measurement", British Standards Institution.
- BS 1377-8:1990 "Methods of test for soils for civil engineering purposes. Shear strength tests (effective stress)", British Standards Institution.
- Bush, D.I., Jenner, C.G. and Bassett, R.H. (1990) "The design and construction of geocell foundation mattresses supporting embankments over soft ground". *Geotextiles and Geomembranes*, Vol. 9, pp. 83-98.

**University of Pretoria etd – Wesseloo, J (2005)**  
**References**

- Caquot, A. (1934) "Equilibre des massifs à frottement interne". Stabilité des terres pulvérents et cohérentes, Paris: Gauthier Villars.
- Chan, A.H.C. (1998) "On the use of comprehensive soil models in geotechnical analysis". Pre-failure deformation behaviour of geomaterials. Jardine, R.J., Davies, M.C.R., Hight, D.W., Smith, A.K.C., Stallebrass, S.E. (Eds.). London: Thomas Telford, pp. 403-404.
- Christian, J.T. (1980) "The application of generalized stress-strain relations". Application of plasticity and generalized stress-strain in geotechnical engineering. Proceedings of the symposium on limit equilibrium, plasticity and generalized stress strain applications in geotechnical engineering, Hollywood, Florida, 27-31 October, 1980. Yong, N.R. and Selig, E.T. (Eds.). New York: ASCE, pp. 182-204.
- Clayton, C.R.I. and Heymann, G. (2001) "Stiffness of geomaterials at very small strains". Géotechnique, Vol. 51 (3), pp. 245-255.
- Cornforth, D.H. (1964) "Some experiments on the influence of strain conditions on the strength of sand". Géotechnique, Vol. 14 (2), pp. 143-167.
- Cowland, J.W. and Wong, S.C.K. (1993) "Performance of road embankments on soft clay supported on a geocell mattress foundation". Geotextiles and Geomembranes, Vol. 12, pp. 687-705.
- Cuccovillo, T. and Coop, M.R. (1999) "On the mechanics of structured sands". Géotechnique, Vol. 49 (6), pp. 741-760.
- Dash, S.K., Krishnaswamy, N.R. and Rajagopal, K. (2001) "Bearing capacity of strip footings supported on geocell-reinforced sand". Geotextiles and Geomembranes, Vol. 19, pp. 235-256.
- Dash, S.K., Sireesh, S. and Sitharam, T.G. (2003) "Model studies on circular footing supported on geocell reinforced sand underlain by soft clay". Geotextiles and Geomembranes, Vol. 21, pp. 197-219.
- De Beer, E. (1965) "Influence of the mean normal stress on the shearing strength of sand". Proceedings of the Sixth International Conference on Soil Mechanics and Foundation Engineering, Montreal: , Vol. 1, pp. 165-169.
- De Josselin de Jong, G. (1976) "Rowe's stress-dilatancy relation based on friction". Géotechnique, Vol. 26 (3), pp. 527-534.

- De Lorenzi, H.G., Nied, H.F. and Taylor, C.A. (1991) "A numerical/experimental approach to software development for thermoforming simulations". Pressure Vessel Technology, Vol. 113, pp. 102-114.
- Deman, F. (1975) "Achensyntetische spannungs-und verformungsfelder in trockenem sand". Dissertation, Universität Karlsruhe.
- Dresher, A. and Vardoulakis, I. (1982) "Geometric softening in triaxial tests on granular material". Géotechnique, Vol. 32 (4), pp. 291-303.
- Duncan, J.M. (1980) "Generalized stress-strain applications in geotechnical engineering". Application of plasticity and generalized stress-strain in geotechnical engineering. Proceedings of the symposium on limit equilibrium, plasticity and generalized stress strain applications in geotechnical engineering, Hollywood, Florida, 27-31 October, 1980. Yong, N.R. and Selig, E.T. (Eds.). New York: ASCE, pp. 333-335.
- Duncan, J.M. and Chang, C. (1970) "Nonlinear analysis of stress and strain in soils". Journal of the Soil Mechanics and Foundations Division, ASCE, Vol. 96 (SM5), pp. 1629-1653.
- Duncan, J.M. and Seed, H.B. (1967) "Corrections for strength data". Journal of the Soil Mechanics and Foundations Division, ASCE, Vol. 93 (SM5), pp. 121-137.
- Frost, J.D. and Yang, C. (2003) "Effect of end platens on microstructure evolution in dilatant specimens". Soils and Foundations, Vol. 43 (4), pp. 1-11.
- Giroud, J.P. (1994) "Mathematical model of geomembrane stress-strain curves with a yield peak". Geotextiles and Geomembranes, Vol. 13, pp. 1-22.
- Giroud, J.P. (2004) "Poisson's ratio of geosynthetics subjected to large strains". Geotextiles and Geomembranes, Vol. 22, pp. 297-305.
- Giroud, J.P., Monroe, M. and Charron, R. (1994) "Strain measurement in HDPE geomembrane tensile tests". Geotechnical Testing Journal, GTJODJ, Vol. 17 (1), pp. 65-71.
- Goldscheider, M. (1984) "True triaxial test on dense sand". Constitutive relations for soils. Gudehus, G., Darve, F. and Vardoulakis, I. (Eds.). Rotterdam: Balkema.

**University of Pretoria etd – Wesseloo, J (2005)**  
**References**

- Green, G.E. (1971) "Strength and deformation of sand measured in an independent stress control cell". Stress-strain behaviour of soils, Proceedings of the Roscoe Memorial Symposium, Cambridge University 29-31 March 1971. Parry, R.H.G. (Ed.). G.T. Foulis & Co., pp. 125-133.
- Green, G.E. and Bishop, A.W. (1969) "A note on the drained strength of sand under generalised strain conditions". *Géotechnique*, Vol. 19 (1), pp. 144-149.
- Han, C. (1991) "Localization of deformation in sand". PhD thesis, University of Minnesota.
- Hanna, A. (2001) "Determination of plane-strain shear strength of sand from the results of triaxial tests". *Canadian Geotechnical Journal*, Vol. 38, pp. 1231-1240.
- Hansen, J. Brinch (1965) "Some stress-strain relationships for soil". Proceedings of the Sixth International Conference on Soil Mechanics and Foundation Engineering, Montreal: , Vol. 1, pp. 231-234.
- Henkel, D.J. and Gilbert, G.D. (1952) "The effect of the rubber membrane on the measured triaxial compression strength of clay samples". *Géotechnique*, Vol. 3 (1), pp. 20-29.
- Hettler, A. and Vardoulakis, I. (1984) "Behaviour of dry sand tested in a large triaxial apparatus". *Géotechnique*, Vol. 34 (2), pp. 183-198.
- Hirshfield, R.C. and Poulos, J.S. (1963) "Laboratory shear testing of soils". Special technical publication, ASTM, No. 361, pp. 329-341.
- Høeg, K., Dyvik, R. and Sandbækken, G. (2000) "Strength of undisturbed versus reconstituted silt and silty sand specimens". *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, Vol. 126 (7), pp. 606-617.
- Horn, M.R. (1965a) "The behaviour of an assembly of rotund, rigid cohesionless particles. Part I". *Proceedings of the Royal Society of London, Series A*, Vol. 286, pp. 62-76.
- Horn, M.R. (1965b) "The behaviour of an assembly of rotund, rigid cohesionless particles. Part II". *Proceedings of the Royal Society of London, Series A*, Vol. 286, pp. 79-97.
- Horn, M.R. (1969) "The behaviour of an assembly of rotund, rigid cohesionless particles. Part III". *Proceedings of the Royal Society of London, Series A*, Vol. 310, pp. 21-34.
- Jáky, J. (1944) "The coefficient of earth pressure at rest" (in Hungarian). *Journal of the Society of Hungarian Architects and Engineers*, Vol. 78 (22), pp. 355-358.

**University of Pretoria etd – Wesseloo, J (2005)**  
**References**

- Jáky, J. (1948) "Pressure in silos". Proceedings of the Second International Conference on Soil Mechanics and Foundation Engineering, Rotterdam: pp.103-107.
- Jardine, R.J., Davies, M.C.R., Hight, D.W., Smith, A.K.C. and Stallebrass, S.E. (Eds.) (1998) "Pre-failure deformation behaviour of geomaterials". London: Thomas Telford.
- Koerner, R.M. (1997) "Designing with geosynthetics". 4th ed., Boston: Prentice Hall.
- Krishnaswamy, N.R., Rajagopal, K. and Madhavi Latha, G. (2000) "Model studies on geocell supported embankments constructed over soft clay foundations". Geotechnical Testing Journal, Vol. 23 (1), pp. 45-54.
- Lade, P.V. (2003) "Analysis and prediction of shear banding under 3D conditions in granular materials". Soils and Foundations, Japanese Geotechnical Society, Vol. 43 (4), pp. 161-172.
- La Rochelle, P., Leroueil, S., Trak, B., Blais-Leroux, L. and Tavenas, F. (1988) "Observational approach to membrane and area corrections in triaxial tests". Advanced triaxial testing of soil and rock, ASTM STP 977. Donaghe, R.T., Chaney, R.C. and Silver, M.L. (Eds.). Philadelphia: ASTM, pp. 715-731.
- Lee, I.K. (1966) "Stress-dilatancy performance of feldspar". Journal of the Soil Mechanics and Foundations Division, ASCE, Vol. 2 (1), pp. 79-103.
- Lee, K.L. and Seed, H.B. (1967) "Drained strength characteristics of sand". Journal of the Soil Mechanics and Foundations Division, ASCE, Vol. 93 (SM6), pp. 117-141.
- Lo Presti, D.C.F., Pallara, O., Fioravante, V. and Jamiolkowski, M. (1998) "Assessment of quasi-linear models for sand". Pre-failure deformation behaviour of geomaterials. Jardine, R.J., Davies, M.C.R., Hight, D.W., Smith, A.K.C., Stallebrass, S.E. (Eds.). London: Thomas Telford, pp. 363-372.
- Matsuoka, H. and Nakai, T. (1982) "A new failure criterion for soils in three-dimensional stresses". Deformation and failure of granular materials, IUTAM Symposium, Delft, 31 August - 3 September. Vermeer, P.A. and Luger, H.J. (Eds.). Rotterdam: Balkema, pp. 253-263.
- Merry, S.M. (1995) "Mechanical response and properties of geomembranes". PhD thesis, University of California.

**University of Pretoria etd – Wesseloo, J (2005)**  
**References**

- Merry, S.M. and Bray, J.D. (1996) "Geomembrane response in the wide strip tension test". *Geosynthetics International*, Vol. 3 (4), pp. 517-536.
- Merry, S.M. and Bray, J.D. (1997) "Time dependent mechanical response of HDPE geomembranes". *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, Vol. 123 (1), pp. 57-65.
- Mhaiskar, S.Y. and Mandal, J.N. (1992) "Soft clay subgrade stabilisation using geocells". *Grouting, Soil Improvement and Geosynthetics*, Vol. 2, Geotechnical Special Publication No.30. Borden, R.H., Holtz, R.D. and Juran, H. (Eds.). New Orleans, Louisiana: ASCE, pp. 1092-1103.
- Mhaiskar, S.Y. and Mandal, J.N. (1996) "Investigation on soft clay subgrade strengthening using geocells". *Construction and Building Materials*, Vol. 10 (4), pp. 281-286.
- Mittal, H.K. and Morgenstern, N.R. (1975) "Parameters for the design of tailings dams". *Canadian Geotechnical Journal*, Vol. 12, pp. 235-261.
- Molenkamp, F and Luger, H.J. (1981) "Modelling and minimization of membrane penetration effects in tests on granular soils". *Géotechnique*, Vol. 31 (4), pp. 471-486.
- Muir Wood, D. (1998) "Constitutive modelling: required complexity?". Pre-failure deformation behaviour of geomaterials. Jardine, R.J., Davies, M.C.R., Hight, D.W., Smith, A.K.C., Stallebrass, S.E. (Eds.). London: Thomas Telford, pp. 405-407.
- Nikolov, S. and Doghri, I. (2000) "A micro/macro constitutive model for the small-deformation behaviour of polyethylene". *Polymer*, Vol. 41, pp. 1883-1891.
- Papamichos, E. and Vardoulakis, I. (1995) "Shear band formation in sand according to non-coaxial plasticity model". *Géotechnique*, Vol. 45 (4), pp. 649-661.
- Parikh, P.V. (1967) "The shearing behaviour of sand under axisymmetric loading". PhD thesis, Manchester University.
- Preace, J.A. (1971) "A new true triaxial apparatus". Stress-strain behaviour of soils, Proceedings of the Roscoe Memorial Symposium, Cambridge University 29-31 March 1971. Parry, R.H.G. (Ed.). G.T. Foulis & Co., pp. 69-80.

- Rajagopal, K., Krishnasamy, N.R. and Madhavi Latha, G. (1999) "Behaviour of sand confined with single and multiple geocells". *Geotextiles and Geomembranes*, Vol. 17, pp. 123-124.
- Rea, C. and Mitchell, J.K. (1978) "Sand reinforcement using paper grid cells". *Proceedings of the Symposium on Earth Reinforcement*, Pittsburg: ASCE, pp. 644-663.
- Reynolds, O. (1885) "On the dilatancy of media composed of rigid particles in contact". *Phil. Mag.*, Vol. 20 (5), pp. 46.
- Road Research Laboratory, D.S.I.R. (1952) "Soil mechanics for road engineers", London: H.M.S.O.
- Roscoe, K.H. Schofield, A.N. and Wroth, C.P. (1959) "Reply to correspondence on 'on the yielding of soils' ". *Géotechnique*, Vol. 9 (2), pp. 73-82.
- Roscoe, K.H. (1970) "The influence of strain in soil mechanics - The tenth Rankine lecture". *Géotechnique*, Vol. 20 (2), pp. 129-170.
- Roscoe, K.H., Schofield, A.N. and Thurairajah, A. (1963) "Yielding of clays in states wetter than critical". *Géotechnique*, Vol. 13 (1), pp. 211-240.
- Roscoe, K.H., Schofield, A.N. and Wroth, C.P. (1958) "On the yielding of soils". *Géotechnique*, Vol. 8 (1), pp. 22-52.
- Rowe, P.W. (1962) "The stress-dilation relationship for the static equilibrium of an assembly of particles in contact". *Proceedings of the Royal Society of London, Series A*, Vol. 269, pp. 500-527.
- Rowe, P.W. (1963) "Stress-dilatancy, earth pressures, and slopes". *Journal of the Soil Mechanics and Foundations Division, ASCE*, Vol. 89 (SM 3), pp. 37-61.
- Rowe, P.W. (1969) "The relation between the shear strength of sand in the triaxial compression, plane strain and direct shear". *Géotechnique*, Vol. 19 (1), pp. 75-86.
- Rowe, P.W. (1971a) "Theoretical meaning and observed values of deformation parameters for soil". *Stress-strain behaviour of soils, Proceedings of the Roscoe Memorial Symposium, Cambridge University 29-31 March 1971*. Parry, R.H.G. (Ed.). G.T. Foulis & Co., pp. 143-194.

- Rowe, P.W. (1971b) "Discussion on papers in session 1 - The meaning and measurement of basic soil parameters". Stress-strain behaviour of soils, Proceedings of the Roscoe Memorial Symposium, Cambridge University 29-31 March 1971. Parry, R.H.G. (Ed.). G.T. Foulis & Co., pp. 99-124.
- Rowe, P.W. and Barden, L. (1964) "Importance of free ends in triaxial testing". Journal of the Soil Mechanics and Foundations Division, ASCE, Vol. 90 (SM1), pp. 1-27.
- Rowe, P.W. and Peaker, K. (1965) "Passive earth pressure measurements". Géotechnique, Vol. 15 (1), pp. 57-78.
- Saada, A.S., Liang, L., Figueroa, J.L. and Cope, C.T. (1999) "Bifurcation and shear band propagation in sand". Géotechnique, Vol. 49 (3), pp. 367-385.
- SABS 844 (1976) "Relatiewe digtheid van aggregate", South African Bureau of Standards.
- Schanz, T. and Vermeer, P.A. (1996) "Angles of friction and dilatancy of sand". Géotechnique, Vol. 46 (1), pp. 145-151.
- Shibata, T. and Karube, D. (1965) "Influence of the variation of the intermediate principal stress on mechanical properties of normally consolidated clay". Proceedings of the Sixth International Conference on Soil Mechanics and Foundation Engineering, Montreal, Vol. 1, pp. 359-363.
- Shield, R.T. (1955) "On Coulomb's law of failure in soils". Journal of the Mechanics and Physics of Solids, Vol. 4, pp. 10-16.
- Skinner, A.E. (1969) "A note on the influence of interparticle friction on the shearing strength of a random assembly of spherical particles". Géotechnique, Vol. 19 (1), pp. 150-157.
- Stanley, G.G. (Ed.) (1987) "The extractive metallurgy of Gold in South Africa". The S.A. Institute of Mining and Metallurgy Monograph Series M7, The Chamber of Mines of South Africa, Volume 1 and 2.
- Stroud, M.A. (1971) "The behaviour of sand at low stress levels in the simple-shear apparatus". PhD thesis, Cambridge University.
- Tatsuoka, F. and Ishihara, K. (1975) "Undrained deformation and liquefaction of sand under cyclic stresses". Soils and Foundations, Japanese Geotechnical Society, Vol. 15 (1), pp. 29-44.

**University of Pretoria etd – Wesseloo, J (2005)**  
**References**

- Taylor, D.W. (1948) "Fundamentals of soil mechanics". New York: John Wiley & Sons.
- Thornton, C. (2000) "Numerical simulation of deviatoric shear deformation of granular media". *Géotechnique*, Vol. 50 (1), pp. 43-53.
- TMH1 A1 (1986) "The wet preparation and sieve analysis of gravel, sand and soil samples", Pretoria, South Africa: National Institute for Transport and Road Research, CSIR.
- TMH1 A6 (1986) "The determination of the grain size distribution in soils by means of a hydrometer", Pretoria, South Africa: National Institute for Transport and Road Research, CSIR.
- TMH1 A7 (1986) "The determination of the maximum dry density and optimum moisture content of gravel, soil and sand", Pretoria, South Africa: National Institute for Transport and Road Research, CSIR.
- Vardoulakis, I. (1980) "Shear band inclination and shear modulus of sand in triaxial tests". *International Journal of Numerical and Analytical Methods in Geomechanics*, Vol. 4 (2), pp. 103-109.
- Vermeer, P.A. (1978) "A double hardening model for sand". *Géotechnique*, Vol. 28 (4), pp. 413-433.
- Vermeer, P.A. (1982) "A simple shear-band analysis using compliances". *Deformation and failure of granular materials, IUTAM Symposium, Delft, 31 August - 3 September*. Vermeer, P.A. and Luger, H.J. (Eds.). Rotterdam: Balkema, pp. 493-499.
- Vermeer, P.A. and De Borst, R. (1984) "Non-associate plasticity for soils, concrete and rock". *Heron*, Vol. 29 (3), pp. 1-64.
- Vermeulen, N.J. (2001) "The composition and state of gold tailings". PhD thesis, University of Pretoria.
- Vesic, A.S. and Clough, G.W. (1968) "Behaviour of granular material under high stresses". *Journal of the Soil Mechanics and Foundations Division, ASCE*, Vol. 94 (SM3), pp. 664-688.
- Wan, R.G. and Guo, P.J. (1998) "A simple constitutive model for granular soils: Modified stress-dilatancy approach". *Computers and Geotechnics*, Vol. 22 (2), pp. 109-133.

**University of Pretoria etd – Wesseloo, J (2005)**  
**References**

- Yong, R.N. and Selig, E.T. (1980) "Soil constitutive model assessment". Application of plasticity and generalized stress-strain in geotechnical engineering. Proceedings of the symposium on limit equilibrium, plasticity and generalized stress strain applications in geotechnical engineering, Hollywood, Florida, 27-31 October, 1980. Yong, N.R. and Selig, E.T. (Eds.). New York: ASCE, pp. 1-6.
- Zhang, C. and Moore, I.D. (1997a) "Nonlinear mechanical response of High Density Polyethylene. Part I: Experimental investigation and model evaluation". Polymer Engineering and Science, Vol. 37 (2), pp. 404-413.
- Zhang, C. and Moore, I.D. (1997b) "Nonlinear mechanical response of High Density Polyethylene. Part II: Uniaxial constitutive modelling". Polymer Engineering and Science, Vol. 37 (2), pp. 414-420.
- Zitouni, Z.E.A. (1988) "Comportement tridimensional des sables". Doctoral thesis, Université Joseph Fourier-Grenoble I.