

## CHAPTER 12

### References

- Aberkane A., Cuenca-Estrella M., Gomez-Lopez A., Petrikkou E., Mellado E., Monzón A., Rodriguez-Tudela J.L., the Eurofung Network., 2002.** Comparative evaluation of two different methods of inoculum preparation for antifungal susceptibility testing of Filamentous fungi. *Journal of Antimicrobial Chemotherapy* **50**, 719-722.
- Abidi S.L., 2001.** Chromatographic analysis of plant sterols in foods and vegetable oils. *Journal of Chromatography A*, **935**, 173-201.
- Adonizio A.L., Downum K., Bennett B.C., Mathee K., 2006.** Anti-quorum sensing activity of medicinal plants in southern Florida. *Journal of Ethnopharmacology* **105**, 427-435.
- Ahn Y.J., Lee H.S., Oh H.S., Kim H.T., Lee Y.H., 2005.** antifungal activity and mode of action of *Galla rhois*-derived phenolics against phytopathogenic fungi. *Pesticide Biochemistry and Physiology* **81**, 105-112.
- Albert K., 2004.** On-line LC-NMR and Related Techniques. Wiley, New York.
- Alexander B.D., Perfect J.R., 1997.** Antifungal resistance trends towards the year 2000. Implications for therapy and new approaches. *Drugs* **54**, 657-678.
- Aliero A.A., Afolayan A.J., 2005.** Antimicrobial activity of *Solanum tomentosum*. *African Journal of Biotechnology* **5**, 369-372
- Anaissie E., Bodey G.P., 1989.** Nosocomial fungal infections. Old problems and new challenges, *Infectious Disease Clinics of North America* **3**, 867-882.
- Angeh I.S., 2006.** Potentising and application of an extract of *Melianthus comosus* against plant fungal pathogens. MSc Thesis, University of Pretoria.
- Arcas M.C., Botia J.M., Ortuno A., Del Rio J.A., 2000.** UV Irradiation alters the levels of flavonoids involved in the defence mechanisms of *Citrus aurantium* fruits against *Penicillium digitatum*. *European Journal of Plant Pathology* **106**, 617-622.
- Arnao, M. B., Cano, A., Acosta, M., 1999.** Methods to measure the antioxidant activity in plant material. A comparative discussion. *Free Radical Research*, **31**, 89-96.
- Arnold H.J., Gulumian M., 1984.** Pharmacopoeia of traditional medicine in Venda. *Journal of Ethnopharmacology* **12**, 35-74.
- Anon 2005.** Naringin, a bitter flavouring available high-purity grades. *Food Product*

Development **16**, 29.

- Barrios M.J., Medina L.M., Cordba M.G., Jordano R., 1997.** Aflatoxin-producing strains of *Aspergillus flavus* isolated from cheese. *Journal of Food Protection* **60**, 192-194.
- Balunas M.J., Kinghorn A. D., 2005.** Drug discovery from medicinal plants. *Life sciences* **78**, 431-441.
- Beck-Sague C., Jarvis W.R., 1993.** Secular trends in the epidemiology of nosocomial infections in the United States, 1980-1990. National nosocomial fungal infections in the surveillance system. *Journal of Infectious Diseases* **167**, 1247-1251.
- Begue W.J., Kline R.M., 1972.** The use of tetrazolium salts in bioautographic procedures. *Journal of Chromatography* **64**, 182-184.
- Benoit-Vical F., Imbert C., Bonfils J-P., Sauvaire Y., 2003.** Antiplasmodial and antifungal activities of iridal, a plant triterpenoid. *Phytochemistry* **62**, 747-751
- Bohrer G., Kagan-Zur V., Roth-Bejerano N., Ward D., Beck G., Bonifacio E., 2003.** Effects of different Kalahari-desert VA mycorrhizal communities on mineral acquisition and depletion from the soil by host plants. *Journal of Arid Environments* **55**, 193-208.
- Bordon-Pallier F., Jullian N., Ferrari P., Girard A-M., Bocquel M-T., Biton J., Bouquin N., Haesslein J-L., 2004.** Inhibitors of Civ1 kinase belonging to 6-aminoaromatic-2-cyclohexyldiamino purine series as potent anti-fungal compounds. *Biochemica et Biophysica Acta* **1697**, 211-223.
- Bouvier E.S.P., Martin D.M., Iraneta P.C., Capparella M., Cheng Y-F., Phillips D.J., 1997.** A novel polemeric reversed-phase sorbent for solid phase extraction. *LC.GC* **15**, 152-158
- Bravo, L., 1998.** Polyphenols: chemistry, dietary sources, metabolism, and nutritional significance. *Nutrition Reviews*, **11**, 3117-333.
- Breton, F., (2008).** *"Polyphenol antioxidants in red wine."*  
<http://www.frenchscout.com/polyphenols>
- Butler M.S., 2004.** The role of natural product chemistry in drug discovery, *Journal of Natural Products* **67**, 2141-2153.
- Buwa, L.V., Van Staden, J., 2006.** Antibacterial and antifungal activity of traditional

- medicinal plants used against venereal diseases in South Africa. *Journal of Ethnopharmacology* **103**, 139-142.
- Cantrell C.L., Franzblau S.G., Fischer N.H., 2001.** Antimycobacterium Plant Terpenoids. *Natural Products and Medicinal Plant Research. Planta Medica* **67**, 685-699.
- Ca´ceres-Castillo D., Mena-Rejo G.J., Cedillo-Rivera R., Quijano L., 2008.** 21b-Hydroxy-oleanane-type triterpenes from *Hippocratea excels.* *Phytochemistry* **69**, 1057–1064
- Chang, P., Koh, Y.K., Geh, S.L., Soepadmo, E., Goh, S.H., Wong, A.K., 1989.** Cardiovascular effects in the rat of dihydrocorynantheine isolated from *Uncaria callophylla*. *Journal of Ethnopharmacology* **25**, 213-215
- Chang Y.C., Tsai H-F., Karos M., Kwong-Chung K.J., 2004.** THTA, a thermotolerance gene of *Aspergillus fumigatus*. *Fungal Genetics and Biology* **41**, 888-896.
- Chang W-T., Chen Y-C., Jao C-L., 2006.** Antifungal activity and enhancement of plant growth by *Bacillus cereus* grown on shellfish chitin wastes. *Bioresource Technology*. **98**, 1224-1230.
- Chung, K. T., Wong, T. Y., Huang, Y. W., Lin, Y., 1998.** Tannins and human health: a review. *Critical Reviews in Food Science and Nutrition*, **38**, 421–464.
- Cabras P., Schirra M., Pirisi F.M., Garau V.L., Angioni A., 1999.** Factors affecting imazalil and thiabendazole uptake and persistence in citrus fruits following treatments. *Journal of Agricultural and Food Chemistry* **47**, 3352-3354.
- Cragg G.M., Boyd, M.R., Cardellina II, J.H., Newman, D.J., Snader, K.M., McCloud, T.G., 1994.** Ethnobotany and drug discovery: the experience of the US National Cancer Institute. In: *Ethnobotany and Search for New Drugs*, Ciba Foundation Symposium 185 Wiley, Chichester, pp. 178–196.
- Craven P.C., Graybill J.R., 1984.** Combination of oral flucytosine and ketoconazole as therapy for experimental *cryptococcal* meningitis. *Journal of Infectious Diseases* **149**, 584-590.
- Connolly J.D., Hill R.A., 1992.** *Dictionary of Terpenoids*, 1<sup>st</sup> Edition, Chapman & Hall, London.
- Cos P., Vlietinck A.J., Berghe D.V., Maes L., 2006.** Anti-infective potential of natural products: How to develop a stronger *in vitro* ‘proof-of-concept’. *Journal of Ethnopharmacology* **106**, 290-302.

- De Boer H.J., Kool A., Broberg A., Mziray W.R., Hedberg I., Levenfors J.J., 2005.**  
Antifungal and antibacterial activity of some herbal remedies from Tanzania. *Journal of Ethnopharmacology* **96**, 461-469.
- Denning, D.W., 1996.** Therapeutic outcome in invasive aspergillosis. *Clinical Infectious Diseases* **23**, 608-615.
- Denning, D.W., 1998.** Invasive aspergillosis. *Clinical Infectious Disease* **26**, 781-803.
- De Moor P. P., Pooley E., Neville G., Barichiev J., 1977.** The vegetation of Ndumu-Game Reserve, Natal: A quantitative physiognomic survey. *Annals of the Natal Museum* **23**, 239-272.
- Djeridane A., Yousfi M., Nadjemi B., Boutassouna D., Stocker P., Vidal N., 2006.**  
Antioxidant activity of some Algerian medicinal plants extracts containing phenolic compounds. *Food Chemistry* **97**, 654–660.
- Džeroski S., Schulze-Kremer S., Heidtke K.R., Siems K., Wettschereck D., Blockeel H., 1998.** Diterpene structure elucidation from <sup>13</sup>C NMR and spectra with inductive logic programming. *Applied Artificial Intelligence* **12**, 363-383.
- Dlamini M.D., 2004.** *Harpephyllum caffrum* Bernh. Walter Sisulu National Botanical Garden. <http://www.plantzafrica.com/planthij/harpephylcaf.htm>
- Doke C.M., Vilakazi B.W., 1972.** Zulu-English Dictionary. 2<sup>nd</sup> ed. Witwatersrand University Press, Johannesburg.
- Doyle T.C., Nawotka K.A., Kawahara C.B., Francis K.P., Contag P.R., 2006.**  
Visualizing fungal infections in living mice using bioluminescent pathogenic *Candida albicans* strains transformed with the firefly luciferase gene. *Microbial Pathogenesis* **40**, 82-90.
- Eckert, J.W., Ogawa, J.M., 1998.** The chemical control of postharvest diseases: deciduous fruits, berries, vegetables and root/tuber crops. *Annual Review of Phytopathology*, **26**, 433–469.
- Eloff J.N., 1998a.** Conservation of Medicinal Plants: Selecting Medicinal Plants for research and gene banking. *Monographs in systematic Botany from the Missouri Garden* **71**, 209-222 *In: Conservation of plants Genes III: Conservation and utilisation of African plants.* Robert P. Adams and Janice E. Adams, eds., Missouri Botanical Garden Press, St. Louis, USA.
- Eloff J.N., 1998b.** Which extractant should be used for the screening and isolation of

- antimicrobial components from plants? *Journal of Ethnopharmacology* **60**, 1-8.
- Eloff J.N., 1998c.** The presence of antibacterial compounds in *Anthocleista grandiflora* (Loganiaceae). *South African Journal of Botany* **64**, 209-212
- Eloff J.N., 1998d.** A sensitive and quick microplate method to determine the MIC of Plant extracts for bacteria. *Planta Media* **64**, 711-713.
- Eloff J.N., 1999.** The antibacterial activity of 27 Southern African members of the Combretaceae. *South African Journal of Science* **95**, 148-152.
- Eloff J.N., 2004.** Quantifying the bioactivity of plant extracts during screening and bioassay-guided fractionation. *Phytomedicine* **11**, 370-371.
- Eloff, J.N., Picard, J., Masoko, P., 2007.** Resistance of animal fungal pathogens to solvents used in bioassays. *South African Journal of Botany* **73**, 667-669.
- EI Sherbeiny, A. E., EI Ansari, M.A., 1976.** The phenolics and flavonoids of *Harpephyllum caffrum*. *Planta Medica* **29**, 129-132.
- Escudero J., Lopez C., Rabanal R.M., Valverde S., 1985.** Secondary metabolites from *Satureja* species. New triterpenoid from *Satureja acinos*. *Journal of Natural Products* **48**, 128-131.
- Farnsworth N.R., 1990.** In *Bioactive Compounds from Plants* (D.J. Chadwick and J. Marsh, eds.), pp 2-21. John Wiley, Chichester.
- FAO/ IAEA., 2000.** Quantification of tannins in tree foliage. Working Document, IAEA, Vienna, pp1-26.
- Fatimi, J., Lagorce, J.F., Duroux, J.L., Chabernaude, M.L., Buxeraud, J., Raby, C., 1993.** 4,5, trialkyl-imidazole system anti-inflammatory properties of new substituted derivatives. *Chemical & Pharmaceutical Bulletin* **42**, 698-701.
- Fernández Freire P., Labrador V., Pérez Martín J., Hazen M., 2005.** Cytotoxic effects in mammalian Vero cells exposed to pentachlorophenol, *Toxicology* **210**, 37-44.
- Ficker C.E., Smith M.L., Susiarti S., Leaman D.J., Irawati Ç., Arnason J.T., 2003.** Inhibition of human pathogenic fungi by members of Zingiberaceae used by the Kenyah (Indonesian Borneo). *Journal of Ethnopharmacology* **85**, 289-293.
- Fukumoto, L. R., Mazza, G., 2000.** Assessing antioxidant and prooxidant activities and phenolic compounds. *Journal of Agricultural and Food Chemistry*, **48**, 3597-3604.
- Furness H.D., Breen C.M., 1980.** The vegetation of seasonally flooded areas of the Pongolo River Floodplain. *Bothalia* **13**, 217-231.

- García V.M.N., Gonzalez A., Fuentes M., Aviles M., Rios M.Y., Zepeda G., Rojas M.G., 2003.** Antifungal activities of nine traditional Mexican medicinal plants. *Journal of Ethnopharmacology* **87**, 85-88.
- Georgopapadakou N.H.,Walsh., T.J., 1994.** Human mycoses: drugs and targets for emerging pathogens. *Science* **264**, 371-373
- Gershon H., Shanks L., 1978.** Antifungal properties of 2-alkynoic acids and their methyl esters. *Canadian Journal of Microbiology* **24**, 593-597.
- Gilani A.H., Rahman A-U., 2005.** Trends in Ethnopharmacology. *Journal of Ethnopharmacology* **100**, 43-49
- Gilannetto P., Romeo G., Aversa M.C. 1979.** Calaminthadiol, a new 3,4-secotriterpenoid from *Satureia calamintha* and *Satureia graeca*. *Phytochemistry* **18**, 1203-1205.
- Gigolashvili, T., 1999.** Update on antifungal therapy. *Cancer Practice* **7**, 157-159.
- Goodyear K.L., Threlfall E.J., 2004.** Use of veterinary antimycotic products in the UK, 1998-2002. *International Journal of Antimicrobial Agents* **24**, 311-314.
- Gullino, M.L., Leroux, P., Smith, C.M., 2000.** Review: uses and challenges of novel compounds for plant disease control. *Crop Protection* **19**, 1-11
- Gurib-Fakim A., 2006.** Medicinal plants: Traditions of yesterday and drugs of tomorrow. *Molecular Aspects of Medicine* **27**, 1-93.
- Groll, A., H., Piscitelli, S., C., Walsh, T.H., 1998.** Clinical pharmacology of systemic antifungal agents: A comprehensive review of agents in clinical use, current investigation compounds, and putative targets for antifungal drug development. *Advanced Pharmacology* **44**, 343-500.
- Harding J.r., P.R., 1972.** Differential sensitivity to thiabendazole by strains of *Penicillium digitatum*. *Plant Disease* **56**, 256-260.
- Hamburger M.O., Cordell G.A., 1987.** A direct bioautographic TLC assay for compounds possessing antibacterial activity. *Journal of Natural Products* **50**, 19-22.
- Harris R., 2002.** Progress with superficial mycoses using essential oils. *International Journal of Aromatherapy* **12**, 83-91.
- Hayashi K-I., Nakanishi Y., Bastow K.F., Cragg G., Nozaki H., Lee K-H., 2002.** Antitumor Agents. Part 212: Bucidasins A-C, Three New Cytotoxic Clerodane Diterpenes from *Bucida buceras*. *Bioorganic and Medicinal Chemistry Letters* **12**, 345-348.

- Heftmann, E., 1995.** In Heftmann E. (ed.) Chromatography 3<sup>rd</sup> edition, chapter 19, Van Nostrand-Reinhold, New York.
- Heinemann S., Symoens F., Gordts B., Jannes H., Nolard N., 2004.** Environmental investigations and molecular typing of *Aspergillus flavus* during an outbreak of post-operative infections. *Journal of Hospital Infection* **57**, 149-155.
- Heitzman M.E, Neto C.C., Winiarz E., Vaisberg A.J., Gerald B. Hammond G.B., 2005.** Ethnobotany, phytochemistry and pharmacology of *Uncaria* (Rubiaceae). *Phytochemistry* **66**, 5–29.
- Hertzog, M.G.L., Hollman, P.C.H., Katan, M.B., 1992.** Content of potentially anticarcinogenic flavonoids of 28 vegetables and 9 fruits commonly consumed in the Netherlands, *Journal of Agricultural and Food Chemistry* **40**, 2379- 2383.
- Hoareau L., DaSilva E.J., 1999.** Medicinal plants: a re-emerging health aid. *Electronic Journal of Biotechnology* **2**.
- Hof H., 2001.** Critical Annotations to the use of Azole Antifungals for Plant Protection. *Antimicrobial Agents and Chemotherapy* **45**, 2987-2990.
- Holmes G.J., Eckert J.W., 1999.** Sensitivity of *Penicillium digitatum* and *P. italicum* to postharvest citrus fungicides in California. *Phytopathology* **89**, 716-721.
- Horowitz R.S., 1961.** The citrus flavonoids. In W.B. Sinclair (Ed.). *The orange. Its biochemistry and physiology*. Los Angeles, CA: University of California. pp. 334-372.
- Hostettman K., 1999.** Strategy for the biological and chemical evaluation of plant extracts. IUPAC.
- Humpf H-U., 2002.** CD spectroscopy as a powerful tool for the stereochemical assignment of carotenoid-derived aroma compounds. *Carotenoid-Derived Compounds*, ACS Symposium. American Chemical Society, Washington DC, pp 56.
- Hutchings A., Scott A.H., Lewis G., Cunningham A., 1996.** *Zulu Medicinal Plants, An inventory*, University of Natal Press, Pietermaritzburg, South Africa.
- Ikken, Y., Morales, P., MartõÁnez, A., MarõÁn, M. L., Haza, A. I., Cambero, M. I. 1999.** Antimutagenic effect of fruit and vegetable ethanolic extracts against N-nitrosamines evaluated by the Ames test. *Journal of Agricultural and Food Chemistry*, **47**, 3257-3264.
- Jaffe P., 2006.** *Olinia ventosa*. Kirstenbosch National Botanical Garden. (January).

<http://www.plantzafrika.com/plantnop/oliniavent.htm>

- Jagota N.K., Cheatman S.F., 1992.** HPLC Separation of flavonoids and flavonoid glycosides using a polystyrene/divinylbenzene Column. *Journal of Liquid Chromatography* **15**, 603.
- Kagan M., Chlenov M., Melnikov S., Greenfield A., Gross J., Bernotas R.C., 2008.** Optimization of normal-phase chromatographic separation of compounds with primary, secondary and tertiary amino groups. *Journal of Chromatography A* **1194**, 80-89.
- Kähkönen M.P., Hopia A.I., Vuorela H.J., Rauha J-S., Pihlaja K., Kujala T.S., Heinonen M., 1999.** Antioxidant of plant extracts containing phenolic compounds. *Journal of Agricultural and Food Chemistry* **47**, 3974-3962.
- Kanetis L., Forster H., Adaskaveg J.E., 2007.** Comparative efficacy of the new postharvest fungicides azoxystrobin, fludioxonil, and pyrimethanil for managing citrus green mold. *Plant Disease* **92**, 1502-1511.
- Karabulut, O.A., Baykal, N., 2002.** Evaluation of the use of microwave power for the control of postharvest diseases of peaches. *Postharvest Biology and Technology* **26**, 237-240.
- Karabulut, O.A., Cohen, I., Wiess, B., Daus, A., Lurie s., Drobys., 2002.** Control of brown rot and blue mold of peach and nectarine by short hot water brushing and yeast antagonists. *Postharvest Biology and Technology* **24**, 103-111.
- Kauffman, C.A., Carver, P.L., 2008.** *Seminars in Respiratory and critical care medicine.* **29**, 211-220.
- Kavanagh, J.A., Wood, R.K.S., 1971.** Green mould of oranges caused by *Penicillium digitatum* Sacc.: effect of additives on spore germination and infection. *Annals of Applied Biology* **67**, 35-44.
- Kishi, K., 1974.** Disease and pest control in enclosed environments in Japan. *Outlook Agriculture* **8**, 100-104.
- Klejdus B.I, Vitamväsová D., Kubà V., 1999.** Reversed-phase high-performance liquid chromatographic determination of isoflavones in plant materials after isolation by solid-phase extraction. *Journal of Chromatography A.* **839**, 261-263.
- Konthikamee W., Gilbertson J.R., Langkamp H., Gershon H., 1982.** Effect of 2-alkynoic



- acids on in vitro growth of bacterial and mammalian cells. *Antimicrobial Agent Chemotherapy* **22**, 805-809.
- Kontogiannia V.G., Troganisc V E A, Gerothanassisa I. P. 2009.** Rapid and novel discrimination and quantification of oleanolic and ursolic acids in complex plant extracts using two-dimensional nuclear magnetic resonance spectroscopy— Comparison with HPLC methods. *Analytica Chimica Acta* **635**, 188–195.
- Kontoyiannis D.P., Bodey, G.P., 2002.** Invasive aspergillosis in 2002: An update. *European Journal of Clinical Microbiology and Infectious Disease* **21**, 161-172.
- Kotze M., Eloff J.N., 2002.** Extraction of antibacterial compounds from *Combretum microphyllum* (Combretaceae). *South African Journal of Botany* **68**, 62-67.
- Kim J-M., Chang S-M., Kim I-H., Kim Y-E., Hwang J-H., Kim K-S., Kim W-S., 2007.** Design of optimal solvent for extraction of bioactive ingredients from mulberry leaves. *Biochemical Engineering Journal* **37**, 271-278.
- Kuramoto,T., 1976.** Resistance to benomyl and thiophanate-methyl in strains of *Penicillium digitatum* and *P. italicum* in Japan. *Plant Disease* **60**, 168–172.
- Kurup V.P., Shen H-R., Banerjee B., 2000.** Respiratory fungal allergy. *Microbes and Infection* **2**, 1101-1110.
- Lazaro, M-J., Herod A.A., Kandiyoti, A. 1999.** Comparison of the fractionation of a coal tar pitch by solvent solubility and by planar chromatography. *Fuel* **78**,795–801
- Lemanska, K., Szymusiak, H., Tyrakowska, B., Zielinski, R., Soffer, A. E. M. F., Rietjens, I. M. C. M., 2001.** The influence of pH on the antioxidant properties and the mechanism of antioxidant action of hydroxyflavones. *Free Radical Biology and Medicine* **31**, 869-881.
- Li, D., Bode, O., Drummond, H., Sinclair, A.J. 2003.** Omega-3 (n-3) fatty acids. In *Lipids for Functional Foods and Nutraceuticals*, pp 225-262. Gunstone, F.D. (ed). The Oily Press, UK.
- Li X.C., Jacob M.R., EISOhly H.N., Nagle D.G., Smillie T.J., Walker L.A., 2003.** Acetylenic acids inhibiting azole-resistant *Candida albicans* form *Pentagonia gigantifolia*. *Journal of Natural Products* **66**, 1132-1135.
- Lin J., Opoku A.R., Geheeb-Keller M., Hutchings A.D., Terblanche S.E., Jäger A.K.,**

- Van Staden J., 1999.** Preliminary screening of some traditional zulu medicinal plants for anti-inflammatory and anti-microbial activities. *Journal of Ethnopharmacology* **68**, 267-274
- Lis-Balchin M., Deans S.G., 1997.** Bioactivity of selected plant essential oils against *Listeria monocytogenes*. *Journal of Applied Bacteriology* **82**, 759–762.
- López-Lázaro M., Pastor N., Azrak S. S., Ayuso M. J., Cortés F., Caroline A.A., 2006.** Digitoxin, at concentrations commonly found in the plasma of cardiac patients, antagonizes etoposide and idarubicin activity in K562 leukemia cells. *Leukemia Research* **30**, 895-898
- Maertens J., Vrebos M., Boogaerts M., 2001.** Assessing risk factors for systemic fungal infections. *European Journal of Cancer Care* **10**, 56-62.
- Martini N., Eloff, J.N., 1998.** The preliminary isolation of several antibacterial Compounds from *Combretum erythrophyllum* (Combretaceae). *Journal of Ethnopharmacology* **62**, 255–263.
- Masika P.J., Afolayan A.J., 2002.** Antimicrobial activity of some plants used for the treatment of livestock disease in the Eastern Cape, South Africa **83**, 129-134.
- Masoko P., Eloff J.N., 2005.** The diversity of antifungal compounds of six South African *Terminalia* species (Combretaceae) determined by bioautography. *African Journal of Biotechnology* **4**, 1425-1431.
- Masoko P., Picard J., Eloff J.N., 2005.** Antifungal activities of six South African *Terminalia* species (Combretaceae). *Journal of Ethnopharmacology* **99**, 301-308
- Masoko P., Picard J., Eloff J.N., 2007.** The antifungal activity of twenty-four southern African *Combretum* species (Combretaceae). *South African Journal of Botany* **73**, 173-183.
- Masoko P., Eloff J.N., 2007.** Screening of 24 South African *Combretum* and 6 *Terminalia* (Combretaceae) species for antioxidant activities. *The African Journal of Traditional, Complementary and Alternative Medicines* **4**, 231-239.
- McGaw L.J., Jäger A.K., Van Staden J., 2000.** Antibacterial, anthelmintic and anti-amoebic activity in South African medicinal plants. *Journal of Ethnopharmacology* **72**, 247-263

- McGaw L.J., Rabe T., Sparg S.G., Jäger AK, Eloff J.N, Van Staden J., 2001.** An investigation of the biological activity of *Combretum* species. *Journal of Ethnopharmacology* **75**, 45-50.
- McGaw L.J., Van der Merwe, D., Eloff, J.N., 2007.** In vitro anthelmintic, antibacterial and cytotoxic effects of extracts from plants used in South Africa ethnoveterinary medicine. *The veterinary Journal* **173**, 366-375.
- Mdee L. K. Masoko P, Eloff J.N.2009.** The activity of extracts of seven common invasive plant species on fungal phytopathogens. *South African Journal of Botany* **75**, 375-379
- Meela M.M., 2009.** Evaluation of alien invasive weedy plants for activity against plant pathogenic fungi. MSc Thesis, University of Pretoria.
- Miller, N. J., Rice-Evans, C. A., 1997.** Factors influencing the antioxidant activity determined by the ABTS+ radical cation assay. *Free Radical Research* **26**, 195-199.
- Misra A.K., Dubey N.K., 1994.** Evaluation of some essential oils for their toxicity against fungi causing deterioration of stored food commodities. *Applied Environmental Microbiology* **60**, 1001-1005.
- Moghaffam F.M., Farimani M.M., Salahvarzi S., Amin G., 2007.** Chemical Constituents of Dichloromethane extract of cultivated *Satureja khuzistanica*. *Complementary Alternative Medicine* **4**, 95-98.
- Moenne-Loccoz Y., Powell J., Higgins P., McCarthy J., O’Gara F., 1998.** An investigation of the impact of bio-control *Pseudomonas Fluorescens* F113 on the growth of sugar beet and the performance of subsequent clover-Rhizobium symbiosis. *Applied Soil Ecology* **7**, 225-237.
- Moghaddam F.M., Farimani M.M., Salahvarzi S., Amin G., 2006.** Chemical constituents of dichloromethane extract of cultivated *Satureja khuzistanica*. *Evidence Based Complementary and Alternative Medicine* **4**, 95-98.
- Moll E.J., 1978.** The vegetation of Maputaland. *Trees of South Africa* **29**, 31-59.
- Moll E.J., White F., 1978.** The Indian Ocean Coastal Belt. In: Werger, M. J.A (ed). *Biogeography and ecology of Southern Africa*, Dr. W. Junk, The Hague. pp 561-598
- Mongrand S., Badoc A., Patouille B., Lacomblez C., Chavent M., Bessoule J., 2005.** Chemotaxonomy of the Rubiaceae family based on leaf fatty acid composition. *Phytochemistry* **66**, 549-559.
- Mosmann, T., 1983.** Rapid colorimetric assay for cellular growth and survival:

- application to proliferation and cytotoxicity assays. *Journal of Immunological Methods* **65**, 55 – 63.
- Muñoz A., López-García B., Marcos J.F., 2007.** Comparative study of Antimicrobial Peptides to control citrus postharvest decay caused by *Penicillium digitatum*.
- Newman D.J., Cragg G.M., Snader K.M., 2000.** The influence of natural products upon drug discovery. *Natural Products Reports* **17**, 175-285.
- Nickelsen L., Jakobsen M., 1997.** Quantitative risk analysis of aflatoxin toxicity for the consumers of "kenkey"—a fermented maize product. *Food Control* **3**, 149–159.
- Noguchi, Y., Fukuda, K., Matsushima, A., Haishi, D., Hiroto, M., Kodera, Y., Nishimura, H., Inada, Y. 1999.** Inhibition of Df-protease associated with allergic diseases by polyphenol. *Journal of Agricultural and Food Chemistry*, **47**, 2969-2972.
- Ojewole J.A., 2006.** Hypoglycaemic and hypotensive effects of *Harpephyllum caffrum* Bernh ex CF Krauss (Anacardiaceae) stem-bark aqueous extract in rats. *Cardiovascular Journal of South Africa* **17**, 67-72.
- Oleszek, W., Lee, C., Y., Jaworski, A.W., 1988.** Identification of some phenolic compounds in apples. *Journal of Agriculture and Food Chemistry* **36**, 430-432.
- Palgrave K.C., 2002.** *Trees of Southern Africa in association* R.B. Drummond edited by E.J Moll. Struik Publishers (a division of New Holland Publishing (South Africa) (Pty) Ltd. pp 1038.
- Paster N., Juven B.J., Shaaya E., Menasherov M., Nitzan R., Weisslowicz H., Ravid U., 1990.** Inhibitory effect of oregano and thyme essential oils on molds and food borne bacteria. *Letters in Applied Microbiology* **11**, 33-37.
- Patra M., Shahi S.K., Midgely G., Dikshit A., 2002.** Utilization of essential oil as natural antifungal against nail-infective. *Flavour and Fragrance Journal* **17**, 91-94.
- Pelegriñin, N., Simonetti, P., Gordana, C., 2000.** Polyphenol content and total antioxidant activity of Vini Novelli (Young red wines). *Journal of Agriculture and Food Chemistry*, **48**, 732-735.
- Penso G., 1980.** The role of WHO in the selection and characterization of medicinal plants (vegetable drugs). *Journal of Ethnopharmacology* **2**, 183-188.
- Pieters L., Vlietinck A.J., 2005.** Bioguided isolation of pharmacologically active plant components, still a valuable strategy for the finding of new lead compounds? *Journal of Ethnopharmacology* **100**, 57–60

- Pitt JI., 1997.** Toxigenic *Penicillium* species. In: Doyle, M.P., Beuchat L.B., Montville T.J., (Eds.), food Microbiology: Fundamentals and frontiers. ASM Press, Washington, DC, pp 411.
- Prakash O., Raof M.A., 1989.** Control of mango fruit decay with post harvest application of various chemicals against black rot, stem end rot and anthracnose disease. International Journal of Tropical Plant Diseases **6**, 99-106.
- Portillo, A., Vila, R., Freixa, B., Adzet, T., Canigueral, S., 2001.** Antifungal activity of Paraguayan plants used in traditional medicine. Journal of Ethnopharmacology **76**, 93-98.
- Pyun M.S., Shin S., 2006.** Antifungal effects of the volatile oils from *Allium* plants against *Trichophyton* species and synergism of the oils with ketoconazole. Phytomedicine **13**, 394-400.
- Rahalison L., Hamburger M., Hostettman K., Monod M., Frenk E., 1991.** A bioautographic agar overlay method for the detection of antifungal compounds from higher plants. Phytochemical Analysis **2**, 199-203.
- Raid M., Mares D., 2003.** Plant-derived antimycotics: Current trends and future prospects. Food Products Press, Binghamton, New York.
- Rath G., Ndonzao M., Hostettman K., 1995.** Antifungal anthraquinones from *Morinda lucida*. International Journal Pharmacogen **33**, 107-114.
- Reid K.A., Jäger A.K., Light M.E., Mulholland D.A., Van Staden J., 2005.** Phytochemical and pharmacological screening of *Sterculiaceae* species and isolation of antibacterial compounds. Journal of Ethnopharmacology **97**, 285-291.
- Reynolds J.E.F., 1996.** Martindale—the extra pharmacopeia. (31<sup>st</sup> ed.), Royal Pharmaceutical Society of Great Britain, London.
- Ribeiro S.C.C., Santana A.N.C., Arriagada G.H., Martins J.E.C., Takagaki T.Y., 2005.** A novel cause of invasive pulmonary infection in an immunocompetent patient: *Aspergillus candidus*. Journal of Infection **51**, 195-197.
- Rice-Evans, C.-A., Miller, N.J., Bolwell, P.G., Bramley, P.M., Pridham, J.B., 1995.** The relative antioxidant activities of plant-derived polyphenolic flavonoids. Free Radical Research **22**, 375-383.
- Rios J.L., Recio M.C., Villar A., 1998.** Screening methods for natural products with


- antimicrobial activity, a review of the literature. *Journal of Ethnopharmacology* **23**, 127-149.
- Robbrecht E., 1988.** Tropical woody Rubiaceae. *Opera Botanica Belgica* **1**, 1-271
- Robbrecht E., 1993.** Supplement to 1998 outline of the classification of Rubiaceae. *Opera Botanica Belgica* **6**, 173-196
- Robinson M., Sharon A., 1999.** Transformation of the bioherbicide *Colletotrichum gloeosporioides* f. spp. *aeschynomene* by electroporation of germinated conidia. *Cure Genetics* **36**, 98-104.
- Samuelsson G., 2004.** *Drugs of Natural Origin: a Textbook of Pharmacognosy* (5<sup>th</sup>), Swedish Pharmaceutical Press, Stockholm.
- Satora P., Sroka P., Duda-Chodak A, Tarko Tuszyński T., 2008.** The profile of volatile compounds and polyphenols in wines produced from dessert varieties of apples. *Food Chemistry* **111**, 513–519
- Schippmann U., Leaman D.J., Cunningham A.B., (2002).** Impact of Cultivation and Gathering of Medicinal Plants on Biodiversity: Global Trends and Issues. In (FAO). Biodiversity and the ecosystem approach in agriculture, forestry and fisheries. Satellite event on the occasion of the Ninth regular session of the commission on genetic resources for food and agriculture. Rome 12 – 13 October 2002. Inter departmental working group on biological diversity for food and agriculture.
- Shai L.J., McGaw L.J., Aderogba M.A., Mdee L.K., J.N Eloff J.N., 2008.** Four pentacyclic triterpenoids with antifungal and antibacterial activity from *Curtisia dentata* (Burm.f) C.A. Sm. leaves. *Journal of Ethnopharmacology* **119**, 238–244
- Shin S., 2004.** Essential oil compounds from *Agastache rugosa* as antifungal agents against *Trichophyton* species. *Arch Pharmacy Research* **27**, 295-299.
- Silva- Elipe M.V., 2003.** Advantages and disadvantages of nuclear magnetic resonance spectroscopy as a hyphenated technique. *Analytica Chimica Acta* **497**, 1-25
- Singh K., Frisvad J.C., Thrane U., Mathur S.B., 1991.** Manual on Identification of Some Seed-Borne *Aspergilli*, *Fusaria*, *Penicillia* and their Mycotoxins. Jordbrugsforlaget, Frederiksberg, Denmark.
- Sinha P., Saxena S.K., 1987.** Effect of treating tomatoes with leaf extract of *Lantana camara* on development of fruit rot caused by *A. niger* in presence of *Drosophila busckii*. *Indian Journal of Experimental Biology* **25**, 143-144.

- Sittie A.A., Lemmich E., Olsen C.E., Hviid L., Kharazmi A., Nkrumah F.K., Christensen SB., 1999.** *Planta Medica* **65**, 259.
- Skowronek P., Gawronski J.C., 2000.** A simple circular dichroism method for the determination of the absolute configuration of allylic amines. *Tetrahedron Letter* **41**, 2975
- Spadaro D., Gullino M.L., 2004.** State of the art and future prospects of the biological control of postharvest fruit diseases. *International Journal of Food and Microbiology* **91**, 185-194.
- Stahl E., 1969.** *Thin Layer Chromatography*, Springer-Verlag, Berlin.
- Steenkamp V., Mathivha E., Gouws M.C., Van Rensburg C.E.J., 2004.** Studies on antibacterial, antioxidant and fibroblast growth stimulation of wound healing remedies from South Africa. *Journal of Ethnopharmacology* **95**, 353-357
- Štěrbová D., Matějček, D., Vlček J., Kubáň V., 2004.** Combined microwave-assisted isolation and solid-phase purification procedures prior to the chromatographic determination of phenolic compounds in plant materials. *Analytical Chimica Acta* **513**, 435-444.
- Suleiman M.M., 2009.** The *in vitro* and *in vivo* biological activities of antifungal compounds isolated from *Loxostylis alata* leaf extracts. PhD thesis. Phytomedicine Programme, University of Pretoria.
- Thorne R.f., 2000.** The classification and geography of the flowering plants: dicotyledons of the class Angiospermae (subclasses Magnoliidae, Ranunculidae, Caryophyllidae, Dilleniidae, Rosidae, Asteridae and Lamiidae). *Botanical Review* **66**, 441-647.
- Todar K., 2006.** Introduction to fungi (molds and yeast). Bacteriology at UW-Madison. <http://www.bact.wisc.edu/themicrobialworld/fungi.html>
- Uesugi, Y., 1998.** Fungicide classes: chemistry, uses and mode of action. In: Hutson, D., Miyamoto, J. (Eds.), *Fungicidal Activity—Chemical and Biological Approaches to Plant Protection*. John Wiley & Sons, New York, pp. 23–56.
- Van Wyk B-E., Van Oudtshoorn B., Gericke N., 1997.** *Medicinal plants of South Africa*, Briza Publications, South Africa.
- Vero S., Mondino P., Burgueno J., Soubes M., Wisniewski M., 2002.** Characterization of biocontrol activity of two yeast strains from Uruguay against blue mold of apple. *Postharvest Biology and Technology* **26**, 9198.


- Williams R., 2004.** *Xylothea kraussiana*. KwaZulu-Natal Herbarium.  
<http://www.plantzafrika.com/plantwxyz/xylotheckraus.htm>
- Wagner H., Bladt, S., 1996.** Plant Drug Analysis: A Thin Layer Chromatography Atlas, second ed. Springer-Verlag, Berlin.
- Wood R., Lee T., 1981.** Metabolism of 2-hexadecynoate and inhibition of fatty acid elongation. *Journal of Biology and Chemotherapy* **256**, 12379-12386.
- Yazaki K., 2004.** In: Natural Products and Metabolites: Handbook of Plant Biotechnology (Klee, H. and Christou, P., Eds.), John Wiley & Sons Ltd. pp 811-857
- Yu L., Haley S., Perret J., Harris M., Wilson J., Qian M., 2002b.** Free radical scavenging properties of wheat extracts, *Journal of Agricultural and Food Chemistry* **50**, 1619–1624.
- Watt J.M., Breyer-Brandwijk, M.G., 1962** Medicinal and Poisonous Plants of Southern and Eastern Africa. E & S. Livingstone LTD, Edinburg, UK. 2<sup>nd</sup> ed. pp 1457.
- Wettasinghe M., Shahidi, F., 2000.** Scavenging of reactive-oxygen species and DPPH free radicals by extracts of borage and evening primrose meals. *Food Chemistry* **70**, 17-26.




## Appendix




$^{13}\text{C}$  NMR spectrum of ursolic acid




$^{13}\text{C}$  NMR of ursolic acid, enlarge/ focused from 0 to 80 ppm




<sup>1</sup>H NMR spectrum of compound 1 (ursolic acid)




Electron ion impact mass spectrometry (EIMS) of ursolic acid




Mass spectrum of ursolic acid.



Mass spectrum of compound 2.



Mass spectrum of compound 3.



Mass spectrum of compound 4.