

References

- Abramoff, M.D., Magelhaes, P.J., Ram, S.J., 2004. Image processing with ImageJ. *Biophotonics International* 11, 36-42.
- Alhonen-Hongisto, L., Seppänen, P., Jänne, J., 1980. Intracellular putrescine and spermidine deprivation induces increased uptake of the natural polyamines and methylglyoxal bis(guanylhydrazone). *Biochem. J.* 192, 941-945.
- Allen, J.W., Kirk, K., 2004. The membrane potential of the intraerythrocytic malaria parasite *Plasmodium falciparum*. *J. Biol. Chem.* 279, 11264-11272.
- Alvarez-Sanchez, M.E., Carvajal-Gamez, B.I., Solano-Gonzales, E., Martinez-Benitez, M., Garcia, A.F., Alderete, J.F., Arroyo, R., 2008. Polyamine depletion down-regulates expression of the *Trichomonas vaginalis* cytotoxic CP65, a 65-kDa cystein proteinase involved in cellular damage. *Int. J. Biochem. Cell Biol.* 40, 2332-2351.
- Ancelin, M.L., Calas, M., Bompard, J., Cordina, G., Martin, D.M.A., Bari, M.B., Jei, T., Druihe, P., Vial, H., 1998. Antimalarial activity of 77 phospholipid polar head analogs: close correlation between inhibition of phospholipid metabolism and *in vitro* *Plasmodium falciparum* growth. *Blood* 91, 1426-1437.
- Aouida, M., Leduc, A., Polin, R., Ramotar, D., 2005. *AGP2* encodes the major permease for high affinity polyamine import in *Saccharomyces cerevisiae*. *J. Biol. Chem.* 280, 24267-24276.
- Arambage, S.C., Grant, K.M., Pardo, I., Ranford-Cartwright, L., Hurd, H., 2009. Malaria ookinetes exhibit multiple markers for apoptosis-like programmed cell death *in vitro*. *Parasites Vectors* 2, 32.
- Arav-Boger, R., Shapiro, T.A., 2005. Molecular mechanisms of resistance in antimalarial chemotherapy: The unmet challenge. *Annu. Rev. Pharmacol. Toxicol.* 45, 565-585.
- Arnot, D.E., Ronander, E., Bengtsson, D.C., 2011. The progression of the intra-erythrocytic cell cycle of *Plasmodium falciparum* and the role of the centriolar plaques in asynchronous mitotic division during schizogony. *Int. J. Parasitol.* 41, 71-80.
- Assaraf, Y.G., Abu-Elheiga, L., Spira, D.T., Desser, H., Bachrach, U., 1987a. Effect of polyamine depletion on macromolecular synthesis of the malaria parasite, *Plasmodium falciparum*, cultured in human erythrocytes. *Biochem. J.* 242, 221-226.
- Assaraf, Y.G., Golenser, J., Spira, D.T., Bachrach, U., 1984. Polyamine levels and the activity of their biosynthetic enzymes in human erythrocytes infected with the malarial parasite, *Plasmodium falciparum*. *Biochem. J.* 222, 815-819.
- Assaraf, Y.G., Golenser, J., Spira, D.T., Messer, G., Bachrach, U., 1987b. Cytostatic effect of DL-a-difluoromethylornithine against *Plasmodium falciparum* and its reversal by diamines and spermidine. *Parasitol. Res.* 73, 313-318.

- Auparakkitanon, S., Noonpakdee, W., Ralph, R.K., Denny, W.A., Wilairat, P., 2003. Antimalarial 9-anilinoacridine compounds directed at hematin. *Antimicro. Agents Ch.* 47, 3708-3712.
- Auparakkitanon, S., Wilairat, P., 2000. Cleavage of DNA induced by 9-anilinoacridine inhibitors of topoisomerase II in the malaria parasite *Plasmodium falciparum*. *Biochem. Bioph. Res. Co.* 269, 406-409.
- Aziz, S.M., Worthen, D.R., Yatin, M., Ain, K.B., Crooks, P.A., 1998. A unique interaction between polyamine and multidrug resistance (P-glycoprotein) transporters in cultured chinese hamster ovary cells transfected with mouse *mdr-1* gene. *Biochem. Pharmacol.* 56, 181-187.
- Bacchi, C.J., Nathan, H.C., Livingston, T., Valladares, G., Saric, M., Sayer, P.D., Njogu, A.R., Clarkson, A.B., 1990. Differential susceptibility to DL-alpha-difluoromethylornithine in clinical isolates of *Trypanosoma brucei rhodesiense*. *Antimicro. Agents Ch.* 34, 1183-1188.
- Bailey, T.L., Elkan, C., 1994. Fitting a mixture model by expectation maximization to discover motifs in biopolymers. *Proceedings of the Second International Conference on Intelligent Systems for Molecular Biology*, 28-36.
- Basselin, M., Coombs, G., Barret, M., 2000. Putrescine and spermidine transport in *Leishmania*. *Mol. Biochem. Parasitol.* 109, 37-46.
- Bathurst, I., Hentschel, C., 2006. Medicines for Malaria Venture: Sustaining antimalarial drug development. *Trends Parasitol.* 22, 301-307.
- Becker, J.V.W., Mtawisha, L., Crampton, B.G., Stoychev, S., Van Brummelen, A.C., Reeksting, S., Louw, A.I., Birkholtz, L., Mancama, D.T., 2010. *Plasmodium falciparum* spermidine synthase inhibition results in unique perturbation-specific effects observed on transcript, protein and metabolite levels. *BMC Genomics* 11, 1-16.
- Becker, K., Rahlfs, S., Nickel, C., Schirmer, R.H., 2003. Glutathione functions and metabolism in the malarial parasite *Plasmodium falciparum*. *Biol. Chem.* 384, 551-566.
- Belting, M., Mani, K., Jönsson, M., Cheng, F., Sandgren, S., Jonsson, S., Ding, K., Delcros, J.G., Fransson, L., 2003. Glypican-1 is a vehicle for polyamine uptake in mammalian cells. *J. Biol. Chem.* 278, 47181-47189.
- Bennet, T.N., Paguio, M., Gligorijevic, B., Seudieu, C., Kosar, A.D., Davidson, E., Roepe, P.D., 2004. Novel, rapid and inexpensive cell-based quantification of antimalarial drug efficacy. *Antimicrob. Agents Ch.* 48, 1807-1810.
- Bergeron, R.J., Neims, A.H., McManis, J.S., Hawthorne, J.S., Vinson, J.R., Bortell, R., Ingano, M.J., 1988. Synthetic polyamine analogues as antineoplastics. *J. Med. Chem.* 31, 1183-1190.
- Besley, D.M., Goldberg, A.A., 1954. Antimalarial 2-alkoxy-6-chloro-9-dialkylaminoalkylamino-1 : 10-diaza-anthracenes. *J. Chem. Soc.*, 2448-2455.
- Biagini, G.A., Ward, S.A., Bray, P.G., 2005. Malaria parasite transporters as a drug-delivery strategy. *Trends Parasitol.* 21, 299-301.

- Birkholtz, L., Joubert, F., Neitz, A.W.H., Louw, A.I., 2003. Comparative properties of a three-dimensional model of *Plasmodium falciparum* ornithine decarboxylase. *Proteins* 50, 464-473.
- Birkholtz, L., Wrenger, C., Joubert, F., Wells, G.A., Walter, R.D., Louw, A.I., 2004. Parasite-specific inserts in the bifunctional S-adenosylmethionine decarboxylase/ornithine decarboxylase of *Plasmodium falciparum* modulate catalytic activities and domain interactions. *Biochem. J.* 377, 439-448.
- Bitonti, A.J., Dumont, J.A., Bush, T.L., Edwards, M.L., Stemmerick, D.M., McCann, P.P., Sjoerdsma, A., 1989. Bis(benzyl)polyamine analogs inhibit the growth of chloroquine-resistant human malaria parasites (*Plasmodium falciparum*) *in vitro* and in combination with α -difluoromethylornithine cure murine malaria. *Proc. Natl. Acad. Sci. U.S.A.* 86, 651-655.
- Bokhari, A.A., Solomon, T., Desai, S.A., 2008. Two distinct mechanisms of transport through the plasmoidal surface anion channel. *J. Membr. Biol.* 226, 27-34.
- Boncher, T., Bi, X., Varghese, S., Casero, R.A., Woster, P.M., 2007. Polyamine-based analogues as biochemical probes and potential therapeutics. *Biochem. Soc. T.* 35, 356-363.
- Bouvier, L.A., Silber, A.M., Lopes, C.G., Canepa, G.E., Miranda, M.R., Tonelli, R.R., Colli, W., Alves, M.J.M., Pereira, C.A., 2004. Post genomic analysis of permeases from the amino acid/auxin family in protozoan parasites. *Biochem. Bioph. Res. Co.* 321, 547-556.
- Bozdech, Z., Llinás, M., Pulliam, B.L., Wong, E.D., Zhu, J., DeRisi, J.L., 2003. The transcriptome of the intraerythrocytic developmental cycle of *Plasmodium falciparum*. *PLOS Biol.* 1, E5.
- Breitbeil, F., Kaur, N., Delcros, J.G., Martin, B., Abboud, K.A., Phanstiel, O., 2006. Modeling the preferred shapes of polyamine transporter ligands and dihydromotuporamine-C mimics: shovel versus hoe. *J. Med.Chem.* 49, 2407-2416.
- Breman, J.G., 2001. The ears of the hippopotamus: Manifestations, determinants, and estimates of the malaria burden. *Am. J. Trop. Med. Hyg.* 64, 1-11.
- Breman, J.G., Alilio, M.S., Mills, A., 2004. Conquering the intolerable burden of malaria: What's new, what's needed: a summary. *Am. J. Trop. Med. Hyg.* 71, 1-15.
- Bruce-Chwatt, L.J., Archibald, H.M., 1953. Field trials of new antimalarials in West Africa. *Br. Med. J.* 7.
- Burger, P.B., Birkholtz, L., Joubert, F., Haider, N., Walter, R.D., Louw, A.I., 2007. Structural and mechanistic insights into the action of *Plasmodium falciparum* spermidine synthase. *Bioorgan. Med. Chem.* 15, 1628-1637.
- Canepa, G.E., Carrillo, C., Armesto, A.R., Bouvier, L.A., Miranda, M.R., Pereira, C.A., 2007. *Phytomonas*: Transport of amino acids, hexoses and polyamines. *Exp. Parasitol.* 117, 106-110.
- Carrillo, C., Canepa, G.E., Algranati, I.D., Pereira, C.A., 2006. Molecular and functional characterization of a spermidine transporter (*TcPAT12*) from *Trypanosoma cruzi*. *Biochem. Bioph. Res. Co.* 344, 936-940.



- Carter, N.S., Ben Mamoun, C., Liu, W., Silva, E.O., Landfear, S.M., Goldberg, D.E., Ullman, B., 2000. Isolation and functional characterization of the PfNT1 nucleoside transporter gene from *Plasmodium falciparum*. *J. Biol. Chem.* 275, 10683-10691.
- Casero, R.A., Marton, L.J., 2007. Targeting polyamine metabolism and function in cancer and other hyperproliferative diseases. *Nat. Rev. Drug Discov.* 6, 373-390.
- Casero, R.A., Pegg, A.E., 2009. Polyamine catabolism and disease. *Biochem. J.* 421, 323-338.
- Casero, R.A., Woster, P.M., 2001. Terminally alkylated polyamine analogues as chemotherapeutic agents. *J. Med. Chem.* 44, 1-26.
- Casero, R.A., Woster, P.M., 2009. Recent advances in the development of polyamine analogues as antitumor agents. *J. Med. Chem.* 52, 4551-4573.
- Cavallo, D., Ursini, C.L., Pira, E., Romano, C., Maiello, R., Petyx, M., Iavicoli, S., 2008. Evaluation of DNA damage induction on human pulmonary cells exposed to PAHs from organic extract of PM10 collected in a coke-oven plant. *Acta Biomed.* 79, 97-103.
- Chadwick, J., Jones, M., Mercer, A.E., Stocks, P.A., Ward, S.A., Park, B.K., O'Neill, P.M., 2010. Design, synthesis and antimalarial/anticancer evaluation of spermidine linked artemisinin conjugates designed to exploit polyamine transporters in *Plasmodium falciparum* and HL-60 cancer cell lines. *Bioorgan. Med. Chem.* 18, 2586-2597.
- Chakrabarti, A., Bhattacharya, D., Basu, A., Basu, S., Saha, S., Halder, S., 2011. Differential expression of red cell proteins in hemoglobinopathy. *Proteomics Clin. Appl.* 5, 98-108.
- Chakravarti, D., Venugopal, D., Mailander, P.C., Meza, J., Higginbotham, S., Cavalieri, E.L., Rogan, E.G., 2008. The role of polycyclic aromatic hydrocarbon-DNA adducts in inducing mutations in mouse skin. *Mutat. Res.* 649, 161-178.
- Charpian, S., Przyborski, J.M., 2008. Protein transport across the parasitophorous vacuole of *Plasmodium falciparum*: Into the great wide open. *Traffic* 9, 157-165.
- Chattopadhyay, M.K., Park, M.H., Tabor, H., 2008. Hyposine modification for growth is the major function of spermidine in *Saccharomyces cerevisiae* polyamine auxotrophs grown in limiting spermidine. *Proc. Natl. Acad. Sci. U.S.A.* 105, 6554-6559.
- Clark, K., Niemand, J., Reeksting, S., Smit, S., van Brummelen, A.C., Williams, M., Louw, A.I., Birkholtz, L., 2010. Functional consequences of perturbing polyamine metabolism in the malaria parasite, *Plasmodium falciparum*. *Amino Acids* 38, 633-644.
- Cobbold, S.A., 2011. Mechanisms of amino acid transport in the malaria parasite *Plasmodium falciparum*, Research School of Biology. The Australian National University, Canberra.
- Cobbold, S.A., Martin, R.E., Kirk, K., 2011. Methionine transport in the malaria parasite *Plasmodium falciparum*. *Int. J. Parasitol.* 41, 125-135.
- Cohen, S.S., 1998. A guide to the polyamines. Oxford University Press, Oxford.

- Coons, D.M., Boulton, R.B., Bisson, L.F., 1995. Computer-assisted nonlinear regression analysis of the multicomponent glucose uptake kinetics of *Saccharomyces cerevisiae*. *J. Bacteriol.* 177, 3251-3258.
- Cory, A.H., Owen, T.C., Barltrop, J.A., Cory, J.G., 1991. Use of an aqueous soluble tetrazolium/formazan assay for cell growth assays in culture. *Cancer Commun* 3, 207-212.
- Covassin, L., Desjardins, M., Charest-Gaudreault, R., Audette, M., Bonneau, M.J., Paulin, R., 1999. Synthesis of spermidine and norspermidine dimers as high affinity polyamine transport inhibitors. *Bioorg. Med. Chem. Lett.* 9, 1709-1714.
- Cullis, P.M., Green, R.E., Merson-Davies, L., Travis, N., 1999. Probing the mechanism of transport and compartmentalisation of polyamines in mammalian cells. *Chem. Biol.* 6.
- Daigle, N.D., Carpentier, G.A., Frenette-Cotton, R., Simard, M.G., Lefoill, M.H., Noël, M., Caron, L., Noël, J., Isenring, P., 2009. Molecular characterization of a human cation-Cl⁻ cotransporter (SLC12A8A, CCC9A) that promotes polyamine and amino acid transport. *J. Cell. Physiol.* 220, 680-689.
- Das, B., Gupta, R., Madhubala, R., 1997. Combined action of inhibitors of S-adenosylmethionine decarboxylase with an antimalarial drug, chloroquine, on *Plasmodium falciparum*. *J. Euk. Microbiol.* 44.
- Das Gupta, R., Krause-Ihle, T., Bergmann, B., Müller, I.B., 2005. 3-Aminooxy-1-Aminopropane and derivatives have an antiproliferative effect on cultured *Plasmodium falciparum* by decreasing intracellular polyamine concentrations. *Antimicro. Agents Ch.* 49, 2857-2864.
- Decherf, G., Egee, S., Staines, H.M., Ellory, J.C., Thomas, S.L., 2004. Anionic channels in malaria-infected human red blood cells. *Blood Cells Mol. Dis.* 32, 366-371.
- Delcros, J.G., Tomasi, S., Carrington, M., Renault, J., Blagbrough, I.S., Uriac, P., 2002. Effect of spermine conjugation on the cytotoxicity and cellular transport of acridine. *J. Med. Chem.* 45, 5098-5111.
- Deponte, M., Becker, K., 2004. *Plasmodium falciparum*-do killers commit suicide? *Trends Parasitol.* 20, 165-169.
- Desai, S.A., Krogstad, D.J., McCleskey, E.W., 1993. A nutrient-permeable channel on the intraerythrocytic malaria parasite. *Nature* 362, 643-646.
- Desai, S.A., Rosenberg, R.L., 1997. Pore size of the malaria parasite's nutrient channel. *Proc. Natl. Acad. Sci. U.S.A.* 94, 2045-2049.
- Eckstein-Ludwig, U., Webb, R.J., Van Goethem, I.D., East, J.M., Lee, A.G., Kimura, M., O'Neill, P.M., Bray, P.G., Ward, S.A., Krishna, S., 2003. Artemisinins target the SERCA of *Plasmodium falciparum*. *Nature* 424, 957-961.
- Edwards, G., Biagini, G.A., 2006. Resisting resistance: Dealing with the irrepressible problem of malaria. *Brit. J. Clin. Pharmaco.* 61, 690-693.

- Edwards, M.L., Stemmerick, D., Bitonti, A., Dumont, J., McCann, P., Bey, P., Sjoerdsma, A., 1991. Antimalarial polyamine analogues. *J. Med. Chem.* 34, 569-574.
- Egan, T., 2006. Interactions of quinoline antimalarials with hematin in solution. *J. Inorg. Biochem* 100, 916-926.
- Egan, T., 2008. Recent advances in understanding the mechanism of hemozoin (malaria pigment) formation. *J. Inorg. Biochem* 102, 1288-1299.
- Enserink, M., 2010a. Malaria's drug miracle in danger. *Science* 328, 844-846.
- Enserink, M., 2010b. Redrawing Africa's malaria map. *Science* 328, 842.
- Feachem, R.G.A., Phillips, A.A., Hwang, J., Cotter, C., Wielgosz, B., Greenwood, B.M., Sabot, O., Rodrigues, M.H., Abeyasinghe, R.R., Ghebreyesus, T.A., Snow, R.W., 2010. Shrinking the malaria map: progress and prospects. *Lancet* 376, 1566-1578.
- Frevert, U., 2004. Sneaking in through the back entrance: The biology of malaria liver stages. *Trends Parasitol.* 20, 417-424.
- Fukumoto, G.H., Byus, C.V., 1996. A kinetic characterization of putrescine and spermidine uptake and export in human erythrocytes. *Biochim. Biophys. Acta* 1282, 48-56.
- Fukumoto, G.H., Byus, C.V., 1997. Putrescine export in *Xenopus laevis* oocytes occurs against a concentration gradient: evidence for a non-diffusional export process. *Biochim. Biophys. Acta* 1324, 215-222.
- Gahl, W.A., Pitot, H.C., 1978. Reversal by aminoguanidine of the inhibition of proliferation of human fibroblasts by spermidine and spermine. *Chem. Biol. Interact.* 1, 91-98.
- García-Estrada, C., Prada, C.F., Fernández-Rubio, C., Rojo-Vázquez, F., Balaña-Fouce, R., 2010. DNA topoisomerase in apicomplexan parasites: promising targets for drug discovery. *Proc. R. Soc. B.* 277, 1777-1787.
- García-Fernández, A.J., Rodríguez, R.A., Pérez-Pertejo, Y., Balana-Fouce, R., 2005. Characterization of putrescine uptake in hamster amelanocytic melanoma AMEL-3 cells. *Mol. Cells* 20, 127-135.
- Gauduchon, J., Gouilleux, F., Marsaud, V., Renoir, J.M., Sola, B., 2005. 4-Hydroxytamoxifen inhibits proliferation of multiple myeloma cells *in vitro* through down-regulation of c-Myc, up-regulation of p27Kip1 and modulation of Bcl-2 family members. *Clin. Cancer Res.* 11, 2345-2354.
- Ghosh, A.K., Moreira, L.A., Jacobs-Lorena, M., 2002. *Plasmodium*-mosquito interactions, phage display libraries and transgenic mosquitoes impaired for malaria transmission. *Insect Biochem. Molec.* 32, 1325-1331.
- Ginsburg, H., Krugliak, M., 1983. Uptake of L-tryptophan by erythrocytes infected with malaria parasites (*Plasmodium falciparum*). *Biochim. Biophys. Acta* 729, 97-103.

- Ginsburg, H., Kutner, S., Krugliak, M., Cabantchik, Z.I., 1985. Characterization of permeation pathways appearing in the host membrane of *Plasmodium falciparum* infected red blood cells. Mol. Biochem. Parasitol. 14, 313-322.
- Graminski, G.F., Carlson, C.L., Ziemer, J.R., Cai, F., Vermeulen, N.M.J., Vanderwerf, S.M., Burns, M.R., 2002. Synthesis of bis-spermine dimers that are potent polyamine transport inhibitors. Bioorg. Med. Chem. Lett. 12, 35-40.
- Greenwood, B.M., Bojang, K., Whitty, C.J.M., Targett, G.A.T., 2005. Malaria. Lancet 365, 1487-1498.
- Gugliucci, A., 2004. Polyamines as clinical laboratory tools. Clin. Chim. Acta 344, 23-35.
- Haider, N., Eschbach, M.L., de Souza Dias, S., Gilberger, T.W., Walter, R.D., Lüersen, K., 2005. The spermidine synthase of the malaria parasite *Plasmodium falciparum*: Molecular and biochemical characterization of the polyamine synthesis enzyme. Mol. Biochem. Parasit. 142, 224-236.
- Hasne, M., Coppens, I., Soysa, R., Ullman, B., 2010. A high-affinity putrescine-cadaverine transporter from *Trypanosoma cruzi*. Mol. Microbiol. 76, 78-91.
- Hasne, M., Ullman, B., 2005. Identification and characterization of a polyamine permease from the protozoan parasite *Leishmania major*. J. Biol. Chem 280, 15188-15194.
- Heby, O., Persson, L., Rentala, M., 2007. Targeting the polyamine biosynthetic enzymes: a promising approach to therapy of African sleeping sickness, Chagas' disease and leishmaniasis. Amino Acids 33, 359-366.
- Heby, O., Roberts, S.C., Ullman, B., 2003. Polyamine biosynthetic enzymes as drug targets in parasitic protozoa. Biochem.Soc.Trans. 31, 415-419.
- Henry, M., Briolant, S., Zettor, A., Pelleau, S., Baragatti, M., Baret, E., Mosnier, J., Amalvict, R., Fusai, T., Rogier, C., Pradines, B., 2009. *Plasmodium falciparum* Na⁺/H⁺ exchanger 1 transporter is involved in reduced susceptibility to quinine. Antimicro. Agents Ch. 53, 1926-1930.
- Higashi, K., Ishigure, H., Demizu, R., Uemure, T., Nishino, K., Yamaguchi, A., Kashiwagi, K., Igarashi, K., 2008. Identification of a spermidine excretion protein complex (MdtJI) in *Escherichia coli*. J. Bacteriol. 190, 872-878.
- Hill, D.A., Desai, S.A., 2010. Malaria parasite mutants with altered erythrocyte permeability: a new drug resistance mechanism and important molecular tool. Future Microbiol. 5, 81-97.
- Hoshino, K., Momiyama, E., Yoshida, K., Nishimura, K., Sakai, S., Toida, T., Kashiwagi, K., Igarashi, K., 2005. Polyamine transport in mammalian cells and mitochondria. J. Biol. Chem 280, 42801-42808.

- Hoskins, J., Alborn, W.E., Arnold, J., Blaszcak, C., Burgett, S., DeHoff, B.S., Ekstrem, S.T., Fritz, L., Fu, D.J., Fuller, W., Geringer, C., Gilmour, R., Glass, J.S., Khoja, H., Kraft, A.R., Lagace, R.E., LeBlanc, D.J., Lee, L.N., Lefkowitz, E.J., Lu, J., Matsushima, P., McAhren, S.M., McHenney, M., McLeaster, K., Mundy, C.W., Nicas, T.I., Norris, F.H., O'Gara, M., Peery, R.B., Robertson, G.T., Rockey, P., Sun, P.M., Winkler, M.E., Yang, Y., Young-Bellido, M., Zhao, G., Zook, C.A., Baltz, R.H., S.R., J., Rosteck, P.R., Skatrud, P.L., Glass, J.I., 2001. Genome of the bacterium *Streptococcus pneumoniae* strain R6. *J. Bacteriol.* 183, 5709-5717.
- Huber, S.M., Duranton, C., Lang, F., 2005. Patch-clamp analysis of the "new permeability pathways" in malaria-infected erythrocytes. *Int. Rev. Cytol.* 246, 59-134.
- Igarashi, K., Kashiwagi, K., 1999. Polyamine transport in bacteria and yeast. *Biochem. J.* 344, 633-642.
- Igarashi, K., Kashiwagi, K., 2001. Polyamine uptake systems in *Escherichia coli*. *Res. Microbiol.* 152, 271-278.
- Igarashi, K., Kashiwagi, K., 2010. Characteristics of cellular polyamine transport in prokaryotes and eukaryotes. *Plant Physiol. Biochem.* 48, 506-512.
- Jack, D.L., Paulsen, I.T., Saier, M.H., 2000. The amino acid/polyamine/organocation (APC) superfamily of transporters specific for amino acids, polyamines and organocations. *Microbiology* 146, 1797-1814.
- Jambou, R., Legrand, E., Niang, M., Khim, N., Lim, P., Volney, B., Ekala, M.T., Bouchier, C., Esterre, P., Fandeur, T., Mercereau-Puijalon, O., 2005. Resistance of *Plasmodium falciparum* field isolates to *in-vitro* artemether and point mutations of the SERCA-type PfATPase6. *Lancet* 366, 1960-1963.
- Jäne, J., Alhonen, L., Pietilä, M., Keinänen, T.A., 2004. Genetic approaches to the cellular functions of polyamines in mammals. *Eur.J.Biochem* 271, 877-894.
- Jongwutiwes, S., Putaporntip, C., Iwasaki, T., Sato, T., Kanbara, H., 2004. Naturally acquired *Plasmodium knowlesi* malaria in human, Thailand. *Emerg. Infect. Dis* 10, 2211-2213.
- Jung, I.L., Kim, I.G., 2003. Transcription of ahpC, katG and katE genes in *Escherichia coli* is regulated by polyamines: polyamine-deficient mutant sensitive to H₂O₂-induced oxidative damage. *Biochem. Bioph. Res. Co.* 301, 915-922.
- Kaiser, A.E., Gottwald, A.M., Wiersch, C.S., Lindenthal, B., Maier, W.A., Seitz, H.M., 2001. Effect of drugs inhibiting spermidine biosynthesis and metabolism on the *in vitro* development of *Plasmodium falciparum*. *Parasitol. Res.* 87, 963-972.
- Kaiser, A.E., Gottwald, A.M., Wiersch, C.S., Maier, W.A., Seitz, H.M., 2003. Spermidine metabolism in parasitic protozoa-a comparison to the situation in prokaryotes, viruses, plants and fungi. *Folia Parasit.* 50, 3-18.
- Kakhniashviki, D.G., Bulla, L.A., Goodman, S.R., 2004. The human erythrocyte proteome: Analysis by ion trap mass spectrometry. *Mol. Cell. Prot.* 3, 501-509.

Kappe, S.H.I., Vaughan, A.M., Boddey, J.A., Cowman, A.F., 2010. That was then but this is now: Malaria research in the time of an eradication agenda. *Science* 328, 862-866.

Kashiwagi, K., Kobayashi, H., Igarashi, K., 1986. Apparently unidirectional polyamine transport by proton motive force in polyamine-deficient *Escherichia coli*. *J. Bacteriol.* 165, 972-977.

Kashiwagi, K., Kuraishi, A., Tomitori, H., Igarashi, A., Nishimura, K., Shirahata, A., Igarashi, K., 2000. Identification of the putrescine recognition site on polyamine transport protein PotE. *J. Biol. Chem.* 275, 36007-36012.

Kaur, N., Delcros, J.G., Imran, J., Khaled, A., Chehtane, M., Tschammer, N., Martin, B., Phanstiel, O., 2008. A comparison of chloroambucil-and xylene-containing polyamines leads to improved ligands for accessing the polyamine transport system. *J. Med. Chem.* 51, 1393-1401.

Kepp, O., Galluzzi, L., Lipinski, M., Yuan, J., Kroemer, G., 2011. Cell death assays for drug discovery. *Nat. Rev. Drug Discov.* 10, 221-237.

Khan, S.M., Waters, A.P., 2004. Malaria parasite transmission stages: An update. *Trends Parasitol.* 20, 575-580.

Kirk, K., 2001. Membrane transport in the malaria-infected erythrocyte. *Physiol. Rev.* 81, 495-537.

Kirk, K., 2004. Channels and transporters as drug targets in the *Plasmodium*-infected erythrocyte. *Acta Trop.* 89, 285-298.

Kirk, K., Horner, H.A., 1995. Novel anion dependence of induced cation transport in malaria-infected erythrocytes. *J. Biol. Chem.* 270, 24270-24275.

Kirk, K., Horner, H.A., Elford, B.C., Ellory, J.C., Newbold, C.I., 1994. Transport of diverse substrates into malaria-infected erythrocytes via a pathway showing functional-characteristics of a chloride channel. *J. Biol. Chem.* 269, 3339-3347.

Kirk, K., Howitt, S.M., Broer, S., Saliba, K.J., Downie, M.J., 2009. Purine uptake in *Plasmodium*: Transport versus metabolism. *Trends Parasitol.* 25, 246-249.

Kirk, K., Martin, R.E., Broer, S., Howitt, S.M., Saliba, K.J., 2005. Plasmodium permeomics: Membrane transport proteins in the malaria parasite. *Curr. Top. Microbiol.* 295, 325-356.

Kitani, T., Fujisawa, H., 1983. Purification of ornithine decarboxylase from rat liver. *J. Biol. Chem.* 258, 235-239.

Klenke, B., Barret, M.P., Brun, R., Gilbert, I.H., 2003. Antiplasmodial activity of a series of 1,3,5-triazine-substituted polyamines. *J. Antimicrob. Chemother.* 52, 290-293.

Krause, T., Lüersen, K., Wrenger, C., Gilberger, T.-W., Müller, S., Walter, R.D., 2000. The ornithine decarboxylase domain of the bifunctional ornithine decarboxylase/S-adenosylmethionine decarboxylase of *Plasmodium falciparum*: Recombinant expression and catalytic properties of two different constructs. *Biochem. J.* 352, 287-292.

- Kremsner, P.G., Krishna, S., 2004. Antimalarial combinations. *Lancet* 364, 285-294.
- Krishna, S., Woodrow, C.J., Burchmore, R.J.S., Saliba, K.J., Kirk, K., 2000. Hexose transporter in asexual Stages of *Plasmodium falciparum* and Kinetoplastidae. *Parasitol. Today* 16, 516-521.
- Kroemer, G., Mariño, G., Levine, B., 2010. Autophagy and the integrated stress response. *Mol. Cell* 40, 280-293.
- Krogstad, D.J., Schlesinger, P.H., Gluzman, I.L., 1985. Antimalarials increase vesicle pH in *Plasmodium falciparum*. *J. Cell Biol.* 101, 2302-2309.
- Kumar, S., Guha, M., Choubey, V., Maity, P., Srivastava, K., Puri, S.K., Bandyopadhyay, U., 2008. Bilirubin inhibits *Plasmodium falciparum* growth through the generation of reactive oxygen species. *Free Radic. Biol. Med.* 44, 602-613.
- Kurihara, S., Tsuboi, Y., Oda, S., Kim, H.G., Kumagai, H., Suzuki, H., 2009. The putrescine importer PuuP of *Escherichia coli* K-12. *J. Bacteriol.* 191, 2776-2782.
- Lambros, C., Vanderberg, J.P., 1979. Synchronization of *Plasmodium falciparum* erythrocytic stages in culture. *J. Parasitol.* 65, 418-420.
- Lauer, S.A., Rathod, P.K., Ghori, N., Haldar, K., 1997. The membrane network for nutrient import in red cells infected with the malaria parasite. *Science* 276.
- Lee, Y., Sayre, L.M., 1998. Reaffirmation that metabolism of polyamines by bovine plasma amine oxidase occurs strictly at the primary amino termini. *Biol. Chem.* 273, 19490-19494.
- Lehane, A.M., Saliba, K.J., Allen, R.J.W., Kirk, K., 2004. Choline uptake into the malaria parasite is energized by the membrane potential. *Biochem. Biophys. Res. Co.* 320, 311-317.
- Lemnge, M., Peshu, N., Marsh, K., Riley, E.M., von Seidlein, L., Bejon, P., 2011. Efficacy of RTS,S/AS01E malaria vaccine and exploratory analysis on anti-circumsporozoite antibody titres and protection in children aged 5-17 months in Kenya and Tanzania: a randomised controlled trial. *Lancet* 11, 102-109.
- LeQuesne, S.A., Fairlamb, A.H., 1996. Regulation of a high-affinity diamine transport system in *Trypanosoma cruzi* epimastigotes. *Biochem. J.* 316, 481-486.
- Liao, C., Phanstiel, O., Lasbury, O., Zhang, C., Shao, S., Durant, P.J., Cheng, B., Lee, C., 2009. Polyamine transport as a target for treatment of *Pneumocystis pneumonia*. *Antimicro. Agents Ch.* 53, 5259-5264.
- Lim, L., McFadden, G.I., 2010. The evolution, metabolism and functions of the apicoplast. *Philos. Trans. R. Soc. Lond. B. Bio. Sci.* 365, 749-763.
- Lodish, H., Berk, A., Zipursky, S.L., Masudaira, P., Baltimore, D., Darnell, J., 2000. Molecular Cell Biology, Fourth ed. W.H. Freeman and company, New York.
- Loria, P., Miller, S., Foley, M., Tilley, L., 1999. Inhibition of the peroxidative degradation of haem as the basis of action of chloroquine and other quinoline antimalarials. *Biochem. J.* 339, 363-370.

- Lu, C., Itoh, Y., Nakada, Y., Jiang, Y., 2002. Functional analysis and regulation of the divergent *spuABCDEFGH-spul* operons for polyamine uptake and utilization in *Pseudomonas aeruginosa* PAO1. *J. Bacteriol.* 184, 3765-3773.
- Luzzatto, L., 2010. The rise and fall of the antimalarial Lapdap: a lesson in pharmacogenetics. *Lancet* 376, 739-741.
- Maia, C., Lanfredi-Rangel, A., Santana-Anjos, K.G., Oliveira, M.F., Souza, W.D., Vannier-Santos, M.A., 2008. Effects of a putrescine analog on *Giardia lamblia*. *Parasitol. Res.* 103, 363-370.
- Marchesini, N., Vieira, M., Luo, S., Morena, S.N., Docampo, R., 2005. A malaria parasite-encoded vacuolar H(+) -ATPase is targeted to the host erythrocyte. *J. Biol. Chem.* 280, 36841-36847.
- Martin, R.E., Ginsburg, H., Kirk, K., 2009a. Membrane transport proteins of the malaria parasite. *Mol. Microbiol.* 74, 519-528.
- Martin, R.E., Henry, R.I., Abbey, J.L., Clements, J.D., 2005. The 'permeome' of the malaria parasite: an overview of the membrane transport proteins of *Plasmodium falciparum*. *Genome Biol.* 6, R26.
- Martin, R.E., Kirk, K., 2007. Transport of the essential nutrient isoleucine in human erythrocytes infected with the malaria parasite *Plasmodium falciparum*. *Blood* 109, 2217-2224.
- Martin, R.E., Marchetti, R.V., Cowan, A.I., Howitt, S.M., Broer, S., Kirk, K., 2009b. Chloroquine transport via the malaria parasite's chloroquine resistance transporter. *Science* 325, 1680-1682.
- Marton, L.J., Pegg, A.E., 1995. Polyamines as targets for therapeutic intervention. *Annu. Rev. Pharmacol. Toxicol.* 35, 55-91.
- McNemar, M.D., Gorman, J.A., Buckley, H.R., 2001. Isolation of a gene encoding a putative polyamine transporter from *Candida albicans*, *GPT1*. *Yeast* 18, 555-561.
- Menezes, D., Valentim, C., Oliveira, M.F., Vannier-Santos, M.A., 2006. Putrescine analogue cytotoxicity against *Trypanosoma cruzi*. *Parasitol. Res.* 98, 99-105.
- Merckx, A., Nivez, M.P., Bouyer, G., Alano, P., Langsley, G., Deitsch, K., 2008. *Plasmodium falciparum* regulatory subunit of cAMP-dependent PKA and anion channel conductance. *PLoS Pathog.* 4, e19.
- Metcalf, B.W., Bey, P., Danzin, C., Jung, M.J., Casara, P., Vevert, J.P., 1978. Catalytic irreversible inhibition of mammalian ornithine decarboxylase (E.G. 4.1.1.17) by substrate and product analogues. *J. Am. Chem. Soc.* 100, 2551-2553.
- Miller, L.H., Baruch, D.I., Marsh, K., Doumbo, O.K., 2002. The pathogenic basis of malaria. *Nature* 415, 673-679.
- Minchin, R., McCoubrie, J.E., 2004. Mutational analyses of the large periplasmic loop 7-8 of the putrescine transporter PotE in *Escherichia coli*. *Int. J. Biochem. Cell Biol.* 36, 271-280.

- Moinard, C., Cynober, L., de Bandt, J., 2005. Polyamines: Metabolism and implications in human diseases. *Clin. Nutr.* 24, 184-197.
- Mok, S., Imwong, M., Mackinnon, M.J., Sim, J., Ramaodoss, R., Yi, P., Mayxay, M., Chotivanich, K., Liang, K.Y., Russel, B., Socheat, D., Newton, P.N., Day, N.P., White, N.J., Preiser, P.R., Nosten, F., Dondorp, A.M., Bozdech, Z., 2011. Artemisinin resistance in *Plasmodium falciparum* is associated with an altered temporal pattern of transcription. *BMC Genomics* 12, 391.
- Molitor, I.M., Knöbel, S., Dang, C., Spielmann, T., Alléra, A., König, G.M., 2004. Translation initiation factor eIF-5a from *Plasmodium falciparum*. *Mol. Biochem. Parasitol.* 137, 65-74.
- Morgan, D.M.L., Bachrach, U., Assaraf, Y.G., Harari, T.E., Golenser, J., 1986. The effect of purified aminoaldehydes produced by polyamine oxidation on the development *in vitro* of *Plasmodium falciparum* in normal and glucose-6-phosphate-dehydrogenase deficient erythrocytes. *Biochem J* 236, 97-101.
- Müller, I.B., Das Gupta, R., Lüersen, K., Wrenger, C., Walter, R.D., 2008. Assessing the polyamine metabolism of *Plasmodium falciparum* as chemotherapeutic target. *Mol. Biochem. Parasit.* 160.
- Müller, I.B., Hyde, J.E., 2010. Antimalarial drugs: modes of action and mechanisms of parasite resistance. *Future Microbiol.* 5, 1857-1873.
- Müller, S., Coombs, G.H., Walter, R.D., 2001. Targeting polyamines of parasitic protozoa in chemotherapy. *Trends Parasitol.* 17, 242-249.
- Müller, S., Da'daras, A., Lüersen, K., Wrenger, C., Gupta, R.D., Madhubala, R., Walter, R.D., 2000. In the human malaria parasite *Plasmodium falciparum* polyamines are synthesized by a bifunctional ornithine decarboxylase, S-adenosylmethionine decarboxylase. *J. Biol. Chem.* 275, 8097-8102.
- Müller, S., Lüchow, A., McCann, P.P., Walter, R.D., 1991. Effect of bis(benzyl)polyamine derivatives on polyamine transport and survival of *Brugia pahangi*. *Parasitol. Res.* 77, 612-615.
- Müller, I.B., Das Gupta, R., Lüersen, K., Wrenger, C., Walter, R.D., 2008. Assessing the polyamine metabolism of *Plasmodium falciparum* as chemotherapeutic target. *Mol. Biochem. Parasit.* 160, 1-7.
- Nadler, S.G., Takahashi, M.T., 1985. Putrescine transport in human platelets. *Biochim. Biophys. Acta* 812, 345-352.
- Nkrumah, L.J., Riegelhaupt, P.M., Moura, P., Johnson, D.J., Patel, J., Hayton, K., Ferdig, M.T., Wellem, T.E., Kaabas, M.H., Fidock, D.A., 2009. Probing the multifactorial basis of *Plasmodium falciparum* quinine resistance: evidence for a strain-specific contribution of the sodium-proton exchanger PfNHE. *Mol. Biochem. Parasitol.* 165, 122-131.
- Nyakeriga, A.M., Perlmann, H., Hagstedt, M., Berzins, K., Troye-Blomberg, M., Zhivotovsky, B., Perlman, P., Grandien, A., 2006. Drug-induced death of the asexual blood stages of *Plasmodium falciparum* occurs without typical signs of apoptosis. *Microbes Infect.* 8, 1560-1568.

- O'Connell-Jones, S., 2009. The regulation of polyamine biosynthesis in *Plasmodium falciparum*, Department of Biochemistry. University of Pretoria, Pretoria.
- Olive, P.L., Bánath, J.P., 2006. The comet assay: a method to measure DNA damage in individual cells. Nat. Protoc. 1, 23-29.
- Olszewski, K.L., Morrisey, J.M., Wilinski, D., Burns, M.R., Vaidya, A.B., Rabinowitsch, J.D., Llinás, M., 2009. Host-parasite interactions revealed by *Plasmodium falciparum* metabolomics. Cell Host Microbe 5, 191-199.
- Painter, H.J., Morrisey, J.M., Vaidya, A.B., 2010. Mitochondrial electron transport inhibition and viability of intraerythrocytic *Plasmodium falciparum*. Antimicro. Agents Ch. 54, 5281-5287.
- Palmer, A.J., Ghani, R.A., Kaur, N., Phanstiel, O., Wallace, H.M., 2009. A putrescine-anthracene conjugate: a paradigm for selective drug delivery. Biochem. J. 424, 431-438.
- Palmer, A.J., Wallace, H., 2010. The polyamine transport system as a target for anticancer drug development. Amino Acids 38, 415-422.
- Palmer, T., 2001. Enzymes: Biochemistry, biotechnology and clinical chemistry. Horwood Publishing, Chichester.
- Paridaens, R., Uges, D.R., Barbet, N., Choi, L., Seeghers, M., van der Graaf, W.T., Groen, H.J., Dumez, H., Buuren, I.V., Muskiet, F., Capdeville, R., Oosterom, A.T., de Vries, E.G., 2000. A phase I study of a new polyamine biosynthesis inhibitor, SAM486A, in cancer patients with solid tumours. Br. J. Cancer 83, 594-601.
- Parker, M.D., Hyde, R.J., Yao, S.Y., McRobert, L., Cass, C.E., Young, J.D., McConkey, G.A., Baldwin, S.A., 2000. Identification of a nucleoside/nucleobase transporter from *Plasmodium falciparum*, a novel target for anti-malarial chemotherapy. Biochem. J. 349, 65-75.
- Pegg, A.E., 2009. Mammalian polyamine metabolism and function. IUBMB Life 61, 880-894.
- Petersen, I., Eastman, R., Lanzer, M., 2011. Drug-resistant malaria: Molecular mechanisms and implications for public health. FEBS Lett. 585, 1551-1562.
- Phanstiel, O., Kaur, N., Delcros, J.G., 2007. Structure-activity investigations of polyamine-anthracene conjugates and their uptake via the polyamine transporter. Amino Acids 33, 305-313.
- Phanstiel, O., Price, H.L., Wang, L., Juusola, J., Kline, M., Shah, S.M., 2000. The effect of polyamine homolongation on the transport and cytotoxicity properties of polyamine-(DNA-intercalator) conjugates. J. Org. Chem 65, 5590-5599.
- Pistocchi, R., Keller, F., Bagni, N., Matile, P., 1988. Transport and subcellular localization of polyamines in carrot protoplasts and vacuoles. Plant Physiol. 87, 514-518.
- Porter, C.W., Miller, J., Bergeron, R.J., 1985. Aliphatic chain length specificity of the polyamine transport system in ascites L1210 leukemia cells. Cancer Res. 44, 26-128.

- Preechapornkul, P., Imwong, M., Chotivanich, K., Ponqtavornpinyo, W., Dondorp, A.M., Day, N.P., Wahite, N.J., Pukrittayakamee, S., 2009. *Plasmodium falciparum* pfmdr1 amplification, mefloquine resistance and parasite fitness. *Antimicro. Agents Ch.* 53, 1509-1515.
- Quashie, N.B., Ranford-Cartwright, L., De Koning, H.P., 2010. Uptake of purines in *Plasmodium falciparum*-infected human erythrocytes is mostly mediated by the human equilibrative nucleoside transporter and the human facilitative nucleobase transporter. *Malar. J.* 29, 36.
- Ramya, T.N.C., Surolia, N., Surolia, A., 2006. Polyamine synthesis and salvage pathways in the malaria parasite *Plasmodium falciparum*. *Biochem. Bioph. Res. Co.* 348, 579-584.
- Rasoloson, D., Shi, L., Chong, C.R., Kafsack, B.F., Sullivan, D.J., 2004. Copper pathways in *Plasmodium falciparum* infected erythrocytes indicate an efflux role for the copper P-ATPase. *Biochem. J.* 381, 803-811.
- Reguera, R.M., Tekwani, B.L., Balana-Fouce, R., 2005. Polyamine transport in parasites: A potential target for new antiparasitic drug development. *Comp. Biochem. Phys.* 140, 151-164.
- Reis, I.A., Martinez, M.P., Yarlett, N., Johnson, P.J., Silva-Filho, F.C., Vannier-Santos, M.A., 1999. Inhibition of polyamine synthesis arrest trichomonad growth and induces destruction of hydrogenosomes. *Antimicro. Agents Ch.* 43, 1919-1923.
- Richier, E., Biagini, G.A., Wein, S., Boudou, F., Bray, P.G., Ward, S.A., Precigout, E., Calas, M., Dubremetz, J., Vial, H., 2006. Potent antihematozoan activity of novel bisthiazolium drug T16: Evidence for inhibition of phosphatidylcholine metabolism in erythrocytes infected with *Babesia* and *Plasmodium* spp. *Antimicro. Agents Ch.* 50, 3381-3388.
- Rider, J.E., Hacker, A., Mackintosh, C.A., Pegg, A.E., Woster, P.M., Casero, R.A., 2007. Spermine and spermidine mediate protection against oxidative damage caused by hydrogen peroxide. *Amino Acids* 33.
- Ridley, R.G., 2002. Medical need, scientific opportunity and the drive for antimalarial drugs. *Nature* 415, 686-693.
- Rixe, O., Fojo, T., 2007. Is cell death a critical end point for anticancer therapies or is cytostasis sufficient? *Clin. Cancer Res.* 13, 7280-7287.
- Rodger, A., Taylor, S., Adlam, G., Blagbrough, I.S., Haworth, I.S., 1995. Multiple DNA binding modes of anthracene-9-carbonyl- λ^1 -spermine. *Bioorgan. Med. Chem.* 3, 861-872.
- Romero-Calderón, R., Krantz, D.E., 2006. Transport of polyamines in *Drosophila* S2 cells: Kinetics, pharmacology and dependence on the plasma membrane proton gradient. *Biochem. J.* 393, 583-589.
- Rotmann, A., Sanchez, C., Guiquemde, A., Rohrbach, P., Dave, A., Bakouh, N., Planelles, G., Lanzer, M., 2010. PfCHA is a mitochondrial divalent cation/H⁺ antiporter in *Plasmodium falciparum*. *Mol. Microbiol.* 76, 1591-1606.

- Sá, J.M., Twu, O., Hayton, K., Reyes, S., Fay, M.P., Ringwald, P., Wellem, T.E., 2009. Geographic patterns of *Plasmodium falciparum* drug resistance distinguished by differential responses to amodiaquine and chloroquine. Proc. Natl. Acad. Sci. U.S.A. 106, 18883-18889.
- Saab, N.H., West, E.E., Bieszk, N.C., Preuss, C.V., Mank, A.R., Casero, R.A., Woster, P.M., 1993. Synthesis and evaluation of unsymmetrically substituted polyamine analogues as modulators of human spermidine/spermine-N1-acetyltransferase (SSAT) and as potential antitumor agents. J. Med. Chem. 36, 2998-3004.
- Saliba, K.J., Horner, H.A., Kirk, K., 1998. Transport and metabolism of the essential vitamin pantothenic acid in human erythrocytes infected with the malaria parasite *Plasmodium falciparum*. J. Biol. Chem. 273, 10190-10195.
- Saliba, K.J., Kirk, K., 1999. pH regulation in the intracellular malaria parasite, *Plasmodium falciparum* - H⁺ extrusion via a V-type H⁺-ATPase. J. Biol. Chem. 274, 33213-33219.
- Sanchez, C.P., Rotmann, A., Stein, W.D., Lanzer, M., 2008a. Polymorphisms within PfMDR1 alter the substrate specificity for anti-malarial drugs in *Plasmodium falciparum*. Mol. Microbiol. 70, 786-798.
- Sanchez, C.P., Stein, W.D., Lanzer, M., 2008b. Dissecting the components of quinine accumulation in *Plasmodium falciparum*. Mol. Microbiol. 67, 1081-1093.
- Schmelzer, G.H., Gurib-Fakim, A., 2008. Medicinal Plants. PROTA Foundation/Backhuys Publishers, Wageningen.
- Schuber, F., 1989. Influence of polyamines on membrane functions. Biochem. J. 260, 1-10.
- Seiler, N., 1991. Pharmacological properties of the natural polyamines and their depletion by biosynthesis inhibitors as a therapeutic approach. Prog. Drug. Res 37, 107-159.
- Seiler, N., 2003. Thirty years of polyamine-related approaches to cancer therapy. Retrospect and prospect. Part 1. Selective enzyme inhibitors. Curr. Drug Targets 4.
- Seiler, N., Atanassov, C.L., Raul, F., 1998. Polyamine metabolism a target for cancer chemoprevention Int. J. Oncol. 13, 993-1006.
- Seiler, N., Delcros, J.G., Moulinoux, J.P., 1996. Polyamine transport in mammalian cells. An update. Int. J. Biochem. Cell Biol. 28, 843-861.
- Sha, Q., Romano, C., Lopatin, A.N., Nichols, C.G., 1996. Spermidine release from *Xenopus* oocytes. J. Biol. Chem. 271, 3392-3397.
- Sidhu, A.B., Uhlemann, A.C., Valderramos, S.G., Valderramos, J.C., Krishna, S., Fidock, D.A., 2006. Decreasing *pfmdr1* copy number in *Plasmodium falciparum* malaria heightens susceptibility to mefloquine, lumefantrine, halofantrine, quinine and artemisinin. J. Infect. Dis. 194, 528-535.
- Singh, B., Sung, L.K., Matusop, A., Radhakrishnan, A., Shamsul, S.S.G., Cox-Singh, J., Thomas, A., Conway, D.J., 2004. A large focus of naturally acquired *Plasmodium knowlesi* infections in human beings. Lancet 363, 1017-1024.

- Singh, S., Puris, S.K., Singh, S.K., Srivastava, R., Gupta, R.C., Pandey, V.C., 1997. Characterization of simian malarial parasite (*Plasmodium knowlesi*)-induced putrescine transport in rhesus monkey erythrocytes. *J. Biol. Chem.* 272, 13506-13511.
- Smilkstein, M., Sriwilaijaroen, N., Kelly, J.X., Wilairat, P., Riscoe, M., 2004. Simple and inexpensive fluorescence-based technique for high-throughput antimalarial drug screening. *Antimicrob. Agents Ch.* 48, 1803-1806.
- Soulet, D., Covassin, L., Kaouass, M., Charest-Gaudreault, R., Audette, M., Poulin, R., 2002. Role of endocytosis in the internalization of spermidine-C₂-BODIPY, a highly fluorescent probe of polyamine transport. *Biochem. J.* 367, 347-357.
- Soulet, D., Gagnot, B., Rivest, S., Audette, M., Poulin, R., 2004. A fluorescent probe of polyamine transport accumulates into intracellular acidic vesicles via a two-step mechanism. *J. Biol. Chem.* 279, 49355-49366.
- Staines, H.M., Derbyshire, E., Slavic, K., Tattersall, A., Vial, H., Krishna, S., 2010. Exploiting the therapeutic potential of *Plasmodium falciparum* solute transporters. *Trends Parasitol.* 26.
- Staines, H.M., Ellory, J.C., Kirk, K., 2001. Perturbation of the pump-leak balance for Na⁺ and K⁺ in malaria-infected erythrocytes. *Am. J. Physiol. Cell Physiol.* 280, C15.
- Staines, H.M., Kirk, K., 1998. Increased choline transport in erythrocytes from mice infected with the malaria parasite *Plasmodium vinckeii vinckeii*. *Biochem. J.* 334, 525-530.
- Staines, H.M., Rae, C., Kirk, K., 2000. Increased permeability of the malaria-infected erythrocyte to organic cations. *Biochim. Biophys. Acta* 1463, 88-98.
- Stjernborg, L., Persson, L., 1993. Stabilization of S-adenosylmethionine decarboxylase by aminoguanidine. *Biochem. Pharmacol.* 45, 1174-1176.
- Tabor, C., Tabor, H., 1966. Transport for 1,4-Diaminobutane, Spermidine and Spermine in *Escherichia coli*. *J. Biol. Chem.* 241, 8714-8723.
- Tachihara, K., Uemura, T., Kashiwagi, K., Igarashi, K., 2005. Excretion of putrescine and spermidine by the protein encoded by *YKL174c* (TPO5) in *Saccharomyces cerevisiae*. *J. Biol. Chem.* 280, 12637-12642.
- Teng, R.W., Junankar, P.R., Bubb, W.A., Rae, C., Mercier, P., Kirk, K., 2009. Metabolite profiling of the intraerythrocytic malaria parasite *Plasmodium falciparum* by H-1 NMR spectroscopy. *NMR Biomed.* 22, 292-302.
- Thomas, T., Thomas, T.J., 2001. Polyamines in cell growth and cell death: Molecular mechanisms and therapeutic applications. *Cell Mol. Life Sci.* 58, 244-258.
- Tomasi, S., Renault, J., Martin, B., Duhieu, S., Cerec, V., Le Roch, M., Uriac, P., Delcros, J.G., 2010. Targeting the polyamine transport system with benzazepine- and azepine-polyamine conjugates. *J. Med. Chem.* 53, 7647-7663.
- Tomitori, H., Kashiwagi, K., Asakawa, T., Kakinuma, Y., Michael, A.J., Igarashi, K., 2001. Multiple polyamine transport systems on the vacuolar membrane in yeast. *Biochem. J.* 353, 681-688.



- Toninello, A., Via, L.D., Siliprandi, D., Garlid, K.D., 1992. Evidence that spermine, spermidine and putrescine are transported electrophoretically in mitochondria by a specific polyamine uniporter. *J. Biol. Chem.* 267, 18393-18397.
- Totino, P.R.R., Daniel-Ribeiro, C.T., Corte-Real, S., de Fátima, M., Ferreira-da-Cruz, M., 2008. *Plasmodium falciparum*: Erythrocytic stages die by autophagic-like cell death under drug pressure. *Exp. Parasitol.* 118, 478-486.
- Trager, W., Jensen, J.B., 1976. Human malaria parasites in continuous culture. *Science* 193, 673-675.
- Trang, D.T.X., Huy, N.T., Kariu, T., Tajima, K., Kamei, K., 2004. One-step concentration of malarial parasite-infected red blood cells and removal of contaminating white blood cells. *Malar. J.* 3.
- Traxler, J.T., Moats, M.J., Lira, E.P., Huffman, C.W., 1975. Antimalarial amino alcohols II: anthraceneaminoethanols and anthraceneaminopropanols (1-and 9-substituted). *J. Pharm. Sci.* 64, 1943-1949.
- Tsen, C., Iltis, M., Kaur, N., Bayer, C., Delcros, J.G., von Kalm, L., Phanstiel, O., 2008. A *Drosophila* model to identify polyamine-drug conjugates that target the polyamine transporter in an intact epithelium. *J. Med. Chem.* 51, 324-330.
- Uemura, T., Kashiwagi, K., Igarashi, K., 2005a. Uptake of putrescine and spermidine by Gap1p on the plasma membrane in *Saccharomyces cerevisiae*. *Biochem. Biophys. Res. Co.* 328, 1028-1033.
- Uemura, T., Kashiwagi, K., Igarashi, K., 2007. Polyamine uptake by DUR3 and SAM3 in *Saccharomyces cerevisiae*. *J. Biol. Chem.* 282, 7733-7741.
- Uemura, T., Stringer, D.E., Blohm-Mangone, K.A., Gerner, E.W., 2010. Polyamine transport is mediated by both endocytic and solute carrier transport mechanisms in the gastrointestinal tract. *Am. J. Physiol. Gastrointest. Liver Physiol.* 299.
- Uemura, T., Tachihara, K., Tomitori, H., Kashiwagi, K., Igarashi, K., 2005b. Characteristics of the polyamine transporter TPO1 and regulation of its activity and cellular location by phosphorylation. *J. Biol. Chem.* 280, 9646-9652.
- Uemura, T., Tomonari, Y., Kashiwagi, K., Igarashi, K., 2004. Uptake of GABA and putrescine by UGA4 on the vacuolar membrane in *Saccharomyces cerevisiae*. *Biochem. Biophys. Res. Co.* 315, 1082-1087.
- Uemura, T., Yerushalmi, H.F., Tsaprailis, G., Stringer, D.E., Pastor, K.E., Hawel, L., Byus, C.V., Gerner, E.W., 2008. Identification and characterization of a diamine exporter in colon epithelial cells. *J. Biol. Chem.* 283, 26428-26435.
- van Brummelen, A.C., Wilinski, D., Llinás, M., Louw, A.I., Birkholtz, L., 2009. Co-inhibition of S-adenosylmethionine decarboxylase/ornithine decarboxylase of *Plasmodium falciparum* reveals compensatory mechanisms in the transcriptome. *J. Biol. Chem.* 284, 4635-4646.
- van Dooren, G.G., Stimmel, L.M., McFadden, G.I., 2006. Metabolic maps and functions of the *Plasmodium* mitochondrion. *FEMS Microbiol. Rev.* 30, 596-630.

- van Schalkwyk, D.A., Egan, T., 2006. Quinoline-resistance reversing agents for the malaria parasite *Plasmodium falciparum*. Drug Resist. Update. 9, 211-226.
- Vassylyev, D.G., Tomitori, H., Kashiwagi, K., Morikawa, K., Igarashi, K., 1998. Crystal structure and mutational analyses of the *Escherichia coli* putrescine receptor. J. Biol. Chem. 273, 17604-17609.
- Verlinden, B., 2009. Investigating the effect of polyamine-anthracene conjugates on the polyamine metabolism of *Plasmodium falciparum*, Department of Biochemistry. University of Pretoria, Pretoria.
- Wallace, H., Niiranen, K., 2007. Polyamine analogues-an update. Amino Acids 32.
- Wallace, H.M., Fraser, A.V., 2003. Polyamine analogues as anticancer drugs. Biochem. Soc. T. 31, 393-396.
- Wallace, H.M., Fraser, A.V., 2004. Inhibitors of polyamine metabolism: Review article. Amino Acids 26, 353-365.
- Wallace, H.M., Fraser, A.V., Hughes, A., 2003. A perspective of polyamine metabolism. Biochem. J. 376, 1-14.
- Waller, K.L., McBride, S.M., Kim, K., McDonald, T.V., 2008. Characterization of two putative potassium channels in *Plasmodium falciparum*. Malar. J. 7, 19.
- Walters, J.D., Wojcik, M.S., 1994. Polyamine transport in human promyelocytic leukemia cells and polymorphonuclear leukocytes. Leuk. Res. 18, 703-706.
- Wang, C., Delcros, J.G., Biggerstaff, J., Phanstiel, O., 2003a. Molecular requirements for targeting the polyamine transport system. Synthesis and biological evaluation of polyamine-anthracene conjugates. J. Med. Chem. 46, 2672-2682.
- Wang, C., Delcros, J.G., Cannon, L., Konate, F., Carias, H., Biggerstaff, J., Gardner, R.A., Phanstiel, O., 2003b. Defining the molecular requirements for the selective delivery of polyamine conjugates into cells containing active polyamine transporters. J. Med. Chem. 46, 5129-5138.
- Wang, L., Price, H.L., Juusola, J., Kline, M., Phanstiel, O., 2001. Influence of polyamine architecture on the transport and topoisomerase II inhibitory properties of polyamine DNA-intercalator conjugates. J. Med. Chem 44, 3682-3691.
- Ware, D., Jiang, Y., Lin, W., Swiatlo, E., 2006. Involvement of *potD* in *Streptococcus pneumoniae* polyamine transport and pathogenesis. Infect. Immun. 74, 352-361.
- Wells, G.A., Birkholtz, L., Joubert, F., Walter, R.D., Louw, A.I., 2006. Novel properties of malarial S-adenosylmethionine decarboxylase as revealed by structural modelling. J. Mol. Graphics Modell. 24, 307-318.
- Wrenger, C., Lüersen, K., Krause, T., Müller, S., Walter, R.D., 2001. The *Plasmodium falciparum* bifunctional Ornithine Decarboxylase, *S*-Adenosyl-L-methionine Decarboxylase, enables a well balanced polyamine synthesis without domain-domain interaction. J. Biol. Chem. 276, 29651-29656.



- Wright, P.S., Byers, T.L., Cross-Doersen, D.E., McCann, P.P., Bitonti, A.J., 1991. Irreversible inhibition of S-Adenosylmethionine Decarboxylase in *Plasmodium falciparum*-infected erythrocytes: Growth inhibition *in vitro*. Biochem. Pharmacol. 41, 1713-1718.
- Wünsch, S., Sanchez, C., Gekle, M., Kersting, U., Fischer, K., Horrocks, P., Lanzer, M., 1997. A method to measure the cytoplasmic pH of single, living *Plasmodium* parasites. Behring Inst. Mitt. 99, 44-50.
- Xie, X., Gillies, R.J., Gerner, E.W., 1997. Characterization of a diamine exporter in Chinese hamster ovary cells and identification of specific polyamine substrates. J. Biol. Chem. 272, 20484-20489.
- Yohannes, E., Thurber, A.E., Wilks, J.C., Tate, D.P., Slonczewski, J.L., 2005. Polyamine stress at high pH in *Escherichia coli* K-12. BMC Microbiol. 5, 1-8.