

CHAPTER 6

References

- AFE, Agricultural and Food Engineering, 1992. Final report-Muscovy duck project : The development of economic feeding systems for Muscovy ducks (*Cairhina moschata*) in duck/fish integration in Thailand (15 May 1988 - 31 December 1991). Agricultural and Food Engineering, Asian Institute of Technology.
- AASP, Agricultural and Aquatic Systems Program, 1996. Final technical report-IDRC: The development of feeding systems for fish and an integrated duck-fish system (30 December 1991 - 31 April 1996). Agricultural and Aquatic Systems Program, School of Environment, Resources and Development, Asian Institute of Technology.
- Abdelqader, A., Wollny, C.B.A. & Gault, M., 2007. Characterization of local chicken production system and potential under different level of management practice in Jordan. *Tropic. Anim. Health Prod.* 39, 55-164.
- Adetayo, A.S. & Babafunso, S.E., 2001. Comparison of the performance of Nigerian indigenous chickens from three agro-ecological zones. *Livest. Res. Dev.* 13, 2.
- Ahmadi, F. & Rahimi, F., 2011. Factors affecting quality and quantity of egg production in laying hens: A review. Department of Animal Science, Faculty of Nursing and Obstetric, Islamic Azad University, Sanandaj Branch, Kurdistan, Iran. *World Appl. Sci. J.* 12, 372-384.
- Ahmed, M. & Lorica, M.H., 1999. Improving developing country food security through aquaculture development: socioeconomic and policy issues. Paper Presented at World Aquaculture 99, the Annual International Conference and Exposition of the World Aquaculture Society, Sydney, Australia, 26 April-2 May.
- Ahn, D., 2011. Egg components. Animal Science Department. Iowa State University <http://docs.google.com/viewer?a=v&q=cache:aDq0T4hVn8EJ/Egg%2520Components>.
- Akinokun, O. & Dettmers A., 1977. Performance of the indigenous chickens of Nigeria and the Apollo. Egg weight, rate of production and factors affecting them. *Niger. J. Anim. Prod.* 4, 67-79.
- Alkan, S., Karabag, K., Galic, A. & Soner Balcioglu, A., 2008. Predicting yolk height, yolk width, albumen length, eggshell weight, egg shape index, eggshell thickness, egg surface area of Japanese Quails using various eggs traits as regressors. *Int. J. Poult. Sci.* 7, 85-88.
- Alleoni, A.C.C., 2006. Review on albumen protein and functional properties of gelation and foaming. Scientific Agriculture (Piracicaba. Braz.), 63, Piracicaba May/June 2006.

Alleoni, A.C.C. & Antunes, A.J., 2004. Albumen foam stability and s-ovalbumin contents in the eggs coated with whey protein concentrate. *Revista Brasileira de Ciência Avícola.* 6, 77-82.
Alzu, 2009. Chemical composition of layer diet.

Anang, A., Mielenz, N. & Schüler, L., 2000. Genetic and phenotypic parameters for monthly egg production in White Leghorn hens. *J. Anim. Breed. Genet.* 11, 407-415.

Anon., 1989. United States Department of Agriculture Nutrition Information Service. Handbook 8, Supplement. National Academies Press, Washington, DC.

Anonymous., 1987. Manual of poultry production in the Tropics, CAB International.

Ansa, E.J. & Jiya, J., 2002. Effect of pig manure on the growth of *Oreochromis niloticus* under integrated Fish cum-pig farming system. *Aquacult. Sci.* 17, 85-87.

Appleby, M.C. & Hughess, B.O., 1991. Welfare of laying hens in cages and in alternative systems-environmental, physical and behavioural- aspects. *World's Poult. Sci. J.* 47, 109-128.

Applegate, E., 2000. Introduction: Nutritional and functional roles of eggs in diet. *J. Am. Coll. Nutr.* 19, 495-498.

Arad, Z., Marder, J. & Soller, M., 1981. Effect of gradual acclimatization to temperature up to 44°C on productive performance of the desert Bedouin fowl, the commercial white Leghorn and the two crossbreds. *Brit. Poult. Sci.* 22, 511-520.

Asala, G.N., 1994. Principles of integrated aquaculture. In: Olatunde A.A; Ayeni J.S.O and Ogunsuyi I.M (eds), Proceedings of the Nat. Fisheries workshop on aquaculture development, fish seed production and post-harvest tech. NIFFR-FACU 1994, pp. 206-220.

Atay, D. & Demir, N., 1998. The effects of chicken manure on the phytoplankton primary production in carp ponds. *Acta Hydrobiol.* 40, 215-225.

Ayinla, O.A., 2003. Integrated fish farming: A veritable tool for poverty alleviation/ Hunger eradication in the Niger Delta Region. In Eye A.A and Atanda J.O (eds). Conference Proceedings of Fisheries Society of Nigeria, Owerri, Nigeria, pp.40-41.

Ayyagari, V., Mohapatra, S.C., Venkatramaiyah, A., Thiagasundaram, T., Choudhuri, D., Johri, D. C. & Renganathan, P., 1980. Selection for egg production on part records. Part 1: Evaluation of short term response to selection. *Theor. Appl. Gen.* 57, 277-283.

ARC, 2006. The indigenous poultry breeds of SA.

Badubi, S.S., Ravindran, V. & Reid, J., 2004. A survey of small scale broiler production systems in Botswana. *Trop. Anim. Health. Prod.* 36, 823-834.

Bain, M., 1990. Eggshell strength: A mechanical ultra-structural evaluation. PhD. Thesis. University of Glasgow, Scotland, UK.

Balnave, D., Gill, R.J., Li, X. & Bryden, W.L., 2000. Responses of Isa Brown laying hens to a pre-layer diet containing additional calcium and to dietary protein and lysine concentrations during lay. *Austr. J. Agric. Res.* 51, 779-784.

Banerjee, R.K., Ray, P., Singit, G.S. & Dutta, B.R., 1979. Poultry droppings-Its manorial potentiality in aquaculture. *Inland Fish. Soc.* 2, 94-108.

Barash, H., Plavnik, I. & Moav, R., 1982. Integration of duck and fish farming: Experimental results. *Aquacult.* 27, 129-140.

Beckman, B. & Grieve D., 1999. Influence of disease on egg quality. Egg industry.

Bedford, M. & Mowbray, D., 1998. Net Worth: Research with the rural women of Bangladesh. CGIAR Gender Program, Washington, DC, USA.

Bollengierlee, S., Mitchell, M.A., Utomo, D.B., Williams, P.E.V. & Whitehead, C.C., 1998. Genetic variation of egg production, egg quality and bone strength in selected and traditional breeds of laying fowl. *Brit. Poult. Sci.* 39, 106-112.

Boorman, K.N., Volynchook, J.G. & Belyavin, C.G., 1989. Egg shell formation and quality. In: Recent developments in poultry nutrition. Eds: Cole, D.J.A & Haresign, W. Butterworths, Kent, England.

Brooks, J. & Hale, H.P., 1959. The mechanical properties of the thick white of the hen's egg. *Bioch. Biophys. Acta.* 32, 237-250.

Brown, E. E., 1983. World fish farming: Cultivation and economics. *Avi Publishing Co* (USA), 263- 426.

Butcher, G. D. & Miles, R. D., 2003. Concepts of eggshell quality. University of Florida.
<http://edis.ifas.ufl.edu/pdffiles/VM/VM01300.pdf>

Butler, E.J., Curtis, M.J., Pearson, A.W. & McDougall, J.S., 1972. Effect of infectious bronchitis on the structure and composition of egg albumen. *J. Sci. Food Agric.* 23, 359-369.

Carter, T.C., 1970. Why do egg shells crack? *World Poult.Sci. J.* 26, 549-561.

Chen, F.Y., 1989. Chicken farming in integrated fish farming. Regional Aquaculture, Centre Wuxi China. *NACA Technical Manual.* 11, 4-30.

Coche, A.G., 1967. Fish culture in rice fields. A worldwide synthesis. *Hydrobiol.* 30, 1-44.

Coetzee, C., 2002. The effect of elevated calcium levels in drinking water on shell integrity. *Spesfeed News*, Summer 2002.

Coutts, J.A. & Wilson, G.C., 1990. Egg quality. Handbook. Queensland Department of Primary Industries, Australia.

Coutts, J.A., Wilson, G.C., Fernandez, S., Rasales, E., Weber, G. & Hernandez, J.M., 2006. Optimum egg quality-A practical approach. 5M Publishing: Sheffield UK, 63.

Csavas, I., 1992. Regional review on livestock-fish production systems in Asia. In Mukherjee, T.K., Moi, P.S., Panandam, J.M., and Yang, Y.S. (Eds.), Proceedings of the FAO/IPT Workshop on integrated livestock-fish production systems, 16-20 December 1991, Institute of Advance Studies, University of Malaya, Kuala Lumpur, Malaysia.

Curtis, P.A., Gardner, F.A. & Mellor, D.B., 1995. A comparison of selected quality and compositional characteristics of brown and white shell eggs. I. Shell quality. *Poult. Sci.* 64, 297-301.

Cunningham, L.D., 2004. Maintaining egg quality. University of Georgia's Poultry Science. Poultry tips, January, 2004, 8-10.

Dalsgaard, J.P.T. & Prein, M., 1999. Integrated smallholder agriculture-aquaculture in Asia: optimising trophic flows. In: Smaling, E.M.A., Oenema, O., Fresco, L.O. (Eds.), Nutrient Disequilibria in Agro-ecosystems: Concepts and Case Studies. CABI, Wallingford, UK, pp. 141-155.

Dandapat, A., 2009. Factors affecting egg production. Poultry line. Genetics & Animal Breeding. Chandmaridanga, Bankura, West Bengal-722101, India.

Das, G.B., Haque, M.E., Ali, M.L., Chanda, G.C. & Das, C., 2003. The performance of Indian Runner, Zending and Khaki Campbell in integrated duck-cum-fish farming system. *Pakist. J. Biol. Sci.* 6, 198-201.

Davis, C. & Reeves, R., 2002. High value opportunities from chicken egg. Rural Ind. Res. Dev. Corp. Pub. 02, 094.

De Ketelaere, B., Govaerts, T., Coucke, P., Dewil, E., Visscher, J., Decuypere, E. & De Baerdemaeker, J., 2002. Measuring the eggshell strength of 6 different genetic strains of laying hens: techniques and comparisons. *Brit. Poult. Sci.* 43, 238-244.

De Ketelaere, B., Bamelis, F., Decuypere, E. & De Baerdemaeker, J.G., 2004. Non-destructive measurements of the egg quality. *World Poult. Sci. J.* 60, 289-302.

Devendra, C., 1997. Mixed farming and intensification of animal production system. *Outlook on Agricul.* 26, 255-265.

Doyon, G., Bernier-Cardou, M., Hamilton, R.M.G., Castaigne, F. & Randall, C.J., 1986. Egg quality. Albumen quality of eggs from five commercial strains of white leghorn hens during one year of lay. *Poult. Sci.* 65, 63-66.

Dorminey, R.W., Jones, J.J. & Wilson, H.R., 1965. Influence of cages size and frightening on incidence of body checked eggs. *Poult. Sci.* 44, 307-308.

Du Plessis, P.H.C., 1945. High egg-laying records at the central competition at Glen. Farming in South Africa. Reprint No. 50.

Edwards, P., 1983. The future potential of integrated farming systems in Asia. In Takashi, 1, (ed), Proceedings of the fifth World Conference on Animal Production, Tokyo, Japan. *Japanese Soc. Zootech. Sci.* 1, 273-281.

Edwards, P., Kaewpaitoon, K. & Meewan, A., 1983. A feasibility study of fish/duck integrated farming at the family level in Central and Northeast Thailand. Asian Institute of Technology, Research Report No. 163.

Edwards, P., Kaewpaitoon, K., McCoy, E.W. & Chantachaeng, C., 1986. Pilot small-scale crop/livestock/fish integrated farm. AIT Research Report, 184, AIT, Bangkok, Thailand, pp.131.

Edwards, P., Pullin, R.S.V. & Gartner, J.A., 1988. Research and education for the development of integrated crop-livestock-fish farming systems in the tropics. International Center for Living Aquatic Resources Management. Manila, Philippines. *ICLARM Studies and Reviews.* 16, 53.

Edwards, P., 1998. A systems approach for the promotion of integrated aquaculture. *Aquac. Eco. Managm.* 2, 1-12.

Edwards, P., 2000. Aquaculture, Poverty impacts and livelihoods. ODI Natural Resource Perspectives 56. ODI, London, UK.

Egg Producers Federation of New Zealand., 2010. Egg quality.

Elaroussi, M.A., Forte, L.R., Eber, S.L. & Biellier, H.V., 1994. Calcium homeostasis in the laying hen's age and dietary calcium effects. *Poult. Sci.* 73, 1581-1589.

Englmaierova, M. & Tumova, E., 2009. The effect of housing system and storage time on egg quality characteristics. Department of Animal Husbandry, Faculty of Food and Natural Resources Prague, Czech University of Life Sciences, Kamycka 129, 165 21, Prague 6-Suchdol, Czech Republic.

Evans, T., 2007. Growth slows in global demand for poultry products. *Poult. Int.* 46, 12-16.

Falayi, B.A., 1998. Inclusion to poultry manure in a complete ratio for *Tilapia O. niloticus* fingerlings. Thesis submitted to the Dept. of Fisheries & Wildlife Fed. Uni. of Tech Akure, for the award of P.G. Diploma in Fisheries and Wildlife Management, pp. 14-17.

Farooq, M., Mian, M.A., Durrani, F.R. & Syed, M., 2002. Feed consumption and efficiency of feed utilization by egg type layers for egg production. *Livest. Res. Rur. Dev.* 14, 2002.

Fashakin, E.A., Falayi, B.A. & Eyo A.A., 2000. Inclusion of poultry manure in complete feed for tilapia *O. niloticus* (I). *Fish. Tech.* 2, 51-56.

FAO, 2004. Poultry for profit and pleasure. FAO diversification booklet. 3, 10.

FAO, 2003. Egg marketing: A guide for the production and sale of eggs. *FAO Agricultural Services Bulletin*. 150, 20-34.

FAO, 2002. Food and Agriculture publication, Year Report 2002. FAO Rome, 1-6.

FAO, 2001. Integrated agriculture-aquaculture. A primer. FAO Fisheries technical paper No. 407. FAO, Rome.

FAO, 2000. Small ponds make a big difference: Integrating fish with crop and livestock farming. Farm management and production economics service and inland water resources and aquaculture service, FAO, Rome, Italy.

FAO, 1979. Freshwater fish farming. How to begin. FAO Better farming ser. 27, 43.

Fitzsimmons, D.S., 1971. Are-evaluation of the ovulatory cycle of the domestic hen (*Gallus domesticus*). *Poult. Sci.* 51, 646-651.

Franchini, A., Sirri, F., Tallarico, N., Minelli, G., Iaffaldano, N. & Meluzzi, A., 2002. Oxidative stability and sensory and functional properties of eggs from laying hens fed supra-nutritional doses of vitamins E and C. *Poult. Sci.* 81, 1744-1750.

Froning, G.W., 1998. Recent advances in egg products research and development. In "Egg processing workshop". (Riverside and Modesto ed.). University of California, USA.

Gabriel, U.U., Akinrotimi, O.A., Bekibele, D.O., Anyanwu, P.E. & Onunkwo, D.N., 2007. Economic benefit and ecological efficiency of integrated fish farming in Nigeria. *Sci. Res. Ess.* 2, 302-308.

Gerber, N., 2006. Factors affecting egg quality in the commercial laying hen: A review.

Gondwe, T.N.P., 2004. Characterization of local chicken in low input-low output production system: is there scope for appropriate production and breeding strategies in Malawi? PhD thesis, Georg-August-Universitat Gottingen, Germany.

Gowe, R.S. & Fairfull, R.W., 1985. The direct response to long-term selection for multiple traits in egg stocks and changes in genetic parameters with selection. In: Hill, W. G.; Manson, J. M.; Hewitt, D. (eds), Genetic and phenotypic parameters for egg production in hens, Poultry Genetics and Breeding. British Poultry Sci. Ltd, Longman Group. Harlow, UK.

Gooley, G., 2000. R & D plan for integrated agri-aquaculture systems 1999-2004. A report for the Rural Industries Research and Development Corporation. RIRDC Project No. MFR 1A. *RIRDC Publication 99*, 153.

Gregorowski, J.J., 1984. Random sample test. Biennial report of the Animal and Dairy Science Research Institute. Internal document.

Green, B.W., Teichert-Coddington, D.R. & Hanson, T.R., 1994. Development of semi-intensive aquaculture technologies in Honduras. International Center for Aquaculture and Aquatic Environments Research and development Series Number 39, 48, Auburn University, Alabama, USA.

Grobbelaar, J.A.N., 2009. Egg production potentials of four indigenous chicken breeds in South Africa. M.Tech. thesis. Tshwane University of Technology, Animal production. Pretoria, South Africa.

Grobbelaar, J.A.N., Sutherland, B. & Molalakgotla, N.M., 2010. Egg production potentials of certain indigenous chicken breeds from South Africa. *Anim. Gen. Res.* 46, 25-32.

Guèye, H.F. & Bessei, W., 1997. The importance of poultry farming in Senegal. *Anim. Res. Dev.* 45, 82-88.

Guèye, H.F., 1998. Village egg and fowl meat production in Africa. *World Poult. Sci. J.* 54, 73-86.

Halaj, M., Benkova, J. & Baumgartner, J., 1998. Parameters of hen egg quality in various breeds and strains. *Czech J. Anim. Sci.* 43, 375-378.

Hamilton, R.M.G., 1982. Methods and factors that affect the measurements of egg shell quality. *Poult. Sci.* 61, 2002-2039.

Hasler, C.M., 2000. The changing face of functional foods. *Am. Coll. Nutr. J.* 19, 499-506.

Haugh, R.R., 1937. Egg quality. The US egg and poultry magazine, September 1937, 552-573.

Haylor, G., 2000. Proceedings of the e-mail conference on Aquatic Resources Management for Sustainable Livelihoods of Poor People in SE Asia, June 2000. DFID-SEA Aquatic Resources Management Programme, Bangkok, Thailand.

Hill, A.T. & Hall J.W., 1980. Effects of various combinations of oil spraying, washing, sanitizing, storage time, strain, and age upon albumen quality changes in storage and minimum sample sizes required for their measurement. *Poult. Sci.* 59, 2237-2242.

Hocking, P.M., Bain, M., Channing, C.E., Flemming, R. & Wilson, S., 2003. Genetic variation for egg production, egg quality and bone strength in selected and traditional breeds for laying fowl. *Brit. Poult. Sci.* 44, 365-373.

Honkatukia, M., 2010. Molecular genetics of chicken egg quality. PhD thesis, MTT Agrifood Research Finland. MTT Science, 14.

Hopkins, K.D., 1982. Outstanding yields and profits from livestock-tilapia integrated farming. *ICLARM Newslett.* 5, 13.

Hopkins, K.D. & Cruz, E. M., 1982. The ICLARM-CLSU, integrated animal-fish farming project: final report. ICLARM Technical Reports 5. Freshwater Aquaculture Centre-central Luzon State University and International Centre for Living Aquatic Resources Management, Nueva Ecija, Philippines.

Huazhu, Y.B. & Baotony., 1989. Integrated fish farming in China, Naca Technical Manual Bangkok, Thailand, 153-209.

Hughes, B.O., Dun, P. & Mccorquodale, C.C., 1985. Shell strength of eggs from medium-bodied hybrid hens housed in cages or on range in outside pens. *Brit. Poult. Sci.* 26, 129–136.

Hughes, L.A. & Corner, D.E., 1998. Salmonella growth in egg components as affected by ratio of Yolk: Albumen. *Poult. Sci.* 77, 309-321.

Hunton, P., 2005. Research on eggshell structure and quality: An historical overview. *Braz. Poult. Sci.* 7, 67-71.

HVB-Hyline Variety Brown, 2009. Commercial Management Guide 2009- 2011. A publication of Hyline International, West Des Moines, Iowa, U.S.A.

HVSB-Hyline Variety Silver Brown, 2009. Commercial Management Guide 2009-2011. A publication of Hyline International, West Des Moines, Iowa, U.S.A.

Ibe, S.N., Rutledge, J.J. & McGibbon, W.H., 1982. Curvilinear trends in direct and some correlated response to nineteen generation of selection for part record rate of egg production in a random bred line of chickens. *Poult. Sci.* 61, 821-828.

ICLARM, 2000. Food for the rural poor through integrated aquaculture-agriculture. ICLARM Focus for Research. 3, 1-6.

IIRR, ICLARM, 1992. Farmer-proven integrated agriculture-aquaculture: Technology information Kit. ICLARM, Manila, Philippines and IIRR, Silang, Cavite, Philippines.

Ingram, B.A., Gooley, G.J. & McKinnon, L.J., 2000. Aquaculture-agriculture systems integration: an Australian prospective. *Fisher. Managm. Ecol.* 7, 33-43.

Iqbal, S., Pampori, Z. A. & Hasin, D., 2009. Carcass and egg characteristics of indigenous chicken of Kashmir (Kashmir favorella). *Indian J. Anim. Res.* 43, 194-196.

Jacob, J.P., Wilson, H.R., Miles, R.D., Butcher, G.D. & Mather, F.B., 1998. Factors affecting egg production in backyard chicken flocks. University of Florida, Institute of food and agricultural services. Animal Science Department. Florida co-operative extension services. Gainesville. Fact sheet PS-35.

Johnson, S., 2007. Commercial layers. In: KwaZulu-Natal Poultry Institute: Basic poultry production short course. Pietermaritzburg: KwaZulu-Natal Poultry Institute.

Jones, D.R. & Musgrove, M.T., 2005. Effects of extended storage on egg quality factors. *Poult. Sci.* 84, 1174-1777.

Kabatange, M.A. & Katule, A.M., 1989. Rural poultry production systems in Tanzania. In: Proceedings of an International Workshop on Rural Poultry Development in Africa (Sonaiya, E.B., Ed.), 13-16 Nov 1989, Ile-Ife, Nigeria, pp. 171-176.

Kekeocha, C.C., 1985. Poultry production handbook. Pfizer, Mcmillan Publishers Limited. pp. 61-62.

Kemps, B., Bamelis, F., De Ketelaere, B., Mertens, K., Tona K., Decuypere, E.M. & De Baerdemaeker, J.G., 2006. Visible transmission spectroscopy for assessment of egg quality. *J. Sci. Food Agric.* 86, 1399-1406.

Kershavarz, K. & Nakajima, S., 1993. Re-evaluation of calcium and phosphorous requirements of laying hens for optimum performance and egg shell quality. *Poult. Sci.* 72, 144-153.

Kingori, A.M., Tuitoek, J.K., Muiruri, H.K. & Wachira, A.M., 2003. Protein requirements of growing indigenous chicken during the 14-21 weeks growing period. *S. Afr. J. Anim. Sci.* 33, 78-82.

Khurshid, A., Farooq, M., Durrani, F.R., Sarbiland, K. & Manzoor, A., 2004. Hatching performance of Japanese quails. *Livest. Res. Rur. Dev.* 16, 1.

Knud-Hansen, C.F., Batterson, T.R., McNabb, C.D. & Kitjar, J., 1991. Yield of Nile Tilapia (*Orechromis niloticus*) in fish ponds in Thailand using chicken manure supplemented with Nitrogen and Phosphorus. In Eighth Annual Administrative Report (1 Sept 1989 to 31 Aug 1990). (Eds: Egna H S., Bowman, J. & McNamara, M.) Pond dynamics/Aquaculture CRSP, Oregon, USA, pp. 54-62.

Koelkebeck, K.W., 1999. What is egg quality and conserving it? University of Illinois. Illini Poultry Net Papers.

Koeypudsa, W., Yakupitiyage, A. & Tangtrongpiros, J., 2005. The fate of chlortetracycline residues in a simulated chicken-fish integrated farming systems. *Aqua. Res.* 36, 570-577.

Kramer, A., 1951. What is quality and how can it be measured: From a food technology point of view. In: Market Demand and Product Quality. Mktg. Res. Workshop Rept., Michigan State College.

Kröckel, L., Poser, R. & Schwägele, F., 2005. Low resolution proton nuclear resonance spectroscopy: Application for the determination of the internal quality of intact eggs microbiological aspects. *Fleischwirtschaft*. 85, 108-112.

Lai, M.K. & Kan, C.L., 2000. Effects of cage floor area and population size on the laying performance of the brown Tsaiya laying ducks. *Taiw. Livest. Res. J.* 33, 281-291.

Latif, M.A., Alam, M.J. & Rahman, M.A., 1993. Integrated duck cum fish farming in Bangladesh. *J. World Aquacult. Soc.* 24, 402-409.

Lightfoot, C., Bimba, M.P., Dalsgaard, J.P.T. & Pullin, R.S.V., 1993. Aquaculture and sustainability through integrated resources management. *Outlook on Agriculture*. 22, 143-150.

Liljedahl, L. E., Gavora, J. S., Fairfull, R. W. & Gowe, R. S., 1984. Age changes in genetic and environmental variation in laying hens. *Theor. Appl. Genet.* 67, 391-401.

Little, D.C. & Muir, J., 1987. A guide to integrated warm water aquaculture. Institute of Aquaculture, University of Stirling, Stirling, UK.

Little, D. & Satapornavit, K., 1995. Poultry and fish production-A framework for their Integration in Asia. Livestock Feed Resources within Integrated Farming Systems, pp. 425-453.

Little, D.C. & Edwards, P., 1999. Alternative strategies for livestock-fish integration with emphasis on Asia. *Ambio* 28: 118-124.

Little, D.C. & Edwards, P., 2003. Integrated livestock-fish farming systems: the Asian experience and its relevance for other regions. Inland Water Resource and Aquaculture Services and Animal Production Services. Food and Agriculture Organization, Rome.

Li-Chan, E. & Nakai, S., 1989. Biochemical basis for the properties of egg white. Critical Reviews. *Poult. Biol.* 2, 21-59.

Lohmann, 2009. Layer management program-Lohmann Brown and Lohmann Silver. Lohmann Tierzucht G.M.B.H., Cuxhaven, Germany.

Lomanika, K. & Minokova, K., 2006. A study of the factors affecting the foaming properties of egg white-A review. *Czech J. Food Sci.* 24, 110-118.

Li-Chan, E.C.Y., Powrie W.D. & Nakai, S., 1995. The chemistry of eggs and egg products. In Egg Science and Technology. (Cotterill, W.J.S.O.J. ed). Food products Press. An Imprint of the

Hawarth Press, Inc. New York. London Lomakina, K. & Míková, K., 2006. A study of the factors affecting the foaming properties of egg white. *Czech. J. Food Sci.* 24, 110-118.

Maree, W., 2008. Report of the egg organization committee for 2008. South African Poultry Association, Congress and Exhibition 2009 brochure, 35-38.

Matthews, W.W., 1986. Atlass of descriptive embryology. Macmillan Publishing Co., New York, 108.

Mathias, J.A., Charles, A.T. & Hu, B.T., 1998. Integrated fish farming. Proceedings of a workshop on integrated fish farming, 11-15 October, Wuxi, Jiangsu Province, China. CRC Press, Boca Raton, Florida, USA.

Melesse, A., Maak, S. & von Lengerken, G., 2010. Effect of long-term heat stress on egg quality traits of Ethiopian naked neck chickens and their F1 crosses with Lohmann White and New Hampshire chicken breeds. *Livestock Research for Rural Development*, 71.

<http://www.lrrd.org/lrrd22/4/mele22071.htm>

Mertens, K., Bamelis, F., Kemps, B., Kamers, B., Verhoelst, E., De Ketelaere, E., Bain, M., Decuyper, E. & De Baerdemaeker, J., 2006. Monitoring of eggshell breakage and eggshell strength in different production chains of consumption eggs. *Poult. Sci.* 85, 1670-1677.

Miles, R.D. & Henry, P.R., 2004. The effect of time and storage conditions on albumen quality of eggs from hens fed Vanadium. *J. Appl. Poult. Res.* 13, 619-627.

Monira, K.N., Salahuddin, M. & Miah, G., 2003. Effect of breed and holding period on egg quality characteristics of chicken. *Int. J. Poult. Sci.* 2, 261-263.

Moula, N., Antoine-Moussiaux, N., Farnir, F. & Leroy, P., 2009. Two Belgian local breeds and one commercial strain. *Int. J. Poult. Sci.* 8, 768-774.

Moreki, J.C., 2001. Village poultry and poverty alleviation. Workshop proceedings of community based management of animal genetic resources, Swaziland. 7-11 May.

Mosisi, M.P., 2009. Can small-scale poultry production contribute to household food security in the Maphephetheni lowlands, KwaZulu-Natal? MAgric (Food Security), African Centre for Food Security, School of Agricultural Sciences and Agribusiness, Faculty of Science and Agriculture, University of KwaZulu-Natal, Pietermaritzburg, South Africa.

Muhiye, M.E., 2007. Characterization of smallholder poultry production and marketing system of Dale, Wonsho and Loka Abaya Weredas of Southern Ethiopia. MSc. Thesis. School of graduate studies of Hawassa University. Ethiopia.

Mussawar, S., Durrani, T.M., Munir, K., Zahoor-ul-Haq, Rahman, M.T. & Sarbiland, K., 2004. Status of layer farms in Peshawar division, Pakistan. *Livest. Res. Rur. Dev.* 16, 5.

Naido, M., 2003. Indigenous poultry production systems in Northern KwaZulu-Natal, South

Africa. Proceedings of the 1st National Workshop on Indigenous Poultry Development. Pietermaritzburg, Nature and Development Group of Africa, 66-73.

Narushin, V.G. & Romanov, M.N., 2002. Egg physical characteristics and hatchability. *World Poult. Sci. J.* 58, 297-303.

Narushin, V.G., Van Kempen, T.A., Wineland, M.J. & Christensen, V.L., 2004. Comparing infrared spectroscopy and egg size measurements for predicting eggshell quality. *Biosystems Eng.* 87, 367-373.

National Department of Agriculture, 2002. The integrated food security strategy for South Africa. Pretoria, 17 July 2002.

NACA, 1989. Integrated fish farming in China (NACA Technical Manual 7). Asian-Pacific regional research and training centre in integrated fish farming, Wuxi, China. Network of Aquaculture Centres in Asia and the Pacific, Bangkok, Thailand.

NACA/FAO, 2000. Aquaculture development beyond 2000: the Bangkok declaration and strategy. Conference on Aquaculture in the Third Millennium, 20–25 Feb 2000, Bangkok, Thailand. Network of Aquaculture Centers in Asia, Bangkok, Thailand and FAO, Rome, Italy.

Neospark, 2011. Eggshell defects and dietary essentials.
<http://www.neospark.com/images/EggshellDefects.pdf>

Ngou Ngoupayou, J.D., 1990. Country report on small-holder rural poultry production in Cameroon. In: CTA Seminar Proceedings 2, Smallholder Rural Poultry Production, Thessalonika, Greece, pp. 39-47.

Nhleko, M.J., Slippers, S.C. & Nsahlai, I.V., 2003. A preliminary report of on-farm performance of rural chickens kept under farmers' management. Nature and Development group of Africa NGO Registration no. 026-851-NPO. Proceedings of the 1st National Workshop on indigenous poultry development, pp. 79-83.

Nnaji, C.J., Okoye, F.C. & Ogunseye, J.O., 2003. Integrated fish farming practices with special reference to combination rates production figures and economic evaluation In: Eyo, A.A. & Ayanda, J.O. (eds). Conference proceedings of fisheries society of Nigerian (FISON) Owerri 8th-12th December, 2003, pp. 173-178.

Nnaji, J.C., Uzairu, A., Gimba, C. & Kagbu, J.A., 2011. Heavy metal risks in integrated chicken-fish farming. *J. Appli. Sci.* 11, 2092-2099.

North, M.O. & Bell, D.D., 1990. Commercial chicken production manual. 4th ed. New York: The Macmillan Pres Ltd.

North, M. O., 1984. Breeder management. In commercial chicken production manual. *The Avi. Publishing Company*. Inc. Westport, Connecticut, pp. 240-243; 298-321.

NRC (National Research Council), 1994. Nutrient requirements of poultry: 9th revised ed. *National Academy Press*, Washington D.C.

Nys, Y., 1986. Relationships between age, shell quality and individual rate and duration of shell formation in domestic hens. *Brit. Poult. Sci.* 27, 253-259.

Okubo, T., Akachi, S. & Hatta, H., 1997. Structure of hen eggs and physiology of egg laying. In: Hen eggs: Their Basic and applied Science. Eds Yammamoti, T., Juneja L.R., Hatta, H. & Kim, C. *CRC Press*, 1-12.

Oladosu, G.A., Ayinla, O.A., Onuoha, G.C. & Mecdom J.G., 1990. Performance of *Clarias gariepinus* in a polyculture with *Orechromis niloticus* under the integrated broiler chicken fish farming. *NIOMR Technical/paper*, 65.

Osuji, C.N., Ockiya, A.J. & Chinda A.C., 2003. Dominance shift of phytoplankton in relation to different organic fertilizer treatment in Clarias Gariepinus Culture. In: Eyo, A.A Ayanda, J.O. (eds). Conference proceedings of fisheries society of Nigeria (FISON). Owerri 8th-12th Dec, pp. 62-66.

Otubusin, S.O., 1983. A proposed integrated guinea fowl cum-fish culture in Lake Kainji. In: The Helmet Guinea fowl (*Numida meleagris lialeata* Pallas) in Nigeria. Ed, Ayeni, J.S.O. pp.66-71.

Otubusin, S.O., 1986. A proposed integrated livestock-rice-poultry-cum-fish culture in enclosure system. FISON Conference Proceedings, pp. 319-326.

Pearl, H.W. & Tucker O.S., 1995. Ecology of blue green algae in aquaculture ponds. *J. World Aquacult. Soc.* 26, 109-131.

Phosa, M.A., 2009. The nutritive value of macadamia oil cake meal and wood ash as alternative feed ingredients for chickens in rural areas. M. Inst Agrar (Animal Production), Department of Animal and Wildlife Sciences, Faculty of Natural and Agricultural Sciences, University of Pretoria, Pretoria, South Africa.

Poggenpoel, D.G., Ferreira, G.F., Hayes, J.P. & Du Preez, J.J., 1996. Response to long-term selection for egg production in laying hens. *Brit. Poult. Sci.* 37, 743-756.

PoultryHub, 2009. Eggs and egg products. Chicken layer industry

Powrie, W.D. & Nakai, S., 1985. Characteristics of edible fluid of animal origin: eggs. Food chemistry. Ed. Fennema, O.R. New York, Marcel Dekker, 829-855.

Pratt, P.F., 1975. Utilization of animal manure and sewage sludges in food and fibre production. *Agric. Sci. Technol.* 3, 23-25.

Prein, M., Lightfoot, C. & Pullin, R.S.V., 1995. ICLARM's approach to the integration of aquaculture into sustainable farming systems. In: Devendra, C., Gardiner, P. (Eds.), Global Agenda for Livestock Research. ILRI, Nairobi, Kenya, 117-125.

Prein, M. & Ahmed, M., 2000. Integration of aquaculture into smallholder farming systems for improved food security and household nutrition. *Food and Nutrition Bulletin*. 21, 466-471.

Prein, M., 2002. Integration of aquaculture into crop-animal systems in Asia. *Agricul. Syst.* 71, 127-146.

Preisinger, R., 2000. Genetic changes in layer breeding: historical trends and future prospects. In the challenge of genetic change in animal production (eds. Hill, W.G., Bishop, S.C McGuirk, B., McKay, J.C., Simm, G. & Webb, A.J). British Society of Animal Science, Edinburgh. Occasional publication. 27, 20-28.

Prinsloo, J.F., Schoonbee, H.J. & Theron J., 1999. The production of poultry in integrated aquaculture-agriculture systems. Part II: The integration of laying hens with fish and vegetables in integrated aquaculture-agriculture food production systems. *Water SA*. 25, 233-238.

Pullin, R.S.V. & Shehadeh, Z., 1980. Integrated agriculture-aquaculture farming systems. ICLARM Conference Proceedings 4, Manila, Philippines.

Qureshi, A.W., 1996. Animal production: an African perspective. *WAAP Newsletter*, 35. 25-31 Aug.

Rahman, M.M., Varga, I. & Chowdhry, S.N., 1992. Manual on polyculture and integrated fish farming in Bangladesh. *Project report*. 11, 65.

Ramsey, K., Harris, L. & Kotze, A., 2001. Landrace breeds. South Africa's indigenous and locally developed farm animals. Pretoria, Farm Animal Conservation Trust.

Rana, K., Perotti, M., Montanuro, S. & Inmink, A., 1998. Aquaculture production in China. FAO Aquaculture newsletter, 9-10 Dec.

Rashed Hasnath, M., 2002. Effect of feeding systems on the egg production of Fayoumi hens of model breeding units under PLDP programme in Bangladesh. MSc Thesis, Department of Animal Science and Animal Health and Network for Smallholder Poultry Developmet The Royal Veterinary & Agricultural University, Dyrlægevej, 1870 Frederiksberg C., Denmark & Chittagong Govt. Veterinary College, Chittagong, Bangladesh.

Reynard, M. & Savory, C.J., 1999. Stress-induced oviposition delays in laying hens: duration and consequences for eggshell quality. *Brit. Poult. Sci.* 40, 585-591.

Roberts, R.J., 2004. Factors affecting egg internal quality and egg shell quality in laying hens. *Poult. Sci.* 41, 161-177.

Robinson, F.E. & Renema, R.A., 2008. Female reproduction: control of ovarian function. Alberta Poultry Research Centre, University of Alberta Edmonton, AB, Canada T6G 2P5.

Robinson, D.S. & Monsey, J.B., 1972. Changes in the composition of ovomucin during liquefaction of thick white. *J. Sci. Food Agric.* 23, 29-38.

Robinson, L., 1948. Modern poultry keeping: Official Organ of the poultry association of Great Britain. London: SPBA Ltd.

Rodriguez-Navarro, A., Kalin, O., Nys, Y. & Garcia-Ruiz, J.M., 2002. Influence of the microstructure on the shell strength of eggs laid by hens of different ages. *Brit. Poult. Sci.* 43, 395-403

Roland, D.A., Sloan, D.R. & Harms, R.H., 1976. The ability of hens to maintain calcium deposition in the egg shell and egg yolk as the hen ages. *Poult. Sci.* 54, 1720-1723

Rose, S.P., 1997. Principles of poultry science. New York: CABI Publishing.

Roushdy, K.H., El-Dein, A.Z., Fathi, M.M., Ali, U.M. & Assy, H.M., 2008. Microsatellite genetic differentiation analysis of two local chicken breeds compared with foreign Hy-Line strain. *Int. J. Poult. Sci.* 7, 1045-1053.

Ruddle, K. & Prein, M., 1998. Assessing the potential nutritional and household economic benefits of developing integrated farming systems. In: Mathias, J.A., Charles, A.T., Baotong, H. (Eds.), Integrated/Agricultural Fish Farming Systems (2002). 71, 127-146, 145. Proceedings of a Workshop on Integrated Fish Farming, 11-15 October 1994, Wuxi, Jiangsu Province, China. CRC Press, Boca Raton, Florida, USA, 111-121.

Samli, H.E., Agma, A. & Senkozlu, N., 2005. Effects of storage time and temperature on egg quality in old laying hens. *J. Appl. Poult. Res.* 14, 548-553.

Samuels, M.L., 1989. Statistics for the life sciences. Collier Macmillian publishers, London.

Savas, T., Von Preisinger, R., Ro" He, R., Thomsen, H. & Kalm, E., 1998. The effect of the Box-Cox transformation on the estimation of breeding values for egg production. *WCGALP.* 24, 353.

SAS Institute, 2011. Statistical Analysis System (SAS) User's Guide Statistics. SAS Institute Inc., Cary, NC

Schäfer, A., Drewes, W. & Schwägele, F., 1999. Effect of storage temperature and time in egg white protein. *Nahrung.* 43, 86-89.

Scott, T.A. & Silversides, F.G., 2000. The effect of storage and strain of hen on egg quality. *Poult. Sci.* 79, 1725-1729.

Sekeroglu, A., Sarica, M., Demir, E., Ulutas, Z., Tilki, M., Saatci, M. & Omed, H., 2010. Effects of different housing systems on some performance traits and egg quality of laying hens. *J. Ani. Vet. Adv.* 9, 1739-1744.

Sevilleja, R., Torres, J., Sollows, J. & Little, D., 2001. Using animal wastes in fish ponds. Halwart, M., Gonsalves, J. & Prein, M. (Eds.), Integrated agriculture-aquaculture: A primer, FAO Fisheries Technical Paper 407, pp.49-53, FAO, Rome.

Shalev, B.A., 1995. Comparison of white and brown eggshell laying stock. *World Poultry Sci. J.* 51, 7-16.

Shaler, B.A. & Pasternak, H., 1993. Increment of egg weight with hen age in various commercial avian species. *British Poult. Sci.* 34, 915-924.

Sharma, B.K., 1989. Recent trends in integrated fish farming system. In ICAR training programme on integrated fish farming for Tripura Fisheries officers. CIFA, Bhubaneswar, Orissa, India. Compound Lect. 2, 1-10.

Silversides, F.G & Scott, T.A., 2001. Effect if storage and layer age on quality of eggs from two lines of hens. *Poult. Sci. J.* 80, 1240-1245.

Silversides, F.G., Shaver, Mc. Q.D. & Song, Y., 2007. Pure line laying chickens at the Agassiz Research Center. *Anim. Gen. Res. Inform.* 40, 79-85.

Singh, R., Cheng, K.M., & Silversides, F.G., 2009. Production performance and egg quality of four strains of laying hens kept in conventional cages and floor pens. *Poult. Sci.* 88, 256-264.

Small-farm-permaculture-and-sustainability-living.com., 2012. Types of chickens. Review of different breeds of chickens. http://www.small-farm-permaculture-and-sustainable-living.com/types_of_chickens.html

Smith, G.A. & Yoshida, I., 2011. Sustainable integrated Kyusei Nature Farming EM technology and food security in Africa. Session X - New Horizons in Kyusei Nature Farming and EM. Fifth International Conference on Kyusei Nature Farming, Bangkok, Thailand.

Song, W.O. & Kerver, J.M., 2000. Nutritional contribution of egg to the American diet. *J. Am. Coll. Nutr.* 29, 556-562.

SAPA, South African Poultry Association, 2011. Short summary-egg industry 2011.

Sparks, N.H.C., 2006. The hens' egg-Is its role in human nutrition changing? Avian Science Research Centre, Animal Health Group, SAC, Edinburgh, Scotland.

Spackman, D., 1987. The effect of disease on egg quality. In : Egg quality current problems and recent advances. Ed Wells, R.G and Belyavin, C.G. Butterworths, London, Boston, Durban, pp. 255-282.

- Srilakshmi, B., 2003. Eggs. In: Food Science, 3rd ed., *New Age Inter. Pub*, pp. 123-147.
- Stadelman, W.J., 1995. Quality identification of egg science and technology. Ed. Stadelman, W.J and Cotterill, O.J., The Haworth press, Inc., New York, London, pp. 39-66.
- Stadelman, W. J., 1977. Quality identification of shell eggs in egg science and technology. Ed. Stadelman, W.J. & Cotterill, D.J, AVI Publishing company Inc. Westport, Connecticut, 2nd Edn, 33.
- Steyn, N.P., Nel, J.H., Prinsloo, J.F., Tichelaar, H.Y., Dhansay, M.A., Theron, J., Hoffman, L.C. & Benade, A.J.S., 1995. Nutritional status of underweight rural preschool children consuming a diet rich in *Clarias gariepinus*. *S. Afri. J. Food. Sci. Nutr.* 7, 158-163.
- Sultana, P., 2000. Household fish consumption and socio-economic impacts in Kapasia. Paper Presented at the Workshop on Aquaculture Extension: Impacts and Sustainability, 11 May 2000, Dhaka, Bangladesh. ICLARM, Penang, Malaysia and the Department of Fisheries, Dhaka, Bangladesh.
- Suksupath, S.E., Cole, E.A., Cole, R.J. & Bryden, W.L., 1989. Toxicity of cyclopiazonic acid in the laying hen. Proceedings of the Australian Poultry Science Symposium, Sydney, 94.
- Symoens, J.J. & Micha, J.C., 1995. The management of integrated freshwater agro-piscicultural ecosystems in tropical areas. Proceedings of the International Seminar, 16-19 May 1994, Brussels, Belgium. The Technical Centre for Agricultural and Rural Co-operation (CTA), Wageningen, Netherlands and the Belgian Royal Academy of Overseas Sciences (ARSOM), Brussels, Belgium.
- Taiganides, E.P., 1978. Principles and techniques of animal waste management and utilisation . In FAO, Soils Bulletin, 36, Food and Agriculture Organization, Rome, Italy, pp. 341-362.
- Taiganides, E. P., 1979. Wastes are resources out of place. *Agricul. Wastes.* 1, 1-9.
- Theimsiri, S., 1992. New concept on poultry breeder management in tropical countries 65-71. In Proceedings of Luang Suwan International Poultry Symposium, the sixth Animal Science Congress of AAAP, 27-28 November, Bangkok. 129.
- Thilsted, S.H. & Roos, N., 1999. Policy issues on fisheries in relation to food and nutrition security. In: Ahmed, M., Delgado, C., Sverdrup-Jensen, S., Santos, R.A.V. (Eds.), *Fisheries Policy Research in Developing Countries: Issues, Priorities and Needs*. ICLARM conference proceedings 60. ICLARM, Penang, Malaysia, pp. 61-69.
- Thompson, P., Sultana, P., Nuruzzaman, M. & Firoz Khan, A.K.M., 1999. Fisheries extension evaluation project. Progress report, March 1998 to Mid-1999. ICLARM, Penang, Malaysia.
- Tipraqsa, P., Creswell, E.T., Noble, A.D. & Schmidt-Vogt, D., 2007. Resource integration for multiple benefits: Multifunctionality of integrated farming systems in Northeast Thailand. *Agricul. Syst.* 94, 694-703.

Tokrisna, R., 1992. Integration livestock-fish farming systems in Thailand. In Mukherjee, T.K., Moi, P.S., Panadam, J.M, & Yang, Y.S. (Eds) Proceedings of the FAO/IPT Workshop on integrated livestock-fish production systems, 16-20 December, 1991. Institute of Advanced Studies, University of Malaya, Kuala Lumpur, Malaysia.

Tuleum, C.D., 1992. The utilization of heat treated poultry manure in chick's diets. Paper presented at the 17th annual conference of the N.S.A.P Abuja. 23-27 March, 8.

Tůmová, E., Skřivan, M., Englmaierová, M. & Zita. L., 2009. The effect of genotype, housing system and egg collection time on egg quality in egg type hens. *Czech J. Anim. Sci.* 54:17–23.

Tyler, C., 1961. Shell strength. Its measurement and relationship to other factors. *Brit. Poult. Sci.* 2, 3-19.

Van Horne, P.L.M. & Van Niekerk, T.G.C.M., 1998. Volieren- und Käfighaltung im Vergleich. Dtsch. Geflugelwirtsch. Schweineprod. 6, 14-16.

Van Marle-Koster, E. & Casey, N.H., 2001. Phenotypic characterisation of native chicken lines. *S. Afr. Anim. Genet. Resour.* 29, 71-78.

Van Marle-Koster, E. & Nel, L.H., 2000. Genetic characterization of indigenous South African chicken populations: evaluation and selection of polymorphic microsatellite markers. *S. Afr. J. Anim. Sci.* 30, 1-6.

Van Vleck, L.D. & Doolittle, D.P., 1964. Genetic parameters of monthly egg production in the Cornell controls. *Poult. Sci. J.* 43, 560-567.

Velasquez, C.C., 1980. Health constraints to integrated animal fish farming in the Philippines. In: Rogers S.U, Pulins & Zrad H (eds). Integrated aquaculture farming systems ICLARM-58A RCA Manilla. Philippines, pp. 103-111.

Viljoen, W.C.J., 1979. Hoenderrasse. Pluimvee A.2. Boerdery in Suid Afrika.

Vincke, M., 1988. Developing productive systems under village conditions. In: Village level aquaculture development in Africa. King, H.R. Ibrahim, & K.H. (eds), Proceedings of the commonwealth consultative workshop on village level aquaculture development in Africa, Freetown, Sierra Leone, 14–20 February 1985, Commonwealth Secretariat, London, 39-57.

Vincke, M.M.J., 1992. Integrated farming of fish & livestock: Present status and future development. FAO/IPT. Workshop on integrated livestock-fish production systems c/o institute of advanced studies, University of Malaysia, 1992.

Vits, A., Weizenburger, D., Hamann, H. & Distl, O., 2005. Influence of different small group systems on production traits, egg quality and bone breaking strength of laying hens. First communication: Production traits and egg quality. *Zuchungskunde.* 77, 303-323.

Von Preisinger, R. & Savas, T., 1997. Vergleich zweier Methoden zur Schätzung der Varianzkomponenten für Leistungsmerkmale bei Legehennen. *Zuchtkundskunde*. 69, 142-152.

Watkins, B.A., 1995. The nutritive value of the egg. In egg science and technology" (Cotterill, W.S.O.J. ed). Food products press. An imprint of the Haworth Press, Inc. New York, London.

Wethli, E., 2003. Improving the productivity of indigenous chickens in rural villages. Proceedings of 1st National Workshop on indigenous poultry development. Pietermaritzburg, South Africa, 29-30 October.

Wiener, G., 1994. Animal breeding. Tropical agriculturist. Macmillan Education Limited London, 28.

Williams, K.C., 1992. Some factors affecting albumen quality with particular reference to Haugh unit score. *World Poult. Sci. J.* 48, 516.

Willman, R., Halwatt, M. & Barg, U., 1998. Integrating fisheries and agriculture to enhance fish production and food security. *FAO Aquaculture Newsletter*. 22, 3-9.

Wohlfarth, G.W. & G.L. Schroeder., 1979. Use of manure in fish farming –a review. *Agricul. Wastes*. 1, 279-299.

World Fish Centre, 2003. Fish an issue for everyone: A concept paper for fish for all summit, 10.

Yakubu, A., Salako, A.E. & Ige, A.O., 2007. Effects of genotype and housing system on the laying performance of chickens in different seasons in the semi humid tropics. *Int. J. Poult. Sci.* 6, 434-439.

Yami, A., 1995. Poultry production in Ethiopia. *World Poult. Sci. J.* 51, 197-201.

Yingzue, F., Xianzten, G., Jikun, W., Xiuzherg, F. & Zhinyna L., 1986. Effect of different animal manure in fish farming. In: Maclean, JL., Dixon, L.B., & Hosillos, L.V (eds). First Asia Fisheries Forum. The Asian Fisheries society, Manila, Philippines, pp. 117-120.

Zabik, M., 1992. Eggs and products. Food theory and applications. Ed. Bowers, J., Macmillan Publishing Co., New York, pp. 359-411.

Zaman, M.A., Ahmed, S. & Sutradhar, B.C., 2005. Study on the egg quality of a breed and three crossbreds at various ages under semi scavenging system of management. *Pakist. J. Biol. Sci.* 8, 211-214.

Zita, L., Tůmová, E. & Štolc, L., 2009. Effects of genotype, age and their interaction on egg quality in brown-egg laying hens. *Acta Vet. BRNO.* 78, 85–91.