

## **REFERENCES**

- Adolphs, R. & Damasio, A.R. (2000). Neurobiology of emotion at a systems level. In J.C. Borod (Ed.), *The neuropsychology of emotion* (pp. 194-213). New York: Oxford.
- Agnew, S.K. & Morris, R.G. (1998). The heterogeneity of anosognosia for memory impairment in Alzheimer's disease: A review of the literature and a proposed model. *Aging & Mental Health*, 2(1), 7-19.
- Alzheimer, A. (1907/1977). A characteristic disease of the cerebral cortex. In D.A. Rottenbert & F.H. Hochberg (Eds.), Hochberg, C.N. & Hochberg, F.H. (trans.), *Neurological classics in modern translation* (pp. 41-43). New York: Haffner Press.
- Amelang, M. & Ullwer, U. (1991). The relations between psychometric measures and psychophysiological as well as experimental variables in studies on extraversion and neuroticism. In J. Strelau & A. Angleitner (Eds.), *Explorations in temperament: International perspectives on theory and measurement* (pp. 287-315). London: Plenum Press.
- Ando, J., Ono, Y., Yoshimura, K., Onoda, N., Shinohara, M., Kanba, S., & Asai, M. (2002). The genetic structure of Cloninger's seven-factor model of temperament and character in a Japanese sample. *Journal of Personality*, 70(5), 583-609.
- Andrews, G. (1996). Comorbidity and the general neurotic syndrome. *British Journal of Psychiatry*, 168(30), 76-84.
- Arriagada, P.V., Growdon, J.H., Hedley-White, E.T., & Hyman, B.T. (1992). Neurofibrillary tangles but not senile plaques parallel the duration and severity of Alzheimer's disease. *Neurology*, 42, 631-639.
- Assal, F. & Cummings, J.L. (2002). Neuropsychiatric symptoms in dementias. *Current Opinion in Neurology*, 15(4), 445-450.
- Baddeley, A. (1986). *Working memory*. New York: Oxford University Press.

- Ballard, C.G., Boyle, A., Bowler, C., & Lindsay, J. (1996). Anxiety disorders in dementia sufferers. *International Journal of Geriatric Psychiatry*, 11, 987-990.
- Ballard, C.G., Mohan, R.N.C., Bannister, C., Handy, S., & Patel, A. (1991). Wandering in dementia sufferers. *International Journal of Geriatric Psychiatry*, 6, 611-614.
- Barrett, P., & Eysenck, S.B.G. (1984). The assessment of personality factors across 25 countries. *Personality and Individual Differences*, 5, 616-632.
- Bastian, C. (1902). *The brain as an organ of mind* (5<sup>th</sup> ed.). London: Kegan Paul & Co.
- Bateson, G. (1972). *Steps to ecology of mind*. New York: Ballantine Press.
- Bateson, G. (1979). *Mind and nature: A necessary unity*. London: Collins.
- Bechara, A., Damasio, A.R., Damasio, H., & Anderson, S.W. (1994). Insensitivity to future consequences following damage to human prefrontal cortex. *Cognition*, 50, 7-15.
- Benjamin J., Li, L, Patterson, C., Greenberg, B, Murphy, D., & Hamer, D. (1996). Populations and familial associations between D4 dopamine receptor gene and measures of novelty-seeking. *Nature and Genetics*, 121, 81-84.
- Benoit, M., Dygai, I., Migneco, O., Robert, P.H., Bertogliati, C., Darcourt, J., Benoliel, J., Aubin-Brunet, V., & Pringuey, D. (1999). Behavioural and psychological symptoms in Alzheimer's disease. Relation between apathy and regional cerebral perfusion. *Dementia and Geriatric Cognitive Disorders*, 10(6). 511-517.
- Berg, L. (1985). Does Alzheimer's disease represent an exaggeration of normal ageing? *Archives of Neurology*, 42, 737-739.
- Berrios, G. (1989). Non-cognitive symptoms in the diagnosis of dementia: Historical and clinical aspects. *British Journal of Psychiatry*, 154(4), 11-16.
- Berrios, G. (1990). Alzheimer's disease: A conceptual history. *International Journal of Geriatric Psychiatry*, 5, 355-365.

[University of Pretoria etd – Cassimjee, N \(2003\)](#)

Besthorn, C., Sattel, H., Geiger-Kabisch, C., Zerfass, R., & Förstl, H. (1995). Parameters of EEG dimensional complexity in Alzheimer's disease. *Electroencephalography and Clinical Neurophysiology*, 95, 84-89.

Besthorn, C., Zerfass, R., Geiger-Kabisch, C., Sattel, H., Schreiter-Gasser, & Förstl, H. (1997). Discrimination of Alzheimer's disease and normal aging by EEG data. *Electroencephalography and Clinical Neurophysiology*, 103, 241-248.

Bick, K., Amaducci, L., & Pepeu, G. (1987). *A characteristic disease of the cerebral cortex*. Retrieved 18 December 2000, from  
<http://www.alzforum.org/members/research/milestones/abstracts/alzheimer.html>.

Binetti, G., Bianchetti, A., Padovani, A., Magni, E., Bianchetti, A., & Scuratti, A. (1995). Delusions and dementia: Clinical and CT correlates. *Acta Neurologica Scandinavica*, 91, 271-275.

Blessed, G., Tomlinson, B.E., & Roth, M. (1968). The association between quantitative measures of dementia and of senile changes in cerebral grey matter of elderly subjects. *British Journal of Psychiatry*, 114, 797-811.

Block, J. (1995). A contrarian view of the five-factor approach to personality description. *Psychological Bulletin*, 117, 187-215.

Bondareff, W. (1996). Neuropathology of psychotic symptoms in Alzheimer's disease. *International Psychogeriatrics*, 8(3), 233-238.

Bordens, K.S. & Abbott, B.B. (2002). *Research design and methods: A process approach* (5<sup>th</sup> ed.). Boston: McGraw Hill.

Boyce, P., Parker, G., Barnett, B., Cooney, M., & Smith, F. (1991). Personality as a vulnerability factor to depression. *British Journal of Psychiatry*, 159, 106-114.

Bozzola, F.G., Gorelick, P.B., & Freels, S. (1992). Personality changes in Alzheimer's disease. *Archives of Neurology*, 49, 297-300.

- Braak, H. & Braak, E. (1996). Development of Alzheimer-related neurofibrillary changes in the neocortex inversely recapitulates cortical myelogenesis. *Acta Neuropathologica*, 92, 197-201.
- Braak, H. & Braak, E. (1997). Aspects of cortical destruction in Alzheimer's disease. In B.T. Hyman C. Duyckaerts, & Y. Christen (Eds.), *Connections, cognitions and Alzheimer's disease* (pp. 1-16). Berlin: Springer.
- Braak, H., Braak, E., Bohl, J., & Bratzke, H. (1998). Evolution of Alzheimer's disease related cortical lesions. In H.J. Gertz & T.H. Arendt (Eds.), *Alzheimer's disease: From basic research to clinical applications* (pp. 97-106). Berlin: Springer.
- Braak, E., Braak, H., & Mandelkow, E.M. (1994). A sequence of cytoskeleton changes related to the formation of neurofibrillary tangles and neuropil threads. *Acta Neuropathologica*, 87(6), 554-567.
- Brayne, C., Dufouil, C., & McGee, C. (1999). The implications of epidemiological findings for the prevention of Alzheimer's disease. In R. Mayeux & Y. Christen (Eds.), *The epidemiology of Alzheimer's disease: From gene to prevention* (pp. 103-109). Berlin: Springer.
- Brugge, K.L., Nichols, S.L., Salmon, D.P., Hill, L.R., Delis, D.C., Aaron, L., & Trauner, D.A. (1994). Cognitive impairment in adults with Down's syndrome: Similarities to early cognitive changes in Alzheimer's disease. *Neurology*, 44(2), 232-238.
- Burns, A. (1996). Misidentifications. *International Psychogeriatrics*, 8(3), 393-398.
- Burns, A., Byrne, J.E., & Maurer, K. (2002). Alzheimer's disease. *Lancet*, 360, 163-166.
- Burns, A., Jacoby, R., & Levy, R. (1990a). Psychiatric phenomena in Alzheimer's disease I: Disorders of thought content. *British Journal of Psychiatry*, 157, 72-76.
- Burns, A., Jacoby, R., & Levy, R. (1990b). Psychiatric phenomena in Alzheimer's disease II: Disorders of perception. *British Journal of Psychiatry*, 157, 76-81.

- Burns, A., Jacoby, R., & Levy, R. (1990c). Psychiatric phenomena in Alzheimer's disease III: Disorders of mood. *British Journal of Psychiatry*, 157, 81-86.
- Burns, A., Jacoby, R., & Levy, R. (1990d). Psychiatric phenomena in Alzheimer's disease IV: Disorders of behaviour. *British Journal of Psychiatry*, 157, 86-94.
- Burns, A. & Levy, R. (Eds.) (1994). *Dementia*. London: Chapman & Hall Medical.
- Burns, A., Folstein, S., Brandt, J., & Folstein, M. (1990). Clinical assessment of irritability, aggression and apathy in Huntington and Alzheimer's disease. *The Journal of Nervous and Mental Diseases*. 178, 20-26.
- Buss, A.H. (1991). The EAS theory of temperament. In J. Strelau & A. Angleitner (Eds.), *Explorations in temperament: International perspectives on theory and measurement* (pp. 43-60). London: Plenum Press.
- Buss, A.H. & Plomin, R. (1984). *Temperament: Early developing personality traits*. New Jersey: Erlbaum.
- Bylsma, F.W., Folstein, M.F., Devanand, D.P., Richards, M., Bello, J., Albert, M., & Stern, Y. (1994). Delusions and patterns of cognitive impairment in Alzheimer's disease. *Neuropsychiatry, Neuropsychology and Behavioural Neurology*, 7(2), 98-103.
- Caligiuri, M.P. & Peavy, G. (2000). An instrumental study of the relationship between extrapyramidal signs and psychosis in Alzheimer's disease. *Journal of Neuropsychiatry and Clinical Neurosciences*, 12(1), 34-39.
- Calkins, S.D. & Fox, N.A. (1992). The relations among infant temperament, attachment, and behavioural inhibition at 24 months. *Child Development*, 63, 1456-1472.
- Calkins, S.D. & Fox, N.A. (1994). Individual differences in the biological aspects of temperament. In J.E. Bates & T.D. Wachs, *Temperament: Individual differences at the interface of biology and behaviour* (pp. 199-217). Washington: APA.
- Calvin, W.H. & Ojemann, G.A. (1994). *Conversation with Neil's brain*. New York: Addison-Wesley.

- Capra, F. (1997). *The web of life: A new synthesis of mind and matter*. London: Flamingo.
- Cassimjee, N. & Maree, D.J.F. (in press). Theoretical and methodological issues pertaining to change detection within a change blindness flicker paradigm. *South African Journal of Psychology*.
- Cattell, R.B. (1971). *Abilities: Their structure, growth and action*. Boston: Houghton Mifflin.
- Cederblad, M., Dahlin, L., Hagnell, O., & Hansson, K. (1995). Intelligence and temperament as protective factors for mental health. A cross-sectional and prospective epidemiological study. *European Archives of Psychiatry and Clinical Neuroscience*. 245, 11-19.
- Chan, A.S., Salmon, D.P., & Butters, N. (1998). Semantic network abnormalities in patients with Alzheimer's disease. In R.W. Parks, D.S. Levine, & D.L. Long (Eds.), *Fundamentals of neural network modeling; Neuropsychology and cognitive neuroscience* (pp. 381-393). Cambridge: MIT press.
- Chatterjee, A., Strauss, M.E., Smyth, K.A., & Whitehouse, P.J. (1992). Personality changes in Alzheimer's disease. *Archives of Neurology*, 49, 486-491.
- Chemerinski, E., Petracca, G., Tesón, A., Sabe, L., Leiguarda, R., & Strakstein, S.E. (1998). Prevalence and correlates of aggressive behaviour in Alzheimer's disease. *Journal of Neuropsychiatry and Clinical Neurosciences*, 10, 421-425.
- Chen, J.C., Borson, S., & Scanlan, J.M. (2000). Stage-specific prevalence of behavioural symptoms in Alzheimer's disease in a multi-ethnic community sample. *American Journal of Geriatric Psychiatry*, 8, 123-133.
- Chen, S.T., Sultzer, D.L., Hinkins, C.H., Mahler, M.E., & Cummings, J.L. (1998). Executive dysfunction in Alzheimer's disease: Association with neuropsychiatric symptoms and functional impairment. *Journal of Neuropsychiatry and Clinical Neurosciences*, 10(4), 426-432.

- Chess, S. & Thomas, A. (1991). Temperament and the concept of goodness of fit. In J.Strelau & A. Angleitner (Eds.), *Explorations in temperament: International perspectives on theory and measurement* (pp. 15-28). London: Plenum Press.
- Christen, Y. & Churchland, P. (1992). *Neurophilosophy and Alzheimer's disease*. Berlin: Springer.
- Chung, J.A. & Cummings, J.L. (2000). Neurobehavioural and neuropsychiatric symptoms in Alzheimer's disease: Characteristics and treatment. *Clinical Neurology*, 18(4), 829-846.
- Churchland, P. (1992). Introduction: Neurophilosophy and Alzheimer's disease. In Y. Christen & P.Churchland (Eds.), *Neurophilosophy and Alzheimer's disease* (pp. 1-4). Berlin: Springer.
- Churchland, P.M. & Churchland, P.S. (1992). Intertheoretic reductionsim: A neuroscientists field guide. In Y., Christen & P., Churchland (Eds.), *Neurophilosophy and Alzheimer's disease* (pp. 18-29). Berlin: Springer.
- Claridge, G. (1997). Eysenck's contribution to understanding psychopathology. In H. Nyborg (Ed.), *The scientific study of human nature: A tribute to Hans J. Eysenck at eighty* (pp. 364-388). New York: Elsevier.
- Cloninger, C.R. (1986). A unified biosocial theory of personality and its role in the development of anxiety states. *Psychiatric Development*, 3, 167-226.
- Cloniger, C.R. (1987). A systematic method for clinical description and classification of personality. *Archives of Psychiatry*, 44, 573-588.
- Cohen, J. & Cohen, P. (1983). *Applied multiple regression/correlation analysis for the behavioral sciences*. Hillsdale, N.J.: Erlbaum.
- Cohen, J.D. & Servan-Schreiber, D. (1992). Context, cortex and dopamine: A connectionist approach to behaviour and biology in schizophrenia. *Psychological Review*, 99(1), 45-77.

- Cooler, C.Y. (1996). Perspectives of a clinical trial research nurse. *International Psychogeriatrics*, 8(3), 465-468.
- Costa, P.T., Jr. & McCrae, R.R. (1985). *The NEO Personality Inventory Manual*. Florida: Psychological Assessment Resources.
- Craig, A.H., Cummings, J.L., Fairbanks, L., Itti, L., Miller, B.L., Li, J., & Mena, I. (1996). Cerebral blood flow correlates of apathy in Alzheimer's disease. *Archives of Neurology*, 53(11), 1116-1120.
- Crossman, A.R. & Neary, D. (1998). *Neuroanatomy*. London: Churchill Livingston
- Cummings, J.L. (1985). Organic delusions: phenomenology, anatomical correlations and review. *British Journal of Psychiatry*, 146, 184-197.
- Cummings, J.L. (1990). *Subcortical dementia*. New York: Oxford University Press.
- Cummings, J.L. (1992). Psychosis in neurologic diseases: Neurobiology and pathogenesis. *Neuropsychiatry, Neuropsychology and Behavioural Neurology*, 5, 144-150.
- Cummings, J.L. & Black, C. (1998). The cholinergic hypothesis of neuropsychiatric symptoms in Alzheimer's disease. *American Journal of Geriatric Psychiatry*, 6(2), S64-S78.
- Cummings, J.L., Gorman, D.G., & Shapira, J. (1993). Physostigmine ameliorates the delusions of Alzheimer's disease. *Biological Psychiatry*, 33, 536-541.
- Cummings, J.L., Miller, B., Hill, M.A., & Neshlces, R. (1987). Neuropsychiatric aspects of multi-infarct dementia and dementia of the Alzheimer's type. *Archives of Neurology*, 44, 389-393.
- Cummings, J.L. & Victoroff, J.I. (1990). Noncognitive neuropsychiatric syndromes in Alzheimer's disease. *Neuropsychiatry, Neuropsychology and Behavioural Neurology*, 3(2), 140-158.

- Cutting, J. (1987). The phenomenology of acute organic psychosis: Comparison with acute schizophrenia. *British Journal of Psychiatry*, 151, 324-332.
- Damasio, A.R. (1994). *Descartes' error: Emotion, reason and the human brain*. New York: Putnam Press.
- Delacour, J. (1999). The memory system and brain organisation: From animal to human studies. In L.G. Nilsson & H.J., Markowitsch (Eds.), *Cognitive neuroscience of memory* (pp. 239-270). Toronto: Hogrefe & Huber Publishers.
- Dell, P.F. (1982). Beyond Homeostasis: Toward a concept of coherence. *Family Process*, 21, 21-41.
- Depue, R.A., Luciana, M., Arbisi, P., Collins, P., & Leon, A. (1994). Dopamine and the structure of personality: Relation of agonist-induced dopamine activity to positive emotionality. *Journal of Personality and Social Psychology*, 67, 485-498.
- Deutsch, L.H., Byslma, F.W., Rovner, B.W., Steele, C., & Folstein, M.F. (1991). Psychosis and physical aggression in probable Alzheimer's disease. *American Journal of Psychiatry*, 148, 1159-1163.
- Donaldson, C., Tarrier, N., & Burns, A. (1998). Determinants of carer stress in Alzheimer's disease. *International Journal of Geriatric Psychiatry*, 13, 248-256.
- Doody, R.S., Massman, P., Mahurin, R., & Law, S. (1995). Positive and negative neuropsychiatric features in Alzheimer's disease. *Journal of Neuropsychiatry and Clinical Neurosciences*, 7, 54-60.
- Drevets, W.C. & Rubin, E.H. (1989). Psychotic symptoms and the longitudinal course of senile dementia of the Alzheimer's type. *Biological Psychiatry*, 25, 39-48.
- Duncan, J., Burgess, P., & Emslie, H. (1995). Fluid intelligence after frontal lobe lesions. *Neuropsychologica*, 33(2), 261-268.
- Ebstein, R., Novick, O., Umansky, R., Piel, B., Osher, Y., Blaine, D., Bennett, E., Nemanov, L., Katz, M., & Belmaker, R. (1996). Dopamine D4 receptor (D4Dr) exon III

polymorphism association with the human personality trait of novelty seeking. *Nature and Genetics*, 12, 78-80.

Eikelenboom P, Hoogendoijk,W.J.G., Jonker, C., & van Tilburg,W. ( 2002). Immunological mechanisms and the spectrum of psychiatric syndromes in Alzheimer's disease. *Journal of Psychiatric Research*, 36, 269-280.

Eliasz, A. (1987). Temperament-contingent cognitive orientation toward various aspects of reality. In J. Strelau & H.J. Eysenck (Eds.), *Personality dimensions and arousal* (pp. 197-213). New York: Plenum Press.

Eliasz, H. & Reykowski, J. (1986). Reactivity and emphatic control of aggression. In J. Strelau, F.H. Farley, & A. Gale (Eds.), *The biological bases of behaviour: Psychophysiology, Performance, and applications*. New York: McGraw-Hill.

Evans, D.A. (1999). The primary prevention of Alzheimer's disease: Should we develop large-scale trials. In R. Mayeux & Y. Christen (Eds.), *The epidemiology of Alzheimer's disease: From gene to prevention* (pp. 111-1120). Berlin: Springer.

Eysenck, H.J. (1966). *Dimensions of personality*. London: Routledge & Kegan Paul.

Eysenck, H.J. (1970). *The biological basis of personality*. Illinois: Charles C Thomas.

Eysenck, H.J. (1987). Arousal and Personality: The origins of a theory. In J.Strelau & H.J. Eysenck (Eds.), *Personality dimensions and arousal* (pp. 1-15). New York: Plenum Press.

Eysenck, H.J. (1991). Dimensions of personality: The biosocial approach to personality. In J.Strelau & A. Angleitner (Eds.), *Explorations in temperament: International perspectives on theory and measurement* (pp. 87-103). London: Plenum Press.

Eysenck, H.J. (1992). The definition and measurement of psychotism. *Personality and Individual Differences*, 13, 757-785.

Eysenck, H.J. (1997). Personality and experimental psychology: The unification of psychology and the possibility of a paradigm. *Journal of Personality and Social Psychology*, 73(6), 1224-1237.

Eysenck, H.J. & Eysenck, M.W. (1985). *Personality and individual differences: A natural science approach*. New York: Plenum Press.

Fahrenberg, J. (1991). Differential psychophysiology and the diagnosis of temperament. In J. Strelau & A. Angleitner (Eds.), *Explorations in temperament: International perspectives on theory and measurement* (pp. 317-333). London: Plenum Press.

Fairburn, C.G. & Hope, R.A. (1988). Changes in behaviour in dementia: A neglected research area. *British Journal of Psychiatry*, 152, 406-407.

Ferreira, M. & Makoni, S. (2000). Does Alzheimer's disease occur in Africans? Newsletter of the Alzheimers Disease and Related Dementias Association (ARDA). Johannesburg: ARDA.

Finch, J.F. & Graziano, W.G. (2001). Predicting depression from temperament, personality, and patterns of social relations. *Journal of Personality*, 69(1), 27-55.

Finkel, S.I., Costa de Silva, G., Cohen, C., Miller, S., & Sartorius, N. (1996). Behavioural and psychological signs and symptoms of dementia: A consensus statement on current knowledge and implications for research and treatment. *International Psychogeriatrics*, 8(3), 497-500.

Flynn, F.G., Cummings, J.L., & Gornbein, J. (1991). Delusions in dementia syndrome: Investigation of behavioural and neuropsychological correlates. *Journal of Neuropsychiatry and Clinical Neurosciences*, 3, 364-370.

Förstl, H. (1998). Alzheimer's disease: The size of the problem, clinical manifestation and heterogeneity. In H.J. Gertz & T.H. Arendt (Eds.), *Alzheimer's disease: From basic research to clinical applications* (pp. 1-8). Berlin: Springer.

- Förstl, H., Almeida, O., Owen, A.M., Burns, A., & Howard, R. (1991). Psychiatric, neurological and medical aspects of misidentification syndromes: A review of 260 cases. *Psychological Medicine*, 21, 905-910.
- Förstl, H., Burns, A., Levy, R., & Cairns, N. (1994). Neuropathological correlates of psychotic phenomena in confirmed Alzheimer's disease. *British Journal of Psychiatry*, 165, 53-59.
- Foster, J.K. & Jelicic, M. (Eds.) (1999). *Memory: Systems, process, or function?* Oxford: Oxford University Press.
- Foucault, M. (1975). *The archaeology of knowledge*. London: Tavistock.
- Frisoni, G.B., Rozzini, L., Gozetti, A., Binetti, G., Zanetti, O., Bianchetti, A., Trabucchi, M., & Cummings, J.L. (1999). Behavioural syndromes in Alzheimer's disease: Description and correlates. *Dementia and Geriatric Cognitive Disorders*, 10, 130-138.
- Furukawa, T., Hori, S., Yoshida, S., Tsuji, M., Nakanishi, M., & Hamanaka, T. (1998). Premorbid personality traits of patients with organic (ICD-10 F0), schizophrenia (F2), mood (F3), and neurotic (F4) disorders according to the five-factor model of personality. *Psychiatry Research*, 78, 179-187.
- Gale, A. (1987). Arousal, control, energetics, and values: An attempt at review and appraisal. In J. Strelau & H.J. Eysenck (Eds.), *Personality dimensions and arousal* (pp. 287-314). New York: Plenum Press.
- Garmezy, N. & Rutter, M. (1983). Stress, coping and development in children. New York: McGraw-Hill.
- Gauthier, S., Gelinas, I., & Gauthier, L. (2002). Functional changes in Alzheimer's disease. *Alzheimer Insights*, 2(1). Online 1-4 [www.alzheimer-insights.com/vol2no1.htm](http://www.alzheimer-insights.com/vol2no1.htm)
- Gazzinaga, M.S. (1987). Perceptual and attentional processes following collosal section in humans. *Neuropsychologia*, 25, 119-133.

- Geen, R.G. (1984). Preferred stimulation levels in introverts and extroverts: Effects on arousal and performance. *Journal of Personality and Social Psychology*, 46, 1303-1312.
- Gershberg, F.B., & Shimamura, A.P. (1998). The neuropsychology of human learning and memory. In J. Martinez & R. Kesner (Eds.), *Neurobiology of learning and memory* (pp. 247-288). San Diego: Academic Press.
- Gianotti, G. (2000). Neuropsychological theories of emotion. In J.C. Borod (Ed.), *The neuropsychology of emotion* (pp. 214-236). New York: Oxford.
- Gilley, D.W. (1993). Behavioural and affective disturbances in Alzheimer's disease. In R.W., Parks, R.F., Zec, & R.S., Wilson (Eds.), *Neuropsychology of Alzheimer's disease and other dementias* (pp.112-137). New York: Oxford.
- Gilley, D.W., Whalen, M.E., Wilson, R.S., & Bennett, D.A. (1991). Hallucinations and associated factors in Alzheimer's disease. *Journal of Neuropsychiatry and Clinical Neurosciences*, 3, 371-376.
- Gilliam, T., Kandel, E.R., & Jessell, T.M. (2000). Genes and behaviour. In E.R. Kandel, J.H. Schwartz, & T.M. Jessell, *Principles of neural science* (4<sup>th</sup> ed.) (pp.36-62). New York: McGraw Hill.
- Glosser, G., Clark, C., Freundlich, B., Kilner-Krenzel, L., Flaherty, P., & Stern, M. (1995). A controlled investigation of current and premorbid personality: Characteristics of Parkinson's disease patients. *Movement Disorders*, 10(2), 201-206.
- Gluck, M.A. & Meyers, C.E. (1998). Psychobiological models of hippocampal function in learning and memory. In J. Martinez & R. Kesner (Eds.), *Neurobiology of learning and memory* (pp. 417-448). California: Academic Press.
- Goate, A.M., Chartier-Harlin, M.C., Mullan, M., Brown, J., Crawford, F., Fidani, L., Guiffra, L., Haynes, A., & Hardy, J.A. (1991). Segregation of missense mutation in the amyloid precursor gene with familial Alzheimer's disease. *Nature*, 349, 704-706.

- Gomez-Isla, T. & Hyman, B.T. (1997). Connections and cognitive impairment in Alzheimer's disease. In B.T. Hyman, C. Duyckaerts, & Y. Christen (Eds.), *Connections, cognitions and Alzheimer's disease* (pp. 149-166). Berlin: Springer.
- Gottfries, C.G. (1996). Neurochemistry and neurotransmitters. *International Psychogeriatrics*, 8(3), 225-232,
- Grant, W.B. (1997). Dietary links to Alzheimer's disease. *Alzheimer's Disease Review*, 2, 42-55.
- Grant, W.B. (1999). Dietary links to Alzheimer's disease. *Journal of Alzheimer's Disease*, 1(4-5), 197-201.
- Gray, J.A. (1981). A critique of Eysenck's theory of personality. In H.J. Eysenck (Ed.), *A model for personality* (pp. 272-273). New York: Springer.
- Gray, J.A. (1991). The neuropsychology of temperament. In J. Strelau & A. Angleitner (Eds.), *Explorations in temperament: International perspectives on theory and measurement* (pp. 105-128). London: Plenum Press.
- Gray, J.A. & McNaughton, N. (2000). *The neuropsychology of anxiety* (2<sup>nd</sup> ed.). Oxford: Oxford University Press.
- Graziano, W.G., Jensen-Campbell, L.A., & Finch, J.F. (1997). The self as mediator between personality and adjustment. *Journal of Personality and Social Psychology*, 73(2), 392-404.
- Graziano, W.G., Jensen-Campbell, L.A., & Sullivan-Logan, G. (1998). Temperament, activity, and expectations for later personality development. *Journal of Personality and Social Psychology*, 74, 1266-1277.
- Green, J. (2000). *Neuropsychological evaluation of the older adult: A clinician's guidebook*. New York: Academic Press.
- Grigsby, J. & Stevens, D. (2000). *Neurodynamics of personality*. New York: Guilford Press.

- Hamann, S., Monarch, E.S., & Goldstein, F.C. (2002). Impaired fear conditioning in Alzheimer's disease. *Neuropsychologia*, 40, 1187-1195.
- Hamel, M., Pushkar-Gold, D., & Andres, D. (1990). Predictor and consequences of aggressive behaviour by community –based dementia patients. *Gerontological Society of America*, 30, 206-211.
- Hammond, G. (1994). The Cartesian Theory: Unification of Eysenck and Gray. *New Ideas in Psychology*, 12(2), 153-167.
- Harwood, D.G., Barker, W.W., Ownby, R.L., & Duara, R. (2000). Relationship of behavioural and psychological symptoms to cognitive impairment and functional status in Alzheimer's disease. *International Journal of Geriatric Psychiatry*, 15, 393-400.
- Hasselmo, M. & Linster, C. (1999). Acetylcholine and frontal cortex: Signal to noise ratio. In P.L. Miller & J.L. Cummings (Eds.), *The human frontal lobes* (pp. 139-158). New York: Guilford Press.
- Haupt, M. (1996). Emotional lability, intrusiveness, and catastrophic reactions. *International Psychogeriatrics*, 8(3), 409-414.
- Hesdorffer, Sano., & Mayeux, R. (1990). Measurement and prediction of functional capacity in Alzheimer's disease. *Neurology*, 40(1), 8-14.
- Heyns, P.M., Venter, J.H., Esterhuysen, K.G., Bam, R.H., & Odendaal, D.C. (2003). Nurses caring for patients with Alzheimer's disease: Their strengths and risk of burnout. *South African Journal of Psychology*, 33(2), 80-85.
- Hock, D. (1999). *Birth of the chaordic age*. San Francisco: Berrett- Koehler.
- Hofstee, W.K.B. (1991). The concepts of personality and temperament. In J.Strelau & A. Angleitner (Eds.), *Explorations in temperament: International perspectives on theory and measurement* (pp. 177-188). London: Plenum Press.
- Hoogendoijk, W.J.G., van Someren, E.J.W., Mirmiran, M., Hofman, M.A., Lucassen, P.J., Zhou, J.N., & Swaab, D.F. (1996). Circadian rhythm-related behavioural disturbances

and structural hypothalamic changes in Alzheimer's disease. *International Psychogeriatrics*, 8(3), 245-252.

Hope, R.A. & Fairburn, C.G. (1990). The nature of wandering in dementia: A community-based study. *International Journal of Geriatric Psychiatry*, 5, 239-245.

Hope, T., Keene, J., Fairburn, C., McShane R., & Jacoby, R. (1997). Behaviour changes in dementia 2: Are there behavioural syndromes? *International Journal of Geriatric Psychiatry*, 12, 1074-1078.

Humphrey, N. (2002). *The mind made flesh: Essays from the frontiers of psychology and evolution*. Oxford: Oxford University Press.

Hyman, B.T., Duyckaerts, C., & Christen, Y. (Eds.) (1997), *Connections, cognitions and Alzheimer's disease*. Berlin: Springer.

Iverson, S., Kupferman, I., & Kandel, E.R. (2000). Emotional states and feeling. In E.R. Kandel, J.H.Schwartz, & T.M. Jessell, *Principles of neural science* (4<sup>th</sup> ed.) (pp. 982-997). New York: McGraw Hill.

Jagust, W. (1999). Neuroimaging and the frontal lobes: Insights from the study of neurodegenerative diseases. In B.L. Miller & J.L. Cummings (Eds.), *The human frontal lobes: Functions and disorders* (pp. 107-122). New York: Guilford Press.

Janson, E.T. (2001). Aluminum exposure and Alzheimer's disease. *Journal of Alzheimer's Disease*, 3(6), 541-549.

Jelles, B., Strijers, R.L., Hooijer, C., Stam, C.J., & Jonkman, E.J. (1999). Non-linear EEG analysis in early Alzheimer's disease. *Acta Neurologica Scandinavia*, 100(6), 360-368.

Jelles, B., van Birgelen, J.H., Slaets, J.P.J., Hekster, R.E.M., Jonkman, E.J., & Stam, C.J. (1999). Decrease of non-linear structure in EEG of Alzheimer's patients compared to healthy controls. *Clinical Neurophysiology*, 110, 1159-1167.

[\*\*University of Pretoria etd – Cassimjee, N \(2003\)\*\*](#)

- Jeste, D.V., Wragg, R.E., Salmon, D.P., Harris, M.J., & Thal, L.J. (1992). Cognitive deficits of patients with Alzheimer's disease with and without delusions. *American Journal of Psychiatry*, 149(2), 184-189.
- Jost, B.C. & Grossberg, G.T. (1996). The evolution of psychiatric symptoms in Alzheimer's disease: A natural history study. *Journal of the American Geriatric Society*, 44, 1078-1081.
- Kalat, J.W. (2001). *Biological psychology* (7<sup>th</sup> ed.). Stamford: Wadsworth.
- Kandel, E.R. (2000). The brain and behaviour. In E.R. Kandel, J.H.Schwartz, & T.M. Jessell, *Principles of neural science* (4<sup>th</sup> ed.) (pp.5-18). New York: McGraw Hill.
- Kandel, E.R. (2001). Psychotherapy and the single synapse: The impact of psychiatric thought on neurobiological research. *The Journal of Neuropsychiatry and Clinical Neuroscience*, 13(2), 290-300.
- Katz, I.R., Jeste, D.V., Mintzer, J.E., Clyde, C., Napolitano, J., & Brecher, M. (1999). Comparison of risperidone and placebo for psychosis and behavioural disturbances associated with dementia. A randomised double-blind trial. *Journal of Clinical Psychiatry*, 60(2), 107-115.
- Katzman, R. & Fox, P.J. (1999). The word-wide impact of dementia. Projections of prevalence and cost. In R. Mayeux & Y. Christen (Eds.), *The epidemiology of Alzheimer's disease: From gene to prevention* (pp. 1-17). Berlin: Springer.
- Kazee, A.M. & Johnson, E.M. (1998). Alzheimer's disease pathology in non-demented elderly. *Journal of Alzheimer's Disease*, 1(2), 81-89.
- Khachaturian, Z. (1996). Future research directions. *International Psychogeriatrics*, 8(3), 493-496.
- Kiernan, J.A. (1998). *Barr's human nervous system: An anatomical viewpoint* (7<sup>th</sup> ed.). New York: Lippincott-Raven.

[University of Pretoria etd – Cassimjee, N \(2003\)](#)

Kitwood, T. (1989). Brain, mind and dementia: With particular reference to Alzheimer's disease. *Ageing and Society*, 9, 1-15.

Kitwood, T. (1993). Person and process in dementia. *International Journal of Geriatric Psychiatry*, 8, 541-545.

Kitwood, T. (1996). A dialectical framework for dementia. In R.T. Woods (Ed.), *Handbook of the clinical psychology of ageing* (pp. 267-282). New York: John Wiley.

Klonowicz, T. (1986). Reactivity and performance: The third side of the coin. In J. Strelau, F.H. Farley, & A. Gale (Eds.), *The biological bases of personality and behaviour* (pp. 119-26). New York: McGraw-Hill

Klonowicz, T. (1987). Reactivity and the control of arousal. In J. Strelau & H.J. Eysenck (Eds.), *Personality dimensions and arousal* (pp. 183-96). New York: Plenum Press.

Knesevich, J.W., Martin, R.L., Berg, L. (1983). Preliminary report on affective symptoms in the early stages of senile dementia of the Alzheimer's type. *American Journal of Psychiatry*, 140, 233-234.

Kolanowski, A.M. & Garr, M. (1999). The relation of premorbid factors to aggressive physical behaviour in dementia. *Journal of Neuroscience and Nursing*, 31(5), 278-284.

Kolanowski, A.M., Strand, G., & Whall, A. (1997). A pilot study of the relation of premorbid characteristics to behaviour in dementia. *Journal of Gerontological Nursing*, 25, 21-30.

Kolb, B. & Whishaw, I.Q. (2001). *An introduction to brain and behaviour*. New York: Worth Publishers.

Koss, E., Edland, M.S., Fillenbaum, G., Mohs, R., Clark, C., Glasko, D., & Morris, J.C. (1996). Clinical and neuropsychological differences between patients with earlier and later onset of Alzheimer's disease: A CERAD analysis, part XII. *Neurology*, 46, 136-141.

Kotrla, K.J., Chacko, R.C., Harper, R.G., Doody, R. (1995a). Clinical variables associated with psychosis in Alzheimer's disease. *American Journal of Psychiatry*, 152(9), 1377-1379.

- Kotrla, K.J., Chacko, R.C., Harper, R.G., Jingran, S., & Doody, R. (1995b). SPECT findings on psychosis in Alzheimer's disease. *American Journal of Psychiatry*, 152(10), 1470-1475.
- Kupferman, I., Kandel, E.R., & Iverson, S. (2000). Motivational and Addictive states. In E.R. Kandel, J.H. Schwartz, & T.M. Jessell, *Principles of neural science* (4<sup>th</sup> ed.) (pp.998-1013). New York: McGraw Hill.
- Lautenschlager, M.D., Cupples, L.A., Rao, V.S., Auerbach, S.A., Becker, R.N., Burke, J., Chui, H., Duara, R., Foley, E.J., Glatt, S.L., Green, R.C., Jones, R., Karlinsky, H., Kukull, W.A., Kurz, A., Larson, E.B., Martelli, K., Sadovnick, A.D., & Volicer, L. (1996). Risk of dementia among relatives of Alzheimer's disease patients in the MIRAGE study: What is in store for the oldest old? *Neurology*, 46, 641-650.
- Lawlor, B.A. (1996). Environmental and social aspects of behavioural disturbances in dementia. *International Psychogeriatrics*, 8(3), 259-262.
- Lawlor, B.A., Ryan, T.M., Schmeidler, J., Mohs, R.C., & Davis, K.L. (1994). Clinical symptoms associated with age at onset in Alzheimer's disease. *American Journal of Psychiatry*, 151(11), 1646-1649.
- Laws, S.M., Clarnette, R.M., Taddei, K., Martins, G., Paton, A., Almeida, O.P., Förstl, H., & Martins, R.N. (2002). Association between the presenilin-1 mutation Glu318Gly and complaints of memory impairment. *Neurobiology of Ageing*, 23, 55-58.
- Lazarus, L. W., Cohler, B.J., & Lesser, J. (1996). Self-Psychology: Its applications to understanding patients with Alzheimer's disease. *International Psychogeriatrics*, 8(3), 259-262.
- Lerner, A.J., Koss, E., Patterson, M.B., Ownby, R.L., Hedera, P., Friedland, R.P., & Whitehouse, P.J. (1994). Concomitants of visual hallucinations in Alzheimer's disease. *Neurology*, 44, 523-527

- Levy, M.L., Cummings, J.L., Fairbanks, L.A., Masterman, D., Miller, B.L., Craig, A.H., Paulsen, J.S., & Litvan, I. (1998). Apathy is not depression. *The Journal of Neuropsychiatry and Clinical Neurosciences*, 10(3), 314-319.
- Levy-Lahad, E., Wasco, W., Poorkaj, P., Romano, D.M., Oshima, J., Pettingell, W.H., Yu, C.E., Jondro, P.D., Schmidt, S.D., Wang, K., Crowley, A.C., Fu, Y.H., Guenette, S.Y., Galas, D., Nemens, E., Wijsman, E.M., Bird, T.D., Schellenberg, G.D., & Tanzi, R.E. (1995). Candidate gene for chromosome 1 familial Alzheimer's disease locus. *Science*, 269, 973-977.
- Lezak, M.D. Neuropsychological assessment (3<sup>rd</sup> ed.). New York Oxford.
- Lhermitte, F. (1986). Human anatomy and the frontal lobes. Part 11: Patient behaviour in complex and social situations: The "Environmental Dependency Syndrome". *Annals of Neurology*, 19, 335-343.
- Lipsitz, L.A. & Goldberger, A.L. (1992). Loss of 'complexity' and ageing: Potential applications of fractals and chaos theory to senescence. *Journal of the American Medical Association*, 267(13), 1806-1809.
- Little, A. & Doherty, B. (1996). Going beyond cognitive assessment: Assessment of adjustment, behaviour, and the environment. In R.T. Woods (Ed.), *Handbook of the clinical psychology of ageing* (pp. 475-506). New York: John Wiley.
- Lopez, O.L., Becker, J.T., Brenner, R.P., Rosen, J., Bajulaiye, O.I., & Reynolds, C.F. (1991). Alzheimer's disease with delusions and hallucinations: Neuropsychological and electroencephalographic correlates. *Neurology*, 41, 906-912.
- Lopez, O.L., Becker, J.T., Sweet, R.A., Klunk, W., Kaufer, D.I., Saxton, J., Habeych, M., & DeKosky, S.T., (2003). Psychiatric symptoms vary with the severity of dementia in probable Alzheimer's disease. *Journal of Neuropsychiatry and Clinical Neuroscience*, 15(3), 346-353.

- Lopez, O.L., Gonzalez, M.P., Becker, J.T., Reynolds, C.F., Sudilovsky, A., & DeKosky, S.T. (1996). Symptoms of depression and psychosis in Alzheimer's disease and frontotemporal dementia. *Neuropsychiatry, Neuropsychology and Behavioural Neurology*, 9(3), 154-161.
- Low, L.F., Brodaty, H., & Draper, B. (2002). A study of premorbid personality and behavioural and psychological symptoms of dementia in nursing home residents. *International Journal of Geriatric Psychiatry*, 17, 779-783.
- Luria, A.R. (1966). *Higher cortical functions in man*. New York: Basic Books
- Lyketsos, C.G., Baker, L., Warren, A., Steele, A., Brandt, J., Steinberg, M., Kopunek, S., & Baker, A. (1997). Depression, delusions and hallucinations in Alzheimer's disease: No relationship to apolipoprotein E genotype. *Journal of Neuropsychiatry and Clinical Neurosciences*, 9(1), 64-67.
- Lyketsos, C.G., Lopez, O., Jones, B., Fitzpatrick, A.L., Breitner, J., & Dekosky, S. (2002). Prevalence of neuropsychiatric symptoms in dementia and mild cognitive impairment: Results from the cardiovascular health study. *Journal of the American Medical Association*, 288(12), 1475-1483.
- Lyketsos, C.G., Sheppard, J.M., Steinberg, M., Tschanz, J.A., Norton, M.C., Steffens, D.C., & Breitner, J.C. (2001). Neuropsychiatric disturbances in Alzheimer's disease clusters into three groups: The Cache County study. *International Journal of Geriatric Psychiatry*, 16(11), 1043-1053.
- Lyketsos, C.G., Steinberg, M., Tschanz, J.T., Norton, M.C., Steffens, D.C., & Breitner, J.C. (2000). Mental and behavioural disturbances in dementia: Findings from the Cache County study on memory and ageing. *American Journal of Psychiatry*, 157(5), 708-714.
- Mack, J.L. & Patterson, M.B. (1993). *Manual: CERAD Behaviour Rating Scale for Dementia*: Durham, NC: Consortium to Establish a Registry for Alzheimers Disease (CERAD).

- Mack, J.L., & Patterson, M.B., & Tariot, P.N. (1999). The Behaviour Rating Scale for Dementia (BRSD): Development of test scales and presentation of data for 555 individuals with Alzheimer's disease. *Journal of Geriatric Psychiatry and Neurology*, 12, 211-223.
- Malinchoc, M., Rocca, W.A., Colligan, R.C., Offord, K.P., & Kokmen, E. (1997). Premorbid personality characteristics in Alzheimer's disease: An exploratory case-control study. *Behavioural Neurology*, 10, 117-120.
- Marin, D.B., Green, C.R., Schmeidler, J., Harvey, P.D., Lawlor, B.A., Ryan, T.M., Aryan, M., Davis, K.L., & Mohs, R.C. (1997). Noncognitive disturbances in Alzheimer's disease: Frequency, longitudinal course, and relationship to cognitive symptoms. *Journal of the American Geriatrics Society*, 45, 1331-1338.
- Martin, G.N. (1998). *Human neuropsychology*. London: Prentice Hall.
- Masliah, E.M., Mallory, M., Alford, M., de Teresa, R., Iwai, A., & Saitoh, T. (1997). Molecular mechanisms of synaptic disconnection in Alzheimer's disease. In B.T., Hyman, C. Duyckaerts, & Y.Christen (Eds.), *Connections, cognitions and Alzheimer's disease*. Berlin, Springer.
- Mayeux, R. (1999). Predicting who will develop Alzheimer's. In R. Mayeux & Y. Christen (Eds.), *The epidemiology of Alzheimer's disease: From gene to prevention* (pp. 19-31). Berlin: Springer.
- McCarthy, H.J., Roth, D.L., Goode, K.T., Owen, J.E., Harell, L., Donovan, K., & Haley, W.E. (2000). Longitudinal course of behavioural problems during Alzheimer's disease: Linear versus curvilinear patterns of decline. *Journal of Gerontology: Medical Sciences*, 55A(4), M200-M206.
- McCrae, R.R. & Costa, P.T.Jr., (1987). Validation of the five-factor model of personality across instruments and observers. *Journal of Personality and Social Psychology*, 52(1), 81-90.

[University of Pretoria etd – Cassimjee, N \(2003\)](#)

McCrae, R.R. & Costa, P.T.Jr., (1997). Personality trait structure as a human universal.

*American Psychologist*, 52(5), 509-516.

McPherson, S., Fairbanks, L., Tiken, S., Cummings, J.L., & Madruga, C. (2002). Apathy and executive function in Alzheimer's disease. *Journal of the International Neuropsychological Society*, 8(3), 373-381.

Meccaci, L. (1987). Basic properties of the nervous system and arousal model in the light of current neurophysiology. In J. Strelau & H.J. Eysenck (Eds.), *Personality dimensions and arousal* (pp. 171-182). New York: Plenum Press.

Mega, M.S. & Cummings, J.L. (1994). Frontal-subcortical circuits and neuropsychiatric disorders. *Journal of Neuropsychiatry and Clinical Neurosciences*, 6, 358-370.

Mega, N.S., Cummings, J.L., Fiorello, T., & Gornbein, J. (1996). The spectrum of behavioural changes in Alzheimer's disease. *Neurology*, 46, 130-135.

Mehrabian, A. (1991). Outline of the general emotion-based theory of temperament. In J. Strelau & A. Angleitner (Eds.), *Explorations in temperament: International perspectives on theory and measurement* (pp. 75-86). London: Plenum Press.

Meins, W. & Dammast, J. (2000). Do personality traits predict the occurrence of Alzheimer's disease. *International Journal of Geriatric Psychiatry*, 15, 120-124.

Meins, W., Frey, A., & Thiesemann, R. (1998). Premorbid personality traits in Alzheimer's disease: Do they predispose to noncognitive behavioural symptoms. *International Psychogeriatrics*, 10(4), 368-378.

Mendez, M.F., Martin, R.J., Smyth, K.A., & Whitehouse, P.J. (1990). Psychiatric symptoms associated with Alzheimer's disease. *Journal of Neuropsychiatry and Clinical Neurosciences*, 2, 28-33.

Mendez, M.F., Martin, R.J., Smyth, K.A., & Whitehouse, P.J. (1992). Disturbances of person identification in Alzheimer's disease. *The Journal of Nervous and Mental Diseases*, 180, 94-96.

[University of Pretoria etd – Cassimjee, N \(2003\)](#)

- Merriam, A.E., Aronson, M.K., Gaston, P., Wey, S., & Katz, I. (1988). The psychiatric symptoms of Alzheimer's disease. *Journal of the American Geriatrics Society*, 36, 7-12.
- Miesen, B.M.L. (1993). Alzheimer's disease, the phenomenon of parent fixation and Bowlby's attachment theory. *International Journal of Geriatric Psychiatry*, 8, 147-153.
- Miles, J. & Shevlin, J. (2001). *Applying regression and correlation: A guide for students and researchers*. London: Sage.
- Mintzer, J.E. (2001). Underlying mechanisms of psychosis and aggression in patients with Alzheimer's' disease. *Journal of Clinical Psychiatry*, 62(21), 23-25.
- Mori, E., Ikeda, M., Hirono, N., Kitagaki, H., Imamura, T., & Shimomura, T. (1999). Amygdala volume and emotional memory in Alzheimer's disease. *American Journal of Psychiatry*, 156(2), 216-222.
- Morris, R.G. (1999). The neuropsychology of Alzheimer's disease and related dementias. In R.T. Woods (Ed.), *Psychological problems of ageing: Assessment, treatment and care* (pp. 111-136). New York: John Wiley & Sons.
- Mortimer, J.A., Ebbitt, B., Jun, S.P., & Finch, M.D. (1992). Predictors of cognitive and functional progression in patients with probable Alzheimer's disease. *Neurology*, 42, 1689-696
- Nambudiri, D.E., Teusik, J.P., Fensterheim, L., & Young, R.C. (1997). Age and psychosis in degenerative dementia. *International Journal of Geriatric Psychiatry*, 12, 11-14.
- Näsmann, B., Bucht, G., Eriksson, S., & Sandman, P.O. (1993). Behavioural symptoms in the institutionalised elderly-relationship to dementia. *International Journal of Geriatric Psychiatry*, 8, 843-849.
- National Institute of Health (1987). Differential diagnosis of dementing disorders. *Journal of the American Medical Association*, 258, 3411-3416
- Neistein, S. & Siegal, A.P. (1996). Agitation, wandering, pacing, restlessness and repetitive mannerisms. *International Psychogeriatrics*, 8(3), 399-402.

- Netter, P. (1991). Biochemical variables in the study of temperament. In J. Strelau & A. Angleitner (Eds.), *Explorations in temperament: International perspectives on theory and measurement* (pp. 147-161). London: Plenum Press.
- Neurology (2002). *Consortium to establish a registry for Alzheimer's disease*. Retrieved on 3<sup>rd</sup> February, 2002, from [http://neurology.mc.duke.edu/program\\_memory\\_disorders\\_CERAD.htm](http://neurology.mc.duke.edu/program_memory_disorders_CERAD.htm).
- Newberry, B.H., Clark, W.B., Crawford, R.L., Strelau, J., Angleitner, A., Jones, J.H., & Eliasz, A. (1997). An American English version of the Pavlovian Temperament Survey. *Personality and Individual Differences*, 22(1), 105-114.
- Novartis Foundation for Gerontology (2001). *Brain*. Retrieved March 22, 2001, from <http://www.healthandage.com/html/res/primer/brain.htm>.
- Nunnally, J. & Bernstein, I.H. (1994). *Psychometric theory* (3<sup>rd</sup> ed.). New York: McGraw-Hill.
- O'Connor, M. (1987). Disturbed behaviour in dementia: Psychiatric or medical problem? *The Medical Journal of Australia*, 147, 481-485.
- O'Gorman, J.G. & Lloyd, J.E.M. (1987). Extraversion, impulsiveness, and EEG alpha activity. *Personality and Individual Differences*, 8, 169-174.
- Ownby, R.L., Harwood, D.G., Barker, W.W., & Duara, R. (2000). Predictors of anxiety in patients with Alzheimer's disease. *Depression and Anxiety*, 11, 38-42.
- Palmer, A.M., Stratmann, M.A., Proctor, A.W., & Bowen, D.M. (1988). Possible neurotransmitter basis of behavioural changes in Alzheimer's disease. *Annals of Neurology*, 23, 616-620.
- Parkin, A.J. (1999). Component process versus systems: Is there really an important difference. In J.K. Foster & M. Jelicic (Eds.), *Memory: Systems, process, or function?* (pp. 273-288). Oxford: Oxford University Press.

[University of Pretoria etd – Cassimjee, N \(2003\)](#)

- Parks, R.W., Haxby, J.V., & Grady, C.L. (1993). Positron emission tomography in Alzheimer's disease. In R.W. Parks, R.F. Zec, & R.S. Wilson (Eds.), *Neuropsychology of Alzheimer's disease and other dementias* (pp. 459-483). New York: Oxford University Press.
- Patterson MB, Mack JL, Mackell JA, Thomas R, Tariot P, Weiner M, & Whitehouse PJ. (1997). A longitudinal study of behavioral pathology across five levels of dementia severity in Alzheimer's disease: the CERAD Behavior Rating Scale for Dementia. The Alzheimer's Disease Cooperative Study. *Alzheimer Disease and Associated Disorders*, 11 (Suppl 2):S40-4.
- Paulsen, J.S., Ready, R.E., Stout, J., Salmon, D.P., Thal, L.J., Grant, I., & Jeste, D.V. (2000). Neurobehaviours and psychotic symptoms in Alzheimer's disease. *Journal of the International Neuropsychological Society*, 6, 815-820.
- Payne, J.L., Lyketsos, C.G., Steele, C., Baker, L., Galik, E., Kopunek, S., Steinberg, M., & Warren, A. (1998). Relationship of cognitive and functional impairment to depressive features in Alzheimer's disease and other dementias. *Journal of Neuropsychiatry and Clinical Neurosciences*, 10, 440-447.
- Perold, J. & Cassimjee, N. (1999). *Mutual causality and power in gender relations: A possible cybernetic synthesis*. Unpublished manuscript, University of Pretoria.
- Perry, E.K. & Perry, R.H. (1995). Acetylcholine and hallucinations: Disease-related compared to drug-induced alterations in consciousness. *Brain and Cognition*, 28, 240-258.
- Petry, S., Cummings, J.L., Hill, M.A., & Shapira, J. (1988). Personality alterations in dementia of the Alzheimer's type. *Archives of Neurology*, 45, 1187-1190.
- Pivik, R.T., Stelmack, R.M., & Bylsma, F.W. (1988). Personality and individual differences in spinal motorneuronal excitability. *Psychophysiology*, 25, 16-24.

Plaut, D. & Shallice, T. (1994). Connectionist modeling in cognitive neuroscience: A case study. Sussex: Erlbaum.

Porter, V.R., Buxton, W.G., Fairbanks, L.A., Strickland, T., O'Connor, S., Rosenberg-Thompson, C., & Cummings, J.L. (2003). Frequency and characteristics of anxiety among patients with Alzheimer's disease and related dementias. *Journal of Neuropsychiatry and Clinical Neuroscience*, 15, 180-186.

Price, D.L. (2000). Ageing of the brain and dementia of the Alzheimer's type. In E.R. Kandel, J.H. Schwartz, & T.M. Jessell (Eds.), *Principles of neural science* (4<sup>th</sup> ed.) (pp. 1149-1161). New York: McGraw Hill.

Rabins, P.V. (1996). Behavioural disturbances of dementia: Practical and conceptual issues. *International Psychogeriatrics*, 8(3), 281-283.

Rabins, P.V., Mace, M., & Lucas, M. (1982). The impact of dementia on the family. *Journal of the American Medical Association*, 248, 333-335.

Radebaugh, T.S., Ganguli, M., & Khachaturian, Z.S. (1999). Heterogeneity in Alzheimer's disease: Implications for epidemiology. In R. Mayeux & Y. Christen (Eds.), *The epidemiology of Alzheimer's disease: From gene to prevention* (pp. 41-47). Berlin: Springer.

Rao, V. & Lyketsos, C.G. (1998). Delusions in Alzheimer's disease. *Journal of Neuropsychiatry and Clinical Neurosciences*, 10, 373-382.

Rapoport, S.I. (1992). Alzheimer's disease: Disruption of mind-brain relations. In Y. Christen & P. Churchland (Eds.), *Neurophilosophy of Alzheimer's disease* (pp. 86-107). Berlin: Springer.

Raskind, M.A., Corta, A., & Bravi, D. (1995). Is early-onset Alzheimer's disease a distinct subgroup within the Alzheimer's disease population? *Alzheimer's Disease and Associated Disorders*, 9(1), 2-6.

[University of Pretoria etd – Cassimjee, N \(2003\)](#)

- Razani, J., Boone, K.B., Miller, B.L., Lee, A., & Sherman, D. (2001). Neuropsychological performance of right- and left- frontotemporal dementia compared to Alzheimer's disease. *Journal of the International Neuropsychological Society*, 7, 468-480.
- Reifler, B.V. (1996). Depression, anxiety and sleep disturbances. *International Psychogeriatrics*, 8(3), 415-418.
- Reifler, B.V., Larson, E., & Harley, R. (1982). Coexistence of cognitive impairment and depression in geriatric outpatients. *American Journal of Psychiatry*, 139, 623-626.
- Reisberg, B., Borenstein, J., Salob, S.P., Ferris, S.H., Franssen, E., & Anastasios, G. (1987). Behavioural symptoms in Alzheimer's disease: Phenomenology and treatment. *Journal of Clinical Psychiatry*, 48(5), 9-15.
- Revelle, W. (1997). Extraversion and impulsivity: The lost dimension. In H. Nyborg (Ed.), *The scientific study of human nature: A tribute to Hans J. Eysenck at eighty* (pp. 189-212). New York: Elsevier.
- Revelle, W., Humphrey, M.S., Simon, L., Gilliland, K. (1980). The interactive effect of personality, time of day, and caffeine: A test of the arousal model. *Journal of Experimental Psychology: General*, 109, 1-31.
- Richardson, A. & Divyo, P. (1980). The predisposition to hallucinate. *Psychological Medicine*, 10, 715-722.
- Ritchie, K. (1996). Behavioural disturbances of dementia in ambulatory care settings. *International Psychogeriatrics*, 8(3), 439-442.
- Rizzo, M., Anderson, S.W., Dawson, J., & Nawrot, M. (2000). Vision and cognition in Alzheimer's disease. *Neuropsychologia*, 38, 1157-1169.
- Robinson, D.L. (1987). A neuropsychological model of personality and individual differences. In J. Strelau & H.J. Eysenck (Eds.), *Personality dimensions and arousal* (pp. 153-169). New York: Plenum Press.

- Robinson, T.N. Jr. & Zahn, T.P. (1985). Psychoticism and arousal: Possible evidence for a linkage of P and psychopathy. *Personality and Individual differences*, 6, 47-66.
- Rogers, A.B. (2002). Alzheimer's disease: Unraveling the mystery. Retrieved 31 December 2002, from <http://www.alzheimer's.org/unravelling>.
- Romas, S.N., Santana, V., Williamson, J., Ciappa, A., Lee, L.H., Rondon, H.Z., Estevez, P., Lantigua, R., Medrano, M., Torres, M., Stern, Y., Tycko, B., & Mayeux, R. (2002). Familial Alzheimer's disease among Caribbean Hispanics: Re-examination of its association with APOE. *Archives of Neurology*, 59(1), 87-91.
- Ross, L.K., Arnsberger, P., & Fox, P.J. (1998). The relationship between cognitive functioning and disease severity with depression in dementia of the Alzheimer's type. *Ageing and Mental Health*, 2(4), 319-327.
- Roth, M. (1986). The association of clinical and neurological findings and its bearing on the classification and etiology of Alzheimer's disease. *British Medical Bulletin*, 42, 42-50.
- Rothbart, M.K., Derryberry, D., & Posner, M.I. (1994). A psychobiological approach to the development of temperament. In J.E. Bates & T.E. Wachs (Eds.), *Temperament: Individual differences at the interface of biology and behaviour* (pp. 83-116). Washington: APA
- Rubin, E.H. (1992). Delusions as part of Alzheimer's disease. *Neuropsychiatry, Neuropsychology and Behavioural Neurology*, 5, 108-113.
- Rubin, E.H., Drevets, W.C., & Burke, W.J. (1988). The nature of psychiatric symptoms in senile dementia of the Alzheimer's type. *Journal of Geriatric Psychiatry*, 1, 16-20.
- Rubin, E.H., Morris, J.C., & Berg, L. (1987). The progression of personality changes in senile dementia of the Alzheimer's type. *Journal of the American Geriatrics Society*, 35, 721-725.
- Ryden, M.B. (1988). Aggressive behaviour in persons with dementia who live in the community. *Alzheimer's Disease and Associated Disorders*, 2, 342-355.

[University of Pretoria etd – Cassimjee, N \(2003\)](#)

- Sacks, O. (1985). *The man who mistook his wife for a hat*. London: Picador.
- Saltzman J, Strauss, E., Hunter, M., & Archibald, S. (2000). Theory of mind and executive functions in normal human aging and Parkinson's disease. *Journal of the International Neuropsychological Society*, 6, 781-788.
- Saunders, A.M., Strittmatter, W.J., Schmeichel, D., George-Hyslop, P., Perick-Vance, M.A., Joo, S.H., Rosi, B.L., Gusella, J.F., Crapper-Machachlan, D.R., & Alberts, M.J. (1993). Association of apolipoprotein E allele 4 with late onset familial and sporadic Alzheimer's disease, *Neurology*, 43, 1467-1472.
- Saver, J.L. & Damasio, A.R. (1991). Preserved access and processing of social knowledge in a patient with acquired sociopathy due to ventromedial frontal damage. *Neuropsychologia*, 29(12), 1241-1249.
- Schatz, P. & Chute, D.L. (2000) (Eds.). *Neuroanatomy and medical neurosciences*. Retrieved August 2000, from <http://www.NANonline.org/nandistance/nanneuro>.
- Schellenberg, G.D., Bird, D.S., Wijsman, E.M., Orr, H.T., Anderson, L., Nemens, E., White, J.A., Bonnycastle, M., Weber, J.L., Alonso, M.E., Potter, H., Heston, L.L., & Martin, G.M. (1992). Genetic linkage evidence for a familial Alzheimer's disease locus on chromosome 14. *Science*, 258, 668-671.
- Schönpflug, W. & Mündlein, H. (1986). Activity and reactivity: Theoretical comments and an experimental approach. In J. Strelau, F.H. Farley, & A. Gale (Eds.), *The biological bases of personality and behaviour* (pp. 213-218). New York: McGraw-Hill.
- Schultz, P. (1986). Activity structures related to individual differences in temperament. In J. Strelau, F.H. Farley, & A. Gale (Eds.), *The biological bases of personality and behaviour* (pp. 219-226). New York: McGraw-Hill.
- Schwartz, J.H. (2000). Neurotransmitters. In E.R. Kandel, J.H. Schwartz, & T.M. Jessell, *Principles of neural science* (4<sup>th</sup> ed.) (pp. 280-297). New York: McGraw Hill.
- Selkoe, D.J. (2002). Alzheimer's disease is a synaptic failure. *Science*, 298, 789-791.

- Seltzer, B. & Sherwin, J. (1983). A comparison of clinical features in early -and late-onset primary degenerative dementia. *Archives of Neurology*, 40, 143-146.
- Sevush, S., Leve, N., & Brickman, A. (1993). Age at disease onset and pattern of cognitive impairment in probable Alzheimer's disease. *Journal of Neuropsychiatry and Clinical Neurosciences*, 5, 66-72.
- Sherrington, R., Rogaev, E., Liang, Y., Levesque, G., Ikeda, H., Lin,C., Holman,K., Tsuda, T., Mar, L., Fraser, P., Rommens, J., & ST. George-Hyslop, P. (1995). Cloning of a gene bearing missense mutations in early onset familial Alzheimer's disease. *Nature*, 375, 754-760.
- Simonov, P.V. (1987). Individual characteristics of brain limbic structures interactions as the basis of Pavlovian/Eysenckian typology. In J. Strelau & H.J. Eysenck (Eds.), *Personality dimensions and arousal* (pp. 121-132). New York: Plenum Press.
- Simonov, P.V. & Ershov, P.M. (1991). *Temperament, character, and personality: Biobehavioural concepts in science, art, and social psychology*. (A. Bastow, Trans.). New York: Gordon & Breach. (Original work published 1984).
- Sisodia, S.S. (1999). Alzheimer's disease: Perspectives for the new millennium. *Journal of Clinical Investigation*, 104(9), 1169-1170.
- Smith, M.A., Petot, G.J., & Perry, G. (1999). Commentary: Diet and oxidative stress: A novel synthesis of epidemiological data on Alzheimer's disease. *Journal of Alzheimer's Disease*, 1(4-5), 203-206.
- Sommer, B. (2002). Alzheimer's disease and the amyloid cascade hypothesis: Ten years on. *Current Opinion in Pharmacology*, 2, 87-92.
- Spencer, W.D. & Raz, N. (1994). Memory for facts, source, and context: Can frontal lobe dysfunction explain age-related differences? *Psychology and Aging*, 9(1), 149-159.
- Starkstein, S.E., Petracca, G., Chemerinski, E., & Kremer, J. (2001). Syndromic validity of Apathy in Alzheimer's disease. *American Journal of Psychiatry*, 158(6), 872-877.

- Starkstein, S.E., Vazquez, S., Petracca, G., Sabe, L., Migliorelli, R., Teson, A., & Leiguarda, R. (1994). A SPECT study of delusions in Alzheimers disease. *Neurology*, 44(11), 2055-2059.
- Stelmack, R.M. (1997). Toward a paradigm in personality: Comment on Eysenck's (1991) view. *Journal of Personality and Social Psychology*, 75(6), 1238-1241.
- Stern, Y., Mayeux, R., Sano, M., Hauser, W.A., & Busht, T. (1987). Predictors of disease course in patients with probable Alzheimer's disease. *Neurology*, 37, 1649-1653.
- Stokes, G. (1996). Challenging behaviour in dementia: A psychological approach. In R.T. Woods (Ed.), *Handbook of the clinical psychology of ageing* (pp. 601-628). New York: John Wiley.
- Strauss, M.E., Lee, M.M., & DiFillipo, J.M. (1997). Premorbid personality and behavioural symptoms in Alzheimer's disease. *Archives of Neurology*, 54, 257-259.
- Strauss, M.E., Pasupathi, M., & Chatterjee (1993). Concordance between observers in descriptions of personality change in Alzheimer's disease. *Psychology and Aging*, 8(4), 475-480.
- Strelau, J. (1983). *Temperament, personality, activity*. London: Academic Press.
- Strelau, J. (1987a). Emotion as a key concept in temperament research. *Journal of Research in Personality*, 21, 510-528.
- Strelau, J. (1987b). Personality dimensions based on arousal theories: Search for integration. In J. Strelau & H.J. Eysenck (Eds.), *Personality dimensions and arousal* (pp. 269-283). New York: Plenum Press.
- Strelau, J. (1987c). The concept of temperament in personality research. *European Journal of Personality*, 1, 107-117.
- Strelau, J. (1991). Renaissance in research on temperament: Where to? In J. Strelau & A. Angleitner (Eds.), *Explorations in temperament: International perspectives on theory and measurement* (pp. 337-358). London: Plenum Press.

- Strelau, J. (1994). The concepts of arousal and arousability as used in temperament studies. In J.E. Bates & T.E. Wachs (Eds.), *Temperament: Individual differences at the interface of biology and behaviour* (pp. 117-142). Washington: APA
- Strelau, J., Angleitner, A., Bantelmann, J., & Ruch, W. (1990). The Strelau Temperament Inventory-Revised (STI-R): Theoretical considerations and scale development. *European Journal of Personality*, 4, 209-235.
- Strelau, J. & Zawadzki, B. (1993). The Formal Characteristics of Behaviour-Temperament Inventory (FCB-TI): Theoretical assumptions and scale construction. *European Journal of Personality*, 7, 313-336.
- Strelau, J. & Zawadzki, B. (1995). The Formal Characteristics of Behaviour-Temperament Inventory (FCB-TI): Validity studies. *European Journal of Personality*, 9, 207-229.
- Strittmatter, W.J. & Roses, A.D. (1995). Apolipoprotein E: Emerging story in the pathogenesis of Alzheimer's disease. *The Neuroscientist*, 1, 298-306.
- Stuss, D.T., Gallup, G.G., & Alexander, M.P. (2001). The frontal lobes are necessary for 'theory of mind'. *Brain*, 124, 279-286.
- Stuss, D.T., Gow, C.A., & Hetherington, C.R. (1992). "No longer Gage": Frontal lobe dysfunction and emotional changes. *Journal of Consulting and Clinical Psychology*, 60(3), 349-359.
- Sultzer, D.L., Mahler, M.E., Mandelkern, M.A., Cummings, J.L., & Van Gorp, W.G. (1995). The relationship between psychiatric symptoms and regional cortical metabolism in Alzheimer's disease. *Journal of Neuropsychiatry, Neuropsychology and Clinical Neurosciences*, 7, 476-484.
- Sundsten, J.W. & Mulligan, K.W. (1998). *Neuroanatomical interactive syllabus*. Retrieved June, 2000, from <http://www.9 biostr.washington.edu/cgi-bin/DA/imageform>.
- Swearer, J.M., Hoople, N.E., Kane, K.J., & Drachman, D.A. (1996). Predicting aberrant behaviours in Alzheimer's disease. *Neuropsychiatry, Neuropsychology and Behavioural Neurology*, 9(3), 162-170.

- Swearer, J.M., O'Donnell, B.F., Drachman, D.A., & Woodward, B.M. (1992). Neuropsychological features of familial Alzheimer's disease. *Annals of Neurology*, 32, 687-694.
- Sweet, R.A., Akil, M., Mulsant, B.H., Ulrich, R., Pasternak, R.E., & Zubenko, G.S. (1998). Determinants of spontaneous extrapyramidal symptoms in elderly psychiatric inpatients diagnosed with Alzheimer's disease, major depressive disorder or psychotic disorders. *Journal of Neuropsychiatry and Clinical Neurosciences*, 10, 68-77.
- Tabachnick, B.G. & Fidell, L.S. (1983). *Using multivariate statistics*. Cambridge: Harper & Row.
- Talwar, R., Nitz, K., Lerner, V., & Lerner, R.M. (1991). The functional significance of organismic individuality: The sample case for temperament. In J. Strelau & A. Angleitner (Eds.), *Explorations in temperament: International perspectives on theory and measurement* (pp. 29-42). London: Plenum Press.
- Tariot, P.N., Mack, J.L., Patterson, M.B., Edland, S.D., Weiner, M.F., Fillenbaum, G., Blazina, L., Teri, L., Rubin, E., Mortimer, J.A., & Stern, Y. (1995). The behaviour rating scale for dementia of the consortium to establish a registry for Alzheimer's disease. *American Journal of Psychiatry*, 152, 1349-1357.
- Taylor, A.E. & Saint-Cyr, J.A. (1995). The neuropsychology of Parkinson's disease. *Brain and Cognition*, 28, 281-296.
- Teri, L., Borson, S., Kiyak, A., & Yamagishi. (1989). Behavioural disturbance, cognitive dysfunction, and functional skill: Prevalence and relationship in Alzheimer's disease. *Journal of the American Geriatrics Society*, 37, 109-116.
- Teri, A., Edwards, L., & Saul, R.A. (1999). Neuropsychiatry of the right frontal lobe. In B.L. Miller & J.L. Cummings (Eds.), *Human frontal lobes* (pp. 304-320). New York: Guilford Press.

- Teri, L., Larson, E.B., & Reifler, B.V. (1988). Behavioural disturbance in dementia of the Alzheimer's type. *Journal of the American Geriatrics Society*, 36, 1-6.
- Tomarken, A.J. & Keener, A.D. (1998). Frontal brain asymmetry and depression: A self-regulatory perspective. *Cognition and Emotion*, 12, 387-420.
- Trabucchi, M. & Bianchetti, A. (1996). Delusions. *International Psychogeriatrics*, 8(3). 383-386.
- Tractenberg, R.E., Patterson, M., Weiner, M.F., Teri, L., Grundman, M., Thomas, R.G., & Thal, L.J. (2000). Prevalence of symptoms on the CERAD behaviour rating scale for dementia in normal elderly subjects and Alzheimer's disease patients. *Journal of Neuropsychiatry and Clinical Neurosciences*, 12, 472-479.
- Tractenberg, R.E., Weiner, M.F., & Thal, L.J. (2002). Estimating the prevalence of agitation in community dwelling persons with Alzheimer's disease. *The Journal of Neuropsychiatry and Clinical Neuroscience*, 14, 11-18.
- Treuting, P.M., Hopkins, H.C., Ware, C.A., Rabinovitch, P.R., & Ladiges, W.C. (2002). Generation of genetically altered mouse models for ageing studies. *Experimental Molecular Pathology*, 72(1), 49-55.
- Usman, M.A., Franzen, M.D., & Hahner, T.P. (1997). Neurobehavioural symptoms distinguishing frontotemporal dementia from Alzheimer's disease. *Archives of Clinical Neuropsychology*, 12(4), 420.
- Vaillancourt, D.E. & Newell, K.M. (2002). Changing complexity in human behaviour and physiology through ageing and disease. *Neurobiology of Ageing*, 23, 1-11.
- Van Hoesen, G.W. (1997). Cortical feedforward and cortical feedback neural systems in Alzheimer's disease. In B.T. Hyman C. Duyckaerts, & Y. Christen (Eds.), *Connections, cognitions and Alzheimer's disease* (pp. 17-31). Berlin: Springer.
- Van Hoesen, G.W., Parvizi, J., & Chu, C.C. (2000). Orbitofrontal cortex pathology in Alzheimer's disease. *Cerebral Cortex*, 10(3), 243-251.

- Vermersch, P., Buée-Scherrer, V., Buée, L., David, J.P., Wattez, A., Sergeant, N., Hof, P.R., Agid, Y., Perl, D.P., Olanow, C.W., Robitaille, Y., Gauvreau, D., Petit, H., & Delacourte, A. (1997). Cortical mapping of pathological tau proteins in several neurodegenerative disorders. In B.T. Hyman, C. Duykaerts, & Y. Christen (Eds.), *Connections, cognition and Alzheimer's disease* (pp. 41-52). Berlin: Springer.
- Villareal, D.T. & Morris, J.C. (1998). The diagnosis of Alzheimer's disease. *Alzheimer's Disease Review*, 3, 142-152.
- Von Goethe (2001). *Faust: Part one*. (R. Jarrell, Trans.). London: Penguin Books.
- Wachs, T.D. & King, B. (1995). Behavioural research in the brave new world of neuroscience and temperament: A guide to the biologically perplexed. In J.E. Bates & T.D. Wachs, *Temperament: Individual differences at the interface of biology and behaviour* (pp. 307-336). Washington: APA.
- Ware, C.J.G. & Fairburn, C.G., & Hope, R.A. (1990). A community based study of aggressive behaviour in dementia. *International Journal of Geriatric Psychiatry*, 5, 337-342.
- Watson, D. (2000). *Mood and temperament*. New York: Guilford Press.
- Webster, J. & Grossberg, G.T. (1996). Disinhibition, apathy, indifference, fatigability, complaining and negativism. *International Psychogeriatrics*, 8(3), 403-408.
- Welkowitz, J., Ewen, R.B., & Cohen, J. (2000). *Introductory statistics for the behavioral sciences*. New York: Academic Press.
- Welleford, E.A., Harkins, S.W., & Taylor, J.R. (1995). Personality change in dementia of the Alzheimer's type: Relations to caregiver personality and burden. *Experimental Aging Research*, 21, 295-314.
- West, M.J., Coleman, P.D., Flood, D.G., & Troncoso, J.C. (1997). Is Alzheimer's disease accelerated ageing? Different patterns of age and Alzheimer's disease related neuronal

[University of Pretoria etd – Cassimjee, N \(2003\)](#)

- losses in the hippocampus. In B.T. Hyman, C. Duyckaerts, & Y. Christen (Eds.), *Connections, cognitions and Alzheimer's disease* (pp. 141-147). Berlin: Springer.
- White, K.E. & Cummings, J.L. (1996). Schizophrenia and Alzheimer's disease: Clinical and pathophysiologic analogies. *Comprehensive Psychiatry*, 37(3), 188-195.
- Whitehouse, P.J., Patterson, M.B., Strauss, M.E., Geldmacher, D.S., Mack, J.L., Gilmore, G.C., & Koss, E. (1996). Hallucinations. *International Psychogeriatrics*, 8(3), 387-392.
- Widiger, T.A. & Trull, T.J. (1992). Personality and psychopathology: An application of the five factor model. *Journal of Personality*, 60(2), 363-393.
- Woodruff-Pak, D. S. (1997). *The neuropsychology of aging*. Oxford: Blackwell.
- World Events Forum, (2001a). *Challenging views of Alzheimer's disease. Does amyloid or its precursor cause familial Alzheimer's disease?* Retrieved 12 December 2001, from [http://www.worldeventsforum.com/debate\\_1.htm](http://www.worldeventsforum.com/debate_1.htm).
- World Events Forum, (2001b). *Challenging views of Alzheimer's disease. ApoE4: Is it the absence of good or the presence of bad?* Retrieved 12 December 2001, from [http://www.worldeventsforum.com/debate\\_2.htm](http://www.worldeventsforum.com/debate_2.htm).
- Wragg, R.E. & Jeste, D.V. (1988). Overview of depression and psychosis in Alzheimer's disease. *American Journal of Psychiatry*, 146(5), 577-587.
- Wurtz, R.H. & Kandel, E.R. (2000). Central visual pathways. In In E.R. Kandel, J.H. Schwartz, & T.M. Jessell, *Principles of neural science* (4<sup>th</sup> ed.) (pp. 523-547). New York: McGraw Hill.
- Yanker, B.A., Dawes, L.R., Fisher, S., Villa-Komaroff, L., Oster-Granite, M.L., & Neve, R.L. (1989). Neurotoxicity of a fragment of the amyloid precursor associated with Alzheimer's disease. *Science*, 245, 417-420.
- Yener, G.G. & Zaffos, A. (1999). Memory and the frontal lobes. In B.L. Miller, & J.L. Cummings (Eds.), *The human frontal lobes* (pp. 288-303). New York: Guilford Press.

- Zarit, S.H. (1996). Behavioural disturbances of dementia and caregiver issues. *Psychogeriatrics*, 8(3), 263-268.
- Zaudig, M. (1996). Behavioural disturbances of dementia in DSM-IV and ICD-10: Fact or fiction? *International Psychogeriatrics*, 8(3), 285-288.
- Zec, R.F. (1993). Neuropsychological functioning in Alzheimer's disease. In R.W. Parks R.F. Zec & R.S. Wilson. (Eds.), *Neuropsychology of Alzheimer's disease and other dementias* (pp. 3-63). New York: Oxford University Press.
- Zillmer, E.A. & Spiers, M.V. (2001). *Principles of Neuropsychology*. Belmont: Wadsworth.
- Zubenko, G.S. (1996). Clinicopathologic and neurochemical correlates of major depression and psychosis in primary dementia. *International Psychogeriatrics*, 8(3), 219-224.
- Zubenko, G.S., Moosy, J., Martinez, A.J., Rao, G., & Claassen, D. (1991). Neuropathologic and neurochemical correlates of psychoses in primary dementia. *Archives of Neurology*, 48, 619-624.
- Zuckerman, M. (1987a). A critical look at three constructs in personality theories. In J. Strelau & H.J. Eysenck (Eds.), *Personality dimensions and arousal* (pp. 217-232). New York: Plenum Press.
- Zuckerman, M. (1987b). Biological connection between sensation-seeking and drug abuse. In J. Engel & L. Orelund (Eds.), *Brain reward systems and abuse*. New York: Raven Press.
- Zuckerman, M. (1991). Biotypes for basic personality dimensions? "The twilight zone" between genotype and phenotype. In J. Strelau & A. Angleitner (Eds.), *Explorations in temperament: International perspectives on theory and measurement* (pp. 129-146). London: Plenum Press.
- Zuckerman, M. (1995). Impulsive unsocialised sensation seeking: The biological foundations of a basic dimension of personality. In J.E. Bates & T.D. Wachs,

[University of Pretoria etd – Cassimjee, N \(2003\)](#)

*Temperament: Individual differences at the interface of biology and behaviour* (pp. 219-256). Washington: APA.

Zuckerman, M., Ballenger, J.C., & Post, R.M. (1984). The neurobiology of some dimensions of personality. *International Review of Neurobiology*, 25, 391-436.

Zuckerman, M. & Como, P. (1983). Sensation-seeking and arousal systems. *Personality and Individual Differences*, 4, 381-386.