

References

- Aljamali MN, Hern L, Kupfer D, Downard S, So S, Roe BA, Sauer JR, Essenberg RC. (2009) Transcriptome analysis of the salivary glands of the female tick *Amblyomma americanum* (Acari: Ixodidae). **Insect Mol Biol.** 18: 129-154
- Alpízar-Alpízar W, Laerum OD, Illemann M, Ramírez JA, Arias A, Malespín-Bendaña W, Ramírez V, Lund LR, Borregaard N, Nielsen BS. (2009) Neutrophil gelatinase-associated lipocalin (NGAL/Lcn2) is upregulated in gastric mucosa infected with *Helicobacter pylori*. **Virchows Arch.** 455: 225-233
- Altschul SF, Gish W, Miller W, Myers EW, Lipman DJ. (1990) Basic local alignment search tool. **J Mol Biol.** 215: 403-410
- Altschul SF, Madden TL, Schäffer AA, Zhang J, Zhang Z, Miller W, Lipman DJ. (1997) Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. **Nucleic Acids Res.** 25: 3389-402
- Andersen JF, Guddera NP, Francischetti IM, Ribeiro JM (2005) The role of salivary lipocalins in blood feeding by *Rhodnius prolixus*. **Arch Insect Biochem Physiol.** 58:97-105
- Andreu D, Rivas L. (1998) Animal antimicrobial peptides: an overview. **Biopolymers.** 47: 415-433
- Andrews NC. (2000) Iron homeostasis: insights from genetics and animal models. **Nat Rev Genet.** 1: 208-217
- Armstrong PB. The contribution of proteinase inhibitors to immune defense. **Trends Immunol.** 2001; 22: 47-52
- Armstrong PB, Quigley JP. (1999) Alpha2-macroglobulin: an evolutionarily conserved arm of the innate immune system. **Dev Comp Immunol.** 23: 375-390
- Armstrong PB, Armstrong MT. (2003) The decorated clot: Binding of agents of the innate immune system to the fibrils of the limulus blood clot. **Biol Bull.** 205: 201-203

Beaufays J, Adam B, Decrem Y, Prévôt PP, Santini S, Brasseur R, Brossard M, Lins L, Vanhamme L, Godfroid E. **(2008a)** *Ixodes ricinus* tick lipocalins: identification, cloning, phylogenetic analysis and biochemical characterization. **PLoS ONE.** **3:** e3941

Beaufays J, Adam B, Menten-Dedoyart C, Fievez L, Grosjean A, Decrem Y, Prévôt PP, Santini S, Brasseur R, Brossard M, Vanhaeverbeek M, Bureau F, Heinen E, Lins L, Vanhamme L, Godfroid E. **(2008b)** Ir-LBP, an *Ixodes ricinus* tick salivary LTB4-binding lipocalin, interferes with host neutrophil function. **PLoS ONE.** **3:** e3987

Bierbaum G, Sahl HG. **(1985)** Induction of autolysis of *Staphylococci* by the basic peptide antibiotics Pep 5 and nisin and their influence on the activity of autolytic enzymes. **Arch Microbiol.** **141:** 249-254

Bierbaum G, Sahl HG. **(1987)** Autolytic system of *Staphylococcus simulans* 22: influence of cationic peptides on activity of N-acetylmuramoyl-L-alanine amidase. **J Bacteriol.** **169:** 5452-5458

Blackburn K, Goshe MB **(2009)** Mass spectrometry bioinformatics: Tools for navigating the proteomics landscape. **Curr Anal Chem.** **5:** 131-143

Borovicková B, Hypsa V. **(2005)** Ontogeny of tick hemocytes: a comparative analysis of *Ixodes ricinus* and *Ornithodoros moubata*. **Exp Appl Acarol.** **35:** 317-333

Bowman AS, Sauer JR. **(2004)** Tick salivary glands: function, physiology and future. **Parasitol.** **129:** S67-81

Brennan CA, Anderson KV. **(2004)** *Drosophila*: the genetics of innate immune recognition and response. **Annu Rev Immunol.** **22:** 457-483

Brogden KA. **(2005)** Antimicrobial peptides: pore formers or metabolic inhibitors in bacteria? **Nat Rev Microbiol.** **3:** 238-250

Bulet P, Stöcklin R, Menin L. **(2004)** Anti-microbial peptides: from invertebrates to vertebrates. **Immunol Rev.** **198:** 169-184

Buresova V, Hajdusek O, Franta Z, Sojka D, Kopácek P. (2009) IrAM-An alpha2-macroglobulin from the hard tick *Ixodes ricinus*: characterization and function in phagocytosis of a potential pathogen *Chryseobacterium indologenes*. **Dev Comp Immunol.** 33: 489-498

Caccavo D, Pellegrino NM, Altamura M, Rigon A, Amati L, Amoroso A, Jirillo E. (2002) Antimicrobial and immunoregulatory functions of lactoferrin and its potential therapeutic application. **J Endotoxin Res.** 8: 403-417

Carvalho WA, Bechara GH, Moré DD, Ferreira BR, da Silva JS, de Miranda Santos IK. (2008) *Rhipicephalus (Boophilus) microplus*: distinct acute phase proteins vary during infestations according to the genetic composition of the bovine hosts, *Bos taurus* and *Bos indicus*. **Exp Parasitol.** 118: 587-591

Ceraul SM, Sonenshine DE, Hynes WL. (2002) Resistance of the tick *Dermacentor variabilis* (Acari: *Ixodidae*) following challenge with the bacterium *Escherichia coli* (*Enterobacteriales: Enterobacteriaceae*). **J Med Entomol.** 39: 376-383

Ceraul SM, Dreher-Lesnick SM, Gillespie JJ, Rahman MS, Azad AF. (2007) New tick defensin isoform and antimicrobial gene expression in response to *Rickettsia montanensis* challenge. **Infect Immun.** 75: 1973-1983

Cerenius L, Söderhäll K. (2004) The prophenoloxidase-activating system in invertebrates. **Immunol Rev.** 198: 116-126

Charrel RN, Fagbo S, Moureau G, Alqahtani MH, Temmam S, de Lamballerie X. (2007) Alkhurma hemorrhagic fever virus in *Ornithodoros savignyi* ticks. **Emerg Infect Dis.** 13: 153-155

Chen SC, Yen CH, Yeh MS, Huang CJ, Liu TY. (2001) Biochemical properties and cDNA cloning of two new lectins from the plasma of *Tachypleus tridentatus*: Tachypleus plasma lectin 1 and 2+. **J Biol Chem.** 276: 9631-9839

Cheng PH. MSc. Dissertation. (2004) Biochemical characterization of the thrombin inhibitor of the tick, *Ornithodoros savignyi*, and investigation into the expression of its recombinant forms. **University of Pretoria. South Africa**

Chiou SJ, Kotanen S, Cerstiaens A, Dalozze D, Pasteels JM, Lesage A, Drijfhout JW, Verhaert P, Dillen L, Claeys M, De Meulemeester H, Nuttin B, De Loof A, Schoofs L. (1998) Purification of

toxic compounds from larvae of the gray fleshfly: the identification of paralysins. **Biochem Biophys Res Commun.** 246: 457-462

Chmelař J, Anderson JM, Mu J, Jochim RC, Valenzuela JG, Kopecký J. (2008) Insight into the sialome of the castor bean tick, *Ixodes ricinus*. **BMC Genomics.** 9: 233

Choe KM, Werner T, Stöven S, Hultmark D, Anderson KV. (2002) Requirement for a peptidoglycan recognition protein (PGRP) in Relish activation and antibacterial immune responses in *Drosophila*. **Science.** 296: 359-362

Chou HT, Kuo TY, Chiang JC, Pei MJ, Yang WT, Yu HC, Lin SB, Chen WJ. (2008) Design and synthesis of cationic antimicrobial peptides with improved activity and selectivity against *Vibrio* spp. **Int J Antimicrob Agents.** 32: 130-138

Cowan SW, Jones TA, Newcomer ME. (1990) Crystallographic refinement of human serum retinol binding protein at 2A resolution. **Proteins.** 8:44–61

Cristofolletti PT, Ribeiro AF, Terra WR. (2005) The cathepsin L-like proteinases from the midgut of *Tenebrio molitor* larvae: sequence, properties, immunocytochemical localization and function. **Insect Biochem Mol Biol.** 35: 883-901

Daffre S, Kylsten P, Samakovlis C, Hultmark D. (1994) The lysozyme locus in *Drosophila melanogaster*, an expanded gene family adapted for expression in the digestive tract. **Mol Gen Genet.** 242: 152-162

de Castro JJ, Newson RM. (1993) Host resistance in cattle tick control. **Parasitol Today.** 9: 13-17

Dhople V, Krukemeyer A, Ramamoorthy A. (2006) The human beta-defensin-3, an antibacterial peptide with multiple biological functions. **Biochim Biophys Acta – Biomembranes.** 1758: 1499-1512

Dreher-Lesnick SM, Mulenga A, Simser JA, Azad AF. (2006) Differential expression of two glutathione S-transferases identified from the American dog tick, *Dermacentor variabilis*. **Insect Mol Biol.** 15: 445-453

Dürr UHN, Sudheendra US, Ramamoorthy A. (2006) LL-37, the only human member of the cathelicidin family of antimicrobial peptides. **Biochim Biophys Acta – Biomembranes.** 1758: 1408-1425

Eggenberger LR, Lamoreaux WJ, Coons LB. (1990) Hemocytic encapsulation of implants in the tick *Dermacentor variabilis*. **Exp Appl Acarol.** 9: 279-287

Esteves E, Lara FA, Lorenzini DM, Costa GH, Fukuzawa AH, Pressinotti LN, Silva JR, Ferro JA, Kurtti TJ, Munderloh UG, Daffre S. (2008) Cellular and molecular characterization of an embryonic cell line (BME26) from the tick *Rhipicephalus (Boophilus) microplus*. **Insect Biochem Mol Biol.** 38: 568-580

Esteves E, Fogaça AC, Maldonado R, Silva FD, Manso PP, Pelajo-Machado M, Valle D, Daffre S. (2009) Antimicrobial activity in the tick *Rhipicephalus (Boophilus) microplus* eggs: Cellular localization and temporal expression of microplusin during oogenesis and embryogenesis. **Dev Comp Immunol.** 33:913-919

Estrada-Peña A, Jongejan F. (1999) Ticks feeding on humans: a review of records on human-biting Ixodoidea with special reference to pathogen transmission. **Exp Appl Acarol.** 23: 685-715

Flatt T, Heyland A, Rus F, Porpiglia E, Sherlock C, Yamamoto R, Garbuzov A, Palli SR, Tatar M, Silverman N. (2008) Hormonal regulation of the humoral innate immune response in *Drosophila melanogaster*. **J Exp Biol.** 211: 2712-2724

Flower DR, Attwood TK, North AC. (1991) Mouse oncogene protein 24p3 is a member of the lipocalin protein family. **Biochem Biophys Res Commun.** 180: 69-74

Flower DR. (2000) Experimentally determined lipocalin structures. **Biochim Biophys Acta.** 1482: 46-56

Flower DR, North AC, Sansom CE. (2000) The lipocalin protein family: structural and sequence overview. **Biochim Biophys Acta.** 1482: 9-24

Figueiredo MB, Castro DP, S Nogueira NF, Garcia ES, Azambuja P. (2006) Cellular immune response in *Rhodnius prolixus*: role of ecdysone in hemocyte phagocytosis. **J Insect Physiol.** 52: 711-716

Fogaça AC, da Silva PI Jr, Miranda MT, Bianchi AG, Miranda A, Ribolla PE, Daffre S. (1999) Antimicrobial activity of a bovine hemoglobin fragment in the tick *Boophilus microplus*. **J Biol Chem.** 274: 25330-25534

Fogaça AC, Lorenzini DM, Kaku LM, Esteves E, Bulet P, Daffre S. (2004) Cysteine-rich antimicrobial peptides of the cattle tick *Boophilus microplus*: isolation, structural characterization and tissue expression profile. **Dev Comp Immunol.** 28: 191-200

Fogaça AC, Almeida IC, Eberlin MN, Tanaka AS, Bulet P, Daffre S. (2006) Ixodidin, a novel antimicrobial peptide from the hemocytes of the cattle tick *Boophilus microplus* with inhibitory activity against serine proteinases. **Peptides.** 27: 667-674

Francischetti IM, My Pham V, Mans BJ, Andersen JF, Mather TN, Lane RS, Ribeiro JM. (2005) The transcriptome of the salivary glands of the female western black-legged tick *Ixodes pacificus* (Acari: *Ixodidae*). **Insect Biochem Mol Biol.** 35: 1142-1161

Francischetti IM, Mans BJ, Meng Z, Gudderra N, Veenstra TD, Pham VM, Ribeiro JM. (2008a) An insight into the sialome of the soft tick, *Ornithodoros parkeri*. **Insect Biochem Mol Biol.** 38: 1-21

Francischetti IM, Meng Z, Mans BJ, Gudderra N, Hall M, Veenstra TD, Pham VM, Kotsyfakis M, Ribeiro JM. (2008b) An insight into the salivary transcriptome and proteome of the soft tick and vector of epizootic bovine abortion, *Ornithodoros coriaceus*. **J Proteomics.** 71: 493-512

Francischetti, IMB, Sa-Nunes A, Mans BJ, Santos IM, Ribeiro JMC (2009) The role of saliva in tick feeding. **Front Biosci.** 14: 2051-2088

Ganz T. (1999) Defensins and host defense. **Science.** 286: 420-421

Ganz T. (2003) Defensins: antimicrobial peptides of innate immunity. **Nat Rev Immunol.** 3: 710-720

Gillespie JP, Kanost MR, Trenczek T. (1997) Biological mediators of insect immunity. **Annu Rev Entomol.** 42: 611-643

Goossens H, Ferech M, Vander Stichele R, Elseviers M. (2005) Outpatient antibiotic use in Europe and association with resistance: a cross-national database study. **Lancet.** 365: 579-587

Grubhoffer L, Dusbábek F. (1991) Lectin binding analysis of *Argas polonicus* tissue glycoproteins. **Vet Parasitol.** 38: 235-247

Grubhoffer L, Vereš J, Dusbábek F. (1991) Lectins as molecular factors of recognition and defence reaction of ticks. In **Modern Acarology Vol. 2.** 381–388 The Hague, Academia, Prague and SPB Academic Publishing bv.

Grubhoffer L, Kovár V, Rudenko N. (2004) Tick lectins: structural and functional properties. **Parasitology.** 129: Suppl S113-125

Grunclová L, Fouquier H, Hypsa V, Kopácek P. (2003) Lysozyme from the gut of the soft tick *Ornithodoros moubata*: the sequence, phylogeny and post-feeding regulation. **Dev Comp Immunol.** 27: 651-660

Guex N, Peitsch MC. (1997) SWISS-MODEL and the Swiss-PdbViewer: An environment for comparative protein modeling. **Electrophoresis.** 18: 2714-2723

Guex N, Diemand A, Peitsch MC. (1999) Protein modelling for all. **Trends Biochem Sci.** 24: 364-367

Hancock RE, Diamond G. (2000) The role of cationic antimicrobial peptides in innate host defences. **Trends Microbiol.** 8: 402-410

Hancock RE, Rozek A. (2002) Role of membranes in the activities of antimicrobial cationic peptides. **FEMS Microbiology Letters.** 206: 143-149

Harizanova N, Georgieva T, Dunkov BC, Yoshiga T, Law JH. (2005) *Aedes aegypti* transferrin. Gene structure, expression pattern, and regulation. **Insect Mol Biol.** 14: 79-88

Hill CA, Wikle SK. (2005) The *Ixodes scapularis* Genome Project: an opportunity for advancing tick research. **Trends Parasitol.** 21: 151-153

Hoffmann JA. (1995) Innate immunity of insects. **Curr Opin Immunol.** 7: 4-10

Hoffmann JA, Reichhart JM. (2002) Drosophila innate immunity: an evolutionary perspective. **Nat Immunol.** 3: 121-126

Horigane M, Ogihara K, Nakajima Y, Honda H, Taylor D. **(2007)** Identification and expression analysis of an actin gene from the soft tick, *Ornithodoros moubata* (Acari: Argasidae). **Arch Insect Biochem Physiol.** **64:** 186-199

Howell CJ, Neitz AW, Potgieter DJ. **(1975)** Some toxic, physical and chemical properties of the oral secretion of the sand tampan, *Ornithodoros savignyi* Audouin (1827). **Onderstepoort J Vet Res.** **42:** 99-102

Huang HW, Chen FY, Lee MT. **(2004)** Molecular mechanism of peptide-induced pores in membranes. **Phys Rev Lett.** **92:** 198304

Huang X, Tsuji N, Miyoshi T, Nakamura-Tsuruta S, Hirabayashi J, Fujisaki K. **(2007)** Molecular characterization and oligosaccharide-binding properties of a galectin from the argasid tick *Ornithodoros moubata*. **Glycobiology.** **17:** 313-323

Huebers HA, Huebers E, Finch CA, Webb BA, Truman JW, Riddiford LM, Martin AW, Massover WH. **(1988)** Iron binding proteins and their roles in the tobacco hornworm, *Manduca sexta* (L.). **J Comp Physiol [B].** **158:** 291-300

Hynes WL, Ceraul SM, Todd SM, Seguin KC, Sonenshine DE. **(2005)** A defensin-like gene expressed in the black-legged tick, *Ixodes scapularis*. **Med Vet Entomol.** **19:** 339-344

Inoue N, Hanada K, Tsuji N, Igarashi I, Nagasawa H, Mikami T, Fujisaki K. **(2001)** Characterization of phagocytic hemocytes in *Ornithodoros moubata* (Acari: Ixodidae). **J Med Entomol.** **38:** 514-519

Isakova V, Armstrong PB. **(2003)** Imprisonment in a death-row cell: the fates of microbes entrapped in the Limulus blood clot. **Biol Bull.** **205:** 203-204

Ito Y, Nakamura M, Hotani T, Imoto T. **(1995)** Insect lysozyme from house fly (*Musca domestica*) larvae: possible digestive function based on sequence and enzymatic properties. **J Biochem.** **118:** 546-551

Iwanaga S, Lee BL. (2005) Recent advances in the innate immunity of invertebrate animals. *J Biochem Mol Biol.* 38:128-150

Jamroz RC, Gasdaska JR, Bradfield JY, Law JH. (1993) Transferrin in a cockroach: molecular cloning, characterization, and suppression by juvenile hormone. *Proc Natl Acad Sci U S A.* 90: 1320-1324

Janeway CA Jr, Medzhitov R. (2002) Innate immune recognition. *Annu Rev Immunol.* 20: 197-216

Jeanmougin F, Thompson JD, Gouy M, Higgins DG, Gibson TJ. (1998) Multiple sequence alignment with Clustal X. *Trends Biochem Sci.* 23: 403-405

Jiggins FM, Kim KW. (2005) The evolution of antifungal peptides in Drosophila. *Genetics.* 171: 1847-1859

Johns R, Sonenshine DE, Hynes WL. (1998) Control of bacterial infections in the hard tick *Dermacentor variabilis* (Acari: *Ixodidae*): evidence for the existence of antimicrobial proteins in tick hemolymph. *J Med Entomol.* 35: 458-464

Johns R, Hynes WL, Sonenshine DE. (2000) Response of the tick *Dermacentor variabilis* (Acari: *Ixodidae*) to hemocoelic inoculation of *Borrelia burgdorferi* (Spirochetales). *J Med Entomol.* 37: 265-270

Johns R, Ohnishi J, Broadwater A, Sonenshine DE, De Silva AM, Hynes WL. (2001a) Contrasts in tick innate immune responses to *Borrelia burgdorferi* challenge: immunotolerance in *Ixodes scapularis* versus immunocompetence in *Dermacentor variabilis* (Acari: *Ixodidae*). *J Med Entomol.* 38: 99-107

Johns R, Sonenshine DE, Hynes WL. (2001b) Identification of a defensin from the hemolymph of the American dog tick, *Dermacentor variabilis*. *Insect Biochem Mol Biol.* 31: 857-865

Jomori T, Kubo T, Natori S. (1990) Purification and characterization of lipopolysaccharide-binding protein from hemolymph of American cockroach *Periplaneta americana*. *Eur J Biochem.* 190: 201-206

Kadota K, Satoh E, Ochiai M, Inoue N, Tsuji N, Igarashi I, Nagasawa H, Mikami T, Claveria FG, Fujisaki K. **(2002)** Existence of phenol oxidase in the argasid tick *Ornithodoros moubata*. **Parasitol Res.** **88:** 781-784

Kadota K, Walter S, Claveria FG, Igarashi I, Taylor D, Fujisaki K. **(2003)** Morphological and populational characteristics of hemocytes of *Ornithodoros moubata* nymphs during the ecdysial phase. **J Med Entomol.** **40:** 770-776

Kang D, Liu G, Lundstrom A, Gelius E, Steiner H. **(1998)** A peptidoglycan recognition protein in innate immunity conserved from insects to humans. **Proc Natl Acad Sci U S A.** **95:** 10078-10082

Kamwendo SP, Ingram GA, Musisi FL, Molyneux DH. **(1993)** Haemagglutinin activity in tick (*Rhipicephalus appendiculatus*) haemolymph and extracts of gut and salivary gland. **Ann Trop Med Parasitol.** **87:** 303-305

Kamwendo SP, Musisi FL, Trees AJ, Molyneux DH. **(1995)** Effects of haemagglutination (lectin) inhibitory sugars on *Theileria parva* infection in *Rhipicephalus appendiculatus*. **Int J Parasitol.** **25:** 29-35

Kayser H, Krull-Savage U, Rilk-van Gessel R. **(2005)** Developmental profiles of 5-aminolevulinate, porphobilinogen and porphobilinogen synthase activity in *Pieris brassicae* related to the synthesis of the bilin-binding protein. **Insect Biochem Mol Biol.** **35:** 165-174

Keller PM, Waxman L, Arnold BA, Schultz LD, Condra C, Connolly TM. **(1993)** Cloning of the cDNA and expression of moubatin, an inhibitor of platelet aggregation. **J Biol Chem.** **268:** 5450-5456

Kelley LA and Sternberg MJE **(2009)** Protein structure prediction on the web: a case study using the Phyre server. **Nat Protoc.** **4:** 363 – 371

Kim YS, Ryu JH, Han SJ, Choi KH, Nam KB, Jang IH, Lemaitre B, Brey PT, Lee WJ. **(2000)** Gram negative bacteria-binding protein, a pattern recognition receptor for lipopolysaccharide and beta-1,3-glucan that mediates the signaling for the induction of innate immune genes in *Drosophila melanogaster* cells. **J Biol Chem.** **275:** 32721-32727

Kim T, Kim YJ. **(2005)** Overview of innate immunity in *Drosophila*. **J Biochem Mol Biol.** **38:** 121-127

Kopáček P, Vogt R, Jindrák L, Weise C, Safarík I. (1999) Purification and characterization of the lysozyme from the gut of the soft tick *Ornithodoros moubata*. **Insect Biochem Mol Biol.** 29: 989-997

Kopáček P, Weise C, Saravanan T, Vítová K, Grubhoffer L. (2000) Characterization of an alpha-macroglobulin-like glycoprotein isolated from the plasma of the soft tick *Ornithodoros moubata*. **Eur J Biochem.** 267: 465-475

Kovář V, Kopáček P, Grubhoffer L. (2000) Isolation and characterization of Dorin M, a lectin from plasma of the soft tick *Ornithodoros moubata*. **Insect Biochem Mol Biol.** 30: 195-205

Kucharski R, Maleszka R. (2003) Transcriptional profiling reveals multifunctional roles for transferrin in the honeybee, *Apis mellifera*. **J Insect Sci.** 3: 27

Kuhn KH, Haug T. (1994) Ultrastructural, cytochemical, and immunocytochemical characterization of the haemocytes of the hard tick *Ixodes ricinus* (Acari; Chelicera). **Cell Tissue Res.** 277: 493-504

Kuhn KH. (1996) Mitotic activity of the hemocytes in the tick *Ixodes ricinus* (Acari; Ixodidae). **Parasitol Res.** 82: 511-517

Kuhn KH, Uhlir J, Grubhoffer L. (1996) Ultrastructural localization of a sialic acid-specific hemolymph lectin in the hemocytes and other tissues of the hard tick *Ixodes ricinus* (Acari; Chelicera). **Parasitol Res.** 82: 215-221

Kylsten P, Kimbrell DA, Daffre S, Samakovlis C, Hultmark D. (1992) The lysozyme locus in *Drosophila melanogaster*: different genes are expressed in midgut and salivary glands. **Mol Gen Genet.** 232: 335-343

Lackie AM. (1988) Immune mechanisms in insects. **Parasitol Today.** 4: 98-105

Ladokhin AS, White SH. (2001) 'Detergent-like' permeabilization of anionic lipid vesicles by melittin. **Biochim Biophys Acta.** 1514: 253-260

Lai R, Lomas LO, Jonczy J, Turner PC, Rees HH. **(2004a)** Two novel non-cationic defensin-like antimicrobial peptides from haemolymph of the female tick, *Amblyomma hebraeum*. **Biochem J.** **379:** 681-685

Lai R, Takeuchi H, Lomas LO, Jonczy J, Rigden DJ, Rees HH, Turner PC. **(2004b)** A new type of antimicrobial protein with multiple histidines from the hard tick, *Amblyomma hebraeum*. **FASEB J.** **18:** 1447-1449

Lamprou I, Mamali I, Dallas K, Fertakis V, Lampropoulou M, Marmaras VJ. **(2007)** Distinct signalling pathways promote phagocytosis of bacteria, latex beads and lipopolysaccharide in medfly haemocytes. **Immunol.** **121:** 314-327

Laemmli U. **(1970)** Cleavage of structural proteins during the assembly of the head of bacteriophage T4. **Nature** **227:** 680-685

Larkin MA, Blackshields G, Brown NP, Chenna R, McGgettigan PA, McWilliam H, Valentin F, Wallace IM, Wilm A, Lopez R, Thompson JD, Gibson TJ, Higgins DG. **(2007)** Clustal W and Clustal X version 2.0. **Bioinformatics.** **23:** 2947-2948

Lee WJ, Lee JD, Kravchenko VV, Ulevitch RJ, Brey PT. **(1996)** Purification and molecular cloning of an inducible Gram negative bacteria-binding protein from the silkworm, *Bombyx mori*. **Proc Natl Acad Sci U S A.** **93:** 7888-7893

Leem JY, Nishimura C, Kurata S, Shimada I, Kobayashi A, Natori S. **(1996)** Purification and characterization of N-beta-alanyl-5-S-glutathionyl-3,4-dihydroxyphenylalanine, a novel antibacterial substance of *Sarcophaga peregrina* (flesh fly). **J Biol Chem.** **271:** 13573-13577

Leem JY, Jeong IJ, Park KT, Park HY. **(1999)** Isolation of p-hydroxcinnamaldehyde as an antibacterial substance from the saw fly, *Acantholyda parki* S. **FEBS Lett.** **442:** 53-56

Lehrer RI, Ganz T. **(2002)** Defensins of vertebrate animals. **Curr Opin Immunol.** **14:** 96-102

Lemaitre B, Hoffmann J. **(2007)** The host defense of *Drosophila melanogaster*. **Annu Rev Immunol.** **25:** 697-743

Li C, Haug T, Stensvåg K. (2010) Antimicrobial peptides in Echinoderms. **ISJ.** 7: 132-140

Lingner J, Hughes TR, Shevchenko A, Mann M, Lundblad V, Cech TR (1997) Reverse transcriptase motifs in the catalytic subunit of telomerase. **Science.** 276:561-567

Liu Z, Liu H, Liu X, Wu X. (2008) Purification and cloning of a novel antimicrobial peptide from salivary glands of the hard tick, *Ixodes sinensis*. **Comp Biochem Physiol B Biochem Mol Biol.** 149: 557-561

Lu X, Che Q, Lv Y, Wang M, Lu Z, Feng F, Liu J, Yu H. (2010) A novel defensin-like peptide from salivary glands of the hard tick, *Haemaphysalis longicornis*. **Protein Sci.** 19: 392-397

Madden RD, Sauer JR, Dillwith JW (2002) A proteomics approach to characterizing tick salivary secretions. **Exp Appl Acarol.** 28:77-87

Magnarelli LA, Andreadis TG, Stafford KC 3rd, Holland CJ. (1991) *Rickettsiae* and *Borrelia burgdorferi* in ixodid ticks. **J Clin Microbiol** 29: 2798-2804

Maltseva AL, Aleshina GM, Kokryakov VN, Krasnodembsky EG. (2007) Diversity of antimicrobial peptides in acidic extracts from coelomocytes of starfish *Asterias rubens* L. **Vestnik Sankt-Peterburgskogo Universiteta, Seriya 3, Biologiya**, 1: 85-94

Mans BJ, Gaspar AR, Louw AI, Neitz AW. (1998) Apyrase activity and platelet aggregation inhibitors in the tick *Ornithodoros savignyi* (Acari: Argasidae). **Exp Appl Acarol.** 22: 353-366

Mans BJ, Venter JD, Vrey PJ, Louw AI, Neitz AW. (2001) Identification of putative proteins involved in granule biogenesis of tick salivary glands. **Electrophoresis.** 22: 1739-1746

Mans BJ, Steinmann CM, Venter JD, Louw AI, Neitz AW. (2002) Pathogenic mechanisms of sand tampon toxicoses induced by the tick, *Ornithodoros savignyi*. **Toxicon.** 40: 1007-1016

Mans BJ, Louw AI, Neitz AW. (2003) The major tick salivary gland proteins and toxins from the soft tick, *Ornithodoros savignyi*, are part of the tick Lipocalin family: implications for the origins of tick toxicoses. **Mol Biol Evol.** 20: 1158-1167

Mans BJ, Neitz AW. (2004a) Molecular crowding as a mechanism for tick secretory granule biogenesis. **Insect Biochem Mol Biol.** 34: 1187-1193

Mans BJ, Neitz AW. (2004b) Exon-intron structure of outlier tick lipocalins indicate a monophyletic origin within the larger lipocalin family. **Insect Biochem Mol Biol.** 34: 585-594

Mans BJ. (2005) Tick histamine-binding proteins and related lipocalins: potential as therapeutic agents. **Curr Opin Investig Drugs.** 6: 1131-1135

Mans BJ, Andersen JF, Francischetti IM, Valenzuela JG, Schwan TG, Pham VM, Garfield MK, Hammer CH, Ribeiro JM. (2008a) Comparative sialomics between hard and soft ticks: implications for the evolution of blood-feeding behavior. **Insect Biochem Mol Biol.** 38: 42-58

Mans BJ, Ribeiro JM, Andersen JF. (2008b) Structure, function, and evolution of biogenic amine-binding proteins in soft ticks. **J Biol Chem.** 283: 18721-18733

Mans BJ, Ribeiro JM. (2008a) A novel clade of cysteinyl leukotriene scavengers in soft ticks. **Insect Biochem Mol Biol.** 38: 862-870

Mans BJ, Ribeiro JM. (2008b) Function, mechanism and evolution of the moubatin-clade of soft tick lipocalins. **Insect Biochem Mol Biol.** 38: 841-852

Marchler-Bauer A, Anderson JB, Chitsaz F, Derbyshire MK, DeWeese-Scott C, Fong JH, Geer LY, Geer RC, Gonzales NR, Gwadz M, He S, Hurwitz DI, Jackson JD, Ke Z, Lanczycki CJ, Liebert CA, Liu C, Lu F, Lu S, Marchler GH, Mullokandov M, Song JS, Tasneem A, Thanki N, Yamashita RA, Zhang D, Zhang N, Bryant SH. (2009) CDD: specific functional annotation with the Conserved Domain Database. **Nucleic Acids Res.** 37: D205-D210

Mathew AG, Cissell R, Liamthong S. (2007). Antibiotic resistance in bacteria associated with food animals: a United States perspective of livestock production. **Foodborne Pathog. Dis.** 4: 115-133

Mattila JT, Munderloh UG, Kurtti TJ. (2007) *Rickettsia peacockii*, an endosymbiont of *Dermacentor andersoni*, does not elicit or inhibit humoral immune responses from immunocompetent *D. andersoni* or *Ixodes scapularis* cell lines. **Dev Comp Immunol.** 31: 1095-1106

Matsuda Y, Osaki T, Hashii T, Koshiba T, Kawabata S. (2007) A cysteine-rich protein from an arthropod stabilizes clotting mesh and immobilizes bacteria at injury sites. *J Biol Chem.* 282: 33545-33552

Matsuo T, Tsukamoto D, Inoue N, Fujisaki K. (2003) Development, characterization, and lethal effect of monoclonal antibodies against hemocytes in an adult female tick, *Ornithodoros moubata* (Acari: Argasidae). *Vet Parasitol.* 118: 109-119

Matsuzaki K, Murase O, Fujii N, Miyajima K. (1996) An antimicrobial peptide, magainin 2, induced rapid flip-flop of phospholipids coupled with pore formation and peptide translocation. *Biochemistry.* 35: 11361-11368

Matsuzaki K, Mitani Y, Akada KY, Murase O, Yoneyama S, Zasloff M, Miyajima K. (1998) Mechanism of synergism between antimicrobial peptides magainin 2 and PGLa. *Biochemistry.* 37: 15144-15153

Matsuzaki K. (1999) Why and how are peptide-lipid interactions utilized for self-defense? Magainins and tachyplesins as archetypes. *Biochim Biophys Acta.* 1462: 1-10

Matsuzaki K. (2008) Control of cell selectivity of antimicrobial peptides. *Biochimica et Biophysica Acta – Biomembranes.* 1788: 1687–1692

Mauchamp B, Royer C, Garel A, Jalabert A, Da Rocha M, Grenier AM, Labas V, Vinh J, Mita K, Kadono K, Chavancy G. (2006) Polycalin (chlorophyllid A binding protein): a novel, very large fluorescent lipocalin from the midgut of the domestic silkworm *Bombyx mori* L. *Insect Biochem Mol Biol.* 36: 623-633

Meister M, Richards G (1996) Ecdysone and insect immunity: the maturation of the inducibility of the diptericin gene in *Drosophila* larvae. *Insect Biochem Mol Biol.* 26:155-160

Michel T, Reichhart JM, Hoffmann JA, Royet J. (2001) *Drosophila* Toll is activated by Gram-positive bacteria through a circulating peptidoglycan recognition protein. *Nature.* 414: 756-759

Mitsuzawa H, Nishitani C, Hyakushima N, Shimizu T, Sano H, Matsushima N, Fukase K, Kuroki Y. (2006) Recombinant soluble forms of extracellular TLR4 domain and MD-2 inhibit

lipopolysaccharide binding on cell surface and dampen lipopolysaccharide-induced pulmonary inflammation in mice. **J Immunol.** 177: 8133-8139

Miller JS, Nguyen T, Stanley-Samuelson DW. (1994) Eicosanoids mediate insect nodulation responses to bacterial infections. **Proc Natl Acad Sci U S A.** 91: 12418-12422

Montfort WR, Weichsel A, Andersen JF. (2000) Nitrophorins and related antihemostatic lipocalins from *Rhodnius prolixus* and other blood-sucking arthropods. **Biochim Biophys Acta.** 1482: 110-118

Morrisey J. (1981) Silver staining for proteins in polyacrylamide gels: A modified procedure with enhanced uniformed sensitivity. **Anal Biochem.** 117: 307-310

Nagata A, Igarashi M, Toh H, Urade Y, Hayaishi O. (1992) Structural organization of the gene for prostaglandin D synthase in the rat brain. **Proc Natl Acad Sci USA.** 89: 5376-5380

Nakajima Y, van der Goes van Naters-Yasui A, Taylor D, Yamakawa M. (2001) Two isoforms of a member of the arthropod defensin family from the soft tick, *Ornithodoros moubata* (Acari: Argasidae). **Insect Biochem Mol Biol.** 31: 747-751

Nakajima Y, van der Goes van Naters-Yasui A, Taylor D, Yamakawa M. (2002) Antibacterial peptide defensin is involved in midgut immunity of the soft tick, *Ornithodoros moubata*. **Insect Mol Biol.** 11: 611-618

Nakajima Y, Saido-Sakanaka H, Taylor D, Yamakawa M. (2003a) Up-regulated humoral immune response in the soft tick, *Ornithodoros moubata* (Acari: Argasidae). **Parasitol Res.** 91: 476-481

Nakajima Y, Ogihara K, Taylor D, Yamakawa M. (2003b) Antibacterial hemoglobin fragments from the midgut of the soft tick, *Ornithodoros moubata* (Acari: Argasidae). **J Med Entomol.** 40: 78-81

Nakajima Y, Ishibashi J, Yukuhiro F, Asaoka A, Taylor D, Yamakawa M. (2003c) Antibacterial activity and mechanism of action of tick defensin against Gram-positive bacteria. **Biochim Biophys Acta.** 1624: 125-130

Nakajima Y, Saido-Sakanaka H, Ogihara K, Taylor D, Yamakawa M. (2005) Antibacterial peptides are secreted into the midgut lumen to provide antibacterial midgut defense in the soft tick, *Ornithodoros moubata* (Acari: Argasidae) **Appl Entomol Zool.** **40:** 391–397

Nappi AJ, Christensen BM. (2005) Melanogenesis and associated cytotoxic reactions: applications to insect innate immunity. **Insect Biochem Mol Biol.** **35:** 443–459

Natori S. (2001) Insect lectins and innate immunity. **Adv Exp Med Biol.** **484:** 223–228

Neitz AWH, Howell CJ, Potgieter DJJ. (1969) Purification of the toxic component in the oral secretion of the sand tampan *Ornithodoros savignyi* Audouin (1827). **J S Afr Chem Ind.** **22:** 142–149

Neuhoff V, Arold N, Taube D, Ehrhardt W. (1988) Improved staining of proteins in polyacrylamide gels including isoelectric focusing gels with clear background at nanogram sensitivity using Coomassie Brilliant Blue G-250 and R-250. **Electrophoresis.** **9:** 255–262

Nienaber J. (1999) MSc. Dissertation. Isolation and characterization of a thrombin inhibitor from the salivary glands of the ticks, *Ornithodoros savignyi* (Acari: Argasidae). **University of Pretoria. South Africa**

Nijhof AM, Balk JA, Postigo M, Rhebergen AM, Taoufik A, Jongejan F. (2010) Bm86 homologues and novel ATAQ proteins with multiple epidermal growth factor (EGF)-like domains from hard and soft ticks. **Int J Parasitol.** **40:** 1587–1597

Nilsen IW, Myrnes B. (2001) The gene of chlamysin, a marine invertebrate-type lysozyme, is organized similar to vertebrate but different from invertebrate chicken-type lysozyme genes. **Gene.** **269:** 27–32

Nunn MA, Sharma A, Paesen GC, Adamson S, Lissina O, Willis AC, Nuttall PA. (2005) Complement inhibitor of C5 activation from the soft tick *Ornithodoros moubata*. **J Immunol.** **174:** 2084–2091

Oleaga A, Escudero-Poblacion A, Camafeita E, Perez-Sanchez R (2007) A proteomic approach to the identification of salivary proteins from the argasid ticks *Ornithodoros moubata* and *Ornithodoros erraticus*. **Insect Biochem. Mol Biol** **37:** 1149–1159

Olivier NA. (2002) Isolation and characterization of antibacterial peptides from the hemolymph pf the soft tick, *Ornithodoros savignyi* **MSc thesis. University of Pretoria. South Africa**

Oren Z, Shai Y. (1998) Mode of action of linear amphipathic alpha-helical antimicrobial peptides. **Biopolymers.** 47: 451-463

Osaki T, Kawabata S. Structure and function of coagulogen, a clottable protein in horseshoe crabs. **Cell Mol Life Sci.** 2004; 61: 1257-1265

Otvos L Jr, O I, Rogers ME, Consolvo PJ, Condie BA, Lovas S, Bulet P, Blaszczyk-Thurin M. (2000) Interaction between heat shock proteins and antimicrobial peptides. **Biochemistry.** 39: 14150-14159

Paesen GC, Adams PL, Harlos K, Nuttall PA, Stuart DL. (1999) Tick histamine-binding proteins: isolation, cloning, and three-dimensional structure. **Mol Cell.** 3: 661-671

Paesen GC, Adams PL, Nuttall PA, Stuart DL. (2000) Tick histamine-binding proteins: lipocalins with a second binding cavity. **Biochim Biophys Acta.** 1482: 92-101

Paily KP, Kumar BA, Balaraman K. (2007) Transferrin in the mosquito, *Culex quinquefasciatus* Say (Diptera: Culicidae), is up-regulated upon infection and development of the filarial parasite, *Wuchereria bancrofti* (Cobbold) (Spirurida: Onchocercidae). **Parasitol Res.** 101: 325-330

Papagianni M. (2003) Ribosomally synthesized peptides with antimicrobial properties: biosynthesis, structure, function, and applications. **Biotechnol Adv** 21: 465–499

Parola P, Raoult D. (2001) Tick-borne bacterial diseases emerging in Europe. **Clin Microbiol Infect.** 7: 80-83

Paskewitz SM, Shi L. (2005) The hemolymph proteome of *Anopheles gambiae*. **Insect Biochem Mol Biol.** 35: 815-824

Peitsch MC, Tschoop J, Jenne DE, Haefliger JA. (1991) Structural and functional characterization of complement C8 gamma, a member of the lipocalin protein family. **Mol Immunol.** 28: 123–131

Pereira LS, Oliveira PL, Barja-Fidalgo C, Daffre S. (2001) Production of reactive oxygen species by hemocytes from the cattle tick *Boophilus microplus*. **Exp Parasitol.** 99: 66-72

Pervaiz S, Brew K. (1987) Homology and structure-function correlations between alpha 1-acid glycoprotein and serum retinol-binding protein and its relatives. **FASEB J.** 1: 209–214

Pichu S, Ribeiro JM, Mather TN. (2009) Purification and characterization of a novel salivary antimicrobial peptide from the tick, *Ixodes scapularis*. **Biochem Biophys Res Commun.** 390: 511-515

Podboronov VM. (1990) The lysozyme of *Ixodes persulcatus* ticks **Med Parazitol (Mosk).** 3 :21-23

Podboronov VM. (1991) Antibacterial protective mechanisms of *Ixodid* ticks. In **Modern Acarology (Dusbabek, F. and Bukva V., eds.)** 375-380

Prudencio CR, Pérez de la Lastra JM, Canales M, Villar M, de la Fuente J. (2010) Mapping protective epitopes in the tick and mosquito subolesin ortholog proteins. **Vaccine.** 28:5398-5406

Rahman M, Tsuji N, Boldbaatar D, Battur B, Liao M, Umemiya-Shirafuji R, You M, Tanaka T, Fujisaki K. (2010) Structural characterization and cytolytic activity of a potent antimicrobial motif in longicin, a defensin-like peptide in the tick *Haemaphysalis longicornis*. **J Vet Med Sci** 72:149-156

Ratledge C, Dover LG. (2000) Iron metabolism in pathogenic bacteria. **Annu Rev Microbiol.** 54: 881-941

Rego RO, Hajdusek O, Kovár V, Kopácek P, Grubhoffer L, Hypsa V. (2005) Molecular cloning and comparative analysis of fibrinogen-related proteins from the soft tick *Ornithodoros moubata* and the hard tick *Ixodes ricinus*. **Insect Biochem Mol Biol.** 35: 991-1004

Rego RO, Kovár V, Kopácek P, Weise C, Man P, Sauman I, Grubhoffer L. (2006) The tick plasma lectin, Dorin M, is a fibrinogen-related molecule. **Insect Biochem Mol Biol.** 36: 291-299

Rezende CA, Silva FD, Daffre S, Pires JR. (2009) ^1H , ^{15}N and ^{13}C assignments of the *Rhipicephalus* (*Boophilus*) *microplus* anti-microbial peptide microplusin. **Biomol NMR Assign.** 3: 187-189

Ribeiro, JM, Francischetti, IM (2003) Role of arthropod saliva in blood feeding: sialome and post-sialome perspectives. **Annu. Rev. Entomol.** 48:73-88

Ribeiro JM, Alarcon-Chaidez F, Francischetti IM, Mans BJ, Mather TN, Valenzuela JG, Wikle SK. (2006) An annotated catalog of salivary gland transcripts from *Ixodes scapularis* ticks. **Insect Biochem Mol Biol.** 36: 111-129

Roversi P, Lissina O, Johnson S, Ahmat N, Paesen GC, Ploss K, Boland W, Nunn MA, Lea SM. (2007) The structure of OMCI, a novel lipocalin inhibitor of the complement system. **J Mol Biol.** 369: 784-793

Royer J. (2004) Infectious non-self recognition in invertebrates: lessons from *Drosophila* and other insect models. **Mol Immunol.** 41: 1063-1075

Rudenko N, Golovchenko M, Edwards MJ, Grubhoffer L. (2005) Differential expression of *Ixodes ricinus* tick genes induced by blood feeding or *Borrelia burgdorferi* infection. **J Med Entomol.** 42: 36-41

Rudenko N, Golovchenko M, Grubhoffer L. (2007) Gene organization of a novel defensin of *Ixodes ricinus*: first annotation of an intron/exon structure in a hard tick defensin gene and first evidence of the occurrence of two isoforms of one member of the arthropod defensin family. **Insect Mol Biol.** 16: 501-507

Saitou N, Nei M. (1987) The neighbor-joining method: a new method for reconstructing phylogenetic trees. **Mol Biol Evol.** 4: 406-425

Salton MJR, Kim KS. (1996) Structure. in: Baron's Medical Microbiology (4th ed.).

Sánchez D, Ganfornina MD, Bastiani MJ. (1995) Developmental expression of the lipocalin Lazarillo and its role in axonal pathfinding in the grasshopper embryo. **Development.** 121: 135-147

Sánchez D, Ganfornina MD, Bastiani MJ. (2000) Lazarillo, a neuronal lipocalin in grasshoppers with a role in axon guidance. **Biochim Biophys Acta.** 1482: 102-109

Sánchez D, López-Arias B, Torroja L, Canal I, Wang X, Bastiani MJ, Ganfornina MD. (2006) Loss of glial lazarillo, a homolog of apolipoprotein D, reduces lifespan and stress resistance in *Drosophila*. **Curr Biol.** 16: 680-686

Sangamnatdej S, Paesen GC, Slovak M, Nuttall PA. (2002) A high affinity serotonin- and histamine-binding lipocalin from tick saliva. **Insect Mol Biol.** 11: 79-86

Saravanan T, Weise C, Sojka D, Kopácek P. (2003) Molecular cloning, structure and bait region splice variants of alpha2-macroglobulin from the soft tick *Ornithodoros moubata*. **Insect Biochem Mol Biol.** 33: 841-851

Sauer JR, McSwain JL, Bowman AS, Essenberg RC. (1995) Tick salivary gland physiology. **Annu Rev Entomol.** 40: 245-267

Schägger H, von Jagow G. (1987) Tricine-sodium dodecyl sulfate-polyacrylamide gel electrophoresis for separation of proteins in the range from 1 to 100 kDa. **Anal Biochem.** 166: 368-379

Schlenke TA, Morales J, Govind S, Clark AG. (2007) Contrasting infection strategies in generalist and specialist wasp parasitoids of *Drosophila melanogaster* **PLoS Pathog.** 3: 1486–1501

Schwan EV, Hutton D, Shields KJ, Townson S. (1991) Artificial feeding and successful reproduction in *Ornithodoros moubata moubata* (Murray, 1877) (Acarina: Argasidae). **Exp Appl Acarol.** 13: 107-115

Shai Y. (1999) Mechanism of the binding, insertion and destabilization of phospholipid bilayer membranes by alpha-helical antimicrobial and cell non-selective membrane-lytic peptides. **Biochim Biophys Acta.** 1462: 55-70

Shanbaky NM, Helmy N. (2000) First record of natural infection with Borrelia in *ornithodoros* (*Ornithodoros savignyi*). Reservoir potential and specificity of the tick to Borrelia. **J Egypt Soc Parasitol.** 30: 765-780

Shevchenko A, Sunyaev S, Loboda A, Shevchenko A, Bork P, Ens W, Standing KG. (2001) Charting the proteomes of organisms with unsequenced genomes by MALDI-quadrupole time-of-flight mass spectrometry and BLAST homology searching. **Anal Chem.** 73: 1917-1926

Shevchenko A, Valcu CM, Junqueira M (2009) Tools for exploring the proteomosphere. *J Proteomics.* 72:137-144

Silva FD, Rezende CA, Rossi DC, Esteves E, Dyszy FH, Schreier S, Gueiros-Filho F, Campos CB, Pires JR, Daffre S. (2009) Structure and mode of action of microplusin, a copper II-chelating antimicrobial peptide from the cattle tick *Rhipicephalus (Boophilus) microplus*. *J Biol Chem.* 284: 34735-34746

Simser JA, Macaluso KR, Mulenga A, Azad AF. (2004a) Immune-responsive lysozymes from hemocytes of the American dog tick, *Dermacentor variabilis* and an embryonic cell line of the Rocky Mountain wood tick, *D. andersoni*. *Insect Biochem Mol Biol.* 34: 1235-1246

Simser JA, Mulenga A, Macaluso KR, Azad AF. (2004b) An immune responsive factor D-like serine proteinase homologue identified from the American dog tick, *Dermacentor variabilis*. *Insect Mol Biol.* 13: 25-35

Sitaram N, Nagaraj R. (2002) Host-defense antimicrobial peptides: importance of structure for activity. *Curr Pharm Des* 8: 727-742

Skerra A. (2000) Lipocalins as a scaffold. *Biochim Biophys Acta.* 1482: 337-350

Sonenshine DE. (1991) Biology of Ticks. *Oxford University Press, New York/ Oxford* 3-12

Sonenshine DE, Ceraul SM, Hynes WE, Macaluso KR, Azad AF. (2002) Expression of defensin-like peptides in tick hemolymph and midgut in response to challenge with *Borrelia burgdorferi*, *Escherichia coli* and *Bacillus subtilis*. *Exp Appl Acarol.* 28: 127-134

Sonenshine DE, Hynes WL, Ceraul SM, Mitchell R, Benzine T. (2005) Host blood proteins and peptides in the midgut of the tick *Dermacentor variabilis* contribute to bacterial control. *Exp Appl Acarol.* 36: 207-223

Sonenshine DE, Hynes WL. (2008) Molecular characterization and related aspects of the innate immune response in ticks. *Front Biosci.* 13: 7046-7063

Steen NA, Barker SC, Alewood PF. (2006) Proteins in the saliva of the *Ixodida* (ticks): pharmacological features and biological significance. *Toxicon.* 47: 1-20

Stopforth E, Neitz AWH, Gaspar ARM. (2010) A proteomics approach for the analysis of hemolymph proteins involved in the immediate defense response of the soft tick, *O. savignyi*, when challenged with *C. albicans* **Exp Appl Acarol.** 51:309-325

Stutzer C, Mans BJ, Gaspar AR, Neitz AW, Maritz-Olivier C. (2009) *Ornithodoros savignyi*: soft tick apyrase belongs to the 5'-nucleotidase family. **Exp Parasitol.** 122: 318-27

Sugumaran M. (2002) Comparative biochemistry of eumelanogenesis and the protective roles of phenoloxidase and melanin in insects. **Pigment Cell Res.** 15: 2-9

Sugumar P, Chandran D, Sudha Rani G, Shahana PV, Maske DK, Rangarajan PN, Mangamoori LN, Srinivasan VA. (2010) Recombinant mid gut antigen (Bm95) as a vaccine against Indian *Rhipicephalus haemaphysaloides* in *Bos indicus* cattle. **Res Vet Sci. In press.**

Tamura K, Dudley J, Nei M, Kumar S. (2007) MEGA4: Molecular Evolutionary Genetics Analysis (MEGA) software version 4.0. **Molecular Biology and Evolution.** 24: 1596-1599

Todd SM, Sonenshine DE, Hynes WL. (2007) Tissue and life-stage distribution of a defensin gene in the Lone Star tick, *Amblyomma americanum*. **Med Vet Entomol.** 21: 141-147

Tsuji N, Battsetseg B, Boldbaatar D, Miyoshi T, Xuan X, Oliver JH Jr, Fujisaki K. (2007) Babesial vector tick defensin against Babesia sp. parasites. **Infect Immun.** 75: 3633-3640

Uhlíř J, Grubhoffer L, Volf P. (1996) Novel agglutinin in the midgut of the tick *Ixodes ricinus*. **Folia Parasitol (Praha).** 43: 233-239

Valenzuela JG, Francischetti IM, Pham VM, Garfield MK, Mather TN, Ribeiro JM. (2002) Exploring the sialome of the tick *Ixodes scapularis*. **J Exp Biol.** 205: 2843-2864

Vargas M, Montero C, Sanchez D, Perez D, Valdes M, Alfonso A, Joglar M, Machado H, Rodriguez E, Mendez L, Leonart R, Suarez M, Fernandez E, Estrada MP, Rodriguez-Mallon A, Farnos O. (2010) Two initial vaccinations with the Bm86-based Gavacplus vaccine against *Rhipicephalus (Boophilus) microplus* induce similar reproductive suppression to three initial vaccinations under production conditions. **BMC Vet Res.** 6: 43

Verleyen P, Baggerman G, D'Hertog W, Vierstraete E, Husson SJ, Schoofs L. (2006) Identification of new immune induced molecules in the haemolymph of *Drosophila melanogaster* by 2D-nanoLC MS/MS. **J Insect Physiol.** 52: 379-388

Vierstraete E, Verleyen P, Sas F, Van den Bergh G, De Loof A, Arckens L, Schoofs L. (2004a) The instantly released *Drosophila* immune proteome is infection-specific. **Biochem Biophys Res Commun.** 317: 1052-1060

Vierstraete E, Verleyen P, Baggerman G, D'Hertog W, Van den Bergh G, Arckens L, De Loof A, Schoofs L. (2004b) A proteomic approach for the analysis of instantly released wound and immune proteins in *Drosophila melanogaster* hemolymph. **Proc Natl Acad Sci U S A.** 101: 470-475

Wang L, Ho B, Ding JL. (2003) Transcriptional regulation of limulus factor C: repression of an NF-kappa B motif modulates its responsiveness to bacterial lipopolysaccharide. **J Biol Chem.** 278: 49428-49437

Wang L, Li Z, Du C, Chen W, Pang Y (2007) Characterization and expression of a cecropin-like gene from *Helicoverpa armigera*. **Comp Biochem Physiol B Biochem Mol Biol.** 148:417-425

Waxman L, Connolly TM. (1993) Isolation of an inhibitor selective for collagen-stimulated platelet aggregation from the soft tick *Ornithodoros moubata*. **J Biol Chem.** 268: 5445-5449

Weichsel A, Andersen JF, Champagne DE, Walker FA, Montfort WR (1998) Crystal structures of a nitric oxide transport protein from a blood-sucking insect. **Nat Struct Biol** 5:304-309

Werner T, Liu G, Kang D, Ekengren S, Steiner H, Hultmark D. (2000) A family of peptidoglycan recognition proteins in the fruit fly *Drosophila melanogaster*. **Proc Natl Acad Sci U S A.** 97: 13772-13777

Werner T, Borge-Renberg K, Mellroth P, Steiner H, Hultmark D. (2003) Functional diversity of the *Drosophila* PGRP-LC gene cluster in the response to lipopolysaccharide and peptidoglycan. **J Biol Chem.** 278: 26319-26322

Westerhoff HV, Juretić D, Hendler RW, Zasloff M. (1989) Magainins and the disruption of membrane-linked free-energy transduction. **Proc Natl Acad Sci U S A.** 86: 6597-6501

WHO. (2002) Use of antimicrobials outside human medicine and resultant antimicrobial resistance in humans. **World Health Organisation.**

Willadsen P. (2001) The molecular revolution in the development of vaccines against ectoparasites. **Vet Parasitol.** 101: 353-368

Xu W, Huang FS, Hao HX, Duan JH, Qiu ZW. (2006) Two serine proteases from *Anopheles dirus* haemocytes exhibit changes in transcript abundance after infection of an incompatible rodent malaria parasite, *Plasmodium yoelii*. **Vet Parasitol.** 139: 93-101

Yamaguchi S, Hong T, Waring A, Lehrer RI, Hong M. (2002) Solid-state NMR investigations of peptide-lipid interaction and orientation of a beta-sheet antimicrobial peptide, protegrin. **Biochemistry.** 41: 9852-9862

Yang L, Harroun TA, Weiss TM, Ding L, Huang HW. (2001) Barrel-stave model or toroidal model? A case study on melittin pores. **Biophys J.** 81: 1475-1485

Yeaman MR, Yount NY. (2003) Mechanisms of antimicrobial peptide action and resistance **Pharmacol Reviews.** 55: 27-55

Yoshida H, Kinoshita K, Ashida M. (1996) Purification of a peptidoglycan recognition protein from hemolymph of the silkworm, *Bombyx mori*. **J Biol Chem.** 271: 13854-13860

Yoshiga T, Hernandez VP, Fallon AM, Law JH. (1997) Mosquito transferrin, an acute-phase protein that is up-regulated upon infection. **Proc Natl Acad Sci U S A.** 94: 12337-12342

Yoshiga T, Georgieva T, Dunkov BC, Harizanova N, Ralchev K, Law JH. (1999) *Drosophila melanogaster* transferrin. Cloning, deduced protein sequence, expression during the life cycle, gene localization and up-regulation on bacterial infection. **Eur J Biochem.** 260: 414-420

Yu D, Sheng Z, Xu X, Li J, Yang H, Liu Z, Rees HH, Lai R. (2006) A novel antimicrobial peptide from salivary glands of the hard tick, *Ixodes sinensis*. **Peptides.** 27: 31-35

Yun EY, Kang SW, Hwang JS, Goo TW, Kim SH, Jin BR, Kwon OY, Kim KY. (1999) Molecular cloning and characterization of a cDNA encoding a transferrin homolog from *Bombyx mori*. **Biol Chem.** 380: 1455-1459

Yun EY, Lee JK, Kwon OY, Hwang JS, Kim I, Kang SW, Lee WJ, Ding JL, You KH, Goo TW. (2009) *Bombyx mori* transferrin: genomic structure, expression and antimicrobial activity of recombinant protein. **Dev Comp Immunol.** 33: 1064-1069

Zaiou M, Gallo RL. (2002) Cathelicidins, essential gene-encoded mammalian antibiotics. **J Mol Med.** 80: 549-561

Zasloff M. (2002) Antimicrobial peptides of multicellular organisms. **Nature.** 415: 389-395

Zhioua E, Yeh MT, LeBrun RA. (1997) Assay for phenoloxidase activity in *Amblyomma americanum*, *Dermacentor variabilis*, and *Ixodes scapularis*. **J Parasitol.** 83: 553-554

Zhou J, Liao M, Ueda M, Gong H, Xuan X, Fujisaki K. (2007) Sequence characterization and expression patterns of two defensin-like antimicrobial peptides from the tick *Haemaphysalis longicornis*. **Peptides.** 28: 1304-1310

Zhu Y, Thangamani S, Ho B, Ding JL. (2005) The ancient origin of the complement system. **EMBO J.** 24: 382-394



Appendix

Appendix I: List of putative lipocalins obtained from hard ticks

Gene accession code	Species	name	Expression	Function	Ligand	Reference
196476629	<i>Amblyomma americanum</i>	Lipocalin	Salivary gland (Adult female)	Not determined	Not determined	Aljamali, NCBI direct submission 2008 Aljamali <i>et al.</i> , 2009
45360102	<i>Boophilus microplus</i> (<i>Rhipicephalus microplus</i>)	Lipocalin-like protein (BmLipo)	Salivary gland	Not determined	Not determined	Azzolini, NCBI direct submission
51011424	<i>Ixodes pacificus</i>	Putative secreted histamine binding protein	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> ,2005
51011558	<i>Ixodes pacificus</i>	Putative secreted histamine binding protein	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> ,2005
51011480	<i>Ixodes pacificus</i>	Putative secreted histamine binding protein	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> ,2005
51011422	<i>Ixodes pacificus</i>	Truncated secreted histamine binding protein	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> ,2005
51011604	<i>Ixodes pacificus</i>	Putative secreted histamine binding protein	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> ,2005
51011586	<i>Ixodes pacificus</i>	Putative secreted histamine binding protein	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> ,2005
51011498	<i>Ixodes pacificus</i>	Truncated secreted histamine binding protein	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> ,2005
51011532	<i>Ixodes pacificus</i>	Putative secreted histamine binding protein	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> ,2005
51011410	<i>Ixodes pacificus</i>	Putative secreted histamine binding protein	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> ,2005
51011416	<i>Ixodes pacificus</i>	Putative secreted histamine binding protein	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> ,2005
160423587	<i>Ixodes ricinus</i>	IR24H	Salivary gland	Not determined	Not determined	Chmelař <i>et al.</i> ,2008
160423404	<i>Ixodes ricinus</i>	IR4D	Salivary gland	Not determined	Not determined	Chmelař <i>et al.</i> ,2008
160423666	<i>Ixodes ricinus</i>	IR7D	Salivary gland	Not determined	Not determined	Chmelař <i>et al.</i> ,2008
219935266	<i>Ixodes ricinus</i>	LIR1	Salivary gland	Not determined	Not determined	Beaufays <i>et al.</i> ,2008a
219935268	<i>Ixodes ricinus</i>	LIR2	Salivary gland	Not determined	Not determined	Beaufays <i>et al.</i> ,2008a
219935270	<i>Ixodes ricinus</i>	LIR3	Salivary gland	Not determined	Not determined	Beaufays <i>et al.</i> ,2008a
219935272	<i>Ixodes ricinus</i>	LIR4	Salivary gland	Not determined	Not determined	Beaufays <i>et al.</i> ,2008a
219935274	<i>Ixodes ricinus</i>	LIR5	Salivary gland	Not determined	Not determined	Beaufays <i>et al.</i> ,2008a
219935278	<i>Ixodes ricinus</i>	LIR7	Salivary gland	Not determined	Not determined	Beaufays <i>et al.</i> ,2008a
219935280	<i>Ixodes ricinus</i>	LIR8	Salivary gland	Not determined	Not determined	Beaufays <i>et al.</i> ,2008a
219935284	<i>Ixodes ricinus</i>	LIR9	Salivary gland	Not determined	Not determined	Beaufays <i>et al.</i> ,2008a
219935288	<i>Ixodes ricinus</i>	LIR10	Salivary gland	Not determined	Not determined	Beaufays <i>et al.</i> ,2008a
219935290	<i>Ixodes ricinus</i>	LIR11	Salivary gland	Not determined	Not determined	Beaufays <i>et al.</i> ,2008a
219935292	<i>Ixodes ricinus</i>	LIR12	Salivary gland	Not determined	Not determined	Beaufays <i>et al.</i> ,2008a
219935294	<i>Ixodes ricinus</i>	LIR13	Salivary gland	Not determined	Not determined	Beaufays <i>et al.</i> ,2008a
219935296	<i>Ixodes ricinus</i>	LIR14	Salivary gland	Not determined	Not determined	Beaufays <i>et al.</i> ,2008a
22164270	<i>Ixodes scapularis</i>	IXOSC	Salivary gland	Not determined	Not determined	Ribeiro <i>et al.</i> ,2006
22164268	<i>Ixodes scapularis</i>	IXOSC	Salivary gland	Not determined	Not determined	Ribeiro <i>et al.</i> ,2006
67083743	<i>Ixodes scapularis</i>	IXOSC	Salivary gland	Not determined	Not determined	Ribeiro <i>et al.</i> ,2006
67083682	<i>Ixodes scapularis</i>	IXOSC	Salivary gland	Not determined	Not determined	Ribeiro <i>et al.</i> ,2006
67083741	<i>Ixodes scapularis</i>	IXOSC	Salivary gland	Not determined	Not determined	Ribeiro <i>et al.</i> ,2006





Appendix II: List of putative lipocalins obtained from soft ticks

Gene accession code	Species	name	Expression	Function	Ligand	Reference
114153299	<i>Argas monolakensis</i>	AM-1124	Salivary gland (Adult female)	Not determined	Not determined	Mans <i>et al.</i> , 2008a
114153281	<i>Argas monolakensis</i>	AM-925	Salivary gland (Adult female)	Not determined	Not determined	Mans <i>et al.</i> , 2008a
114153165	<i>Argas monolakensis</i>	AM-304	Salivary gland (Adult female)	Not determined	Not determined	Mans <i>et al.</i> , 2008a
114153123	<i>Argas monolakensis</i>	AM-249	Salivary gland (Adult female)	Not determined	Not determined	Mans <i>et al.</i> , 2008a
114153089	<i>Argas monolakensis</i>	AM-209	Salivary gland (Adult female)	Not determined	Not determined	Mans <i>et al.</i> , 2008a
114153071	<i>Argas monolakensis</i>	AM-194	Salivary gland (Adult female)	Not determined	Not determined	Mans <i>et al.</i> , 2008a
114153281	<i>Argas monolakensis</i>	AM-925	Salivary gland (Adult female)	Not determined	Not determined	Mans <i>et al.</i> , 2008a
114153053	<i>Argas monolakensis</i>	AM-180	Salivary gland (Adult female)	Not determined	Not determined	Mans <i>et al.</i> , 2008a
114153035	<i>Argas monolakensis</i>	AM-118	Salivary gland (Adult female)	Not determined	Not determined	Mans <i>et al.</i> , 2008a
114152997	<i>Argas monolakensis</i>	AM-53	Salivary gland (Adult female)	Not determined	Not determined	Mans <i>et al.</i> , 2008a
114152995	<i>Argas monolakensis</i>	AM-51	Salivary gland (Adult female)	Not determined	Not determined	Mans <i>et al.</i> , 2008a
114152993	<i>Argas monolakensis</i>	AM-50	Salivary gland (Adult female)	Not determined	Not determined	Mans <i>et al.</i> , 2008a
114152989	<i>Argas monolakensis</i>	AM-47	Salivary gland (Adult female)	Not determined	Not determined	Mans <i>et al.</i> , 2008a
114152981	<i>Argas monolakensis</i>	AM-41	Salivary gland (Adult female)	Not determined	Not determined	Mans <i>et al.</i> , 2008a
114152959	<i>Argas monolakensis</i>	AM-26B	Salivary gland (Adult female)	Not determined	Not determined	Mans <i>et al.</i> , 2008a
114152957	<i>Argas monolakensis</i>	AM-26A	Salivary gland (Adult female)	Not determined	Not determined	Mans <i>et al.</i> , 2008a
172051078	<i>Ornithodoros coriaceus</i>	Salivary lipocalin (OC-15)	Salivary gland	Not determined	Not determined	Fracischetti <i>et al.</i> , 2008b
172051154	<i>Ornithodoros coriaceus</i>	Salivary lipocalin (OC-43)	Salivary gland	Not determined	Not determined	Fracischetti <i>et al.</i> , 2008b
172051146	<i>Ornithodoros coriaceus</i>	Salivary lipocalin (OC-41)	Salivary gland	Not determined	Not determined	Fracischetti <i>et al.</i> , 2008b
172051090	<i>Ornithodoros coriaceus</i>	Salivary lipocalin (OC-2)	Salivary gland	Not determined	Not determined	Fracischetti <i>et al.</i> , 2008b
172051116	<i>Ornithodoros coriaceus</i>	Salivary lipocalin (OC-3)	Salivary gland	Not determined	Not determined	Fracischetti <i>et al.</i> , 2008b
172051210	<i>Ornithodoros coriaceus</i>	Salivary lipocalin (OC-62)	Salivary gland	Not determined	Not determined	Fracischetti <i>et al.</i> , 2008b
172051236	<i>Ornithodoros coriaceus</i>	Salivary lipocalin (OC-80)	Salivary gland	Not determined	Not determined	Fracischetti <i>et al.</i> , 2008b
172051084	<i>Ornithodoros coriaceus</i>	Moubatin-like lipocalin (OC-169)	Salivary gland	Not determined	Not determined	Fracischetti <i>et al.</i> , 2008b
172051218	<i>Ornithodoros coriaceus</i>	Salivary lipocalin (OC-677)	Salivary gland	Not determined	Not determined	Fracischetti <i>et al.</i> , 2008b
172051166	<i>Ornithodoros coriaceus</i>	Salivary secreted lipocalin (OC-477)	Salivary gland	Not determined	Not determined	Fracischetti <i>et al.</i> , 2008b
172051204	<i>Ornithodoros coriaceus</i>	Salivary lipocalin (OC-6)	Salivary gland	Not determined	Not determined	Fracischetti <i>et al.</i> , 2008b
172051222	<i>Ornithodoros coriaceus</i>	Salivary lipocalin (OC-7)	Salivary gland	Not determined	Not determined	Fracischetti <i>et al.</i> , 2008b
172051234	<i>Ornithodoros coriaceus</i>	Salivary lipocalin (OC-8)	Salivary gland	Not determined	Not determined	Fracischetti <i>et al.</i> , 2008b
172051114	<i>Ornithodoros coriaceus</i>	Salivary lipocalin (OC-29)	Salivary gland	Not determined	Not determined	Fracischetti <i>et al.</i> , 2008b



172051112	<i>Ornithodoros coriaceus</i>	Salivary lipocalin (OC-28)	Salivary gland	Not determined	Not determined	Fracischetti <i>et al.</i> , 2008b
172051206	<i>Ornithodoros coriaceus</i>	Moubatin-like lipocalin (OC-60)	Salivary gland	Not determined	Not determined	Fracischetti <i>et al.</i> , 2008b
172051168	<i>Ornithodoros coriaceus</i>	Salivary lipocalin (OC-481)	Salivary gland	Not determined	Not determined	Fracischetti <i>et al.</i> , 2008b
172051062	<i>Ornithodoros coriaceus</i>	Salivary lipocalin (OC-128)	Salivary gland	Not determined	Not determined	Fracischetti <i>et al.</i> , 2008b
149287076	<i>Ornithodoros parkeri</i>	Salivary lipocalin (OP-468)	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> , 2008a
149286978	<i>Ornithodoros parkeri</i>	Salivary lipocalin (OP-168)	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> , 2008a
149287102	<i>Ornithodoros parkeri</i>	Salivary lipocalin (OP-509)	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> , 2008a
149286916	<i>Ornithodoros parkeri</i>	Salivary lipocalin (OP-113)	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> , 2008a
149287038	<i>Ornithodoros parkeri</i>	Salivary lipocalin (OP-316)	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> , 2008a
149287088	<i>Ornithodoros parkeri</i>	Salivary secreted lipocalin (OP-49)	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> , 2008a
149287092	<i>Ornithodoros parkeri</i>	Salivary lipocalin (OP-49a)	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> , 2008a
149287008	<i>Ornithodoros parkeri</i>	Salivary lipocalin (OP-24)	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> , 2008a
149287084	<i>Ornithodoros parkeri</i>	Salivary lipocalin (OP-485)	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> , 2008a
149286896	<i>Ornithodoros parkeri</i>	Moubatin homologue 1 (OP-1)	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> , 2008a
149287032	<i>Ornithodoros parkeri</i>	Short salivary moubatin (OP-30)	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> , 2008a
149286962	<i>Ornithodoros parkeri</i>	Moubatin homologue 6 (OP-15)	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> , 2008a
149286972	<i>Ornithodoros parkeri</i>	Salivary lipocalin (OP-16)	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> , 2008a
149287118	<i>Ornithodoros parkeri</i>	Moubatin homologue 5 variant (OP-55a)	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> , 2008a
149287116	<i>Ornithodoros parkeri</i>	Moubatin homologue 5 (OP-55)	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> , 2008a
149287000	<i>Ornithodoros parkeri</i>	Moubatin 1 homolog 2 (OP-2)	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> , 2008a
147287126	<i>Ornithodoros parkeri</i>	Moubatin homolog 4 (OP-6)	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> , 2008a
149287112	<i>Ornithodoros parkeri</i>	Salivary secreted lipocalin (OP-540)	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> , 2008a
149287170	<i>Ornithodoros parkeri</i>	Moubatin homolog 7 (OP-88)	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> , 2008a
149286990	<i>Ornithodoros parkeri</i>	Truncated salivary lipocalin (OP-177)	Salivary gland	Not determined	Not determined	Francischetti <i>et al.</i> , 2008a
29779506	<i>Ornithodoros porcinus porcinus</i>	-	Total ticks	Not determined	Not determined	Neilan, 2003 NCBI direct submission

Appendix III: Overview of AMPs from soft ticks

Tick species	AMP name	Primary tissue source (s)	Antimicrobial activity			References	Genebank Accession code
			G+	G-	Fungi		
<i>A. monolakensis</i>	AM-135	SG	N/D	N/D	N/D	Mans <i>et al.</i> , 2008a	114153040
<i>A. monolakensis</i>	AM-383	SG	N/D	N/D	N/D	Mans <i>et al.</i> , 2008a	114153200
<i>A. monolakensis</i>	AM-1173	SG	N/D	N/D	N/D	Mans <i>et al.</i> , 2008a	114153302
<i>A. monolakensis</i>	AM-1246	SG	N/D	N/D	N/D	Mans <i>et al.</i> , 2008a	114153306
<i>A. monolakensis</i>	AM-189	SG	N/D	N/D	N/D	Mans <i>et al.</i> , 2008a	114153066
<i>O. coriaceus</i>	OC-32	SG	N/D	N/D	N/D	Francischetti <i>et al.</i> , 2008b	172051122
<i>O. coriaceus</i>	OC-31	SG	N/D	N/D	N/D	Francischetti <i>et al.</i> , 2008b	172051120
<i>O. coriaceus</i>	OC-33	SG	N/D	N/D	N/D	Francischetti <i>et al.</i> , 2008b	172051124
<i>O. coriaceus</i>	OC-696	SG	N/D	N/D	N/D	Francischetti <i>et al.</i> , 2008b	172051220
<i>O. coriaceus</i>	OC-487	SG	N/D	N/D	N/D	Francischetti <i>et al.</i> , 2008b	172051172
<i>O. parkeri</i>	OP-104	SG	N/D	N/D	N/D	Francischetti <i>et al.</i> , 2008a	149286902
<i>O. parkeri</i>	OP-129	SG	N/D	N/D	N/D	Francischetti <i>et al.</i> , 2008a	149286938
<i>O. parkeri</i>	OP-New-613	SG	N/D	N/D	N/D	Francischetti <i>et al.</i> , 2008a	149287206
<i>O. parkeri</i>	OP-336	SG	N/D	N/D	N/D	Francischetti <i>et al.</i> , 2008a	149287050
<i>O. savignyi</i>	Fraction 50%	HL	+	-	N/D	Unpublished	Unpublished
<i>O. savignyi</i>	Fraction 30%	SG	+	+	N/D	Unpublished	Unpublished

+: Activity present

-: Activity absent

N/D: Not determined

SG: Salivary gland

HL: Hemolymph

Appendix IV: Overview of AMPs from hard ticks

Tick species	AMP name	Primary tissue source (s)	Antimicrobial activity			References	Genebank Accession code
			G+	G-	Fungi		
<i>A. americanum</i>	Amercin	HC	N/D	N/D	N/D	Todd <i>et al.</i> , 2007	114438982
<i>I. pacificus</i>	Neuropeptide -like protein (nlp-31)	SG	N/D	N/D	N/D	Francischetti <i>et al.</i> , 2005	51011444
<i>I. pacificus</i>	Neuropeptide -like protein (nlp-31)	SG	N/D	N/D	N/D	Francischetti <i>et al.</i> , 2005	51011404
<i>I. ricinus</i>	Contig 921	SG	N/D	N/D	N/D	Chmelař <i>et al.</i> , 2008	160423978
<i>I. ricinus</i>	Contig 969	SG	N/D	N/D	N/D	Chmelař <i>et al.</i> , 2008	160424079
<i>I. ricinus</i>	Contig 279	SG	N/D	N/D	N/D	Chmelař <i>et al.</i> , 2008	
<i>I. ricinus</i>	Contig 494	SG	N/D	N/D	N/D	Chmelař <i>et al.</i> , 2008	
<i>I. ricinus</i>	Contig 935	SG	N/D	N/D	N/D	Chmelař <i>et al.</i> , 2008	
<i>I. scapularis</i>	56159955	SG	N/D	N/D	N/D	Ribeiro <i>et al.</i> , 2006	56159955
<i>I. scapularis</i>	56159959	SG	N/D	N/D	N/D	Ribeiro <i>et al.</i> , 2006	56159959
<i>I. scapularis</i>	IS-18-24-clu340	SG	N/D	N/D	N/D	Ribeiro <i>et al.</i> , 2006	67083170
<i>I. scapularis</i>	ISJ-ISPL_P10_H6	SG	N/D	N/D	N/D	Ribeiro <i>et al.</i> , 2006	67083433
<i>I. scapularis</i>	50363174	SG	N/D	N/D	N/D	Ribeiro <i>et al.</i> , 2006	50363174

N/D: Not determined

HC: Hemocytes

SG: Salivary gland

Appendix V: *De novo* sequence results of active fraction

Hit	Score ^a	Accession number	Peptide sequence ^b	Protein name ^c
1	71	46447343	682 LMZYTPMELR 691	Hypothetical protein //:sp trembl Q6MAG6 Q6MAG6_PARUW. Hypothetical protein //:trembl BX908798 BX908798_1709 product: "unknown protein"; Parachlamydia-related symbiont UWE25, complete genome
2	68		529 YALSPNALFPR 539	AgCP1586 (Fragment)
3	64	44355455	732 ETDYFFNZRZE 742	"unknown", Environmental sequence IBEA_CTG_2107665, whole genome shotgun sequence.
4	64	29747767	859 EDYFFNZR 866	"4921510J17Rik protein"; <i>Mus musculus</i> RIKEN cDNA 4921510J17 gene, mRNA (cDNA clone MGC:58741 IMAGE:6770929), complete cds.
5	64	51859290	859 EDYFFNZR 866	"Unknown (protein for MGC:93934)"; <i>Rattus norvegicus</i> cDNA clone MGC:93934 IMAGE:7113453, complete cds
6	63	259683019	753 ETDFYFNZ 760	"Hypothetical protein CBG20942"; <i>Caenorhabditis briggsae</i> contig cb25.fpc4206 from assembly cb25.agp8
7	63	24636146	753 ETDFYFNZ 760	Serpentine receptor, class e (epsilon) protein 52"; <i>Caenorhabditis elegans</i> cosmid C50E10, complete sequence.
8	63	24636146	753 ETDFYFNZ 760	"Hypothetical protein C50E10.5"; <i>Caenorhabditis elegans</i> cosmid C50E10, complete sequence. //:pironly T33499 T33499 hypothetical protein C50E10.5 - <i>Caenorhabditis elegans</i> //:gp AF098988 14916287. Hypothetical protein C50E10.5 [<i>Caenorhabditis elegans</i>]
9	59	15042158	899 SSFZRFFN 906	"048R"; <i>Chilo iridescent virus</i> complete genome. //:gp AF303741 15042201 048R [<i>Chilo iridescent virus</i>]

^a Score (high scoring pair, HSP) as determined by BLAST, using sequences obtained from *de novo* sequencing. Matches higher than 64 are considered significant

^b Peptide sequence of the *de novo* data. The numbers give the residues to which the query sequence matched to the protein sequence in the database

^c Identity of the proteins to which the *de novo* sequences were matched