

## REFERENCES

- AKIN, D. E., WILSON, J. R. and WINDHAM, W. R.**, 1983. Site and rate of tissue digestion in leaves of C3, C4 and C3/C4 intermediate *Panicum* species. *Crop Sci.* 23: 147.
- AKIN, D. E.**, 1989. Histological and physical factors affecting digestibility of forages. *Agron. J.* 81: 17.
- AMAN, P. and LINDGREN, E.**, 1983. Chemical composition and *in vitro* degradability of individual chemical constituents of six Swedish grasses harvested at different stages of maturity. *Swedish J. Agric. Res.* 13: 221.
- ANDRIGHETTO, I., GRUBER, L., COZZI, G., URAY, G., GUIDETTI, G. and BUCHGRABER, K.**, 1992. Prediction of digestible organic matter in dry matter *in vivo* from the chemical composition, *in vitro* and *in situ* measurements on native mountain forages. *Anim. Feed. Sci. Tech.* 39: 323.
- ANNISON, E. F. and ARMSTRONG, D. G.**, 1970. Physiology of digestion and metabolism in the ruminant. Phillipson (Ed.) Oriel Press, Newcastle-upon-Tyne, England. P422.
- ARROYO-AGUILU, J. A. and OPORTA-TELLEZ, J. A.**, 1979. Chemical composition and *in vivo* nutrient digestibility of Guinea and Merker grass hays. *J. Agri. Univ. P.R.* 294.
- ASSOCIATION OF OFFICIAL ANALYTICAL CHEMISTS**, 1980. Official method of analysis. AOAC, Washington, DC 13<sup>th</sup> ed., pp. 15.

**BIBLACK, J. E. and BUXTON, D. R.**, 1992. Concentration and deposition of cellulose, hemicellulose, and lignin during regrowth of forage grasses and legumes. *Can. J. Plant Sci.* 72: 809.

**BINNERTS, W. T., Van't KLOOSTER, A. T. and FRENS, A. M.**, 1968. Soluble chromium indicator measured by atomic absorption in digestion experiments *Vet. Rec.* 82: 470.

**BLASER, R. E.** (1964) Effects of fertilizer levels and stage of maturity on forage nutritive value. *J. Anim. Sci.* 23, 246.

**BRATZLER, J. W., KECK, E., MARIOTT, Jr. L. F. and WASHKO, J. E.**, 1959. Nutritive value of orchard grass as affected by level of nitrogen fertilization and stage of maturity. *Paper presented at annual meeting, Amer. Dairy Sci. Assn.*

**CALDER, F. W. and MacLEOD, L. B.**, 1968. *In vitro* digestibility of forage species as affected by fertilizer application, stage of development and harvest dates. *Can. J. Plant Sci.* 48: 17.

**CATALDO, D. A., HAROON, M., SCHRADER, L. E. and YOUNG, V. L.**, 1975. Rapid calorimetric determination of nitrate in plant tissue by nitration of salicylic acid. *Comm. Soil. Sci. Plant Anal.* 6: 71.

**CHERNEY, D. J. R., CHERNEY, J. H. and LUCEY R. F.**, 1992. *In vitro* digestion kinetics and quality of perennial grasses as influenced by forage maturity. *J. Dairy Sci.* 76: 790.

**CHESSON, A., STEWART, C. S., DALGARNO, K. and KING, T. P.**, 1986. Degradation of isolated grass mesophyll, epidermis and fibre cell walls in the rumen and by cellulolytic rumen bacteria in axenic culture. *J. Appl. Bact.* 60: 327.

- CHESWORTH, J.**, 1992. Ruminant nutrition. Macmillan Press LTD. London.
- COOK, B. G. and MULDER, J. C.**, 1984. Responses of nine tropical grasses to nitrogen fertilization under rain-grown conditions in south-eastern Queensland. 1. Seasonal dry matter productivity. *Aust. J. Exp. Agric. Anim. Husb.* 24: 410.
- CORBETT, J. L., LYNCH, J. J. and NICOL, G. R.**, 1976. A versatile peristaltic pump designed for grazing lambs. *Lab. Prac.* 25: 458.
- DEINUM, B. and SIBMA, L.**, 1980. Nitrate content of herbage in relation to nitrogen fertilization and management on the role of nitrogen in intensive grassland production. *Proc. Int. Symp. Eur. Grassl. Fed. PuDoc*, Wageningen.
- DICKINSON, E. B., HYAM, G. F. S. and BREYTENBACH, W. A. S.**, 1990. Die Kynoch Weidingshandleiding. 1 ed. Ctp (Edms) Bpk. Cape Town.
- ECKARD, R. J.**, 1990. The relationship between the nitrogen and nitrate content and nitrate toxicity potential of *Lolium multiflorum*. *J. Grassl. Soc. Sth. Afr.* 7: 174.
- ENGELS, E. A. N. AND VAN DER MERWE, F. J.**, 1967. Application of an *in vitro* technique to South African forages with special reference to the effect of certain factors on the results. *S Afr J. Anim. Sci.*, 10, 983.
- FAICHNEY, G. J. and BLACK, J. L.**, 1984. Factors affecting rumen function and the supply of nutrients. In: Physiological and environmental limitations to wool growth. Ed. J. I. Black and P. J. Reis. The University of New England Publishing Unit, Australia.

**FAICHNEY, G. J.**, 1980. Measurement in sheep of the quantity and composition of rumen digesta and of the fractional outflow rates of digesta constituents. *Aust. J. Agric. Res.* 31: 1129.

**FLEISCHER, J. E., MASUDA, Y. and GOTO, I.**, 1983. Effect of temperature and fertilizer level on the chemical composition and nutritive value of Green Panic (*Panicum maximum* var. *trichoglume* cv. Petrie). *J. Fac. Agr., Kyushu Univ.* 28: 83.

**FORBES, J. M.**, 1995. Voluntary food intake and diet selection in farm animals. CAB International, Wallingford, Oxon, U. K.

**FORWOOD, J. R., MATCHES, A. G. and NELSON, C. J.**, 1988. Forage yield, nonstructural carbohydrate levels, and quality trends of Caucasian Bluestem. *Agron. J.* 80: 135.

**FREDERIKSEN, J. H. and KATEGILE, J. A.**, 1980. The effects of nitrogen fertilization and time of cutting in first growth in *Brachiaria brizantha* on yield, crude protein content and *in vitro* digestibility. *Trop. Anim. Prod.* 5: 136.

**FRIEDRICH, J. W., SMITH, D. and SCHRADER, L. E.**, 1977. Nitrate reductase activity and N fractions in Timothy and Switch grass as influenced by N and S fertilization. *Can. J. Plant Sci.* 57: 1151.

**FURBANK, R. T. and TAYLOR, W. C.**, 1995. Regulation of photosynthesis in C3 and C4 plants: A molecular approach. *The plant cell* 7: 797.

**GEORGE, J. R., OBERMANN, D. J. and WOLF, D. D.**, 1989. Seasonal trends of nonstructural carbohydrates in stem bases of defoliated Switchgrass. *Crop Sci.* 29: 1282.

**GOERING, H. K. and VAN SOEST, P. J.**, 1970. Forage fibre analyses (Apparatus, reagents, procedures and some applications). Agricultural Handbook no 379. A. R. S., U. S. Department of Agriculture.

**GOMIDE, J. A., NOLLER, C. H., MOTT, G. O., CONRAD, J. H. and HILL, D. L.** (1969) Mineral composition of six tropical grasses as influenced by plant age and nitrogen fertilization. *Agron. J.* 61, 120 .

**GONZALEZ RONQUILLO, M., FONDEVILA, M., BARRIOS URDANETA, A. and NEWMAN, Y.**, 1998. *In vitro* gas production from buffel grass (*Cenchrus ciliaris* L.) fermentation in relation to the cutting interval, the level of nitrogen fertilization and the season of growth. *Anim. Feed. Sci. Tech.* 72: 19.

**GRABBER, J. H., JUNG, G. A., ABRAMS, S. M. and HOWARD, D. B.**, 1992. Digestion kinetics of parenchyma and sclerenchyma cell walls isolated from orchardgrass and switchgrass. *Crop Sci.* 32: 806.

**GREEN, D. G. and BEARD, J. B.**, 1969. Seasonal relationships between nitrogen nutrition and soluble carbohydrates in the leaves of *Agrostis palustris* Huds., and *Poa pratensis* L. *Agron. J.* 61: 107.

**GRUNOW, J. O. and RABIE, J. W.**, 1985. Production and quality norms of certain grass species for fodder flow planning: Pretoria area. *J. Grassl. Soc. Sth. Afr.* 2: 23.

**HALL, K. E., GEORGE, J. R. and RIEDL, R. R.**, 1982. Herbage dry matter yield of Switchgrass, Big Bluestem, and Indiangrass with N fertilization. *Agron. J.* 74: 47.

**HARKIN, J. M.**, 1973. Lignin. In: Chemistry and biochemistry of herbage. Butler and Bailey. Academic Press. London and New York.

**HATFIELD, R. D.**, 1989. Structural polysaccharides in forages and their degradability. *Agron. J.* 81: 39 .

**HATFIELD, R. D., JUNG, H. J., BUXTON, D. R. and WEIMER, P. J.**, 1994. A comparison of the insoluble residues produced by the klason lignin and acid detergent lignin procedures. *J. Sci. Food Agric.* 65: 51.

**HUDSON, H. T., KOFRANEK, A. M., RUBATZKY, V. E. and FLOCKER, W. J.**, 1990. Plant Science. Growth, Development and Utilization of Cultivated Plants. Prentice Hall. Englewood Cliffs, New Jersey.

**HUMPHREYS, L. R.**, 1991. Tropical pasture utilization. Cambridge Press, Cambridge.

**JARRIGE, R., DEMARQUILLY, C. and DULPHY, J. P.**, 1974. The voluntary intake of forage, Proc. 5th Gen. Mtg. European Grassl. Fedn., Uppsala. *Pl. Husb.* 28: 98.

**JONES , D. I. H., GRIFFITH, G. and WALTERS, R. J. K.**, 1962. The effect of nitrogen fertilization on the water-soluble carbohydrate content of perennial ryegrass and cocksfoot. *J. Sci. Agric.* 13: 83.

**JONES, D. I. H. and WILSON, A. D.**, 1987. Nutritive quality of forage. Ch. 4 in: The nutrition of herbivores. HACKER and TERNOUTH (Eds). Academic Press, Australia.

**JONES, D. I. H., GRIFFITH, G. and WALTERS, R. J. K.**, 1965. The effect of nitrogen fertilization on the water-soluble carbohydrate content of grasses. *J. Agric. Sci.* 64: 323-328.

**JUNG, G. A., KOCHER, R. E., GROSS, C. F., BERG, C. C. and BENNETT, O. L.**, 1976. Nonstructural carbohydrate in the spring herbage of temperate grasses. *Crop Sci.* 16: 353.

**JUNG, H. G. and VOGEL, K. P.**, 1986. Influence of lignin on digestibility of forage cell wall material. *J. Anim. Sci.* 62: 1703.

**JUNG, H. G.**, 1989. Forage lignins and their effects on fiber digestibility. *Agron. J.* 81: 33.

**KALTOFEN, H.**, 1988. Why does nitrogen fertilization often increase the lignin content of grasses? *Herb. Abstr.*, 58 (12), 476.

**KRYSL, L. J.**, 1986. Influence of nitrogen fertilization on dietary botanical and chemical composition, intake and digesta kinetics of steers grazing blue grama rangeland. *Dissertation abstracts international volume 47 no 8*, 87: 3180B.

**KRYSL, L. J., GALYEAN, M. L., JUDKINS, M. B., BRANINE, M. E. and ESTELL, R. E.**, 1987. Digestive physiology of steers grazing fertilized and non-fertilized Blue Grama rangeland. *J. Range. Management*. 40: 493.

**LAREDO, M. A. and MINSON, D. J.**, 1973. The voluntary intake, digestibility and retention time of the leaf and stem fractions of five grasses. *Aust. J. Agric. Res.* 24: 875.

**LEWIS, A., HILL, K. J. and ANNISON, E. F.**, 1957. Studies on the portal blood of sheep. I. Absorption of ammonia from the rumen of the sheep. *Bioch. J.* 66: 587.

**LONG, R. J., APORI, S. O., CASTRO, F. B. and ORSKOV, E. R.**, 1999. Feed value of native forages of the Tibetan Plateau of China. *Anim. Feed Sci. Tech.* 80: 101.

**MACLEOD, N. A., ORSKOV, E. R. and ATKINSON, T.**, 1984. The effect of pH on the relative proportions of ruminal volatile fatty acids in sheep sustained by intragastric infusions. *J. Agric. Sci., Camb.* 103: 459.

**MADISON, W. J. and KENNETH, D. L.**, 1963. Nitrate accumulation in crops and nitrate poisoning in animals, Cornell University, Ithaca, New York.

**MARAIIS, J.P.**, 1979. Evaluation of acid hydrolysis procedures for the rapid determination of total non-structural carbohydrates in plant species. *Agrochemophysica* 11: 1.

**MARAIIS, J. P.**, 1980. Effect of intake and non-protein organic nitrogen levels in Kikuyu (*Pennisetum clandestinum*) pastures on digestibility *in vitro*. *Agroanimalia*. 12: 7.

**McDONALD, P., EDWARDS, R. A. and GREENHALGH, J. F. D.**, 1992. Animal nutrition 4th Ed. Longman Scientific & Technical. New York.

**McDOWELL, R. E.**, 1972. Improvement of livestock production in warm climates. Ed. Freeman, San Francisco.

**MCINTYRE, K. H.**, 1970. The effects of increased nitrogen intakes on plasma urea nitrogen and rumen ammonia levels in sheep. *Aust. J. Agric. Res.*, 21: 501.

**MCLEOD, M. N., KENNEDY, P. M. and MINSON, D. J.**, 1990. Resistance of leaf and stem fractions of tropical forage to chewing and passage in cattle. *Br. J. Nutr.* 63: 105.

**MEISSNER, H. H. and DU PLESSIS, P. C.**, 1992. Protein and starch digestion in steers fed feedlot diets differing in extent of protein degradation. *S. Afr. J. Anim. Sci.* 22(4): 137.

**MESSMAN, M. A., WEISS, W. P. and ERICSON, D. O.**, 1991. Effects of nitrogen fertilization and maturity of Bromegrass on *in situ* ruminal digestion kinetics of fibre. *J. Anim. Sci.*, 69: 1151.

**MICHELL, P. J.**, 1974. Rumen volatile fatty acids in six pasture species and relation with digestibility, voluntary intake and chemical composition. *Aust. J. Exp. Agric. Anim. Husb.* 14: 161.

**MINSON, D. J. and McLEOD, M. N.**, 1970. The digestibility of temperate and tropical grasses. *Proc. XI Int. Grassl. Congr.*, 719.

**MINSON, D. J.**, 1971. Influence of lignin and silicon on a summative system for assessing the organic matter digestibility of *Panicum*. *Aust. J. Agric. Res.* 22: 589.

**MINSON, D.J.**, 1973. Effect of fertilizer nitrogen on digestibility and voluntary intake of *Chloris gayana*, *Digitaria decumbens* and *Pennisetum clandestinum*. *Aust. J. Exp. Agric. Anim. Husb.* 13: 153.

**MINSON, D. J.**, 1982. Effects of chemical and physical composition of herbage eaten upon intake. In: Nutrition limits to animal production from pastures. J. B. Hacker (Ed), C. A. B. Farnham Royal.

**MINSON, D. J.**, 1984. Digestibility and voluntary intake by sheep of five *Digitaria* species. *Aust. J. Exp. Agric. Anim Husb.* 24: 494 - 500.

**MINSON, D. J.**, 1990. Intake of forage by housed ruminants. Ch. 2 and 6. In: Forage in ruminant nutrition. Minson (Ed). Academic Press, Toronto.

**MINSON, D. J. and MILFORD, R.**, 1967. The voluntary intake and digestibility of diets containing different proportions of legume and mature Pangola grass (*Digitaria decumbens*). *Aust. J. Exp. Agric. Anim. Husb.* 7: 546.

**MIR, P. S., MIR, Z. and HALL, J. W.**, 1991. Relationships among rate of passage of feed, dry matter intake and chemical components of several diets. *Can. J. Anim. Sci.* 71: 1159.

**MORRISON, R. T. and BOYD, R. N.**, 1966. Organic Chemistry 2<sup>nd</sup> ed. Ed. Allan and Bacon, Inc., Bostn, Mass. 344.

**MORRISON, J. and RUSSELL, R. D.**, 1980. Fertilizer recommendations for grassland. *Chem. Ind.* 17: 686.

**MORRISON, J., JACKSON, M. V. and SPARROW, P. E.**, 1980. The response of perennial ryegrass to fertilizer nitrogen in relation to climate and soil. *Grassl. Res. Inst., Hurley, Tech. Rep.* 27:71.

**MORRISON, J., HOGAN, J. P. and MURRY, R. M.**, 1988. Evaluation *in vitro* of ammonia nitrogen requirements for rumen fermentation and protein synthesis with mature tropical forage. *Proc. Aust. Soc. Anim. Prod.* 17: 260.

**NELSON, T. and LANGDALE, J. A.**, 1992. Developmental genetics of C4 photosynthesis. *Ann. Rev. Plant Physiol. Plant Mol. Biol.* 43: 25.

**NORTON, B. W.**, 1982. Differences between species in forage quality. In: Nutritional limits to animal production from pastures. Ed. J. B. Hacker, C. A. B. Farnham Royal.

**NOWAKOWSKI, T.**, 1962. Effects of nitrogen fertilizers on total nitrogen, soluble nitrogen and soluble carbohydrates contents of grass. *J. Agric. Sci. Camb.* 59: 387.

**OLDHAM, J. D., BUTTERY, P. J., SWAN, H. and LEWIS, D.**, 1977. Interactions between dietary carbohydrate and nitrogen and digestibility in sheep. *J. Agric. Sci. Camb.* 89: 467.

**OMALIKO, C. P. E.**, 1984. Herbage yield and quality of filegrass as influenced by N, P and K fertilizer applications. *Agron. J.* 76:201.

**OYENUGA, V. A.**, 1960. Effect of stage of growth and frequency of cutting on the yield and chemical composition of some Nigerian fodder grasses – *Panicum maximum* Jacq. *J. Agric. Sci.* 55: 339.

**PANDITHARATNE, S. V. G., ALLEN, V. G., FONTENOT, J. p. and McCLURE, W. H.**, 1986. Yield, chemical composition and digestibility by sheep of orchardgrass fertilized with different rates of N and sulfur or associated red clover. *J. Anim. Sci.* 62:813.

**PARKS, P. F., RIEWE, M. E., LYMON, C. M. and KUNKEL, H. O.**, 1962. Variations in the intra-ruminal fatty acid ratios of sheep fed ryegrass harvested at different stages of maturity. *J. Anim. Sci.* 23: 344.

**PIETERSE, P. A., RETHMAN, N. F. G. and VAN BOSCH, J.**, 1997. Production, water use efficiency and quality of four cultivars of *Panicum maximum* at different levels of nitrogen fertilization. *Trop. Grassl.*, 31: 117.

**POSSI, C. P., NORTON, B. W., MINSON, D. J. and HENDRICKSEN, R. E.**, 1980. The validity of the critical size theory for particles leaving the rumen. *J. Agric. Sci.* 94: 275.

**PRINS, W. H. and VAN BURG, P. F. J.**, 1979. The seasonal response of grassland to different levels of nitrogen pre-treatment. 1. Experiments, 1972 and 1973. *Neth. Nitrogen Tech. Bull.* 11: 11.

**PRINS, W. H.**, 1984. Limits to nitrogen fertilizer on grassland. *Ned. J. Agric. Sci.* 32: 319

**QUINLAN, T. J., SHAW, K. A. and WARRELL, L. A.**, 1981. The effect of nitrogen on growth and chemical composition of irrigated *Panicum maximum* var. trichoglume cv. Petrie - *Neonotonia wightii* cv. Tinaroo on the Atherton Tableland North Queensland. *Trop. Grassl.* 15:26.

**REEVES, J. B.**, 1987. Lignin and fiber composition changes in forages over a growing season and their effects on *in vitro* digestibility. *J. Dairy Sci.* 70: 1583.

**REID, R. L.**, 1967. The response of herbage yield and quality to a wide range of nitrogen application rates. *Proc. X Int. Grassl. Congr.*

**REID, D.**, 1970. The effect of a wide range of nitrogen application rates on the yield of a perennial ryegrass sward with and without white clover. *J. Agric. Sci. Camb.*, 74: 227.

**RELLING, E. A.**, 1998. The nutritional value of *Panicum maximum* cv Gatton for sheep. M.Sc. (Agric.) treatise, University of Pretoria, Pretoria.

**ROBERTSON, J. B. and VAN SOEST, P. J.**, 1981. The analysis of dietary fibre in food. Ed. by James and Theander. Dekker, New York.

**RODEL, M. G. W. and BOULTWOOD, J. N.**, 1971. Herbage yields of thirty grasses fertilized heavily with nitrogen. *Proc. Grassld. Soc. Sth. Afr.* 6: 129.

**ROUQUETTE, F. M., HOLT, E. C. Jr. and ELLIS, W. C.**, 1972. Effect of N, P, and K fertilization and stages of maturity on chemical composition of fiber in Kleingrass (*Panicum coloratum* L.). *Agron J.* 64: 456.

**SAIBRO, J. C., HOVELAND, C. S. and WILLIAMS, J. C.**, 1978. Forage yield and quality of *Phalaris* as affected by N fertilization and defoliation regimes. *Agron. J.* 70: 497.

**SALETTE, J. E.**, 1970. Nitrogen use and intensive management of grasses in the wet tropics. *Plant Nutr. Soil Fert.* 404.

**SIDDONS, R. C., PARADINE, J., BEEVER, D. E. and CORNELL, P. R.**, 1985. Ytterbium acetate as a particulate - phase digesta - flow marker. *Br. J. Nutr.* 54: 509.

**SINGH, V., SINGH, A. K., VERMA, S. S. and JOSHI, Y. P.**, 1987. Effect of nitrogen fertilization on yield and quality of multicut tropical forages. *Trop. Agric.* 65: 129.

**SMITH, D.**, 1973. Chapter 3 in Chemistry and Biochemistry of Herbage. Butler and Baily (Eds). Academic Press London and New York.

**SPEEDING, C. R. W. and DIEKMAHNS, E. G.**, 1972. Grasses and legumes in British agriculture. *Common. Bur. Pastures Field Crops, Bull.* 49, 483.

**STATISTICAL ANALYSIS SYSTEMS INSTITUTE** (1995) SAS user's guide: statistics. SAS Inst., Inc. Cary, NC.

**STEENEKAMP, W. A. J. en RETHMAN, N. F. G.**, 1995. Vergelyking van vier *Panicum maximum* kultivars ten opsigte van kwaliteit en produksie oor tyd. Ongepubliseerde verslag. BSc (Agric) Hons project report.

**STEENEKAMP, W. A. J.**, 1995. Faktore wat die voedingswaarde van *Panicum maximum* beïnvloed. BSc (Agric) Hons seminaar.

**STEINHOUR, W. D. and CLARK, J. H.**, 1980. Microbial nitrogen flow to the small intestine of ruminants. Protein symposium. 166.

**STOBBS, T. H. and MINSON, D. J.**, 1980. Nutrition of ruminants in the tropics. In: Digestive physiology and nutrition of ruminants. Vol 3. Practical Nutrition. Ruckebush and Thivend (Eds.). AVI Publishers, Westpoint.

**TAIZ, L. AND ZEIGER, E.**, 1991. Plant physiology. The Benjamin/Cummings Publishing Company, Inc. California.

**TAMMINGA, S., ROBINSON, P. H., VOGT, M. and BOER, H.**, 1989. Rumen ingesta kinetics of cell wall components in dairy cows. *Anim. Feed Sci. Tech.* 25: 89.

**TERRY, R. A. and TILLEY, J. M. A.**, 1961. Volatile fatty acid determinations on sheep rumen liquor. *Exp. Prog. Grassld. Res. Inst.* 13: 79.

**TILLEY, J. M. A. and TERRY, R. A.**, 1963. A two-stage technique for the *in vitro* digestion of forage crops. *J. Br. Grassl. Soc.* 18: 104.

**TROELSEN, J. E. and CAMPBELL, J. B.**, 1969. Voluntary consumption of forage by sheep and its relation to the size and shape of particles in the digestive tract. *Anim. Prod.* 10: 289.

**TROUGHTON, A.**, 1957. The underground organs of herbage grasses. *Commonwealth Bur. Pastures and Field Crops*, Hurley, Berkshire, 44: 49.

**TWIDWELL, E. K., JOHNSON, K. D., CHERNEY, J. H. and VOLENEC, J. J.**, 1988. Forage quality and digestion kinetics of Switchgrass herbage and morphological components. *Crop Sci.* 28: 778.

**VAN ARK, H.**, 1981. Eenvoudige biometriese tegnieke met spesiale verwysing na entomologiese navorsing. Wet. Pamfl. Dept. Landbou. Vis. Rep. S-Afr. 396, Government Printers, Pretoria.

**VAN NIEKERK, W. A.**, 1997. Inname en parsiële verteerbaarheid van 'n aantal weidingsgewasse deur skape en die gebruik van enkele kwaliteitsparameters om inname te voorspel. Ph.D Tesis, Universiteit van Pretoria, Pretoria.

**VAN NIEKERK, W. A., RETHMAN, N. F. G. and MOOLMAN, J. Z.**, 1993. The influence of nitrogen fertilization and age on some qualitative and quantitative characteristics of *Panicum maximum* cv. Gatton. *Int. Symp. Grassl. Res. Peoples Republic of China*, 1993.

**VAN OUDTSHOORN, F. P.**, 1992. *Grasses of South Africa*. 1<sup>st</sup> ed. Briza Publications, Pretoria.

**VAN SOEST, P. J.**, 1965. Symposium on factors influencing the voluntary intake of herbage by ruminants: Voluntary intake in relation to chemical composition and digestibility. *J. Anim. Sci.* 24: 834.

**VAN SOEST, P. J.**, 1975. Physio-chemical aspects of fibre digestion. In: *Digestion and metabolism in the ruminant*. McDonald and Warner (Eds). The University of New England Publishing unit. 351.

**VAN SOEST, P. J.**, 1982. Nutritional ecology of the ruminant: Ruminant metabolism, nutritional strategies, the cellulolytic fermentation, and the chemistry of forage and plant fibres. Corvallis Oregon, O & B Books.

**VAN SOEST, P. J.**, 1994. Ch 6, 14 and 21 in: Nutritional ecology of the ruminant. Comstock Publishing Associates, Cornell University Press. Ithaca and London.

**VAN VUUREN, A. M., TAMMINGA, S. and KETELAAR, R. S.**, 1991. *In sacco* degradation of organic matter and crude protein of fresh grass in the rumen of grazing dairy cows. *J. Agric. Sci.* 116: 429.

**VICENTE-CHANDLER, J., SILVA, S. and FIGARELLA, J.**, 1959. The effect of nitrogen fertilization and frequency of cutting on the yield and composition of three tropical grasses. *Agron. J.* 51: 202.

**WAITE, R.**, 1970. The structural carbohydrates and the *in vitro* digestibility of a ryegrass and a cocksfoot at two levels of nitrogenous fertilizer. *J. Agric. Sci., Camb.* 74: 457.

**WALTON, P. D.**, 1983. Production and management of cultivated forages. Reston Publishing Comp. Inc. Reston Virginia, USA.

**WHITE, L. M.**, 1985. Long-term residual effects of nitrogen fertilization on Western Wheatgrass. *J. Range Man.* 38: 461.

**WHITEMAN, P. C.**, 1980. Tropical pasture science. Oxford University Press, New York.

**WIEDENFELD, R. P., WOODWARD, W. T. W. and HOVERSON, R. R.**, 1985.

Forage response of Buffelgrass and Pretoria 90' Bluestem to nitrogen and phosphorus fertilization in a subtropical climate. *J. Range Man.* 38: 242.

**WILMAN, D.**, 1965. The effect of nitrogenous fertilizer on the rate of growth of Italian ryegrass. *J. Br. Grassl. Soc.* 20: 248.

**WILMAN, D.**, 1970. The effect of nitrogenous fertilizer on the rate of growth of Italian ryegrass. 3. Growth up to ten weeks. *J. Br. Grassl. Soc.* 25: 242.

**WILMAN, D.**, 1980. Early spring and late autumn response to applied nitrogen in four grasses. *J. Agric. Sci.* 94: 425.

**WILSON, J. R.**, 1973. The influence of aerial environment, nitrogen supply and ontogenetical changes on the chemical composition of digestibility of *Panicum maximum* Jacq. var. *trichoglume* cv Eyles. *Aust. J. Agric. Res.* 24: 543.

**WILSON, J. R., BROWN, R. H. and WINDHAM, W. R.**, 1983. Influence of leaf anatomy on dry matter digestibility of C3, C4 and C3/C4 intermediate types of *Panicum* species. *Crop Sci.* 23: 141.