

CHAPTER 13

References

- Abadi, J., Nachman, S., Kressel, A.B., and Pirofski, L., 1999.** Cryptococcosis in children with AIDS. *Clin Infect Dis.* **28**, 309-313.
- Ahmad, I. and Beg, A.Z., 2001.** Antimicrobial and phytochemical studies of 45 Indian medicinal plants against multi-drug resistant human pathogens. *J. of Ethnopharmacology*, **74**, 113-123.
- Alcorn, J. B. 1981.** Huastec Noncrop Resource Management: Implications for Prehistoric Rain Forest Management. *Human Ecology* **9**, 395-417.
- Alexander, D. M., Bhana, N., Bhika, K. H., and Rogers, C. B., 1992.** Antimicrobial testing of selected plant extracts from *Combretum* species. *S. Afr. J. Sci.* **88**, 342 - 344.
- Aly, R., Hay R.J., Del Palacio A, and Galimberti R., 2000.** Epidemiology of tinea capitis. *Med Mycol.* **38**, 183-188.
- Aman, S., Haroon T.S., Hussain I, Bokhari M.A., and Khurshid K., 2001.** Tinea unguium in Lahore, Pakistan. *Med Mycol.* **39**, 177-180.
- Amaral, J. A., Ekins, A., Richards, S. R., and Knowles, R. 1998.** Effect of selected monoterpenes on methane oxidation, denitrification, and aerobic metabolism by bacteria in pure culture. *Appl. Environ. Microbiol.* **64**, 520-525.
- Angeh, J. 2005.** Isolation and characterization of antibacterial compounds present in members of *Combretum* section, Hypocrateropsis. PhD Thesis, University of Pretoria.
- Arnao, M. B., Cano, A. and Acosta, M. 2001.** The hydrophilic and lipophilic contribution to total antioxidant activity. *Food Chemistry*, **73**, 239-244.
- Arikan, S., Uzun O., Cetinkaya Y., Kocagoz S., Akova M. and Unal, S. 1998.** Primary cutaneous aspergillosis in human immunodeficiency virus- infected patients: Two cases and review. *Clin Infect Dis.* **27**, 641-643.

Aviles, P., Aliouat, E.M., Martinez, A., San Roman, R., Guillen, M.J., Ferrer, S., Gomez delas Heras, F. and Gargallo-Viola D. 1998. Pharmacokinetics/ Pharmacodynamic (PK/PD) study of sordarin derivatives against *Pneumocystic carinii* pneumonia in a cortcosteroid-treated rat model. American Society for Microbiology. J-56.

Ayafor, J. F., Tchuendem, M. H. K. and Nyasse, B. 1994. Novel bioactive diterpenoids from *Aframomum aulacocarpus*. *J. Nat. Prod.* **57**, 917-923.

Baba-Moussa, F., Akpagana, K. and Bouchet, P. 1999. Antifungal activities of seven West African Combretaceae used in traditional medicine. *J. of Ethnopharmacology*, **66**, 335-338.

Balick, M.J., Arvigo, R. and Romero, L., 1994. The development of an ethnobiomedical forest reserve in Belixe: its role in the preservation of biological and cultural diversity. *Conservation Biology*, **8**, 316-317.

Balkovec, J.M. 1994. Lipopeptide antifungal agents. *Exp. Opin. Invest. Drug*, **3**, 65 –82.

Ballou, C.E. 1990. Isolation, characterization and properties of *Saccharomyces cerevisiae* *mnn* mutants with non-conditional protein glycosylation defects. *Meth. Enzym.* **185**, 440 – 470.

Basséne, E., Mahamat, B., Lo, M., Boye, C. and Faye B. 1995. Comparaison de l'activite antibacterienne de trios Combretaceae *Combretum micranthum*, *Guiera senegalensis* et *Terminalia avicennioides*. *Fitoterapia*, **66**, 86-87.

Berkada, B. 1978. Preliminary report on warfarin for the treatment of herpes simplex. *J. Irish Coll. Phys. Surg.* **22**, 56.

Bhat, S.K. and Saxena, V.K., 1979. Efficacy of successive extracts of seeds of *Anogeissus leiocarpus* against some human pathogenic fungi. *Indian drugs*, **16**, 263-264.

Bizimenyera, E.S., Swan, G.E., Chikoto, H. and Eloff, J.N., 2005. Rationale for using *Peltophorum africanum* (Fabaceae) extracts in veterinary medicine? *Journal of the South African Veterinary Association*. **76**, 54 – 58.

Björklund, E., Bøwadt ,S. and Nilsson, T. 2000. *Trends Anal. Chem.* **19**, 434.

Boonchird, C. and Flegel, T.W. 1982. *In vitro* activity of eugenol and vanillin against *Candida albicans* and *Cryptococcus neoformans*. Canadian Journal of Microbiology, **28**, 1235-1241.

Borenfreund, E. and Puerner, J.A. 1985. Toxicity determined *in vitro* by morphological alterations and neutral red absorption. *Toxicology Letters*, **24**, 119–124.

Boswell, G.W., Buell, D. and Berersky, I. 1998. AmBosome (Liposomal Amphotericin B): a comparative review. *J Clin. Pharmacol.*, **36**, 589-592.

Bouchet, N., Levesque, J., Blond, A., Bodo, B. and Pousset, K. 1996. 1,3-di-O-Galloylquinic acid from *Guiera senegalensis*. *Phytochemistry*. **42**, 189 – 190.

Bouchet, N., Barrier, L. and Fauconneau, B. 1998. Radical scavenging activity and antioxidant properties of tannins from *Guiera senegalensis* (Combretaceae), *Phytotherapy Research*, **12**, 159 - 162.

Brantner, A., Males, Z., Pepelnjak, S. and Antolic, A. 1996. Antimicrobial activity of *Paliurus spina-christi* mill. *J. Ethnopharmacol.* **52**, 119 -122.

Breytenbach, J. C. and Malan, S. F. 1998. Phamacochemical properties of *Combretum zeyheri*. *S. Afr.J.Sci.* **85**, 372-374.

Byrd, D. R., el-Azhary, R.A., Gibson, L.E., and Roberts, G.D., 2001. Sporotrichosis masquerading as *pyoderma gangrenosum*: case report and review of 19 cases of sporotrichosis. *J Eur Acad Dermatol Venereol.* **15**, 581- 584.

Cabib, E. 1987. the synthesis and degradation of chitin. *Adv. Enzymol. Relat. Areas Mol. Biol.* **59**, 59 –101.

Cabib, E., Dragon, T. and Drgnova, J., 1997. The yeast cell wall, a dynamic structure engaged in growth and morphogenesis. *Biochem. Soc. Trans.* **25**, 200 - 204.

Cai, Y.Z., Sun, M. and Corke, H. 2003. Antioxidant activity of betalains from plants of the Amaranthaceae. *Journal of Agricultural and Food Chemistry* **51(8)**, 2288 - 2294.

Campos, P., Arenas, R., and Coronado, H., 1994. Epidemic cutaneous sporotrichosis. *Int. J. Dermatol.* **33**, 38 - 41.

Cardenas, M.E., Sanfridson, A., Cutler, N.S. and Heitman, J. 1998. Signal-transduction cascades as targets for therapeutic intervention by natural products. *Trends Biotechnol.* **16(10)**, 996 -1000.

Carlson, D., Haurie, A and Leizarowitz, A. 1991. Infinite Horizon Optimal Control: Deterministic and Stochastic Systems (second ed.), Springer, Berlin.

Carr, J.D., 1988. Combretaceae in Southern Africa. The Tree Society of Southern Africa, Johannesburg.

Casagrande, D. G. 2000. Human Taste and Cognition in Tzeltal Maya Medicinal Plant Use. *Journal of Ecological Anthropology.* **4**, 57-69.

Casley-Smith, J. R. and Casley-Smith. J. R. 1997. Coumarin in the treatment of lymphoedema and other high-protein oedemas, p. 348. In R. O'Kennedy, and R. D. Thorne (ed.), Coumarins: biology, applications and mode of action. John Wiley & Sons, Inc., New York, N.Y.

Chaurasia, S. C. and Vyas, K. K. 1977. In vitro effect of some volatile oil against *Phytophthora parasitica* var. *piperina*. *J. Res. Indian Med. Yoga Homeopath.* **1977**, 24-26.

Chee K.K., Wong, M.K. and Lee, H.K. 1997. *Environ. Monit. Assess.* **44**.

Cheng H.Y., Lin, T.C., Yu, K.H., Yang, C.M. and Lin, C.C. 2003. Antioxidant and free radical scavenging activities of *Terminalia chebula*. *Biological and Pharmaceutical Bulletin* **26**, 1331 - 1335.

Chopra, R.N., Nayer, S.L. and Chopra, I.C., 1992. Glossary of Indian Medicinal Plants, 3rd edn. Council of Scientific and Industrial Research, New Delhi, India.

Clark, A.M. and Hufford, C.D., 1993. Discovery and development of novel prototype antibiotics for opportunistic infections related to acquired immunodeficiency syndrome. In: A.D. Kinghorn and M.F. Balandrin (eds). Human medicinal agents from plants. American Chemical Society, Washington DC.

Conrad, J., Vogler, B., Klaiber, I., Roos, G., Walter, U and Kraus, W. 1998. Two triterpene esters from *Terminalia macroptera* bark. *Phytochemistry*, **48(4)**, 647-650.

Cotton, C.M., 1996. Ethnobotany: Principles and Application. Wiley, Chichester, UK.

Cowan, M.M. 1999. Plant products as antimicrobial agents. *Clinical Microbiology Reviews*. **12(4)**, 564 - 582.

Cronquist, A., 1981. An integrated system of classification of flowering plants. Columbia University Press, New York, USA.

Daum, G., Lees, N.D., Bard, M. and Dickson, R., 1998. Biochemistry, cell biology and molecular biology of lipids of *Saccharomyces cerevisiae*. *Yeast*, **14(16)**, 1471-1510.

Deans, S.G. and Svoboda, K.P., 1990. Biotechnology and bioactivity of culinary and medicinal plants. *AgBiotech News and Information*, **2**, 211-216.

De Bolle, M. F., Osborn, R. W. Goderis, I. J., Noe, L., Acland, D., Hart, C. A., Torrekens, S., Van Leuven, F. and Broekart, N. F. 1996. Antimicrobial properties from *Mirabilis jalapa* and *Amaranthus caudatus*: expression, processing, localization and biological activity in transgenic tobacco. *Plant Mol. Biol.* **31**, 993 -1008.

Del-Poeta M., Bixel, A.S. and Barcheisi, F. 1998. In vitro activity of dicationic aromatic compounds and fluconazole against *Cryptococcus neoformans* and *candida* ssp. *J. Antimicrob. Chemother.*, **44(2)**, 223 - 228.

Del-Poeta, M., Toffaletti, D.L. and Rude, T.H. 1999. Topoisomerase I is essential in *Cryptococcus neoformans*: role in pathobiology and as an antifungal target. *Genetics*, **152**, 167-178.

Denning, D. W., 1998. Invasive aspergillosis. *Clin Infect Dis*. **26**, 781- 803.

Deby, C. and Margotteaux, G., 1970. Relationship between essential fatty acids and tissue antioxidant levels in mice. *C R Seances Soc Biol Fil.*, **165**, 2675 -2681.

Djoukeng, J.D., Abou-Mansour, E., Tabacchi, R., Tapondjou, A.L., Bouda, H. and Lontsi, D. 2005. Antibacterial triterpenes from *Syzygium guineense* (Myrtaceae). Journal of Ethnopharmacology, **101**, 283-286.

Didomenico, B. 1999. Novel antifungal drugs. Current Opinion in Microbiology. **2**, 509 - 515.

Drouhet, E. and Dupont, B., 1989. Fluconazole for the treatment of fungal diseases in immunosuppressed patients. Annals, **544**, 564 -570.

Duke, J. A. 1985. Handbook of medicinal herbs. CRC Press, Inc., Boca Raton, Fla.

Durden, F. M. and Elewski, B., 1994. Cutaneous involvement with *Cryptococcus neoformans* in AIDS. J. Amer. Acad. Dermatol. **30**, 844 -848.

Eloff, J.N., 1998a. Conservation of Medicinal Plants: Selecting Medicinal Plants for research and gene banking. Monographs in systematic Botany from the Missouri Garden 71, 209-222
In : Conservation of plants Genes III: Conservation and utilisation of African plants. Robert P. Adams and Janice E. Adams, eds., Missouri Botanical Garden Press, St.Louis, USA.

Eloff, J.N., 1998b. Which extractant should be used for the screening and isolation of antimicrobial components from plants? J. of Ethnopharmacology, **60**, 1- 8.

Eloff, J.N., 1998c. The presence of antibacterial compounds in *Anthocleista grandiflora* [Loganiaceae] South African Journal of Botany, **64**, 209 -212.

Eloff, J.N., 1998d. A sensitive and quick microplate method to determine the minimal inhibitory concentration of plants extracts for bacteria. Planta Medica, **64**, 711-713.

Eloff, J.N., 1999. The antibacterial activity of 27 Southern African members of the Combretaceae. South African Journal of Science, **95**, 148 -152.

Eloff, J.N., 2000. A proposal on expressing the antibacterial activity of plant extracts – a small first step in applying scientific knowledge to rural primary health care in South Africa. S. Afr. J. Sci. **96**, 116 - 118.

Eloff, J.N., 2001. Antibacterial activity of Marula (*Scerocarya birrea* (A. Rich.) Hochst. Subsp. *Caffra* (Sond.) Kokwaro) (Anacardiaceae) bark and leaves. *J. of Ethnopharmacology*, **76**, 305 - 308.

Eloff, J.N., Jäger ,A.K and van Staden, J., 2001. The stability and relationship between anti-inflammatory activity and antibacterial activity of southern African *Combretum* species. *S. Afr. J. Sci.* **97**, 291 - 293.

Eloff, J.N., 2004. Quantifying the bioactivity of plant extracts during screening and bioassay-guided fractionation. *Phytomedicine*, **11**, 370 - 371.

Eloff J.N., Famakin, J.O., and Katerere, D.R.P., 2005a. *Combretum woodii* (Combretaceae) leaf extracts have high activity against Gram-negative and Gram-positive bacteria. *African J. of Biotechnology*, **4**, 1161 - 1166.

Eloff, J.N., Famakin, J.O., and Katerere, D.R.P., 2005b. Isolation of an antibacterial stilbene from *Combretum woodii* (Combretaceae). *African J. of Biotechnology*, **4**, 1166 - 1171.

Eskilsson, C.S. and Bjorklund, E., 2000. Analytical-scale microwave-assisted extraction (Lecture Notes), Lund University Sweden.

Estrada, A., Cammarao, P.L. and Coates-Estrada, R. 2000. Birds species richness in vegetation fences and in strips of residual rain forest vegetation at Los Tuxtlas, Mexico. *Biodivers. Conserv.*, **9**, 1399 - 1416.

Espinel-Ingroff, A. and Pfaller, M.A., 1995. Antifungal agents and susceptibility testing. In: P.R. Murray, E.J. Baron, M.A. Pfaffer, F.C. Tenover, R.H. Yolken (eds). *Manual of clinical microbiology*. ASM Press, Washington D.C., 1405 -1414.

Espinel-Ingroff, A. 1998. Comparison of in vitro activities of the new triazole SCH 56592 and the echinocandins MK-0991 (L-743,872) and LY 303366 against opportunistic filamentous and dimorphic fungi and yeast. *J Clin Microbiol.* **36**, 2950 -2956.

Famakin, J. O. 2002. Investigation of antimicrobial compounds present in *Combretum woodii*, MSc thesis, University of Pretoria.

Fang, X., Anderson, J. E., Chang, C and McLaughlin, J. L., (1991). Three new bioactive styryllactones from *goniothalamus giganteus* (Annonaceae). *Tetrahedron*, **47(47)**, 9751-9758

Farnsworth, N.R., 1988. Screening plants for new medicines. In: Wilson, E.O. (Ed), Biodiversity. National Academic Press, Washington, DC, pp 83 -97.

Farnsworth, N.R. and Soejarto, D.D., 1991. Global importance of medicinal plants. In: Akerele O., Heywood V. and Synge H. (Eds), Conservation of Medicinal Plants. Cambridge University Press, Cambridge.

Farnsworth, N.R., 1994. The ethnobotanical approach to drug discovery: strengths and limitations. In: Prance G.T. (Ed), Ethnobotany and the search for new drugs. In: Ciba Foundation Symposium, **185**. Chichester, pp. 42 -59.

Fernandes de Caleya, R., Gonzalez-Pascual, B., Garcia-Olmedo, F. and Carbonero, P. 1972. Susceptibility of phytopathogenic bacteria to wheat purothionins in vitro. *Appl. Microbiol.* **23**, 998 -1000.

Fessenden, R. J. and J. S. Fessenden. 1982. Organic chemistry, 2nd ed. Willard Grant Press, Boston, Mass

Finkel, T. and Holbrook, N.J. 2000. Oxidants, oxidative stress and biology of ageing. *Nature*, **408**, 239 - 247.

Flee, G.H. and Phaff, H.J., 1981. In Encyclopaedia of Plant Physiology: Plant Carbohydrates II. 13b. Tanner W. et al. (Eds.), Springer-Verlag, Germany, 416 - 440.

Font, N., Hernández, F., Hogendoorn, E.A., Baumann, R.A. and van Zoonen, P., 1998. *J. Chromatogr. A* **798**, 179.

Fothergill, A.W. 1996. Identification of dematiaceous fungi and their role in human diseases. *Clin.Infest. Dis.* **22(2)**, S179 - S184.

Fried, B. and Sherma, M. 1982. In: Cazes, Editor. *Chromatographic Science Series, 17. Thin-layer Chromatography*, Marcel Dekker, New York.

Fyhrquist, P., Mwasumbi, L., Haeggstrom, C. -A., Vuorela, H., Hiltunen, R. and Vuorela, P. 2002. Ethnobotanical and antimicrobial investigation of some species of *Terminalia* and *Combretum* (Combretaceae) growing in Tanzania. *J. of Ethnopharmacology*, **79**, 169 -177.

Garro, L.C. 1986. Intracultural Variation in Folk Medical Knowledge: A Comparison Between Curers and Noncurers. *American Anthropologist*. **88**, 351-370.

Geissman, T. A. 1963. Flavonoid compounds, tannins, lignins and related compounds, p. 265. In M. Florkin, and E. H. Stotz (ed.), Pyrrole pigments, isoprenoid compounds and phenolic plant constituents, vol. 9. Elsevier, New York, N.Y.

Georgopapadakou, N.H. 1997. Antifungal targeted to the cell wall. *Exp Opin Invest Drugs*. **6**, 147-150.

Germaud, P., and Tuchais, E., 1995. Allergic bronchopulmonary aspergillosis treated with itraconazole. *Chest*. **107**, 883.

Ghannoum, M.A. and Rice, L.B., 1999. Antifungal agents: mode of action, mechanisms of resistance and correlation of these mechanisms with bacterial resistance. *Clin. Microbial. Rev.*, **12**, 501-517.

Ghoshal, S., Krishna Prasad, B. N. and Lakshmi, V. 1996. Antiamoebic activity of *Piper longum* fruits against *Entamoeba histolytica* in vitro and in vivo. *J. Ethnopharmacol*. **50**, 167-170.

Gong F., Liang, Y.Z. Hui, C. Chau F.T. and Chan B.T.P. 2001a. *J. Chromatogr. A* **905**, 193.

Gong F., Y.Z. Liang, Q.S. Xu and Chau F.T. 2001b. *J. Chromatogr. A* **909**, 237.

Graybill, J.R. 1998. The long and the short antifungal therapy. *Infect. Dis. Clin. North Am*. **2**, 805 - 825.

Guertens G., De Boeck, G. Wood, M. Maes, R.A.A. Eggermont, A.A.M. Highley, M.S. van Oosterom, A.T. de Bruijn E.A. and Tjaden U.R. 2002. *J. Chromatogr. A* **976**, 229.

Gupta, S.K., Dua, A. and Vohra, B.P. 2003. *Withania somnifera* (Ashwagandha) attenuates antioxidant defense in aged spinal cord and inhibits copper induced lipid peroxidation and protein oxidative modifications. *Drug Metabolism and drug Interaction*, **19**, 211- 222.

Halliwell, B and Gutteridge, J.M.C. 1999. Free radicals in biology and medicine. Free radicals in Biology and Medicine, 3rd ed. Oxford University Press, New York.

Hannun, Y.A. Luberto, C. Halpern, M., Szabo, S., Hochberg, E., Hammer, G.S., Lin, J., Gurtman, A.C., Sacks, H.S., Shapiro, R.S., and Hirschman, S.Z., 1992. Renal aspergilloma: an unusual cause of infection in a patient with the acquired immunodeficiency syndrome. *Am. J. Med.* **92**, 437-440.

Harborne, S.B. and Baxter, H., 1995. Phytochemical Dictionary. A handbook of bioactive compounds from plants. Taylor and Francis, London.

Harris, R. S. 1963. Vitamins K, *In* M. Florkin, and E. Stotz (ed.), Pyrrole pigments, isoprenoid compounds and phenolic plant constituents, vol. 9. Elsevier, New York, N.Y.

Harris, R.K. 1985. Quantitative aspects of high-resolution solid-state nuclear magnetic resonance spectroscopy, *Analyst* **110**, 649–655.

Haslam, E. 1996. Natural polyphenols (vegetable tannins) as drugs: possible modes of action. *J. Nat. Prod.* **59**, 205-215.

Heipieper, H. J., Keweloh, H. and Rehm, H. J. 1991. Influence of phenols on growth and membrane permeability of free and immobilized *Escherichia coli*. *Applied Environmental Microbiology*, 57,1213 -1217.

Hemenway, C.S. and Heitman, J. 1999. Calcineurin, structure, function and inhibition. *Cell Biochem. Biophys.*, **30**, 115 -151.

Herscovics, A. and Orlean, P. 1993. Glycoprotein biosynthesis in FASEB J. **7**, 540 - 550.

Ho, P. L., and Yuen, K.Y., 2000. Aspergillosis in bone marrow transplant recipients. *Crit Rev Oncol Hematol.* **34**, 55 - 69.

Hohler, T., Schnütgen, M., Mayer, W.J, and Mayer zum Büschchenfeld, K.H., 1995.
Pulmonary aspergilloma in a patient with AIDS. *Thorax*. **50**, 312-313.

Homans, A.I. and Fuchs, A. 1970. Direct bioautography on thin-layer chromatograms as a method for detecting fungitoxic substances. *Journal of Chromatography A*. **51**, 327 - 329.

Houghton, P.J. and Raman, A. 1998. Laboratory handbook for the fractionation of natural extracts, St Edmundsbury Press, Great Britain.

Hoult, J. R. S. and M. Paya. 1996. Pharmacological and biochemical actions of simple coumarins: natural products with therapeutic potential. *Gen. Pharmacol.* **27**, 713 -722.

Hutchings, A., Scott, A.H., Lewis, G. and Cunningham, A. 1996. Zulu Medicinal Plants, An inventory, University of Natal Press, Pietermarizburg, South Africa.

Imaida, K., Fukushima, S., Shirui, T., Ohtani, M., Nakanishi, K. and Ito, N. 1983. Promoting actions of butylated hydroxy anisole and butylated hydroxytoluene on 2-stage urinary bladder carcinogenesis and inhibition of γ -glutamyl transpeptidase-positive foci development in the liver of rats. *Carcinogenesis*, **4**, 895 - 899.

Inoue, S.B., Takewaki, N. and Takasuka, T. 1995. Characterization and gene cloning of 1,3- β -D-glucan synthase from *Saccharomyces cerevisiae*. *Eur. J. Biochem*, **231**, 845 - 854.

Jäger, A.K., Hutchings, A. and van Staden, J. 1996. Screening of Zulu medicinal plants for prostaglandin-synthesis inhibitors. *J. of Ethnopharmacology*, **52**, 95 -100.

Jiang, W., Gerhold, D. and Kmiec, E.B. 1997. The topoisomerase I gene from *Candida albicans*. *Microbiology*, **143**, 377 - 386.

Kårehed, J. 1997. An ethnobotanical study among the Maasai of the Loita Hills, Kenya.
MFS, 14

Katerere, R.P.D. and Eloff, J.N. 2004. Variation in the chemical composition, antibacterial and antioxidant activity of fresh and dried *Acacia* leaf extracts. *South African J. of Botany*. **70**, 303 - 305.

Katerere, R.P.D. and Eloff, J.N., 2005. Management of Diabetes in African traditional medicine in Soumyanath A (Ed.) Traditional Medicine for Modern Times. Vol 6.

Kaul, T. N., Middletown, Jr., E. and Ogra, P. L. 1985. Antiviral effect of flavonoids on human viruses. *J. Med. Virol.* **15**, 71-79.

Keating, G. J., and O'Kennedy, R. 1997. The chemistry and occurrence of coumarins, p. 348. In R. O'Kennedy, and R. D. Thorne (ed.), Coumarins: biology, applications and mode of action. John Wiley & Sons, Inc., New York, N.Y.

Khafagi, K.I. and Dewedar, M. 2000. The efficiency of random versus ethno-directed research in the evaluation of Sinai medicinal plants for bioactive compounds. *J. of Ethnopharmacology*, **71**, 365 -376.

Klig, L.S., Homann, M.J. and Kohlwein, S.D., 1988. *Saccharomyces cerevisiae* mutant with a partial defect in the synthesis of CDP-diacylglycerol and altered regulation of phospholipids biosynthesis. *J. Bacteriology*, **172**, 4407- 4414.

Koltin, Y. and Hitchcock, C.A. 1997. The search for new triazole antifungal agents. *Curr. Opin. Chem. Bio.*, **1**, 176 -182.

Kotze, M. and Eloff, J. N., 2002. Extraction of antibacterial compounds from *Combretum microphyllum* (Combretaceae). *South African Journal of Botany* **68**, 62-67.

Kruger, J. 2004. Isolation and characterization of antibacterial compounds from three *Terminalia* spp. Ph. D thesis, University of Pretoria.

Kostman, J. R. and DiNubile, M.J. 1993. Nodular lymphangitis: a distinctive but often unrecognized syndrome. *Ann. Intern. Med.* **118**, 883-888.

Kovács, Á., Ganzler, K. and Simon-Sarkadi, L., 1998. *Z. Lebensm.-Unters. Forsch. A* **207**, 26.

Kovacs, H., Moskau, D and Spraul, M. 2005. Cryogenically cooled probes, a leap in NMR technology. *Progress in Nuclear Magnetic Resonance Spectroscopy*, *In Press*.

Kovalchuke, O. and Chakraburty, K. 1994. Comparative analysis of ribosome-associated adenosinetriphosphate (ATPase) from pig liver and the ATPase of elongation factor 3 from *Saccharomyces cerevisiae*. *Eur. J. Biochem.*, **226**, 133 -140.

Kovalchuke, O., Kambampati, R., Blades, E. and Chakraburty, K. 1998. Competition and cooperation amongst yeast elongation factors. *Eur. J. Biochem.*, **258(3)**, 986 - 993.

Kragh, K. M., Nielsen, J. E. Nielsen, K. K., Drebolt, S. and Mikkelsen. J. D. 1995. Characterization and localization of new antifungal cysteine-rich proteins from Beta vulgaris. *Mol. Plant-Microbe Interact.* **8**, 424 - 434.

Kreger-Van Rij, N.J.W. (ed) 1984. The Yeasts: a taxonomic study. 3rd Edition. Elsevier Science Publishers B.V., Amsterdam,The Netherlands.

Kwon-Chung, KJ. 1992. Cryptococcosis. In: Kwon-Chung KJ, Bennett JE, editors. Medical mycology. Philadelphia: Lea & Febiger, 397 - 446.

Larone, D. H. 1995. Medically Important Fungi - A Guide to Identification, 3rd ed. ASM Press, Washington, D.C.

Lawrence, G.H.W. 1951. The taxonomy of vascular plants. Macmillan, New York.

Leaman, D.J. 1995. Malaria Remedies of the Kenyah of Apo Kayan, East Kalimantan, Indonesian Borneo: A quantitative assessment of local consensus as an indicator of biological efficacy. *Journal of Ethnopharmacology*, **49**, 1-16.

Lee-Huang, S., Huang, P. L. Huang, P. L. Bourinbaiar, A. S. Chen, H. C. and Kung, H. F. 1995. Inhibition of the integrase of human immunodeficiency virus (HIV) type 1 by anti-HIV plant proteins MAP30 and GAP31. *Proc. Natl. Acad. Sci. USA* **92**, 8818-8822.

Li, Y. and Thrush, M.A. 1994. Reactive oxygen dependent DNA damage resulting from the oxidation of phenolic compounds by a copper redox cycle, *Cancer Research*, **54**, 1895s – 1898s.

Li, R.K. and Rinaldi, M.G. 1999. *In vitro* antifungal activity of nikkomycin Z in combination with fluconazole or itraconazole. *Antimicrob Agents Chemother*. **45**, 1401-1405.

Li X.N., Cui, H., Song, Y.Q. and Liang, Y.Z. 2001. *Acta Pharm. Sin.* **36**, 215.

Lima, C.D. and Mondragon, A. 1994. Mechanism of Type II DNA topoisomerase: a tale of two gates. *Structure*, **2**, 559-560.

Lin, J. G., Chung, J. G. and Wu, L. T., 1999. Am. J. Chin. Med., **27**, 265-275.

Liu, Y., Peterson, D. A., Kimura, H and. Schubert, D. (1997). Mechanism of cellular 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide (MTT) reduction. *J. Neurochem.* **69**, 581- 593.

Liu, J., Farmer, J.D. and Lanes, W.S. 1999. Calcineurin is a common target of cyclophilin-cyclosporin A and FKBP-FK506 complexes. *Cell*, **66(4)**, 807-815.

Loche,r C.P., Burch, M.T., Mower, H.F., Berestecky, J., Davis, H., van Poel, B., Lasure ,A., Vanden Berghe, D.A. and Vlietinck, A.J., 1995. Anti-microbial activity and anti-complement activity of extracts obtained from selected Hawaiian medicinal plants. *J. of Ethnopharmacology*, **49**, 23 -32.

Loo, V. G., Bertrand, C., Dixon, C., Vitye, D., DeSalid, A., McLean, A.P.H., Bronx, A., and Robson, H.G., 1996. Control of construction-associated nosocomial aspergillosis in an antiquated hematology unit. *Infect. Control Hosp. Epidemiol.* **17**, 360 -364.

Lopez-Avila, V., Young, R. and Beckert, W.F. 1994. *Anal. Chem.* **66**, 1097.

Lovitt, R.W., Shen, G.-J. and Zeikus, J.G. 1988. Ethanol production by thermophilic bacteria: biochemical basis for ethanol and hydrogen tolerance in *Clostridium thermohydrosulfuricum*. *Journal of Bacteriology*. **170**, 2809 -2815.

Lucas, G. M., Tucker, P., and Merz, W.G., 1999. Primary cutaneous Aspergillus nidulans infection associated with a Hickman catheter in a patient with neutropenia. *Clin Infect Dis.* **29**, 1594 -1596.

Mabogo, D.E.N. 1990. The ethnobotany of the Vhavenda, M.Sc. thesis. Univeristy of Pretoria.

Mahunnah, R.L.A. 1996. Tanzania's policy on biodiversity prospecting and drug discovery programs. *Journal of Ethnopharmacology*, **51**, 221-228.

Mandala, S.M., Thornton, R.A., Rosenbach, M., Milligan, J., Garcia-Calvo, M., Bull, H.G. and Kurtz, M.G. Khafrefungin, a novel inhibitor of sphingolipid synthesis. *J Biol Chem.* 272, 32709 -32714.

Martini, N. 2002. Isolation and characterization of antibacterial compounds from *Combretum erythrophyllum*, Ph. D thesis, University of Pretoria.

Martini, N. and. Eloff, J. N. 1998. The preliminary isolation of several antibacterial compounds from *Combretum erythrophyllum* (Combretaceae). *Journal of Ethnopharmacology*, **62(3)**, 255 -263.

Martini, N., Katerere, D.R.P. and Eloff, J.N., 2004a. Seven flavonoids with antibacterial activity isolated from *Combretum erythrophyllum*. *South African J. of Botany*, **70**, 310 - 312.

Martini, N., Katerere, D.R.P. and Eloff, J.N., 2004b. Biological activity of five antibacterial flavonoids isolated from *Combretum erythrophyllum* (Combretaceae). *J. of Ethnopharmacology*, **93**, 207 -212.

Martin, M.L., Martin, G.L. and Delpuech J.J. 1980. Practical NMR Spectroscopy, Heyden, London, Chapter 9.

Masika, P.J. and Afolayan, A.J., 2002. Antimicrobial activity of some plants use for the treatment of livestock disease in the Eastern Cape, South Africa. *J. of Ethnopharmacology*, **84**, 129 -134.

Masika, P.J., van Averbeke, W. and Sonandi, A., 2000. Use of herbal remedies by small-scale farmers to treat livestock diseases in central Eastern Cape Province, South Africa. *Journal of South African Veterinary Association*, **35(2)**, 87- 91.

Masoko, P., Picard, J. and Eloff, J.N., (2005). Screening of antifungal activity of six South African *Terminalia* species (Combretaceae). *Journal of Ethnopharmacology*, **99**. 301- 308.

Masoko, P. and Eloff J.N., (2005). The diversity of antifungal compounds of six South African *Terminalia* species ((Combretaceae) determined by bioautography. *African Journal of Biotechnology*, **4(12)**, 1425 -1431.

Masoko, P., Picard, J. and Eloff, J.N., (2006). Antifungal activity of twenty-four South Africa *Combretum* species (Combretaceae) (*In Press, South African Journal of Botany*).

Mason, T. L., and Wasserman, B. P. 1987. Inactivation of red beet beta-glucan synthase by native and oxidized phenolic compounds. *Phytochemistry* **26**, 2197 -2202.

McGaw, L.J. and Eloff, J.N., 2005. Screening of sixteen poisonous plants for antibacterial, anthelmintic and cytotoxic activity in vitro. *South African J. of Botany*, **71**, 302 - 306.

McGaw, L.J., Gehring, R., Katsoulis, L and Eloff, J.N., 2005. Is the use of *Gunnera perpensa* extracts in endometriosis related to antibacterial activity? *Onderstepoort J. Veterinary Research*, **72**, 129 - 134.

McGaw, L.J., Rabe, T., Sparg, S.G., Jäger, A.K., Eloff, J.N. and van Staden, J. 2001. An investigation of the biological activity of *Combretum* species. *J. of Ethnopharmacology*, **75**, 45 - 50.

McLaughlin, J.L. 1991. Crown gall tumours on potato discs and brine shrimp lethality: two simple bioassays for higher plants screening and fractionation. *In: K. Hostettmann, Editor, Methods in plant biochemistry* **9**, Academic Press, London , 1- 32.

McMahon, J. B., Currens, M. J., Gulakowski, R. J., Buckheit, R. W. J., Lackman-Smith, C. Hallock, Y. F. and Boyd, M. R. 1995. Michellamine B, a novel plant alkaloid, inhibits human immunodeficiency virus-induced cell killing by at least two distinct mechanisms. *Antimicrob. Agents Chemother.* **39**, 484 - 488.

Mendoza, L., Wilkens, M. and Urzua, A. 1997. Antimicrobial study of the resinous exudates and of diterpenoids and flavonoids isolated from some Chilean *Pseudognaphalium* (Asteraceae). *J. Ethnopharmacol.* **58**, 85 -88.

Mitchell, T.G. and Perfect, J.R. 1995. Cryptococcosis in the era of AIDS—100 years after the discovery of *Cryptococcus neoformans*. *Clin Microbiol Rev*, **8**, 515 - 48.

Mitsher, L.A., Drake, S., Goliapudi, S.R. and Okwute, S.K., 1987. A modern look at folkloric use of anti-infective agents. *Journal of Natural Products*, **50**, 1025 -1040.

Monk, B.C., Mason, A.B., Kardos, T.B. and Perlin, D.S. 1995. Targeting the fungal plasma membrane proton pump. *Acta Biochim. Pol.* **42**, 481- 496.

Mori, T., Matsumura, M., Yamada, K., Irie, S., Oshimi, K., Suda, K., Oguri, T., and Ichinoe M. 1998. Systemic aspergillosis caused by an aflatoxin-producing strain of *Aspergillus flavus*. *Med Mycol.* **36**, 107-112.

Mosmann, T., 1983. Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays. *Journal of Immunological Methods* **65**, 55-63.

Nagiec, M.M., Nagieec, E.E., Baltisberger, J.A., Wells, G.B., Lester, R.L. and Dickson, R.C. 1997. Sphingolipid synthesis as a target for antifungal drug: complementation of the inositol phosphorylceramide synthase defect in a mutant strain of *Saccharomyces cerevisiae* by the *AUR1* gene. **272**, 32709 -32714.

Naidoo, V.R., Katerere, R.D.P., Swan, G.E. and Eloff, J.N., 2004. Pretreatment of bulbs of *Urginea sanguinolenta* used in ethnoveterinary medicine influences chemical composition and biological activity. *Pharmaceutical Biology*, **42**, 529 - 533.

Naidoo, V.R., Zweygarth, E., Eloff, J.N. and Swan, G.E. 2005. Identification of anti-babesial activity for four ethnoveterinary plants in vitro. *Veterinary Parasitology* **130**, 9 - 13.

Naik, G. H., Priyadarsini, K. I., Satav, J. G., Banavalikar, M. M., Sohoni, D. P., Biyani, M. K and Mohan, H., 2003. Comparative antioxidant activity of individual herbal components used in Ayurvedic medicine. *Phytochemistry*, **63**, 97-104.

Namba, T., Morita, O., Huang, S.-L., Goshima, K., Hattori, M., and Kakiuchi. N. 1988. Studies on cardio-active crude drugs. I. Effect of coumarins on cultured myocardial cells. *Planta Med.* **54**, 277-282.

Nchu, F., Magano, S.R. and Eloff, J.N. 2005. *In vitro* investigation of the toxic effects of the extracts of *Allium sativum* on adults of *Hyalomma marginatum rufipes* and *rhipicephalus pulchellus*. *J. of the South African Veterinary Association*, **71**, 302 - 306.

Nimri, L.F., Meqdam, M.M. and Alkofahi, A., 1999. Antibacterial activity of Jordanian medicinal plants. *Pharmaceutical Biology* **37(3)**, 196 -201.

Nose, K. 2000. Role of reactive oxygen species in regulation of physiological functions, *Biological and pharmaceutical Bulletin*, **23**, 897 - 903.

Odom, A., Del-Poeta, M., Perfect, J. and Heitman, J. 1997. The immunosuppressant FK506 and its nonimmunosuppressive analog L-685,818 are toxic to *Cryptococcus neoformans* by inhibition of a common target protein. *Antimicrob. Agents Chemother.* **41**, 156 -161.

Ojala, T., Remes, S., Haansuu, P., Vuorela, H., Hiltunen, R., Haahtela, K. and Vuorela, P. 2000. Antimicrobial activity of some coumarin containing herbal plants growing in Finland. *J. of Ethnopharmacology*, **73(1 –2)**, 299 - 305.

O'Kennedy, R., and Thernes, R. D. (ed.). 1997. Coumarins: biology, applications and mode of action. John Wiley & Sons, Inc., New York, N.Y.

Oki T., Kakushima, M., Hirano, M., Takahashi, A., Ohta, S., Masuyoshi, S., Hatori, M. and Kamei, H. 1992. *In vitro* and *in vivo* antifungal activities of BMS-181184. *J Antibiot.* **36**, 1512 -1517.

Omulokoli, E., Khan, B. and Chhabra, S. C. 1997. Antiplasmodial activity of four Kenyan medicinal plants. *J. Ethnopharmacol.* **56**, 133 -137.

Onuska, F.I. and Terry, K.A. 1993. *Chromatographia* **36**, 191.

Osborne, R and Pegel, K. H., 1984. Jessic acid and related acid triterpenoids from *Combretum elaeagnoides*. *Phytochemistry*, **23**, 635 - 637.

Owen, R.W., Giacosa, A., Hull, W.E., Haubner, R., Speegelhalder, B. and Bartsch H. 2000. The antioxidant/anticancer potential of phenolic compounds isolated from olive oil, European Journal of Cancer, **36**, 1235 - 1247.

Pappas, P. G., Tellez, I., Deep, A.E., Nolasco, D., Holgado, W., and Bustamante, B., 2000. Sporotrichosis in Peru: Description of an area of hyperendemicity. *Clin Infect Dis.* **30**, 65 -70.

Peberby,J.F. 1990. Fungal cell walls. In: Biochemistry of cell walls and membranes in fungi. Kuhn P.J et al. (Eds.), Spring-Verlag, New York, USA, 5 -24.

Pegel, K. H., Rogers, C. B., 1985. The characterization of mollic acid 3d –D-Xyloside and its genuine aglycone mollic acid, two novel 1a-hydroxycycloartenoids from *Combretum molle*. J. Chem. Soc., Perkin Transaction, **1**, 1711-1715.

Pellizzoni, F., Verotta, L., Rogers, C., Pedrotti, B., Balconi, G., Erba, E., Dincalci, M., 1993. Cell growth inhibitor constituents from *Combretum kraussii*. Natural Product Letters, **14**, 273 -280.

Pengsuparp, T., Cai, L., Constant, H., Fong, H. H., Lin, L. Z., Kinghorn, A. D., Pezzuto, J. M. G., Cordell, A., Ingolfsdottir, K. and Wagner, H. 1995. Mechanistic evaluation of new plant-derived compounds that inhibit HIV-1 reverse transcriptase. J. Nat. Prod. **58**, 1024 -1031.

Petit, G. R., Singh, S. B., Niven, M. L., Hamel, E., Schmidt, J. M., Hogan, F., 1995. Antineoplastic agents. 291. Isolation and synthesis of combretastatins A-4, A-5, and A-6 (1a). J. Med Chem. **38**, 1666 -1672.

Phillipson, J. D., and O'Neill, M. J. 1987. New leads to the treatment of protozoal infections based on natural product molecules. Acta Pharm. Nord. **1**, 131-144.

Portillo, A., Vila, R., Freixa, B., Adzet,T. and Canigueral, S. 2001, Antifungal activity of Paraguayan plants used in traditional medicine. J Ethnopharmacol. **76**, 93 -98

Rios, J.L., Recio, M.C. and Villar, A., 1988. Screening methods for natural products with antimicrobial activity, a review of the literature. J. of Ethnopharmacology. **23**, 127-149.

Rabe, T. and van Staden, J., 1997. Antibacterial activity of South African plants used for medicinal purposes. J. of Ethnopharmacology, **56**, 81-87.

Radding, J.A., Heidler, S.A. and Turner, W.W. 1998. Photoaffinity analog of the semisynthetic echocandin LY303366: identification of echinocandin targets in *Candida albicans*. Antimicrob Agents Chemother. **42**, 1187-1194

Re, R., Pellegrini, N., Proteggente, A., Pannala, A., Yang, M. and Rice-Evans, C., 1999. Antioxidant activity applying an improved ABTS radical cation decolourization assay. Free Radical Biology and Medicine, **26**, 1231-1237.

Rex, J. H., and Okhuysen P.C., 2000. *Sporothrix schenckii*, p. 2695-2698. In G. L. Mandell, J. E. Bennett, and R. Dolin (ed.), Mandell, Douglas and Bennett's Principles and Practice of Infectious Diseases, 5th ed. Churchill Livingstone, New York.

Rippon, J.W. 1988. Medical Mycology. 3rd Edition. W.B. Saunders Co., Philadelphia, USA.

Rogers, C.B. and Verotta, L., 1996. Chemistry and biological properties of the African Combretaceae. In: Hostettman K., Chinyanganga F., Maillard M. and Wolfender J.-L. (Eds), Chemistry, Biological and Pharmacological properties of African Medicinal Plants. University of Zimbabwe Publications, Harare, Zimbabwe.

Sala, A., Recio, M.D., Giner, R.M., Manez, S., Tournier, H., Schinella, G. and Rios, J.L. 2002. Anti-inflammatory and antioxidant properties of *Helichrysum italicum*, Journal of Pharmacy and Pharmacology, **54**, 365 - 371.

Saleem, A., Ahotupa, M. and Pihlaja, K. 2001. Total phenolics concentration and antioxidant potential of extracts of medicinal plants of Pakistan, Zeitschrift für Naturforschung, **C 53**, 973 - 978.

Salie, F. and Eagles, P.F.K., 1996. Preliminary antimicrobial screening of four South African Asteraceae species. J. Ethnopharmacol. **52**, 27 - 33.

Saxena, V.K. and Sharma, R.N., 1999. Antimicrobial activity of essential oil of *Lantana aculeate*. Fitoterapia, **70**, 59 - 60.

Scalbert, A. 1991. Antimicrobial properties of tannins. Phytochemistry **30**, 3875 - 3883.

Schage, C. 2000. Medicinal plants of the Washambaa (Tanzania):Documentation and Ethnopharmacological evaluation. Plant Biology, **2**, 83-92.

Schultz, J. C. 1988. Tannin-insect interactions, p. 553. In R. W. Hemingway, and J. J. Karchesy (ed.), Chemistry and significance of condensed tannins. Plenum Press, New York, N.Y.

Serafini, M., A. Ghiselli, and A. Ferro-Luzzi. 1994. Red wine, tea and anti-oxidants. Lancet **344**, 626.

Silva, O., Duarte, A., Cabrita, J., Pimentel, M., Diniz, A. and Gomes, E., 1996. Antimicrobial activity of Guinea-Bissau traditional remedies. *J. of Ethnopharmacology*, **50**, 55 -59.

Sheldon, J., Balick, M.J. and Laird, S.A., 1997. Medicinal Plants: Can utilization and conservation coexist? The New York Botanical Garden, Bronx, New York, USA.

Sherma, J., 2000. Thin layer chromatography in food and agricultural analysis. *J. of Chromatography A*. **880**, 129 - 147.

Slusarenko, A.J., Longland, A.C. and Whitehead, I.M., 1989. A convenient, sensitive and rapid assay for antibacterial activity of phytoalexins. *Botanica Helvetica*, **99**, 203-207.

Smith, A., 1895. A contribution to South African Materia Medica, third ed. Lovedale Press, Lovedale.

Solis, P.N., Wright, C.W., Anderson, M.M., Gupta, M.P. and Phillipson, J.D., 1993. A microwell cytotoxicity assay using *Artemia salina* (brine shrimp). *Planta Medica* **59**, 250-252.

Stecher G., Huck C.W., Stöggli M.W. and Bonn G.K. 2003. Phytoanalysis: a challenge in phytomics. *Trac Trends in Analytical Chemistry*, **22**, 1-14.

Stern, J.L., Hagerman, A.E. Steinberg, P.D. and Mason, P. K. 1996. Phlorotannin-protein interactions. *J. Chem. Ecol.* **22**, 1887-1899.

St-Germain, G. and Summerbell R. 1996. Identifying Filamentous Fungi - A Clinical Laboratory Handbook, 1st ed. Star Publishing Company, Belmont, California.

Stout, S.J., Babbitt, B.W., DaCunha, A.R. and Safarpour, M.M. 1998. *J. AOAC Int.* **81**, 1054.

Stuffness, M. and Douros, J. 1979. Drugs of Plant Origin. Methods in cancer research, 73-126

Sutton, D. A., Fothergill, A.W. and Rinaldi M.G. (ed.). 1998. Guide to Clinically Significant Fungi, 1st ed. Williams & Wilkins, Baltimore.

Takesako, K., Kuroda, H., Inoue, T., Haruna, F., Yoshikawa, Y., Kato, I., Uchida, K., Hiratani, T. and Yamaguchi, H. 1993. Biological properties of aureobasidin A, a cyclic depsipeptide antifungal antibiotic. *J Antibiot.* **46**, 1414 -1420.

Taylor, R. S., Manadhar, N. P. and Towers, G. H. N., 1996. Screening of selected medicinal plants of Nepal of antimicrobial activities. *J. Ethnopharmacol.* **46**, 153 -159.

Thomson, W. A. R. (ed.). 1978. Medicines from the Earth. McGraw-Hill Book Co., Maidenhead, United Kingdom.

Tidwell, R.R., Jones, S.K. and Naiman, N.A. 1993. Activity of cationically substituted bis-benzimidazoles against experimental *Pneumocystis carinii* pneumonia. *Antimicrob. Agents Chemother.* **37(8)**, 1713 -1716.

Timmins, M. 2002. BD oxygen biosensor system vs existing methods of measuring toxicology, www.bdbiosciences.com.

Tkacs, J.S. and Didomenico, B. 2001. Antifungals: what's in the pipeline. *Current Opinion in Microbiology.* **4**, 540 - 545.

Tsuchiya, H., Sato, M., Miyazaki, T., Fujiwara, S., Tanigaki, S., Ohyama, M., Tanaka, T. and Linuma. M. 1996. Comparative study on the antibacterial activity of phytochemical flavanones against methicillin-resistant *Staphylococcus aureus*. *J. Ethnopharmacol.* **50**, 27-34.

Urbini B., Castellini, C., Rondelli, R., Prete, A., Pierinelli, S., and Pession, A., 2000. Cryptococcal meningitis during front-line chemotherapy for acute lymphoblastic leukemia. *Haematologica.* **85**, 1103 -1104.

Uritani, M., Shoumura, Y. and Yamada, M. 1999. Detection and analysis of translation elongation factor 3 genes from various yeast. *Biosci Biotechnol Biochem.* **63**, 769 -772.

Vamos-Vigyazo, L. 1981. Polyphenol oxidase and peroxidase in fruits and vegetables. *Crit. Rev. Food Sci. Nutr.* **15**, 49 -127.

Van Wyk, B. –E., van Oudtshoorn, B. and Gericke N., 1997. Medicinal plants of South Africa, Briza Publications, Pretoria, South Africa.

Vázquez Blanco, E., López Mahía, P. Muniategui Lorenzo, S., Prada Rodríguez, D. and Fernández Fernández, E. 2000. *Fresenius J. Anal. Chem.* **366**, 283.

Vennestrom, J.L., and Klayman, D.L. 1988. Protoberberine alkaloids as antimalarials. Journal of Medicinal Chemistry Jun., **31**(6), 1084 -1087.

Vishwakarma, R. A. 1990. Stereoselective synthesis of beta-arteether from artemisinin. J. Nat. Prod. **53**, 216-217.

Vlietinck, A. J., Van Hoof, L., Tott, J., Lasure, A., Van den Berghe, D., Rwangabo, P. C. Mvukiyumwami, J. 1995. Screening of hundred Rwandese medicinal plants for antimicrobial and antiviral properties. J. Ethnopharmacol. **46**, 31- 47.

von Maydell, H.-J., 1996. Trees and shruds of the Sahel. Verlag Josef Margraf, Weikersheim, p. 562.

Walsh, T.J., Yeldandi, V., McEvoy, M., Gonzalez, C., Chanock, S., Freifeld, A., Seibel, N.I., Whitcomb, P.O., Jarosinski, P. and Boswel, G. 1998. Safety tolerance and pharmacokinetics of a small unilamellar liposomal formulation of smphotericin B (AmBisome) in neutropenic patients. Antimicrob Agents Chemother. **42**, 2391-2398.

Wan, H.B. and Wong, M.K. 1996. J. Chromatogr. A **754**, 43.

Wang, J.C. 1971. Interaction between DNA and an *Escherichia coli* protein omega. J. Mol. Biol., **55**, 523-533.

Watanabe, M., Gomi, S., Tohyama, H., Ohtsuka, K., Shibahara, S., Inouye, S., Kobayashi, H., Suzuki, S., Kondo, S., Takeuchi, T and Yamaguchi, H. 1996. Binding of benanomicin A to fungal cells in reference to its fungicidal action. J Antibiot. **49**, 366 - 373.

Weinberg, R.A., McWheter, C.A., Freeman, S.K., Wood, D.C. and Gordon J.I. 1995. Genetic studies reveal that myristolCoA:protein N-myristoltransferase is an essential enzyme in *Candida albicans*. Mol Microbiol. **6**, 241-250.

Weitzman, I., and Summerbell, R.C. 1995. The dermatophytes. Clin Microbiol Rev. **8**, 240-259.

Wey, S.B., Mori, M., Pfaller, M., Woolson, R.F. and Wenzel, R.P. 1988. Hospital-acquired candidemia. The attributable mortality and excess length of stay. Arch. Intern. Med. **148**, 2642 - 2645.

White, T.C., Marr, K.A. and Bowden, R.A. 1998. Clinical, cellular and molecular factors that contribute to antifungal drug resistance. *Clin. Microbiol. Rev.* **11**, 383 - 398.

WHO: World Health Organisation, 1979. The selection of essential drugs. Second report of the WHO Expert Committee. WHO Technical Report Series, **641**, pp 1- 44.

Wild, R. (ed.). 1994. The complete book of natural and medicinal cures. Rodale Press, Inc., Emmaus, Pa.

Williams, V.L. 1996. The Witwatersrand muti trade. *Veld and Flora*, **82**, 12-14.

Wills, E.A., Redinbo, M.R., Perfect, J.R. and Del-Poeta, M. 2000. New potential targets for antifungal development. Antifectives, Ashley Publication Ltd.

Zhang, Y., and Lewis, K. 1997. Fabatins: new antimicrobial plant peptides. *FEMS Microbiol. Lett.* **149**, 59 - 64.

Zheng, W. and Wang, S. 2001. Antioxidant activity and phenolic composition in selected herbs. *Journal of Agricultural and Food Chemistry*, **49**, 5165 - 5170.

Zong, W., Jeffries, M.W. and Geogopapadakou, N.H., 2000. Inhibition of inositol phosphorylceramide synthase by aureobasidin A in *Candida* and *Aspergillus* species. *Antimicrob. Agents Chemother.* **44**, 651- 653.

