

## 10. REFERENCES

- Allsopp, H.L. 1961: Rb-Sr age measurements on total rock and separated-mineral fractions from the Old Granite of the central Transvaal. *Journal of Geophysical Research* 66, 1499-1408.
- Anderson E.M. 1951: The dynamics of faulting. Oliver and Boyd, Edinburgh.
- Anhaeusser, C.R. 1973: The geology and geochemistry of the Archean granites and gneisses of the Johannesburg-Pretoria dome. *Special Publication Geological Society South Africa* 3, 361-385.
- Anhaeusser, C.R. and Wilson, J.F. 1981: The Granitic Gneiss-Greenstone Shield. In: *Precambrian of the southern Hemisphere*, (ed.) Hunter, D.R. Elsevier, Amsterdam, 423-492.
- Armstrong, R.A, Compstone, W., Retief, E.A., Williams, I.S. and Welke, H.J. 1990: Zircon ion microprobe studies bearing on the age and evolution of the Witwatersrand Triad. *Precambrian Research* 53, 243-266.
- Barton, J.M., Fripp, R.E.P., Horrocks, P., and McLean, N. 1979: The geology, age and tectonic setting of the Messina layered Intrusion, Limpopo Mobile Belt, southern Africa. *American Journal of Science* 279, 1108-1134.
- Barton, E.S., Altermann, W., Williams, I.S., and Smith, C.B. 1994: U-Pb zircon age for a tuff in the Campbell Group, Griqualand West Sequence, South Africa: Implications for Early Proterozoic rock accumulation rates. *Geology* 22, 343-346.
- Beukes, N.J. 1983: Paleoenvironmental setting of iron-formations in the depositional basin of the Transvaal Supergroup, South Africa, In: *Iron-formation: Facts and problems*, (eds.) Trendall, A.F., and Morris, R.C. Elsevier, Amsterdam, 131-209.
- Beukes, N.J. and Cairncross, B. 1991: A lithostratigraphic-sedimentological reference profile for the Late Archaean Mozaan Group, Pongola sequence: application to sequence stratigraphy and correlation with the Witwatersrand Supergroup. *South African Journal of Geology* 94, 44-69.
- Bickle, M.J., and Eriksson, K.A. 1982: Evolution and subsidence of early Precambrian sedimentary basins. *Phil. Trans. Royal Society of London, A*, 305, 225-247.
- Biesheuvel, K. 1970: An interpretation of a gravimetric survey in the area west of the Pilanesberg, in the Western Transvaal, In: *Symposium on the Bushveld Igneous Complex and other layered intrusions*, (eds.): Visser, D.J.L. and von Gruenewaldt, G.. *Special Publication, Geological Society of South Africa* 1, 1-18.
- Bloy, P.D. 1986: The Rustenburg Fault. Unpublished B.Sc. Honours dissertation, University of Natal.
- Brandl, G. 1987: The Geology of the Tzaneen area. Explanation, Sheet 2330, Geological Survey, Pretoria.
- Brandl, G. and de Wit, M.J. 1997: The Kaapvaal Craton. In: *Greenstone belts*, (eds.) de Wit, M.J. and Ashwal, L.D. Claredon Press, New York, 581-607.
- Brandl, G. and Reimold, W.U. 1990: The structural setting and deformation associated with pseudotachylite occurrences in the Palala Shear Belt and Sand River Gneiss, Northern Transvaal, *Tectonophysics* 171, 201-220.

- Broekhuizen A. 1998: The geology of the Koedoesrand Formation, northwestern Transvaal, and its relationship to the Palala Shear Zone. Unpublished M.Sc. thesis, University of Pretoria.
- Brynard, J.H. 1996: BOSGIS – 'n Geografiese inligtingstelsel vir die Bosveldkompleks, Handleiding. Unpublished, University of Pretoria, Department of Earth Sciences.
- Bumby, A.J. 1997: The geology of the Rustenburg fault. Unpublished M.Sc. thesis, University of Pretoria.
- Bumby A.J., Eriksson P.G., van der Merwe R. 1998: Compressive deformation in the floor rocks to the Bushveld Complex (South Africa): evidence from the Rustenburg Fault Zone. *Journal of African Earth Sciences* 27, 307-330.
- Bumby, A.J. 2000: The geology of the Blouberg Formation, Waterberg and Soutpansberg Group in the area of Blouberg mountain, Northern Province, South Africa. Unpublished Ph.D. thesis, University of Pretoria.
- Burke, K., Kidd, W.S.F. and Kusky, T., 1985: Is the Ventersdorp Rift System of southern Africa related to a continental collision between the Kaapvaal and Zimbabwe cratons at 2.64 Ga ago? *Tectonophysics* 115, 1-24.
- Burke, K., Kidd, W.S.F. and Kusky, T. 1986: Archaean foreland basin tectonics in the Witwatersrand, South Africa. *Tectonics* 5, 439-456.
- Button, A., 1973: A regional study of the stratigraphy and development of the Transvaal basin in the eastern and north-eastern Transvaal. Unpublished Ph.D. thesis, University of the Witwatersrand.
- Button, A., 1981: The Ventersdorp Supergroup. In: *Precambrian of the southern hemisphere*, (ed.) D.R. Hunter. Elsevier, Amsterdam, 520-527.
- Callaghan, C.C., Eriksson, P.G., and Snyman, C.P. 1991: The sedimentology of the Waterberg Group in the Transvaal, South Africa: an overview. *Journal of African Earth Sciences* 13, 121-139.
- Cawthorn R.G. 1998: Geometrical relations between the Transvaal Supergroup, the Rooiberg Group, and the mafic rocks of the Bushveld Complex. *South African Journal of Geology* 101, 275-279.
- Cawthorn R.G., Davies G., Clubley-Armstrong A. and McCarthey T.S. 1981: Sills associated with the Bushveld Complex, South Africa: an estimate of the parental magma composition. *Lithos* 14, 1-15.
- Charlesworth E.G., McCarthy, T.S., Stanistreet, I.G. and Cadle, A.B. 1986: Structural geology of the Rietfontein fault system on the Cenral Rand. *Geogongress 1986, Extended abstracts*. Geological Society of South Africa, Johannesburg, 23-26.
- Clendenin, C.W. 1989: Tectonic influence on the evolution of the early proterozoic Transvaal Sea, southern Africa. Unpublished Ph.D. thesis, University of Witwatersrand.
- Clubley-Armstrong, A.R. and Sharpe, M.R., 1979: The structural evolution of the Dennilton Dome and its relationships to the intrusion of the Bushveld Complex: *Transactions Geological Society of South Africa* 82, 23-26.

- Coertze, F.J. 1962: The Rustenburg Fault as a controlling factor of ore-deposition southwest of Pilanesberg. *Transactions Geological Society of South Africa* 62, 179-201.
- Coertze, F.J., 1970: The geology of the western part of the Bushveld Igneous Complex. In: *Symposium on the Bushveld Igneous Complex and other layered intrusions*, (eds.) D.J.L. Visser and G. von Gruenewaldt, Special Publication 1, Geological Society of South Africa, 5-22.
- Coertze, F.J. 1974: The geology of the basic portion of the western part of the Bushveld Igneous Complex. *Geological Survey South Africa, Memoir* 66.
- Cole, D.I. 1992: Evolution and development of the Karoo Basin. In: *Inversion Tectonics of the Cape Fold Belt, Karoo and Cretaceous Basins of Southern Africa*, (eds.) de Wit, M.J. and Ransome, I.G.D. Balkema, Rotterdam, 87-100.
- Corner, B., Durrheim, R.J. and Nicolaysen, L.O., 1990: Relationship between the Vredefort structure and the Witwatersrand basin within the tectonic framework of the Kaapvaal craton as interpreted from regional gravity and aeromagnetic data: *Tectonophysics* 171, 49-61.
- Courtnage, P.M. 1995: Post-Transvaal deformation between the Johannesburg Dome and the Bushveld Complex. Unpublished M.Sc. thesis, University of the Witwatersrand.
- Cousins, C.A., 1959: The structure of the mafic portion of the Bushveld Igneous Complex: *Transactions Geological Society of South Africa* 62, 179-201.
- Coward, M.P. and Fairhead, J.D., 1980: Gravity and structural evidence for the deep structure of the Limpopo Belt, southern Africa. *Tectonophysics* 68, 31-43.
- Coward, M.P. Spencer, R.M. and Spencer, C.E. 1995: Development of the Witwatersrand Basin, South Africa. In: *Early Precambrian Processes*, (eds.) Coward, M.P. and Ries, A.C. Geological Society Special Publication 95, 243-269.
- Cox, K.G., 1970: Tectonics and volcanism of the Karoo Period and their bearing on the postulated fragmentation of Gondwanaland in African magmatism and tectonics, (eds.) T.N. Clifford and I.G. Gass. Oliver and Boyd, Edinburgh, 211-235.
- Crocker, I.T. 1976: Fluorite mineralisation in the Bushveld Granites southeast of Rooiberg, Transvaal. Unpublished M.Sc. thesis, University of Stellenbosch.
- Crockett, R.N., 1969: Geological significance of the margin of the Bushveld basin in Botswana: Unpublished Ph.D. thesis, University of London.
- Crockett, R.N., 1971: Some aspects of post-Transvaal tectogenesis in southeastern Botswana, with particular reference to the Lobatse-Ramotswa areas. *Transactions Geological Society of South Africa* 74, 211-235.
- Daly, 1928: The Bushveld Igneous Complex of the Transvaal. *Geological Society America Bulletin* 55, 125-145.
- DeMers, M.N. 1997: *Fundamentals of Geographic Information Systems*. John Wiley and Sons, New York.
- De Waal, S.A. 1963: Die plooikompleks van die Sisteem Transvaal noord van Marble Hall en die meegaande metamorfe en intrusiegesteentes. Unpublished M.Sc. thesis, University of Pretoria.

- De Waal, S.A. 1970: Interference-folding of Bushveld Igneous Complex age in the Transvaal System north of Marble Hall, Transvaal. In: Symposium on the Bushveld Igneous Complex and other layered intrusions, (eds.) Visser, D.J.L., and Von Gruenewaldt, G. Special Publication of the Geological Society of South Africa 1, 283-298
- De Wit, M.J. 1992: The geology and tectonic evolution of the Pietersburg Greenstone Belt, South Africa. *Precambrian Research* 55, 123-153.
- De Wit, M.J., and Hart, R.A. 1993: Earth's earliest continental lithosphere, hydrothermal flux and crustal recycling. *Lithos* 30, 309-335.
- De Wit, M.J. and Roering, C., 1990: Episodes of formation and stabilization of the Kaapvaal craton in the Archaean: an overview based on some selected recent data, In: The Limpopo Belt: a field workshop on granulites and deep crustal tectonics, (ed.): J.M. Barton. Extended abstracts, Johannesburg, 42-52.
- De Wit, M.J., Jeffery, M., Bergh, H. and Nicolayson L.O. 1988: The Geological map of Gondwana, with explanatory notes. American Association of Petroleum Geologists, Tulsa.
- De Wit, M.J., Roering, C., Hart, R. J., Armstrong, R.A., De Ronde, C.E.J., Green, R.W.E., Tredoux, M., Peberdy E., and Hart R.A. 1992: Formation of an Archean continent. *Nature* 357, 553-562.
- De Wit, M.J., Armstrong, R.A., Kamo, S.L. and Erlank, A.J., 1993: Gold-bearing sediments in the Pietersburg greenstone belt: age equivalents of the Witwatersrand Supergroup sediments. *South Africa. Economic Geology* 88, 1242-1252.
- Dingle, R.V., Siesser, W.G. and Newton, A.R. 1983: Mesozoic and Tertiary geology of southern Africa: Balkema, Rotterdam.
- Du Plessis, M.D. 1978: Geological Map of Nylstroom 1:250 000 sheet (2428), explanatory notes. Geological Survey of South Africa.
- Du Plessis, C.P. 1991: Tectonism along the Thabazimbi-Murchison Lineament. Unpublished Ph.D. thesis, University of the Witwatersrand.
- Du Plessis, A. and Levitt, J.G., 1987: On the structure of the Rustenburg Layered Suite – insight from seismic data. Abstracts, Indaba on the Tectonic Setting of Layered Intrusives, Pretoria, South Africa.
- Du Plessis C.P. and Walraven F. 1990: The tectonic setting of the Bushveld Complex in Southern Africa, Part 1. Structural deformation and distribution. *Tectonophysics* 179, 305-319.
- Du Toit, A.L., 1929: The Volcanic belt of the Lebombo: a region of tension: *Transactions, Royal Society of South Africa*, XVIII (111), 189-218.
- Eales, H.V., Botha, W.J., Hattingh, P.J., De Klerk, W.J., Maier, W.D. and Odgers, A.T.R., 1993: The mafic rocks of the Bushveld Complex: a review of emplacement and crystallization history, and mineralization, in the light of recent data: *Journal of African Earth Sciences* 16, 121-142.
- Engelbrecht, J.P., 1986: Die Bosveld Kompleks en sy vloergesteentes in die omgewing van Nietverdiend, Wes-Transvaal: Unpublished Ph.D. thesis, University of Pretoria.

- Eriksson, K.A., Turner, B.R., and Vos, R.G. 1981: Evidence of tidal processes from the lower part of the Witwatersrand Supergroup, South Africa. *Sedimentary Geology* 29, 309-325.
- Eriksson, P.G., Meyer, R., and Botha, W.J. 1988: A hypothesis on the nature of the Pretoria Group Basin. *South African Journal of Geology* 91, 490-497.
- Eriksson P.G., Schreiber U.M., and Van der Neut M. 1991: A review of the sedimentology of the Early Proterozoic Pretoria Group, Transvaal Sequence, South Africa: implications for tectonic setting. *Journal of African Earth Sciences* 13, 107-119.
- Eriksson, P.G. and Reczko, B.F.F. 1995: The sedimentary and tectonic setting of the Transvaal Supergroup floor rocks to the Bushveld complex. *Journal of African Earth Sciences* 21, 487-504.
- Eriksson P.G, Reczko B.F.F., Corner B. and Jenkins S.L. 1996: The Kanye axis, Kaapvaal craton, southern Africa: a postulated Archaean crustal architectural element inferred from three-dimensional basin modeling of the lower Transvaal Supergroup. *Journal of African Earth Sciences* 22, 223-233.
- Eriksson P.G, van der Merwe R., and Bumby A.J. 1998: The Palaeoproterozoic Woodlands Formation of eastern Botswana-northwestern South Africa: lithostratigraphy and relationship with Transvaal Basin inversion structures. *Journal of African Earth Sciences* 27, 349-358.
- Fourie, E.T. 1984: Die stratigrafie en sedimentologie van die Chuniespoort-Groep in noordwes-Transvaal. Unpublished M.Sc. thesis, Rand Afrikaans University.
- Friese, A.E.W., Charlesworth, E.G. and McCarthy, T.S. 1995: Tectonic processes within the Kaapvaal craton during the Kibaran (Grenville) orogeny: Structural, geophysical and isotopic constraints from the Witwatersrand basin and environs. Economic Geology Research Unit, Information Circular 292. University of Witwatersrand, Johannesburg.
- Fripp, R.E.P., 1981: The ancient Sand River Gneisses, Limpopo mobile belt, South Africa. *Special Publication of Geological Society of Australia* 7, 329-335.
- Fripp, R.E.P., Van Nierop, D.A., Callow, M.J., Lilly, P.A. and du Plessis, L.U. 1980: Deformation in part of the Archaean Kaapvaal Craton, South Africa: *Precambrian Research* 13, 241-251.
- Gibson, R.L., Courtnage, P.M., and Charlesworth, E.G. 1999: Bedding-parallel shearing and related deformation in the lower Transvaal Supergroup north of the Johannesburg Dome, South Africa. *South African Journal of Geology* 102, 99-108.
- Gold, D. 1983: The geological evolution of a part of the Pongola Sequence, southern Kaapvaal Craton. Unpublished Ph.D. thesis, University of Natal, Pietermaritzburg.
- Good, N., and de Wit, M.J. 1997: The Thabazimbi-Murchison Lineament of the Kaapvaal Craton, South Africa: 2700 Ma of episodic deformation. *Journal Geological Society, London* 154, 93-97.
- Grobler, N.J., 1972: The geology of the Pietersburg greenstone belt. Unpublished D.Sc. thesis, University of the Orange Free State.
- Groenewald, P.B., Grantham, G.H. and Watkeys, M.K. 1991: Geologic evidence for a Proterozoic to Mesozoic link between southeastern Africa and Dronning Maud Land, Antarctica. *Journal Geological Society, London* 148, 1115-1123.

- Hall, A.L. 1932: The Bushveld Igneous Complex of the central Transvaal: Memoir, Geological Survey of South Africa 28.
- Hamilton, W.B. 1977: Bushveld Complex – Product of impacts. In: Symposium on the Bushveld Igneous Complex and other layered intrusions, (eds) Visser, D.J.L., and Von Gruenewaldt, G. Special Publication Geological Society South Africa 1, 367-379.
- Harmer, R.E., and Von Gruenewaldt, G. 1991: Magmatism associated with the Transvaal Basin – Implications for its tectonic setting. Research Report 91, Institute Geological Research Bushveld Complex, University of Pretoria, 53.
- Hartzer, F.J. 1987: Die geologie van die Krokodilrivierfragment, Transvaal: Unpublished M.Sc. Thesis, Rand Afrikaans University.
- Hartzer F.J. 1994: Geology of Transvaal inliers in the Bushveld Complex. Unpublished Ph.D. thesis, Rand Afrikaans University.
- Hartzer, F.J. 1995: Transvaal Supergroup inliers: The geology, tectonic development and relationship with the Bushveld complex, South Africa. *Journal of African Earth Sciences* 21, 521-547.
- Hatton C.J. 1995: Mantle plume origin for the Bushveld and Ventersdorp magmatic provinces. *Journal of African Earth Sciences* 21, 571-577.
- Hofmann, C. 1997: Strukturele studie van die Nebo Graniete. Unpublished Honours dissertation, University of Pretoria.
- Holzer, L., Frei, R., Barton, J.M., Jr. and Kramers, J.D. 1998: Unravelling the record of successive high grade events in the Central Zone of the Limpopo belt using Pb single phase dating of metamorphic minerals. *Precambrian Research* 87, 87-115.
- Hunter, D.R. 1974: Crustal development in the Kaapvaal Craton, I: The Archaean: *Precambrian Research* 1, 295-326.
- Hunter, D.R. 1975: The regional geological setting of the Bushveld Complex. (An adjunct to the provisional tectonic map of the Bushveld Complex): Economic Geology Research Unit, University of the Witwatersrand.
- Hunter, D.R. 1976: Some enigmas of the Bushveld Complex: *Economic Geology* 71, 229-248.
- Hunter, D.R. 1981: Plutonic events in the cratonic areas - Granitic events in Precambrian of the Southern hemisphere, (eds.) D.R. Hunter: Elsevier, Amsterdam, 562-569.
- Hunter, D.R. and Hamilton, P.J. 1978: The Bushveld Complex. In: Evolution of the earth's crust, (ed.): D.H. Tarling. Elsevier, Amsterdam, 397-422.
- Jansen H. 1982: The Geology of the Waterberg Basin. Geological Survey of South Africa Memoir 71.
- Keyser, 1997: Geological map of the Republic of South Africa and the Kingdoms of Lesotho and Swaziland, scale 1:1000 000. Council for Geoscience, Pretoria.
- Lapidus, D.F. 1990: Collins Dictionary of Geology. Caledonian, Glasgow.

- Lee C.A, and Sharpe M.R. 1986: The structural setting of the Bushveld Complex - an assessment aided by Landsat imagery. In: Mineral Deposits of Southern Africa I&II, (eds.) Anhaeusser, C.R. and Maske, S. Geological Society of South Africa, Johannesburg, 1031-1038.
- Lenthall, D.H. 1975: Aspects of the geochemistry of the acid phase of the central and Bushveld complex. Information Circular 99, Economic Geology Research Unit, University of the Witwatersrand.
- Leube, A., and Strumpf, E.F. 1963: The Rooiberg and Leeupoort Tin Mines, Transvaal, South Africa. *Economic Geology* 58, 391-418.
- Light, M.P.R. 1982: The Limpopo Mobile Belt: A result of continental collision. *Tectonics* 1, 325-342.
- MacCaskie, D.R. 1983: Differentiation of the Nebo granite (Main Bushveld granite), South Africa. Unpublished M.Sc. thesis, University of Oregon.
- Martin, K.K. and Hartnady, C.J. 1986: Plate tectonic development of the southwest Indian Ocean: a revised reconstruction of East Antarctica and Africa. *Journal of Geophysical Research* 91, 4767-4786.
- Matthews, P.E. 1990: A plate tectonic model for the Late Archaean Pongola Supergroup in southeastern Africa. In: Crustal evolution and orogeny, (eds.) Sychanthavong, S.P.H. Oxford, New Delhi, 41-73.
- McCourt, S. 1995: The crustal architecture of the Kaapvaal crustal block South Africa, between 3.5 and 2.0 Ga. *Mineral Deposita* 30, 89-97.
- McCourt, S. and Vearncombe, J.R. 1987: Shear zones bounding the Central Zone of the Limpopo Mobile Belt, southern Africa: *Journal of Structural Geology* 9, 127-137.
- McCourt, S. and Vearncombe, R. 1992: Shear zones of the Limpopo Belt and adjacent granitoid-greenstone terranes: implications for late Archaean collision tectonics in southern Africa *Precambrian Research* 55, 553-570.
- McCourt, S. and Wilson, J.F. 1992: Late Archaean and Early Proterozoic tectonics of the Limpopo and Zimbabwe provinces, southern Africa. In: The Archaean: Terrains, processes and Metallogeny, (eds.) Glover, J.E. and Ho, S.E., 237-246.
- Molyneux, T.G., 1970: A geological investigation of the Bushveld Complex in Sekhukhuneland and part of the Steelpoort valley, eastern Transvaal with particular reference to the oxide minerals. Unpublished Ph.D. thesis, University of Pretoria.
- Molyneux, T.G. and Klinker P.S, 1978: A structural interpretation of part of the eastern mafic lobe of the Bushveld Complex and its surrounds. *Geological Society of South Africa Transactions* 81, 359-368.
- Nicolaysen, L.O. 1985: Renewed ferment in the earth sciences - Especially about power supplies for the core, for the mantle and for crises in the faunal record: *South African Journal of Science* 81, 120-132.
- Nicolaysen, L.O. and Ferguson, C., 1980: Diapirs driven by high pore fluid pressure: Abstract, Tectonic Studies Group, Symposium on diapirism and gravity tectonics, Leeds.
- Park R.G, 1997. *Foundations of Structural Geology*, 3<sup>rd</sup> edition. Chapman and Hall, London.

- Shupe, M.R. and Chubbuck, R. 1982: Structures in Transvaal Sequence rocks within and around the Bushveld Complex. Unpublished Ph.D. thesis, University of Pretoria.
- Potgieter G.J. 1992: Tektonisme langs die noordoostelike rand van die Bosveld kompleks. Unpublished Ph.D. thesis, University of Pretoria.
- Pringle, I.C. 1986: Zwartkloof fluorite deposits, Warmbaths district. Mineral deposits of Southern Africa. In: Mineral deposits of southern Africa, (eds.) Anhaeusser, C.R. and Maske, S. Geological Society of South Africa, Johannesburg, 1343-1349.
- Ramsay, J.G. 1963: Structural investigation in the Barberton Mountain Land, Eastern Transvaal: Transactions Geological Society of South Africa 66, 355-401.
- Reimold, W.U. and Gibson, R.L. 1996: Geology and evolution of the Vredefort Impact Structure. Journal of African Earth Sciences 23, 125-162.
- Robb, L.R, Davies, D.W and Kamo, S.L. 1991: Chronological framework for the Witwatersrand Basin and environs: towards a time-constrained depositional model. South African Journal of Geology 94, 86-95.
- Roering, C. 1984: The Witwatersrand Supergroup at Swartkops: A re-examination of the structural geology. Transactions Geological Society of South Africa 87, 87-99.
- Roering, C. 1986: Aspects of thrust faulting on the northern margin of the Witwatersrand basin. Geocongress 1986, extended abstracts. The Geological Society of South Africa, Johannesburg, 59-62.
- Roering, C. and Smit, C.A. 1987: Bedding-parallel shear, thrusting and quartz vein formation in Witwatersrand quartzites. Journal of Structural Geology 9, 419-427.
- Roering, C., Barton, J.M. and Winter, H. de la R. 1990: The Vredefort Structure; A perspective with regard to new tectonic data from adjoining terranes: Tectonophysics 171, 7-22.
- Roering, C. van Reenen, D.D., Smit, C.A., Barton Jr., C.A., de Beer, J.H., de Wit, M.J., Stettler, E.H., van Schalkwyk, J.F., Stevens, G. and Pretorius, S. 1992: Tectonic model for the evolution of the Limpopo Belt. Precambrian Research 55, 539-552.
- S.A.C.S. (South African Committee for Stratigraphy). 1980: Stratigraphy of South Africa. Part 1, (ed) Kent, L.E. Lithostratigraphy of the Republic of South Africa, South West Africa/Namibia, and the Republics of Boputhatswana, Transkei and Venda. Handbook of the Geological Survey of South Africa 8.
- Schreiber, U.M., Eriksson, P.G., van der Neut, M. and Snyman, C.P. 1992; Sedimentary petrography of the early proterozoic Pretoria Group, Transvaal Sequence, South Africa: implications for tectonic setting. Sedimentary Geology 80, 89-103.
- Schwellnus, J.S.I, Engelbrecht, L.N.J., Coertzee, F.J., Russel, H.D., Malherbe, S.J., Van Rooyen, D.P., Crooke, R. 1962: The Geology of the Olifants River area, Transvaal. An explanation of sheet 2429B (Chuniespoort) and 2430A (Wolkberg), Department of Mines, Geological Survey.
- Sharpe, M.R. and Snyman, J.A. 1980: A model for the emplacement of the eastern compartment of the Bushveld Complex: Tectonophysics 65, 85 –110.
- Sharpe, M.R., Bahat, D. and Von Gruenewaldt, G. 1981: The concentric elliptical structure of feeder sites to the Bushveld Complex and possible economic implications: Transactions, Geological Society of South Africa 84, 239-244.

- Sharpe, M.R. and Chadwick, B. 1982: Structures in Transvaal Sequence rocks within and adjacent to the eastern Bushveld Complex. *Transactions Geological Society of South Africa* 85, 29-41.
- Smit, P.J., Hales, A.L. and Gough, D.I. 1962: The Gravity survey of the Republic of South Africa, I. Gravimeter observations: Handbook, Geological Survey of South Africa 3.
- Snyman, C.P. 1956. 'n Koepelstruktuur en die metamorfose van die Sisteem Transvaal suid van Marble Hall, Transvaal. Unpublished M.Sc. thesis, University of Pretoria.
- Snyman, C.P. 1996: Die geologie van Suid-Afrika, Volume 1. Department of Geology, University of Pretoria.
- Stanistreet, I.G. and McCarthy, T.S. 1991: Changing tectono-sedimentary scenarios relevant to the development of the late Archaean Witwatersrand Basin. *Journal of African Earth Sciences* 13, 65-81.
- Stear, W.M. 1976: The geology and ore controls of the Northern Rooiberg Tin-field, Transvaal. Unpublished M.Sc. thesis, Stellenbosch University.
- Stesky, R.M. 1998: SpheriStat™ 2 for Windows 3.1 Version 2.2. User's Manual. Pangaea Scientific.
- Strauss, C.A. 1954: The geology and mineral deposits of the Potgietersrus Tin Fields. *Memoir Geological Survey of South Africa*, 46.
- Tankard, A.J., Jackson, M.P.A., Eriksson, K.A., Hobday, D.K., Hunter D.R., Minter, W.E.L. 1982: Crustal evolution of southern Africa. *3.8 Billion Years of Earth History*. Springer-Verlag, Berlin.
- Teigler, B. 1990: Platinum group element distribution in the lower and middle group chromitites in the western Bushveld Complex: *Mineralogy and Petrology* 42, 165 –179.
- Thomas R.J., von Veh M.W., and McCourt, S. 1993: The tectonic evolution of southern Africa: an overview *Journal of African Earth Sciences* 16, 5-24.
- Treloar, P.J., Coward, M.P. and Harris, N.B.W. 1992: Himalayan-Tibetan analogies for the evolution of the Zimbabwe Craton and Limpopo Belt. *Precambrian Research* 55, 571-587.
- Twiss, R.J. and Moores, E.M. 1992: *Structural Geology*. W.H. Freeman and Company, New York.
- Tyler, R. and Tyler, N. 1996: Stratigraphic and structural controls on gold mineralization in the Pilgrim's Rest goldfield, eastern Transvaal, South Africa. *Precambrian Research* 79, 141-169.
- Uken R. and Watkeys M.K. 1997a: An interpretation of mafic dyke swarms and their relationship with major mafic magmatic events on the Kaapvaal Craton and Limpopo Belt. *South African Journal of Geology* 100, 341-348.
- Uken R. and Watkeys M.K. 1997b: Diapirism initiated by the Bushveld Complex, South Africa. *Geology* 25, 732-726.
- Van Biljon, W.J. 1976: Goud is nie waar dit gevind word nie. *Transactions Geological Society of South Africa* 79, 155-167.
- Van Breemen, O. and Dodson, M.H. 1972: Metamorphic chronology of the Limpopo Belt, South Africa: *Geological Society of America Bulletin* 83, 2005-2018.

- Van der Merwe, M.J. 1976: The layered sequence of the Potgietersrus limb of the Bushveld Complex: *Economic Geology* 71, 1337-1351.
- Van der Merwe, R. 1994. The nature of the western margin of the Witwatersrand basin. Unpublished PhD. Thesis, Rand Afrikaans University.
- Van der Neut, M., and van der Merwe, R. 2000: The nature of the northern margin of the (Middelburg) Waterberg Basin. *Geocongress 2000: 27<sup>th</sup> Earth Science Congress of the GSSA (abstracts)*. *Journal of African Earth Sciences* 31, 82-83.
- Van Reenen, D.D., Roering, C., Ashwal, L.D. and de Wit, M.J. 1992: Regional geological setting of the Limpopo Belt. *Precambrian Research* 55, 1-5.
- Van Reenen, D.D., Roering, C., Smit, C.A., Van Schalkwyk, J.F. and Barton, J.M., Jr., 1988: Evolution of the northern high-grade margin of the Kaapvaal Craton, South Africa. *Journal of Geology* 96, 549-560.
- Vermaak, C.F., 1970: The geology of the lower portion of the Bushveld complex and its relationship to the floor rocks. In the area west of the Pilanesberg, Western Transvaal. In: *symposium on the Bushveld Igneous complex and other layered intrusions*, (eds.) Visser, D.J.L. and von Gruenewaldt, G. *Special Publication Geological Society of South Africa* 1, Johannesburg, 242-262.
- Vermaak, C.F. 1976: The Merensky Reef - thoughts on its environment and genesis: *Economic Geology* 71, 1270-1298.
- Vermaak, C.F., and Lee, C.A. 1981: The Bushveld and Kindred Complexes in Precambrian of the Southern hemisphere, (ed.) D.R. Hunter. Elsevier, Amsterdam, 599-618.
- Vearncombe, J.R. 1988: Structure and metamorphism of the Archaean Murchison Belt, Kaapvaal Craton, South Africa: *Tectonics* 7, 761-774.
- Vearncombe, J.R., Barton, J.M., Cheshire, P.E., De Beer, E.H., Stettler, E.H. and Brandl, G., 1992: Geology, geophysics and mineralisation of the Murchison schist belt, Rooiwater Complex and surrounding granitoids: *Memoir 81*. Geological Survey of South Africa, Pretoria.
- Verwoerd, W.J. 1993: Update on carbonatites of South Africa and Namibia: *South African Journal of Geology* 96, 75-95.
- Visser, D.J.L. 1998: The geotectonic evolution of South Africa and offshore areas. *Explanation of Structure Map*. Scale 1:1 000 000. Council for Geoscience (Geological Survey of South Africa), Pretoria.
- Von Gruenewaldt, G. 1979: The Rooiberg felsite north of Middelburg and its relation to the layered sequence of the Bushveld Complex: *Transactions Geological Society of South Africa* 71, 153-172.
- Von Gruenewaldt G., and Harmer R.E. 1993: Tectonic setting of Proterozoic layered intrusions with special reference to the Bushveld Complex. In: *Proterozoic Crustal Evolution*, (ed.) Condie, K.C. Elsevier, Amsterdam, 181-213.
- Walraven, F. 1974: Tectonism during the emplacement of the Bushveld Complex and the resulting fold structures: *Transactions Geological Society of South Africa* 77, 323-328.

Walraven, F. 1986: Stratigraphy and structure of the Nebo granite, Bushveld Complex, South Africa: Abstracts Geocongress 1986. Geological Society of South Africa, Johannesburg, 637-642.

Walraven, F. 1990: A chronostratigraphic framework for the north-central Kaapvaal craton, the Bushveld Complex and the Vredefort structure. In: *Cryptoexplosions and Catastrophes in the Geological Record, with a Special Focus on the Vredefort Structure*, (eds.) L.O. Nicolaysen and W.U. Reimold and W.U. Reimold. *Tectonophysics* 171, 23-48.

Walraven, F., and Darracott, B.W. 1976: Quantitative interpretation of a gravity profile across the western Bushveld complex. *Transactions Geological Society of South Africa* 79, 22-26.

Watkeys, M.K. 1984: The Precambrian geology of the Limpopo Belt north and west of Messina: Unpublished Ph.D. thesis, University of the Witwatersrand.

Watkeys, M.K. and Sweeney, R.J. 1988: Tuli-Lebombo volcanism and Gondwana rifting. Extended abstracts, Geocongress '88. Geological Society South Africa, Durban, 725-728.

Weijermars, R. 1997: *Principles of Rock Mechanics*. Alboran, Amsterdam.

Willemsse, J. 1959: The geology of the Bushveld Igneous Complex, the largest repository of magmatic ore-deposits in the world: *Economic Geology Monograph* 4, 1-22.

Winter, H. de la R. 1987: A cratonic foreland model for Witwatersrand development in a continental back-arc, plate-tectonic setting: *South African Journal of Geology* 90, 409-42.

|                           |    |
|---------------------------|----|
| Diogenite outcrops        | 14 |
| Elendberg                 | 18 |
| Dierberg                  | 18 |
| Evenden                   | 17 |
| Smok Maroo                | 18 |
| Johannesburg dome         | 19 |
| Kwamehoek                 | 20 |
| Lindl                     | 21 |
| Macedonberge              | 22 |
| Makabakraal               | 23 |
| Manier                    | 24 |
| Jonnyalaong               | 25 |
| Nieuwpoort                | 26 |
| Phanenberg                | 27 |
| Pietfontein fault system  | 26 |
| Roelberg                  | 29 |
| Roelberg fragment         | 30 |
| Rosebauspoot Range        | 31 |
| Rulphoek                  | 32 |
| Rustenberg                | 33 |
| Sandvier                  | 34 |
| South parallel/Nieuwpoort | 35 |
| Springbok flats           | 36 |
| Swaenruggens              | 37 |
| Sylfontein                | 38 |
| Vaalwater                 | 39 |
| Vaalwater fault zone      | 40 |
| Vindfontein fault         | 41 |
| Zaerui                    | 42 |

|                    |    |
|--------------------|----|
| Southern Malindi   | 7  |
| Poligietorus       | 13 |
| Prusien            | 14 |
| Grootvlei          | 5  |
| Wolgevonden        | 20 |
| Northern Waterberg | 12 |
| Zabediets          | 22 |
| Ysterberg          | 21 |

|                              |    |
|------------------------------|----|
| North-eastern Transvaal      | 15 |
| Pietersburg Greenschist Belt | 16 |
| Gakhuthone                   | 17 |
| Sekukhunjiberg               | 18 |
| Serole                       | 19 |
| Starora                      | 20 |
| Stoepoort                    | 21 |
| Stoepoort extension          | 22 |
| Snydpoort                    | 23 |
| Welkomryn                    | 24 |
| Willemsvier                  | 25 |
| Wolkberg                     | 26 |
| Wonderkop                    | 27 |
| Zabediets                    | 28 |