

5 REFERENCES



Akimoto S., Nagata T. and Katsura T. “The TiFe_2O_5 - Ti_2FeO_5 solid solution series”, *Nature*, Vol. 179, No. 4549, 5 January 1957, pp. 37-38.

Anderson A.T., Bunch T.E., Cameron E.N., Haggerty S.E., Boyd F.R. Finger L.W., James O.B., Keil K., Prinz M., Ramdohr P. and El Goresy A. “Armalcolite: A new mineral from the Apollo 11 samples”, *Proceedings of the Apollo 11 Lunar Science Conference*, Vol. 1, 1970, pp.55-63.

Anonymous “South Africa will remain world’s leading slag producer”, *South African Mining: Coal, Gold and Base Minerals*, Sept 1997, p. 25.

Anonymous “Namakwa Sands embarks on Phase 2”, *South African Mining: Coal, Gold and Base Minerals*, February 1998, p. 19.

Ban B-C. “Reduction and melting of Quilon ilmenite in the DC arc furnace”, *Erzmetall*, 41(5), 1988, pp. 278-284 (*Iscor translation Service 94-06-454*).

Ban B. Ch., Heil J., Krone K., Krüger J. and Lüderitz E. “Upgrading titaniferous materials by DC arc smelting and processing of products in a plasma heated fluidized bed reactor”, *Sixth world conference on titanium, France 1988*, pp. 685-695.

Battle T.P., Nguyen D. and Reeves J.W. “The processing of titanium-containing ores”, *Extractive Metallurgy of Copper, Nickel and Cobalt. Vol. 1: Fundamental Aspects*, Denver, Colorado. Reddy R.G. and Weizenbach R.N. (ed.). *The Minerals, Metals and Materials Society, Warrendale, Pennsylvania*, 1993, pp. 925-943.

Borowiec K. “Sulphidization of solid titania slag”, *Scandinavian Journal of Metallurgy*, 20, 1991, pp. 198-204.

Borowiec K. and Rosenqvist T. “Phase relations and oxidation studies in the system Fe-Fe₂O₃-TiO₂ at 700-1100 °C”, *Scandinavian Journal of Metallurgy*, 10, 1981, pp. 217-224.

Borowiec K. and Rosenqvist T. “Phase relations and oxygen potentials in the Fe-Ti-Mg-O system”, *Scandinavian Journal of Metallurgy*, 14, 1985, pp. 33-43.

Bowles J.F.W. “Definition and range of composition of naturally occurring minerals with the pseudobrookite structure”, *American Mineralogist*, Vol. 73, 1988, pp. 1377-1383 and references contained there-in.

Brown N.E. and Navrotsky A. “Structural, thermodynamic, and kinetic aspects of disordering in the pseudobrookite-type compound karrooite, MgTi₂O₅”, *American Mineralogist*, Vol. 74, 1989, pp. 902-912.

Desrosiers R., Ajersch F. and Grau A. “Electrical conductivity of industrial slags of high titania content”, *International symposium on metallurgical slags; Halifax, Nova Scotia. 24-27 August 1980*.

Du Plooy H. “Melting point determinations on TiO₂-rich slags”, *M.Eng Dissertation, University of Pretoria*. 1997.

Eriksson G. and Pelton A.D. “Critical evaluation and optimization of the thermodynamic properties and phase diagrams of the MnO-TiO₂, MgO-TiO₂, FeO-TiO₂, Ti₂O₃-TiO₂, Na₂O-TiO₂ and K₂O-TiO₂ systems”, *Metallurgical Transactions B*, Vol. 24B, 1993, pp. 795-805.

FACT Thermodynamic database. <http://www.crct.polymtl.ca/fact/fact.htm>, October 2000.

Fisher J.R. "Developments in the TiO₂ pigments industry which will drive the demand for TiO₂ mineral feedstocks", *Heavy Minerals 1997. Johannesburg, South African Institute of Mining and Metallurgy, 1997, pp. 207-218.*

Formanek L., Lommert H. and Beyzavi A.N. "Synthetic rutile manufacture by the SL/RN-Becher process", *Heavy Minerals 1997. Johannesburg, South African Institute of Mining and Metallurgy, 1997, pp. 161-168.*

Gambogi J. "Titanium", *Minerals Yearbook, United States Geological Survey, Vol. 1 – Metals and Minerals (1998).*

Grau A.E. "Liquidus temperatures in the TiO₂-rich side of the FeO-TiO₂ system", *Canadian Metallurgical Quarterly, Vol. 18, 1979, pp. 313-321.*

Grau A. and Poggi D. "Physico-chemical properties of molten titania slags", *Metallurgical Society of CIM, Annual Volume, Incorporating Canadian Metallurgical Quarterly, vol. 17 (1-4), 1978, pp. 97-102.*

Grey I.E. "Mineral sands to materials", *Chemistry in Australia, Vol. 59, April 1992, pp. 158-161.*

Grey I.E., Cranswick L.M.D., Li C., White T.J. and Bursill L.A. "New M₃O₅-Anatase intergrowth structures formed during low-temperature oxidation of anosovite", *Journal of Solid State Chemistry, vol. 150, 2000, pp. 128-138.*

Grey I.E. and Merritt R.R. "Stability relations in the pseudobrookite solid solution Fe_yTi_{3-y}O₅", *J. Sol. State Chem., 37, 1981, pp. 284-293.*

Grey I.E., Reid A.F. and Jones D.G. "Reaction sequences in the reduction of ilmenite: 4 - interpretation in terms of the Fe-Ti-O and Fe-Mn-Ti-O phase diagrams", *Trans. Instn. Min. Met., 83, 1974, pp. C105-C111.*

Grey I.E. and Ward J. "An X-ray and Mössbauer study of the FeTi₂O₅-Ti₃O₅ system", *Journal of Solid State Chemistry, 7, 1973, pp. 300-307.*

Grzymek J. and Derdacka-Grzymek A. "Physicochemical basis of sinter-disintegration complex method of aluminium oxide and cement production", *Light Metals 1990, Anaheim, California, 18-22 Feb. 1990, Published by The Minerals, Metals & Materials Society, Warrendale, Pennsylvania, 1990, pp. 149-155.*

Gupta S.K., Rajakumar V. and Grieveson P. "Phase relations in the system Fe-Fe₂O₃-TiO₂ at 700 °C and 900 °C", *Canadian Metallurgical Quarterly, Vol. 28, No. 4, 1989, pp. 331-335.*

Habashi F. (Editor) "Handbook of Extractive Metallurgy", *WILEY-VCH, VCH Verlagsgesellschaft mbH, Weinheim, Federal Republic of Germany, 1997, p. 1143.*

Handfield G. and Charette G.G. "Viscosity and structure of industrial high TiO₂ slags", *Canadian Metallurgical Quarterly, Vol. 10, No. 3, 1971, pp. 235-243 and references contained there-in.*

Handfield G., Charette G.G. and Lee H.Y. "Viscosity of industrial titania slags", *Light Metals, AIME, New York, 1971, pp. 591-601*

Haggerty S.E and Lindsley D.H. "Stability of the pseudobrookite (Fe_2TiO_5) – ferropseudobrookite (FeTi_2O_5) series", *Carnegie Inst. Washington Yearbook, 68, 1970, pp. 247-249.*

Harada M. and Tomari M. "Method of modifying steel slag", *United States Patent No. 5 019 160, 28 May 1991.*

Hearne G., *University of the Witwatersrand, Private Communication, September 2000.*

Hölzel A.R. "Systematics of minerals", *1st Edition, Published by Mainz, 1989.*

Howell D.C. "Fundamental statistics for the behavioral sciences", *2nd Edition, PWS-KENT Publishing Company, Boston, 1989.*

Huheey J.E. "Inorganic Chemistry: Principles of Structure and Reactivity", *Third Edition, Harper & Row Publishers, New York, 1983, pp. 73-76.*

Juckles L.M. "Investigation of the connection between test results found in the laboratory on volume stability and the values found in practice for LD slags", *Commission of the European Communities – Technical Steel Research, Report No. EUR13430, 1991, 57 pages.*

Lee H.Y. and Poggi D. "Mine, mill and smelting complex at Richards Bay, South Africa", *Can. Metall. Q., 1978, 17(1-4), pp. 93-96.*

Lind M.D. and Housley R.M. "Crystallization studies of lunar igneous rocks: Crystal structure of synthetic armalcolite", *Science, 175, 4 February 1972, pp. 521-523.*

Lindsley D.H. "The crystal chemistry and structure of oxide minerals as exemplified by the Fe-Ti oxides", *Min. Soc. Amer., Reviews in Mineralogy, Vol. 3, Oxide Minerals, 1976, pp. L1-L60.*

McLoughlin B.C., Bernard N.G., Bultitude-Paull J., Franklin R., Sahajwalla V. and Moon J. "Pig iron from chemically precipitated iron oxide", *1ST ISS Australian Section Meeting Proceedings, 1998, pp. 43-50.*

Mulaba A. and Hearne G. "Mössbauer hyperfine interaction parameters of selected iron-titanium compounds and iron-oxides", *Private Communication, September 1999.*

Navrotsky A. "Thermodynamics of formation of some compounds with the pseudobrookite structure and of the FeTi_2O_5 - Ti_3O_5 solid solution series", *American Mineralogist, vol. 60, 1975, pp. 249-256.*

Noguchi F., Nakamura T., Ueda Y. and Yanagase T. "Behaviour of phosphorus and sulphur in slag melts during CaO dissolution", *Australia/Japan Extractive Metallurgy Symposium, Sydney, Australia, 16-18 July 1980, Published by Australasian Institute of Mining and Metallurgy, Parkville, Victoria, 1980, pp. 479-486.*

Okamoto A., Futamura E. and Kawamura K. “Hydration behaviour of LD slag at autoclave test”, *Trans. Iron Steel Inst. Japan*, Vol. 21, No. 1, Jan. 1981, pp. 16-24.

Pesl J. “Thermodynamics and phase equilibria in the Fe-Ti-O system at 1500 ° and 1600 °C and metal-slag equilibria pertinent to ilmenite reduction”, *PhD-thesis, University of the Witwatersrand, Johannesburg, South Africa*. June 1997.

Pistorius P.C. and Coetsee C. “The relationship between FeO and Ti₂O₃ in ilmenite smelter slags”, *Conference Proceedings, Sixth International conference on Molten Slags, Fluxes and Salts; Stockholm, Sweden-Helsinki, Finland, 12-17 June 2000 and references contained there-in*.

Reeves J.W. and Reeves R.G. “Misconceptions about titanium ore chlorination”, *Heavy Minerals 1997. Johannesburg, South African Institute of Mining and Metallurgy*, 1997, pp. 203-206.

Reid A.F. and Ward J.C. “Solid solution in the FeTi₂O₅-Ti₃O₅ system”, *Acta Chem. Scand.*, 25(4), 1971, pp. 1475-1476.

Reznichenko V.A., Karyazin I.A., Il'yashenko S.F. and Olyunina T.V. “Metallic inclusions in high-titanium slags”, *Russian Metallurgy* (4), 1981, pp. 16-20.

Schreiner W.N. and Jenkins R. “Automatically correcting for specimen displacement error during XRD search/match identification”, *Advances in X-ray Analysis*, Vol. 25 (Eds. J.C. Russ, C.S. Barrett, D.E. Leyden, P.K. Predecki), Plenum Publishing Co. (New York), 1982, pp. 231-236.

Shannon R.D. and Pask J.A. “Kinetics of the Anatase-Rutile transformation”, *Journal of the American Ceramics Society*, Vol. 48 (No. 8), 1965, pp. 391-398 and references contained there-in.

Shirane G., Cox D.E. and Ruby S.L. “Mössbauer study of isomer shift, quadrupole interaction, and hyperfine field in several oxides containing Fe⁵⁷”, *Physical Review*, 125(4), 1962, pp. 1158-1165.

Skillen A. “Mineral sands – Crash of the Ti-tans”, *Industrial Minerals*, Aug. 1992, pp. 19-33.

Sommerville I.D. and Bell H.B. “The behaviour of titania in metallurgical slags”, *Canadian Metallurgical Quarterly*, Vol. 21, No. 2, 1982, pp. 145-155.

Stanaway K.J. “Overview of titanium dioxide feedstocks”, *Mining Engineering*, Dec. 1994, pp. 1367-1370.

Stevens J.G., Khasanov A.M., Miller J.W., Pollak H. and Li Z. “Mössbauer Mineral Handbook”, *Mössbauer Effect Data Center*, 1998.

Swinden D.J. and Jones D.G. “Arc-furnace smelting of Western Australia beach sand ilmenite”, *Trans. Instn. Min. Metall. C*, Vol. 87, 1978, pp. C83-C87.

Teller R.G., Antonio M.R., Grau A.E., Gueguin M. and Kostiner E. “Structural analysis of metastable pseudobrookite ferrous titanium oxides with neutron diffraction and mössbauer spectroscopy”, *Journal of Solid State Chemistry*, 88, 1990, pp. 334-350.

Teller R.G., Antonio M.R., Grau A.E., Gueguin M. and Kostiner E. “The chemistry of the thermal decomposition of pseudobrookite ferrous titanium oxides”, *Journal of Solid State Chemistry*, 88, 1990, pp. 351-367.

Tioxide Southern Africa “Adding brightness to life”, *Information leaflet obtained October 1997.*

Toromanoff I. And Habashi F. “The composition of a titanium slag from Sorel”, *Journal of the Less-Common Metals*, 97, 1984, pp. 317-329.

Van Niekerk W.H., Iscor, Private Communication, June 1995.

Vasyutinsky N.A. “Kinetics and mechanism of the oxidation of a titanium slag”, *Russian Metallurgy* (4), 1968, pp. 29-34.

Vasyutinsky N.A. and Movsesov E.E. “Oxidation and grinding of titanium slag”, *Russian Metallurgy* (1), 1965, PP. 56-57.

Virgo D. and Huggins F.E. “Cation distributions in some compounds with the pseudobrookite structure”, *Carnegie Institution of Washington Year Book*, vol. 74, 1975, pp. 585-590.

Webster A.H. and Bright N.F.H. “The system iron-titanium-oxygen at 1200 °C and oxygen partial pressures between 1 atm. and 2×10^{-14} atm.”, *J. Am. Ceram. Soc.*, 44, 1961, pp. 110-116.

Wechsler B.A., Prewitt C.T. and Papike J.J. “Chemistry and structure of lunar and synthetic armalcolite”, *Earth and Planetary Science Letters*, 29, 1976, pp. 91-103.