



References

Allen L.J., Kramer, S.L. and Arduino, P. (2002). Estimation of uncertainty in geotechnical Properties for performance-based Earthquake Engineering. Pacific Earthquake Engineering Research Center. College of Engineering. University of California, Berkeley.

Altounyan, P.F.R. and Taljaard, D. (2001). Developments in controlling the roof in South African coal mines – a smarter approach. The Journal of The South African Institute of Mining and Metallurgy, January/February, pp.33-40.

Altounyan, P.F.R., Bigby, D.N., Hurt, K.G., Peake, H.V. (1997). Instrumentation and procedures for routine monitoring of reinforced mine roadways to prevent falls of ground. In: Dhar BB, Bhowmick BC. eds. Proceedings of the 27th International Conference of Safety in Mines Research Institutes. Vol. 2. New Delhi, India, pp. 759-766.

Barton, N. (1979). Suggested methods for the quantitative description of discontinuities in Rock Masses International Journal of Rock Mechanics and Mining Sciences and Geomechanics Abstracts, Vol. 15 No 6: 319–368.

Barton, N., Lien, R. and Lunde, J. (1974). Engineering classification of rock masses for the design of tunnel support. Rock mechanics 6, 189-236.

Bauer, E. R., Chekan, G. J. and Steiner, L. J. (1997). Stability evaluation of extended cut mining in underground coal mines. NYRockas'97, 36th U.S. Rock Mech. Symp., Linking Science to Rock engineering, June 29 - July 2, New York, NY, Int. J. Rock Mech. and Min. Sci. 34: 3-4, Paper No. 302, 10 pp.

Bauer, E.R. (1998). The impact of extended depth-of-cut mining on coal mine ground control and worker safety. PhD Thesis, Pennsylvania State University, Department of Mineral Engineering, August.

Bauer, E.R., Pappas, D.M. and Listak, J.M. (1993). Ground control safety analysis of extended cut mining. Bureau of Mines IC 9372, 24 pp.

Bauer, E.R., Steiner, L.J. and Hamrick, C.A. (1995). Extended cut mining and worker safety in underground coal mines. SME Preprint 95-60, 7 pp.

Bieniawski, Z.T. (1973). Engineering classification of jointed rock masses. The civil engineer in South Africa, December.

Bieniawski, Z.T. (1974). Geomechanics classification of rock masses and its application in tunnelling. 3rd Int. congress on rock mechanics, ISRM, Denver, USA, vol. 11A, 1974, 27-32.

Bieniawski, Z.T. (1975). Case studies: Prediction of rock mass behaviour by the geomechanics classification. Australian – New Zealand Conference of Geomechanics 2nd, Institution of Engineers, Brisbane, 36-41, July 21-25.

Bieniawski, Z.T. (1976). Rock mass classification in rock engineering. Proceedings of the symposium on exploration for rock engineering, Johannesburg, November 1976, 97-106.

Bieniawski, Z.T. (1984). Rock mechanics design in mining and tunnelling, A.A. Balkema, Rotterdam.

Bieniawski, Z.T. (1987). Strata control in mineral engineering, John Wiley and Sons. pp. 29-37.

Bieniawski, Z.T. (1989). Engineering rock mass classifications. Wiley, NY, 251 pp.

Bigby, O.N. (1997). Developments in British rock bolting technology. Coal International, Rockbolting Technology, May, pp. 111-114.

Biron, C. and Arioglu, E. (1985). Madenlerde tahkimat isleri ve tasarimi. Istanbul Technical University. Birsen Kitabevi (in Turkish). Istanbul.

Brown, E.T. (1980). Rock Characterisation testing and monitoring – ISRM Suggested Methods. Published for the Commission on testing methods. International Society for Rock Mechanics by Pergamon Press Oxford, 211 pp.

Brummer, R.K. (1987). Fracturing and deformation at the edges of tabular gold mining excavations and the development of a numerical model describing such phenomena. Ph.D. Thesis Rand Afrikaans University, Johannesburg.

Brummer, R.K. (1988). Active method to combat the rockburst hazard in South African gold mines. CARE '88, Conference Applied Rock Engineering. Newcastle upon Tyne, London, pp. 35–43.

Buddery, P. (1989). *Fundamental principles of roof bolting in South African Collieries*. Advances in rock mechanics in underground coal mining. SANGORM Symposium, September.

Buddery, P.S. and Oldroyd, D.C. (1992). Development of roof and floor classification applicable to collieries. Eurock'92. Thomas Telford, London.

Campbell, J.A.L., Riffey, R.L. and Risner, P.D. (1989). Deep cut remote control mining. Proceedings of AIME Annual Meeting, Denver, CO, September, pp. 101-112.

Campoli, A.A., Mills, P.A., Todd, P. and Dever, K. (1999). Resin annulus size effects on rebar bolt pull strength and resin loss to fractured rock. In: Peng SS, Mark C. eds. Proceedings of the 18th International Conference on Ground Control in Mining. Morgantown, WV: West Virginia University, pp. 222-231.

Canbulat, I and Dlokweni, T. (2002). Rating system for coal mine roofs. Safety in Mines Research Advisory Committee (SIMRAC). Report No COL812. Final Project Report.

Canbulat, I. (1999). Roof support design research in South African collieries. 28th International Conference of Safety in Mines Research Institutes. June, Sinaia, Romania.

Canbulat, I. and Jack, B.W. (1998). Review of current design methodologies to improve the safety of roof support systems, particularly in the face area, in collieries. Safety in Mines Research Advisory Committee (SIMRAC). Final Project Report, COL 328. 212 pp.

Canbulat, I. and Ryder, J.A. (2002). Prediction of surface subsidence and sinkholes Re-defining boundaries, SANIRE Symposium. Vereeniging, September.

Canbulat, I. and van der Merwe, J.N. (2000). Extended cut-out distances in continuous miner sections in South African collieries. In: Peng SS, ed. Proceedings of the 19th International Conference on Ground Control in Mining. Morgantown, WV: West Virginia University, pp. 325-331.

Canbulat, I. and van der Merwe, J.N., van Zyl, M., Wilkinson, A., Daehnke, A. and Ryder, J.A. (2003). The development of techniques to predict and manage the impact of surface subsidence. Final Project Report, COALTECH 2020, Task 6.9.1. January. 211 pp.

Canbulat, I., Wilkinson, A. and Proraska, G.P. (2003). An investigation into the support systems in South African collieries. Safety in Mines Research Advisory Committee (SIMRAC). Project No: SIM020205. Quarterly report, June.

Chakravarti, I.M., Laha, R.G. and Roy, J. (1967). Handbook of methods of applied Statistics, Volume I, John Wiley and Sons, pp. 392-394.

Chamber of Mines of South Africa. Annual Report, 2007.

Coats, D.F. and Cochrane, T.S. (1971). Rock bolting, research and design specifications, Canadian Mining Journal, March.

Colwell, M. (1998). Calibration of ALPS to Australian mining conditions. End of grant report. Australian Coal Association Research Program (ACARP). Report No: C6036.

Davis, H. (1977). Hand held radio transmitter runs continuous miner. Coal Age, v. 82, No. 8, August, pp. 66-68.

Deep Mines Coal Industry Advisory Committee (DMCIDC), (1996). Guidance on the use of rockbolts to support roadways in coal mines. HSE Books, UK.

Deep Mines Coal Industry Advisory Committee, Health and Safety Commission. (1996). Guidance on the use of rockbolts to support roadways in coal mines.

Deere, D.U. (1964). Technical description of cores for engineering purposes. Rock Mechanics and Engineering Geology. Volume 1, Number 1, 17-22.

Deere, D.U., Hendron A.J. Jr., Patton F.D. and Cording E.J. (1967). Design of surface and near surface construction in rock. In Failure and breakage of rock. C. Fairhurst ed. Society of Mining Engineers of AIME, New York, pp. 237-302.

Dejean, M. and Raffoux, J.F. (1976). Role of rock bolting and parameters in its selection, Mining drifts and tunnels: Tunnelling'76, London, Institute of Mining and Metallurgy. pp. 321-327.

Department of Mineral and Energy Affairs, (1993, 1999, 2000). South African Mines Reportable Accidents Statistics System (SAMRASS). Reportable accidents data and code book. Government Mining Engineer.

Divers, E.F., Jayaraman, N. and Custer, J. (1982). Evaluation of a combined face ventilation system used with remotely operated mining machine. Bureau of Mines IC 8899, 7 pp.

Dunham, R.K. (1976). Anchorage tests on strain-gauged resin bonded bolts. *Tunnels and Tunnelling* 8 (6), pp. 73-76.

EasyFit© (2006). MathWave Version 3. <http://mathwave.com>.

Engineering for Underground Excavations, proc. 15th Canadian Rock Mechanics Symposium., (ed. J.C. Curran), 31-38. Toronto: Department of Civil. Engineering, University of Toronto.

Fabjanczyk, M.W., and Tarrant, G.C. (1992). Load transfer mechanisms in reinforcing tendons. In: Aziz NI, Peng SS, eds. *Proceedings of the 11th International Conference on Ground Control in Mining*. Wollongong, New South Wales, Australia: University of Wollongong, pp. 212-219.

Fairhurst, C. and Singh, B. (1974). Roof bolting in horizontally laminated rock. *Eng Min J Feb*: 80-90.

Ferguson, G.A. (1979). Optimisation of block caving with a complex environment. *Mining Magazine*, Vol. 140, 126-139.

Franklin, J. and Woodfield, P. (1971). Comparison of a polyester resin and a mechanical rockbolt anchor. *Transactions of the Institute of Mining and Metallurgy*, (A)8:91-A100.

Frith, R. (1998). Strata engineering summary. Australian Coal Association Research Program (ACARP) Technical Seminar Course Notes.

Frith, R. and Thomas, R. (1998). The pretensioning pedigree. *Australia's Mining Monthly Supplement-Underground Equipment and Technology* June, pp. 68-72.

Fuller, P.G. (1999). Keynote lecture: roof strata reinforcement-achievements and challenges. In: *Proceedings of the Rock Support and Reinforcement Practice in Mining*. Balkema, pp. 405-415.

Gale, W. and Fabjanczyk, M.W. (1993). Design approach to assess coal mine roadway stability and support requirements. In: *Proceedings of the Eighth Australian Tunnelling Conference* (Sydney, Australia).



Gale, W., Fabjanczyk, M.W., Tarrant, G.C. and Guy, R.J. (1992). Optimisation of reinforcement design of coal mine roadways. In: Aziz NI, Peng SS, eds. Proceedings of the 11th International Conference on Ground Control in Mining. Wollongong, New South Wales, Australia: University of Wollongong, pp. 272-279.

Gale, W.J. (1991). Strata control utilizing rock reinforcement techniques and stress control methods, in Australian coal mines. The Mining Engineer Jan:247-253.

Gary, P., Hunt, N. and Fabjanczyk, M.W. (1998). New developments in ground control support with particular reference to high capacity, high load transfer rock bolts. In: Aziz NI, Peng SS, eds. Proceedings of the 11th International Conference on Ground Control in Mining. Wollongong, New South Wales, Australia: University of Wollongong, pp. 513-524.

Gercek, H. (1982). Stability of intersection in room and pillar coal mining. Ph.D. Thesis, Pennsylvania State University. WV. 186 pp.

Gerdeen, J.C., Snyder, V.W., Viegelahn, G.L. and Parker, J. (1979). Design criteria for roof bolting plans using fully resin-grouted nontensioned bolts to reinforce bedded mine roof. Volume III: Experimental model studies; Volume IV: Theoretical analysis. Houghton, MI: Michigan Technological University. U.S. Bureau of Mines contract No. J0366004.

Gerrard, C. (1983). Rock bolting in theory. Proceedings of the International Symposium on Rock Bolting, Abisko, Sweden, pp.3-29.

Grau, R.H. and Bauer, E.R. (1997). Ground control worker safety during extended cut mining. In: Peng SS, ed. Proceedings of the 16th International Conference on Ground Control in Mining. Morgantown, WV: West Virginia University, pp. 283-288.

Gray, P. and Finlow-Bates, P. (1998). The pre-tensioned placebo. Australia's Longwalls Magazine March, pp. 78-81.

Guideline for the compilation of a mandatory code of practice to combat rockfall accidents in collieries (1996). Mine Health and Safety Inspectorate, Department of Minerals and Energy.

Guler, G., Quaye, G.B., Jager, A.J., Schweitzer, J.K., Grodner, M., Reddy, N., Andersen, L., Milev, A. and Wallmach, T. (1998). A methodology for the definition of geotechnical areas within the South African gold and platinum stoping horizons. Safety in Mines Resrach Advisory Committee (SIMRAC). Final project report. No: GAP416.

Guo, S. (1996). Development and improvement of numerical models for roof supports in Underground Coal Mines, Ph.D. Dissertation, WVU, Morgantown, WV, pp. 31-42.

Hagan, P.C. (2003a). The effect of resin annulus on anchorage performance of fully encapsulated rockbolts, in Technology roadmap for rock mechanics, Proceedings ISRM 2003 Conference, pp 447-450 (South Africa Inst. Min. and Metal.: Johannesburg).

Hagan, P.C. (2003b). Observations on the differences in load transfer of a fully encapsulated rockbolt. .Proceedings of 1st Australasian Ground Control in Mining Conference, November.

Hanna, K. and Conover, D.P. (1988) Design of coal mine entry intersections. Paper at SME Annual Meeting, Phoenix, AZ, January, 1998.

Harr, M.E. (1987) Reliability-based design in Civil Engineering. McGraw-Hill Inc.

Hasofer, A.M. and Lind, N.C. (1974). Exact and invariant second moment code format. J. Eng. Mech. Div. ASCE, 100, No. EMI, pp. 111-121.

Hayes, A.W. and Altounyan, P.F.R. (1995). Strata control the state-of-the-art. Mining Technology, Institute of Mining Engineers 77(892): 354-358.

Henson, N. (2005). World wide statistics, roof support. SANIRE Coalfields Branch technical presentation. SA Coal Estates Colliery, Witbank. December.

Herget, G. (1988). Stresses in Rock. A.A. Balkema, Rotterdam, Netherlands.

Hoek, E. (2007). Practical Eock Engineering. Rocscience Hoek's corner. <http://www.rocscience.com/hoek/Hoek.asp>.

Hoek, E. and Brown, E. T. (1980). Underground excavations in rock. Institution of Mining and Metallurgy.

Hoek, E. and Brown, E.T. (1988). The Hoek-Brown failure criterion - a 1988 update. In Rock

International Society of Rock Mechanics (1985). Suggested methods for rock anchorage testing. April.

Jayaraman, N.I. Volkwein, J. C. Divers, E. F. and Babbitt, C. A. (1987). Enhancing continuous miner production with scrubbers and exhaust face ventilation. Proceedings, 3rd International Conf. on Innovative Mining Systems, Rolla, MO, November 2-4, pp. 116-128.

Karabin, G.J. and Debevec W.J. (1976) Comparative evaluation of conventional and resin bolting systems. U.S. Department of Labor, Mine Enforcement and Safety Administration, IR 1033.

Kendorski, F.R., Cummings, Z.T., Bieniawski and Skinner E. (1983). Rock mass classification for block caving mine drift support. In Proc. 5th Int. Congress Rock. Mech. ISRM, Melbourne pp. B51-B63.

Kent, F.L., Coggan, J.S. and Altounyan, P.F.R. (1999b) Investigation into factors affecting roadway deformation in the Selby coalfield. In: Proceedings of the Geotechnical and Geological Engineering, pp. 273-289.

Kent, L., Cartwright P.B. and Bigby D.N. (1999a). Tunnel deformation monitoring "action levels" in coal mines for support/reinforcement design. In: Peng SS, Mark C, eds. Proceedings of the 18th International Conference on Ground Control in Mining. Morgantown, WV: West Virginia University, pp. 98-107.

Kim, H.S., Majr, G. And Ross-Brown, D.M. (1978). Application of Monet Carlo techniques to slope stability analyses. In Preprint-Proceedings 19th US Symposium on Rock Mechanics. Stateline, Nevada, pp. 28-39.

King, R. H. and Frantz, R. L. (1977). Health and safety aspects of automated, remote controlled, continuous underground coal mining in the U.S.A. Paper presented at the International Conf. on Remote Controlled and Monitoring in Mining, Birmingham, England, October 11-13, 17 pp.

Kreyszig, E. (1988). Advanced Engineering Mathematics. Sixth Edition. New York: John Wiley & Sons.

Lang, T.A. and Bischoff, J.A. (1982). Stabilization of rock excavations using rock reinforcement. In: Proceedings of the 23rd U.S. Rock Mechanics Symposium. pp.935-944.

Latilla, J.W., van Wijk, J.J., Wevell, E. and Neal, D. Evaluation of the impact splitting technique used for predicting geotechnical conditions in underground coal mines. SANIRE 2002 Symposium. Re-Defining the Boundaries. September.

Laubscher, D.H. (1975). Class distinction in rock masses. *Coal, Gold, and Base Minerals of S. Afr.*, Vol. 23, No. 6, 37-50.

Laubscher, D.H. (1984). Design aspects and effectiveness of support systems in different mining conditions. *Trans. Inst. Min. Metall.* Vol. 93.

Laubscher, D.H. (1990). A geomechanics classification system for the rating of rock mass in mine design. *The Journal of the South African Institute of Mining and Metallurgy*, vol. 90, no. 10. 257-273, October.

Laubscher, D.H. and Taylor, H.W. (1976). The importance of geomechanics classification of jointed rock masses in mining operations. *Exploration for rock engineering*, ed. Z.T. Bieniawski, A.A Balkema, Rotterdam, Vol. 1, 119-128.

Lauffer, H. (1958). "Gebirgsklassifizierung für den Stollenbau," *Geologie and Bauwesen*, Vol. 24, No. 1, pp. 46-51.

Lindsay, G.C. (1973). Remote control mining comes of age. *Coal Mining and Processing*, v. 10, No 9, September, pp. 30-44, 41.

Lorig, L.J. (1985). A simple numerical representation of fully bonded passive rock reinforcement for hard rocks. *Computers and Geotechnics* 0266-352X. Great Britain: Elsevier.

Love, A.C. and Randolph, R.F. (1991). Visibility and task demands for remote control continuous mining machine operators. *Proceedings, 35th Annual Meeting of the Human Factors Society, San Francisco, CA*, v. 1, September 2-6, pp. 872-879.

Love, A.C. and Randolph, R.F. (1992). Radio remote control continuous miner operator positioning. Chapter 34, *Proceedings of the Symposium, New Technology in Mine Health and Safety*, A. Wahab Khair, Ed., SME Annual Meeting, Phoenix, AZ, February 24-27, pp. 357-360.

Luo, J., Haycocks, C., Karmis, M. and Westman, E. (1988). A critical overview of U.S. rock bolting practices. *Third International Symposium, Roof bolting in mining. Aachen Germany*, June 3 – 4.

Madden, B.J. (1985). An investigation into the factors affecting the strength of pillars in South African coal mines. PhD Thesis. University of the Witwatersrand.

Madden, B.J. (1989). Squat pillar design in South African collieries. In Proceedings of the SANGORM Symposium. Advances in rock mechanics in underground coal mining. Witbank, September 12, p. 83-90.

Madden, B.J. (1997). Rock mechanics course for coal mines. CSIR: Division of Mining Technology, Johannesburg, South Africa.

Madden, B.J., Canbulat, I., Jack, B.W. and Prohaska, G.D. (1995). A reassessment of coal pillar design procedures. Safety in Mines Research Advisory Committee (SIMRAC). Final Project Report, No COL021. December.

Maleki, H., Signer, S.P., King, M. and Edminster, P. (1994). Evaluation of support performance in a highly stressed mine. In: Peng SS, ed. Proceedings of the 13th International Conference on Ground Control in Mining. Morgantown, WV: West Virginia University, pp. 9-17.

Malan, D.F. and Piper, P.S. (2005). Support quality assurance. Safety in Mines Research Advisory Committee (SIMRAC). Final Project Report, No SIM 04 02 05.

Maleki, H. (1992). Significance of bolt tension in ground control, Proceeding of the Rock Support in Mining and Underground Construction, Balkema, pp. 439-449.

Maleki, H., Carlisle, T., Hunt G. and Agapito, J.F.T. (1987). A novel ground control program at Plateau Mining Company. In: Peng SS, ed. Proceedings of the 6th International Conference on Ground Control in Mining. Morgantown, WV: West Virginia University, pp. 118-125.

Mark, C. (1982). A physical model study of coal mine roof using the base friction technique. PhD Thesis. University Park, PA: The Pennsylvania State University.

Mark, C. (1998). Comparison of ground conditions and ground control practices in the United States and Australia. In: Peng SS, ed. Proceedings of the 17th International Conference on Ground Control in Mining. Morgantown, WV: West Virginia University, pp. 63-71.

Mark, C. (1999). Ground control in South African coal mines - A US perspective. In: Peng SS, Mark C. eds. Proceedings of the 18th International Conference on Ground Control in Mining. Morgantown, WV: West Virginia University.



Mark, C. (2000). Design of roof bolt systems. In: New technology for coal mine roof support. Pittsburgh, PA: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS, (NIOSH) Publication No. 2000-151, IC 9453.

Mark, C. (2001). Overview of ground control research for underground coal mines in the United States. 17th International Mining Congress and Exhibition of Turkey. June.

Mark, C. (2002). The introduction of roof bolting to U.S. underground coal mines (1948-1960): A cautionary tale. In: Peng SS, ed. Proceedings of the 21st International Conference on Ground Control in Mining. Morgantown, WV: West Virginia University.

Mark, C. (2004). Personnel communication.

Mark, C. and Barczak, T.M. (2000). Fundamentals of coal mine roof support. In: New Technology for Coal Mine Roof Support. Pittsburgh, PA: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 2000-151, IC 9453.

Mark, C., Chase, F. and Molinda, G. (1994). Design of longwall gate entry systems using roof classification. New technology for ground control, Proceedings: USBM Technology Transfer Seminar, Washington D.C., pp. 5-17.

Mark, C., Compton, C., Oyler, D. and Dolinar, D. (2002). Anchorage pull testing for fully grouted roof bolts. In: Peng SS, ed. Proceedings of the 13th International Conference on Ground Control in Mining. Morgantown, WV: West Virginia University.

Mark, C., Dolinar, D.R. and Mucho, T.P. (2000). Summary of field measurements of roof bolt performance. In: New Technology for Coal Mine Roof Support. Pittsburgh, P A: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 2000-151, IC 9453.

Mark, C., Molinda, G.M. and Barton, T.M. (2002). New developments with the coal mine roof rating. In: Peng SS, ed. Proceedings of the 13th International Conference on Ground Control in Mining. Morgantown, WV: West Virginia University.

Mark, C., Watts R., Marshall, T.E., Serbousek, M.O. and Carr, F. (1994). Using computerized mine-wide monitoring for ground control. SME preprint 94-168. Littleton, CO: Society for Mining, Metallurgy, and Exploration, Inc.

McHugh, E. and Signer, S.P. (1999). Roofbolt response to shear stress: laboratory analysis. In: Peng SS, Mark C, eds. Proceedings of the 18th International Conference on Ground Control in Mining. Morgantown, WV: West Virginia University, pp. 232-238.

Milne, D. (1988). Suggestions for standardization of rock mass classification. M.Sc Dissertation, Imperial College, University of London, pp. 123.

Milne, D., Hadjigeorgiou, J. and Pakalnis R. (1998). Rock mass characterization for underground hard rock mines, Tunnelling and Underground Space Technology, Oct. 1998, vol. 13, no. 4, pp 383-391.

Mine Health and Safety Act, (1996). Parliament of South Africa No. 29.

Minerals Bureau, (1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 2003). Operating and developing coal mines in the Republic of South Africa. Department of Minerals and Energy. South Africa.

Minney, D. and Munsamy, L. (1998). Personnel communication.

Minney, D., van Wijk, J. and Vorster, B. and Koen, F. (2004). Personnel communication.

Molinda, G., Mark, C., and Dolinar, D. (2000). Assessing coal mine roof stability through roof fall analysis. In: New technology for coal mine roof support. Pittsburgh, PA: U.S. Department of Health and Human Services, Public Health Service, Centres for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS, (NIOSH) Publication No. 2000-151, IC 9453.

Molinda, G., Mark, C., Bauer, E., Babich, D. and Papas, D. (1998). Factors influencing intersection stability in U.S. coal mines. In: Peng SS, ed. Proceedings of the 17th International Conference on Ground Control in Mining. Morgantown, WV: West Virginia University, pp. 267-275.

Molinda, G.M. and Mark, C. (1994). The coal mine roof rating (CMRR): A practical rock mass classification for coal mines. In: Peng SS, ed. Proceedings of the 12th International Conference on Ground Control in Mining. Morgantown, WV: West Virginia University, pp. 92-103.

Mostyn, G.R. and Li, K.S. (1993). Probabilistic slope analysis – State-of-play. In Probabilistic Methods in Geotechnical Engineering, Proc. Canberra, February 10-12, pp. 89-109. Rotterdam: A. A. Balkema.

Nathanail, C.P. and Rosenbaum, M.S. (1991). Probabilistic slope stability assessment using Latin Hypercube sampling. In Proc. 7th International Congress on Rock Mechanics. Aachen Germany. Vol 2, pp. 929-933. Rotterdam: A. A. Balkema.

O'Brien, B.J. (2003). The effect of profile on rockbolt performance. B.Sc thesis. University of New South Wales. Australia.

O'Connor, D. (2004). Personal communication.

O'Connor, D., van Vuuren, J. and Altounyan, P. (2002). Measuring the effect of bolt installation practice on bond strength for resin anchored rockbolts. SANIRE 2002 Symposium. Re-Defining the Boundaries. September.

Obert, L. and Duvall, W. I. (1967). Rock mechanics and the design of structures in Rock. John Wiley and Sons, U.S.A.

Panek L.A. (1964). Design for bolting stratified roof. Trans SME, 229. Littleton, CO: Society for Mining, Metallurgy, and Exploration, Inc., pp. 113-119.

Parker, J. (2001). Selecting a roof bolting system, Part 2, AGGMAN, November, pp. 16-21.

Peng, S. S. (1984). Coal mine ground control, John Wiley and Sons, Inc., pp. 131-173.

Peng, S.S. (1986). Coal mine ground control, 2nd edition, John Wiley and Sons, Inc. U.S.A.

Peng, S.S. (1998). Roof bolting adds stability to weak strata. Coal Age Magazine Dec:32-38.

Peng, S.S. and Guo, L.B. (1989). Design criteria for resin bolting. SME preprint 89-166. Littleton, CO: Society for Mining, Metallurgy, and Exploration, Inc.



Pile, J., Bessinger, S., Mark, C. and Tadolini, S. (2005). Short-encapsulation pull tests for roof bolt evaluation at an operating coal mine. In: Peng SS, ed. Proceedings of the 22nd International Conference on Ground Control in Mining. Morgantown, WV: West Virginia University, pp. 226-232.

Pine, R.J. (1992). Risk analysis design applications in mining geomechanics. Trans. Instn. Mine. Metall. (Sec. A: Min. Industry), 1001, A149-158.

Popov, E.P. (1978). Mechanics of materials. 2nd Edition. Prentice/Hall International, Inc. Englewood Cliffs, New Jersey.

Postma, D. (2005). Personnel communication.

Priest, S.D. and Brown, E.T. (1983). Probabilistic stability analysis of variable rock slopes. Trans. Instn. Min. Metall. (Sect. A: Min. Industry), 92, pp. A1-A12.

Priest, S.D. and Hudson J.A. (1976). Estimation of discontinuity spacing and trace length using scan line surveys. Int. J. Rock Mech. Min. Sci and Geomech., Vol. 18, pp. 183-197.

Radcliffe, D.E. and Raymond, M.S. (1980). Long-term response of a coal mine roof to time lapse between exposure and support. Bureau of Mines Coal Mine Health and Safety Program. Technical Progress Report. No. 110, January.

Raffoux, J.S. (1971). Resin bonded bolting in French coal mines. Proc. Symp. On Rock Bolting, Wollongong, Australia, pp. 18-25.

Randolph, R.F. (1992a). Human factors of high technology mining. Chapter 28, Proceedings of the Symposium, New Technology in Mine Health and Safety, A. Wahab Khair, Ed., SME Annual Meeting, Phoenix, AZ, February 24-27, pp. 287-295.

Ritter, W. (1879). Die statik der tunnelgewölbe. Berlin: Springer.

Roberts, D.P. (2000). Finite element modelling of rockbolts and reinforcing elements. PhD Thesis. University of Wales, Swansea.

Robertson, A.M. (1988). Estimating weak rock strength, AIME-SME Annual Meeting, Phoenix, AZ., Preprint, pp. 88-145.



Rosenblueth, E. (1975). Point estimates for probability moment. In Proc. Nat. Acad. Sci. USA, 72 No. 10, pp. 3812-3814.

RskAMP (2006). Structured Data LLC. <http://www.riskamp.com>.

Sanders, M. S. and Kelly, G. (1981). Visual attention locations for operating continuous miners, shuttle cars and scoops. USBM Contract J0387213, Bureau of Mines OFR 29 (1) - 82, 140 pp.

Serbousek, M.O. and Signer, S.P. (1987). Linear load-transfer mechanisms of fully grouted roof bolts. U.S. Bureau of Mines. R19135.

Siddall, R.G. (1992). Roofbolting – supply side technology. Institution of Mining Engineers and the Institution of Mining and Metallurgy Annual Meeting. Harrogate, UK, June.

Siddall, R.G. and Gale, J. (1992). Strata control – A new science for an old problem. Institution of Mining Engineers and the Institution of Mining and Metallurgy Annual Meeting. UK, January.

Signer S.P. (1990). Field verification of load transfer mechanics of fully grouted roof bolts. Spokane, WA: U.S. Department of the Interior, Bureau of Mines, RI 9301.

Signer S.P., Mark C., Franklin G., Hendon G. (1993). Comparisons of active versus passive bolts in a bedded mine roof. In: Peng SS, ed. Proceedings of the 12th International Conference on Ground Control in Mining. Morgantown, WV: West Virginia University, pp. 16-23.

Signer, S.P. and Jones, S.D. (1990). A case study of grouted roof bolt loading in a two-entry gateroad, In: Peng SS, ed. Proceedings of the 9th International Conference on Ground Control in Mining. Morgantown, WV: West Virginia University, pp. 35-41.

Signer, S.P. and Lewis, J.L. (1998). A case study of bolt performance in a two-entry gateroad. In: Peng SS, ed. Proceedings of the 17th International Conference on Ground Control in Mining. Morgantown, WV: West Virginia University, pp. 249-256.

Signer, S.P., Cox, D. and Johnston, J. (1997). A method for the selection of rock support based on bolt loading measurement. In: Peng SS, ed. Proceedings of the 16th International Conference on Ground Control in Mining. Morgantown, WV: West Virginia University, pp. 183-190.

Sinha R.S. (1989). Underground structures design and instrumentation. Denver.

Sinha, A. and Venkateswarlu, Y. (1986). Geomechanics classification for support selection in Indian coal mines – case studies. Proceedings of the 5th international IAEG congress. Buenos Aires, pp. 159-164.

Singh, B. and Goel, R. K. (1999). Rock mass classification. A Practical Approach in Civil Engineering: Elsevier, 267 pp.

Sjoberg, J. (1996). Large scale slope stability in open pit mining – a review. Technical Report. Lulea University of Technology, Division of Rock Mechanics. Report No: 1996:10T.

Smith, W. (1993). Roof control strategies for underground coal mines, U.S. Bureau of Mines. IC 9351 USBM.

Snedecor, G.W. and Cochran, W.G. (1989), Statistical methods, Eighth Edition, Iowa State University Press.

Snyder, V.W., Geerden, J.C. and Viegelahn, G.L. (1979). Factors governing the effectiveness of roof bolting systems using fully resin-grouted nontensioned bolts. In Proceedings 20th Symposium on Rock Mechanics, pp. 607-613.

Spann, H.P. and Napier, J.A.L. (1983). The influence of different bolt patterns and anchor types on the deflection of a laminated beam. Chamber of Mines Research Organisation, South Africa. Report No: 25/83.

St. John, C.M. and van Dillen, D.E. (1983). Rockbolts: a new numerical representation and its application in tunnel design. 24th U.S. Symp. Rock Mech.

Stacey, T.R. and Wesseloo, J. (1998). In situ stresses in the mining areas in South Africa. The South African Institute of Mining and Metallurgy, vol. 98, no.7. pp. 365-368.

Stankus J.C. (1991). Tensioned point anchor resin system versus nontensioned fully grouted rebar-two case studies. In: Peng SS, ed. Proceedings of the 10th International Conference on Ground Control in Mining. Morgantown, WV: West Virginia University, pp. 65-76.

Stankus, J.C. and Peng, S.S. (1996). A new concept for roof support. Reprint from Coal Age Magazine, September.

Stephens, M.A. (1976). ~~Asymptotic results for goodness-of-fit~~ statistics with unknown parameters, *Annals of Statistics*, Vol. 4, pp. 357-369.

Stillborg, B. (1986). Professional users hand book for rock bolting, Trans Tech Publications, vol. 15, pp. 55-89.

Swart, A.H. (2005). Investigation of factors governing the stability of stope panels in hard rock mines in order to define a suitable design methodology for shallow mining operations. M.Sc thesis submitted to Mining Engineering Department, University of Pretoria.

Syddell, M. (1998). Ground control innovation keeps Angus Place mining. *Australian Mining Magazine*, vol. 90 No 5.

Tadolini, S.C. (1998). The effects of reduced annulus in roof bolting performance. In: Peng SS, ed. *Proceedings of the 17th International Conference on Ground Control in Mining*. Morgantown, WV: West Virginia University, pp. 230-236.

Tadolini, S.C. and Dolinar D.R. (1991). Thrust bolting: a new innovation in coal mine roof support. In: Peng SS, ed. *Proceedings of the 10th International Conference on Ground Control in Mining*. Morgantown, WV: West Virginia University, pp. 76-84.

Tadolini, S.C. and Ulrich, B.F. (1986). Evaluation of bearing plates installed on full-column resin-grouted bolts. U.S. Department of the Interior, Bureau of Mines, RI 9044.

Taylor, C.D., Goodman, G.V.R. and Vincze, T. (1992). Extended cut face ventilation for remotely controlled and automated mining systems. Chapter 1, *Proceedings of the Symposium, New Technology in Mine Health and Safety*, A. Wahab Khair, Ed., SME Annual Meeting, Phoenix, AZ, February 24-27, pp. 3-11.

Terzaghi, K. (1946). Rock defects and loads on tunnel support. *Rock tunneling with steel support*. Commercial Shearing Co., Youngstown, Ohio.15-99.

Tincelin, E. (1970). Roof bolting recommendations. *Exploration of mineral deposits and mineral proceedings*. Parley of Cooperation and Industrial Promotion. Sydney. May.

Torqueleader (2005). User manual and torque calculations. <http://www.torqueleader.com>.



Tully, D.M. (1987). The Application of scale model studies in the design of rockbolting system for Mine Roadways, 28 U.S. Symposium on Rock Mechanics, June, pp. 781-788.

U.S. Code of Federal Regulations, (1994a). Title 30 - Mineral Resources; Chapter I - Mine Safety Health Administration, Department of Labour; Subchapter O - Coal Mine Safety And Health; Part 75 - Mandatory Safety Standards - Underground Coal Mines; Subpart C - Roof Support; July 1, pp. 511-520.

UK Health and Safety Executive (1996). Guidance on the use of rockbolts to support roadways in coal mines. UK Health and Safety Executive, Deep Mine Coal Industry Advisory Committee. 16 pp.

Ulrich, B.F., Wuest, J. and Stateham, R.M. (1989). Relationships between annulus thickness and the integrity of resin grouted bolts. Denver, CO: U.S. Department of the Interior, Bureau of Mines, RI 9253.

Unal, E. (1984). Empirical approach to calculate rock loads in coal mine roadways. In: Peng SS, ed. Proceedings of the 5th International Conference on Ground Control in Mining. Morgantown, WV: West Virginia University, pp. 232-246.

Van der Merwe, J.N. (1989). A probabilistic approach to the design of coal mine roof support systems. Advances in rock mechanics in underground coal mining. SANGORM Symposium, September.

Van der Merwe, J.N. (1998). Practical coal mining strata control. A guide for managers and supervisors at all levels. Second Edition. Johannesburg, South Africa, November.

Van der Merwe, J.N. (2001). Personnel communication.

Van der Merwe, J.N. and Madden, B.J. (2002). Rock engineering for coal mining. Safety in Mines Research Advisory Committee (SIMRAC). SAIMM Special Publications Series 7. April.

Van der Merwe, J.N., van Vuuren, J.J., Butcher, R. and Canbulat, I. (2001). Causes of falls of roof in South African collieries. SIMRAC, Department of Minerals and Energy, Johannesburg, South Africa Final Project Report, Report No: COL613. March 2001.

Van Wijk, J.J. (2001). Personnel communication

Van Wijk, J.J., Latilla, J.W., Verveen, E. and Neal, D. (2002). Development of a risk rating system for use in underground coal mining. In: Peng SS, ed. Proceedings of the 21st International Conference on Ground Control in Mining. Morgantown, WV: West Virginia University, pp. 310-317.

Vervoort, A.M J. (1990). Falls of ground in South African collieries during the Period 1970 – 1988. Part 3: Effect of exploitation method. Chamber of Mines Research Organisation (COMRO) Internal Report, Project Report No. 7/90, Project No. CC8S03, January.

Volkwein, J.C., Thimons, E.D. and Halfinger, G. (1985). Extended advance of continuous miner successfully ventilated with a scrubber in a blowing section mine ventilation. Proceedings of the 2nd U.S. Mine Ventilation Symposium, Univ. of Nevada-Reno, Reno, NV, September 23-25, pp. 741-745.

Vrijling J.K. and P.H.A.J.M. van Gelder. (1998). The effect of inherent uncertainty in time and space on the reliability of flood protection, ESREL'98: European Safety and Reliability Conference 1998, pp.451-456, 16 - 19 June, Trondheim, Norway.

Wagner, H. (1985). Design of roof bolting patterns. Chamber of Mines workshop on roof bolting in collieries. Republic of South Africa. Johannesburg.

Wagner, H. and Madden, B.J. (1984). Fifteen years experience with the design of coal pillars in shallow South African collieries. Design and Performance of Underground Excavations. ISRM, Cambridge, 1984.

Warner, E.M. (1973a). Cable and wireless remote control of continuous miners. Paper presented at the Mining Convention of The American Mining Congress, Denver, CO, September 9-12, 14 pp.

Whitaker, A. (1998). Critical assessment of past research into rock bolt anchorage mechanisms. Unpublished BE (Mining Engineering) thesis, University of New South Wales, Sydney.

Wickham, G.E., Tiedemann, H.R., Skinner, E.H. (1972). Support determination based on geological predictions. Proceedings, rapid Excavation and Tunnelling Conference, AIME, New York, pp. 43-64.

Windsor, C. and Thompson, A. (1997). Rock reinforcement practice, advanced course. Rock Technology Pty Limited. Australia.

Wright, F.D. (1973). Roof control through beam action and arching. In: Given IA, ed. SME Mining Engineering Handbook 1 (13). Littleton, CO: Society for Mining, Metallurgy, and Exploration, Inc., p. 80.

Wullschlager, D. and Natau, O. (1983). Studies of the composite system of rock mass and non-prestressed grouted rock bolts, Proceeding of the International Symposium on Rock Bolting, September, 1983, pp. 75-85.

Yassien, A.M. (2003). 2-D numerical simulation and design of fully grouted bolts for underground coal mines. Dissertation, PhD. West Virginia University, Morgantown. 180 pp.

Zhang, Y. (2003). 3-D Numerical simulation and design of tensioned roof bolting for underground coal mines. Dissertation, PhD. West Virginia University, Morgantown. 197 pp.