

## REFERENCES

Abbott DH (1987) Behaviorally mediated suppression of reproduction in female primates. *J.Zool.Lond.* 213:455-470.

Abbott DH, Hodges JK & George LM (1988) Social status controls LH secretion and ovulation in marmoset monkeys (*Callithrix jacchus*). *J.Endocrinol.* 117:329-339.

Andersen DC & MacMahon JA (1981) Populations dynamics and bioenergetics of a fossorial herbivore, *Thomomys talpoides* (Rodentia: Geomyidae) in a spruce fir sere. *Ecol. Monogr.* 51:179-202.

Anderson DC (1974) Sex-hormone-binding globulin. *Clin Endocrinol (Oxf)*. 3(1):69-96.

Aschoff J & Tokura H (1986) Circadian activity rhythms in squirrel monkeys: Entrainment by temperature cycles. *J.Biol.Rhythms* 1(2):91-99.

Audy MC, Bonnin M, Souloumiac J, Ribes C, Kerdelhue B, Mondain-Monval M, Scholler R & Canivenc R (1985) Seasonal variations in plasma luteinising hormone and testosterone levels in the European badger *Meles meles* L. *Gen Comp Endocrinol* 57(3):445-453.

Bakker J & Baum MJ (2000) Neuroendocrine regulation of GnRH release in induced ovulators. *Front Neuroendocrinol.* 21(3):220-62.

Bakker J, Kelliher KR & Baum MJ (2001) Mating induces gonadotropin-releasing hormone neuronal activation in anosmic female ferrets. *Biol.Reprod.* 64(4):1100-1105.

Balthazart J, Foidart A, Absil P & Harada N (1996) Effects of testosterone and its metabolites on aromatase-immunoreactive cells in the quail brain: relationship with the activation of male reproductive behaviour. *J Steroid Biochem. Mol. Biol.* 56(1-6 Spec No):185-200.

Batailler M, Caraty A, Malpoux B & Tillett Y (2004) Neuroanatomical organization of gonadotropin-releasing hormone neurons during the oestrus cycle in the ewe. *BMC Neurosci.* 5:46

Bennett NC & Jarvis JUM (1988a) The reproductive biology of the Cape mole-rat, *Georychus capensis* (Rodentia: Bathyergidae). *J.Zool.Lond.* 214:95-106.

Bennett NC & Jarvis JUM (1988b) The social structure and reproductive biology of colonies of the mole-rat, *Cryptomys damarensis* (Rodentia, Bathyergidae) *J. Mam.* 69:293-302.

Bennett NC, Jarvis JUM & Davies KC (1988) Daily and seasonal temperatures in the burrows of African rodent moles. *S.Afr.J.Zool.* 23(3):189-195.

Bennett NC, Jarvis JUM, Aguilar GH & McDaid EJ (1991) Growth rates and development in six species of African mole-rats (family Bathyergidae) *J.Zool.Lond.* 225:13-26.

Bennett NC, Jarvis JUM, Faulkes CG & Millar RP (1993) LH responses to single doses of exogenous GnRH by freshly captured Damaraland mole-rats, *Cryptomys damarensis*. *J.Reprod.Fert.* 99:81-86.

Bennett NC (1994) Reproductive suppression in social *Cryptomys damarensis* colonies – a lifetime of socially-induced sterility in males and females (Rodentia: Bathyergidae) J.Zool.Lond. 234:25-39.

Bennett NC, Jarvis JUM, Millar RP, Sasano H & Ntshinga KV. (1994) Reproductive suppression in eusocial *Cryptomys damarensis* colonies: socially-induced infertility in females. J.Zool.Lond. 233:617-630.

Bennett NC, Faulkes CG & Molteno AJ (1996) Reproductive suppression in subordinate, non-breeding female Damaraland mole-rats: two components to a lifetime of socially induced infertility. Proc.R.Soc.Lond.B.Biol.Sc. 263:1599-1603.

Bennett NC, Faulkes CG & Spinks AC. (1997) LH responses to single doses of exogenous GnRH by social Mashona mole-rats: a continuum of socially induced infertility in the family Bathyergidae. Proc.R.Soc.Lond.264:1001-1006.

Bennett NC, Faulkes CG & Jarvis JUM (1999) Sociality induced infertility, incest avoidance and the monopoly of reproduction in cooperatively breeding African mole-rats, family Bathyergidae. Adv.Study. Behav. 28:75-114.

Bennett NC & Faulkes CG (2000) African mole-rats: ecology and eusociality. Cambridge University Press, Cambridge.

Bennett NC Molteno AJ & Spinks AC (2000) Pituitary sensitivity to exogenous GnRH in giant Zambian mole-rats, *Cryptomys mehowi* (Rodentia: Bathyergidae): support for the socially induced infertility continuum. *J.Zool.Lond.* 252:447-452.

Ben-Shlomo R, Ritte U & Nevo E. (1995) Activity pattern and rhythm in the subterranean mole rat superspecies *Spalax ehrenbergi*. *Behav.Genet.* 25(3):239-245.

Berndston WE & Desjardins C (1974) The cycle of seminiferous epithelium and spermatogenesis in the bovine testis. *Am.J.Nat.* 140(2):167-179.

Bomford M (1987) Food and reproduction of wild house mice I. Diet and breeding seasons in various habitats of irrigated cereal farms in New South Wales, Australia. *Aust.Wildl.Res.* 14:183-196.

Bonney RC, Wood DJ & Kleiman DG (1982) Endocrine correlates of behavioural oestrous in female giant panda (*Ailuropoda melanoleuca*) and associated hormonal changes in the male. *J. Reprod. Fertil.* 64: 209-215.

Braude S (2000) Dispersal and new colony formation in wild naked mole-rats: evidence against inbreeding as the system of mating. *Behav.Ecol.* 11:7-12.

Bronson FH & Heideman PD (1994) Seasonal regulation of reproduction in mammals. In: *The physiology of reproduction*, 2<sup>nd</sup> edition, ed. E Knobil & JD Neill, Raven Press, Ltd, NY. Chapter 44, pp. 542-583.

Brosset A (1986) *Vértebrés et fôrets tropicales humides d'afrique et d'amérique.* *Mem.Mus.Natl.Hist.Nat.* 132:273-279.

Burda H (1995) Individual recognition and incest avoidance in eusocial common mole-rats rather than reproductive suppression by parents. *Experientia* 51:411-413.

Burda H, Honeycutt RL, Begall S, Locker-Grütjen O & Scharff A (2000) Are naked and common mole-rats eusocial and if so, why? *Behav.Ecol.Sociobiol.* 47:293-303.

Caldani M, Batailler M, Thiery JC & Dubois MP (1988) LHRH-immunoreactive structures in the sheep brain. *Histochem.* 89:129-139.

Chard T (1987) An introduction to radioimmunoassay and related techniques. Amsterdam Elsevier. 3<sup>rd</sup> ed.

Clarke FM & Faulkes CG (1997) Dominance and queen succession in captive colonies of the eusocial naked mole-rat, *Heterocephalus glaber*. *Proc.R.Soc.Lond.B* 264:899-909.

Clarke FM & Faulkes CG (1999) Kin discrimination and female mate choice in the naked mole-rat, *Heterocephalus glaber*. *Proc.R.Soc.Lond.B-Biol.Sci* 266:1995-2002.

Clarke FM, Miethe GH & Bennett NC (2000) Reproductive suppression in female Damaraland mole-rats *Cryptomys damarensis*: dominant control or self-restraint. *Proc.R.Soc.Lond.B* 268: 993-1000.

Clarke JR (1981) Physiological problems of seasonal breeding in eutherian mammals. *Oxford Rev.Reprod.Biol.* 3:244-312.

Clarke IJ (1987) New concepts in gonadotropin-releasing hormone action on the pituitary gland. *Semin.Reprod.Endocrinol.* 5:345-352.

Clarke IJ (1995) Evidence that the switch from negative to positive feedback at the level of the pituitary gland is an important timing event for the onset of the preovulatory surge in LH in the ewe. *J.Endocrinol.*145:271-282.

Clarke IJ & Pompolo S. (2005) Synthesis and secretion of GnRH. *Anim.Reprod.Sci.* 88 :29-55.

Clutton-Brock TH, Brotherton PNM, Russell AF, O'Riain MJ, Gaynor D, Kinsky R, Griffin A, Manser M, Sharpe L, McIlrath GM, Small T, Moss A & Monfort S (2001) Cooperation, control, and concession in meerkat groups. *Science* 291(5503): 478 – 481.

Clutton-Brock TH (2002) Breeding together: Kin selection and mutualism in cooperative vertebrates. *Science* 296(5565):69-72.

Cooney R & Bennett NC (2000) Inbreeding avoidance and reproductive skew in a cooperative mammal. *Proc.R.Soc.Lond.B.* 267:801-806.

Counis R, La Verrière J-N, Garrel G, Bleux C, Cohen-Tannoudji J, Lerrant Y, Kottler M-L & Magre S (2005) Gonadotropin-releasing hormone and the control of gonadotrope function. *Reprod.Nutr.Dev.* 45:243-254.

Creel SR & Wasser PM (1991) Failures of reproductive suppression in dwarf mongooses (*Helogale parvula*): accident of adaptation? *Behav.Ecol.*2: 7-15.

Dacheux JL, Pisselet C, Blanc MR, Hochereau de Reviers M-T & Courot M (1981) Seasonal variations in the testis fluid secretion and sperm production in different breeds of ram J Reprod fertil 16:363-371.

Davis JP, Kulgis RO & Dey GS (1985) Distribution of luteinizing hormone-releasing hormone (LHRH) content and total LHRH-degrading activity (LHRH-DA) in the hypothalamus of the sheep. Endocrinol.116:2410-8.

Dellovade T, Ottinger MA & Rissman EF (1995) Mating alters gonadotropin-releasing hormone cell number and content. Endocrinol. 136(4):1648-1657.

Dellovade T, Schwanzel-Fukuda M, Gordan J & Pfaff D (1998) Aspects of GnRH biology conserved across vertebrate forms. Genl.Comp.Endocrinol. 112(3):276-2282.

Dennis AJ & Marsh H (1997) Seasonal reproduction in musky rat-kangaroos, *Hypsiprymnokon moschatus*: a response to changes in resource availability. Wilkl.Res.24:561-578.

Desjardins C, Ewing I & Johnson BH (1971) Effect of light deprivation upon the spermatogenic and steroidogenic elements of hamster testes. Endocrinol. 89:791-800.

Dohle GR, Smit M & Weber RF (2003) Androgens and male fertility. World J Urol. 21(5):341-345.



Dorling AA, Todman MG, Korach KS & Herbison AE. (2003) Critical role for estrogen receptor alpha in negative feedback regulation of gonadotropin-releasing hormone mRNA expression in the female mouse.

Du Toit L, Bennett NC, Katz AA, Kalló I & Coen CW (2006) Relations between social status and the gonadotrophin-releasing hormone system in females of two cooperatively breeding species of African mole-rats, *Cryptomys hottentotus hottentotus* and *Cryptomys hottentotus pretoriae*: Neuroanatomical and neuroendocrinological studies. *J.Comp.Neurol.* 492:303-313.

Eagle RC & Tortonese DJ (2000) Characterization and distribution of gonadotrophs in the pars distalis and pars tuberalis of the equine pituitary gland during the estrus cycle and seasonal anestrus. *Biol. Reprod.* 63(3):826-832.

Ebling FJP, Mirakhor A, Maywood ES & Hastings MH (1994) Photoperiodically induced changes in glutaminergic stimulation of LH secretion in male Syrian hamsters: role of circulating testosterone and endogenous opioids. *Gen.Comp.Endocrinol.* 96:50-62.

Efford MG, Karl BJ & Moller H (1988) Population ecology of *Mus musculus* on Mana Island New Zealand. *J.Zool.* 216:539-564.

El Ouezzani S, Tramu G & Magoul R (2000) The gonadotropin-releasing hormone neuropeptide system of the Jerboa (*Jaculus orientalis*) and its seasonal variations. *J.Neuroendocrinol.* 12:1205-1212.

Emlen (1991) The evolution of cooperative breeding in birds and mammals. In: Behavioural Ecology: An evolutionary approach. (Eds. Krebs JR & Davies NB) Oxford UK Blackwell. Pp. 301-337.

Emlen ST (1997) Predicting family dynamics in social vertebrates in Behavioural Ecology: an evolutionary approach (4<sup>th</sup> ed) (Krebs JR & NB Davies, eds) pp.228-253.

Faulkes CG, Abbott DH & Jarvis JUM (1990a) Social suppression of reproduction of ovarian cyclicity in captive and wild colonies of naked mole-rats (*Heterocephalus glaber*). J.Reprod.Fertil. 88:559-568.

Faulkes CG, Abbott DH, Jarvis JU & Sherriff FE. (1990b) LH responses of female naked mole-rats, *Heterocephalus glaber*, to single and multiple doses of exogenous GnRH. J Reprod Fertil 89(1):317-323.

Faulkes CG, Abbott DH & Jarvis JUM (1991) Social suppression of reproduction in male naked mole-rats, *Heterocephalus glaber*. J.Reprod.Fertil. 91:593-604.

Faulkes CG, Trowell SN, Jarvis JUM & Bennett NC (1994) Investigation of numbers and motility of spermatozoa in reproductively active and socially suppressed males of two eusocial African mole-rats, the naked mole-rat (*Heterocephalus glaber*) and the Damaraland mole-rat (*Cryptomys damarensis*). J.Reprod.Fert. 100:411-416.

Faulkes CG & Abbott DH (1991) Social control of reproduction in breeding and non-breeding male naked mole-rats (*Heterocephalus glaber*). J.Reprod.Fert. 93(2):427-435.

Faulkes CG & Abbott DH (1997) The physiology of a reproductive dictatorship: Regulation of male and female reproduction by a singlebreeding female in colonies of naked mole-rats. In Cooperative breeding in mammals (eds. Solomon NG & French JA) Cambridge University Press. pp. 302-334.

Faulkes CG, Bennett NC, Bruford MW, O'Brien HP, Aguillar GH & Jarvis JUM (1997) Ecological constraints drive social evolution in African mole-rats. Proc.R.Soc.Lond.B 264:1619-1627.

Faulkes CG & Bennett NC (2001) Family values: group dynamics and social control of reproduction in African mole-rats. TREE 16(4):184-190.

Faulkes CG & Bennett NC. (2007) Reproductive skew in African mole-rats: Behavioural and physiological mechanisms to maintain high skew. In: Reproductive Skew in Vertebrates: Proximate and Ultimate Causes. (Eds. Hagar R & Jones CB), Cambridge University Press, Cambridge, UK.

Faulkes CG, Verheyen E, Verheyen W, Jarvis JUM & Bennett NC. (2004) Phylogeographical patterns of genetic divergence and speciation in African mole-rats (Family: Bathyergidae). Mol.Ecol. 13:613-629.

Fernandez AM, Muniz E, Gragera RR & Martinez-Rodrigues R (1992) Immunocytochemical localization of GnRH in the hypothalamus of the bat *Miniopterus schreibersii schreibersii*. J.Himforsch. 33(2) :195-202.

Ferron C & Gheusi G (2003) Social regulation of reproduction in the female mound-builder mouse (*Mus spicilegus*). Physiol Behav. 78(4-5):717-22.

Folin O (1914) On the determination of creatinine and creatine in the urine. J.Biol.Chem. 17: 469-473.

Frandsen RD & Spurgeon TL (1992) Anatomy and physiology of farm animals. 5<sup>th</sup> ed. Lea & Febiger, Philadelphia.

Gavaud J (1991) Cold entrainment of the annual cycle of ovation activity in the lizard *Lacerta vivipara*: Thermoperiodic rhythm versus hibernation. J.Biol.Rhythms 6(3):201-215.

Gerlach T & Aurich JE (2000) Regulation of seasonal reproductive activity in the stallion, ram and hamster. Anim.Reprod.Science 58:197-213.

Glass JD (1986) Gonadotropin-releasing hormone neuronal system of the white-footed mouse, *Peromyscus leucopus*. Neuroendocrinol. 43(2) :220-229.

Guttman R, Lieblich I & Gross R (1975) Behavioral correlates of estrous cycle stages in laboratory mice. Behav Biol. 13(1):127-132.

Gerlach T & Aurich JE (2000) Regulation of seasonal reproductive activity in the stallion, ram and hamster. Anim.Reprod.Science 58:197-213.

Goodman RL. (1996) Neural systems mediating the negative feedback actions of estradiol and progesterone in the ewe. Acta Neurobiol.Exp. (Wars). 56(3):727-741.

Guillaume D (1996) Action de la photoperiod sur la reproduction des equides.INRA prod Anim 9:61-69.

Hamilton WD (1964) The genetical evolution of social behaviour. I. II J Theor. Biol. 7 :1-52.

Hansen RM (1960) Age and reproductive characteristics of mountain pocket gophers in Colorado. J. Mammal. 41: 323-335.

Hart L, Bennett NC, Malpaux B, Chimimba CT & Oosthuizen MK (2004) The chronobiology of the Natal mole-rat, *Cryptomys hottentotus natalensis*. Physiol. Behav. 82: 563-569.

Hart L & Bennett NC (2006) The pituitary potential for opportunistic breeding in the Cape dune mole-rat, *Bathyergus suillus*. Physiol. Behav. 88:615-619.

Havelock JC, Rainey WE & Carr BR (2004) Ovarian granulosa cell lines. Mol. Cell. Endocrinol. 228:67-78.

Henson MC (1998) Pregnancy maintenance and the regulation of placental progesterone biosynthesis in the baboon. Human Reprod. Update 4(4):389-405.

Herbison AE (In Press) Estrogen positive feedback to gonadotropin-releasing hormone (GnRH) neurons in the rodent: The case for the rostral periventricular area of the third ventricle (RP3V). Brain Res. Rev.

Herbst M & Bennett NC (2001) Recrudescence of sexual activity in a colony of the Mashona mole-rat (*Cryptomys darlingi*): an apparent case of incest avoidance. J. Zool. Lond. 254:163-175.

Herbst M, Jarvis JUM & Bennett NC (2004) A field assessment of reproductive seasonality in the threatened wild Namaqua dune mole-rat (*Bathyergus janetta*). J.Zool.Lond. 263:259-268.

Hickman CG (1979a) Burrow system structure of the bathyergid *Cryptomys hottentotus* in Natal, South Africa Z.Säugetierk. 44: 153-162.

Hickman CG (1979b) A live-trap and trapping technique for fossorial animals. S.Afr.J.Zool.14:9-14.

Hickman CG (1980) Locomotor activity of captive *Cryptomys hottentotus* (Mammalia: Bathyergidae), a fossorial rodent. J.Zool.Lond. 192: 225-235.

Hickman CG (1982) Copulation of *Cryptomys hottentotus* (Bathyergidae), a fossorial rodent. Mammalia 46:293-297.

Hodges SJ (2005) Helpers benefit offspring in both the short and long-term in the cooperatively breeding banded mongoose. Proc Biol Sci. 272(1580):2479-84.

Hoffmann K (1979) Photoperiodic effects in the Djungarian hamster: one minute of light during dark-time mimics influence of long photoperiods on testicular recrudescence, body weight and pelage colour. Experimentia 35:1529-1530.

Honeycut RL, Allard MW, Edwards SV & Schlitter DA (1991) Systematics and evolution in the family Bathyergidae. In 'The biology of the naked mole-rat' (eds. PW Sherman, JUM Jarvis & RD Alexander) Princeton University Press, Princeton, NY. pp.45-65.

Hsu H-J, Hsu N-C, Hu M-C & Chung B-C (2006) Steroidogenesis in zebrafish and mouse models. *Mol.Cell.Endocrinol.* 248:160-163.

Ingram CM, Burda H & Honeycutt RL. (2004) Molecular phylogenetics and taxonomy of the African mole-rats, genus *Cryptomys* and the new genus *Coetomus* Gray, 1864. *Mol.Phylogen.Evol.* 31:997-1014.

Jackson CR & Bennett NC (2005) Is the Natal mole-rat (*Cryptomys hottentotus natalensis*) a spontaneous or induced ovulator? *J.Mam.* 86:1-6.

Janse van Rensburg L, Bennett NC, van der Merwe M & Schoeman AS (2002) Seasonal reproduction in the highveld mole-rat, *Cryptomys hottentotus pretoriae* (Rodentia: Bathyergidae) *Can.J.Zool.* 80:1-11.

Janse van Rensburg L, Bennet NC, Van der Merwe M, Schoeman AS & Brinders J (2003) Are non-reproductive male highveld mole-rats, *Cryptomys hottentotus pretoriae*, physiologically suppressed while in the confines of the natal colony? *J.Zool.Lond.* 260:73-78.

Jarvis JUM (1969) The breeding season and litter size of African mole-rats. *J.Reprod.Fert., Suppl.* 6:237-248.

Jarvis JUM (1981) Eusociality in a mammal: cooperative breeding in naked mole-rat *Heterocephalus glaber* colonies. *Science* 212:571-573.

Jarvis JUM & Bennett NC (1991) Ecology and behavior of the family Bathyergidae In: *Biology of the naked mole-rat*. Pp. 66-96. Eds. Sherman PW, Jarvis JUM & Alexander RD, Princeton University Press, Princeton.

Jarvis JUM & Bennett NC (1993) Eusociality has evolved independently in two genera of bathyergid mole-rats but occurs in no other subterranean mammal. *Behav.Ecol.Sociobiol.* 33:353-360.

Jarvis JUM, O'Riain MJ, Bennett NC & Sherman PW. (1994) Mammalian sociality: a family affair. *TREE* 9:47-51.

Jennes L & Stumpf WE (1980) LHRH-system in the brain of the golden hamster. *Cell Tiss.Res.* 209:239-256.

Jimenez-Liñan M, Rubin BS & King JC (1997) Examination of guinea pig luteinising hormone-releasing hormone gene reveals a unique decapeptide and existence of two transcripts in the brain. *Endocrinol.* 138:4123-4130.

Kalamatianos T, du Toit L, Hrabovszky E, Kallo I, Marsh PJ, Bennett NC & Coen CW (2005) Characterization of gonadotrophin-releasing hormone precursor cDNA in the Old World mole-rat *Cryptomys hottentotus pretoriae*: high degree of identity with the New World guinea pig sequence. *J Neuroendocrinol.* 17(5):265-268.

Karsch FJ, Bittman EL, Foster DL, Goodman RL, Legan SJ & Robinson JE. (1984) Neuroendocrine basis for seasonal reproduction. *Rec.Prog.Hormone Res.* 40:185-225.

Karsch FJ & Moenter SM. (1990) Neuroendocrine regulation of seasonal breeding cycles in the ewe. *J Exp Zool Suppl.* 4:17-21.



Karsch FJ, Dahl GE, Evans NP, Manning JM, Mayfield KP, Moenter SM & Foster DL (1993) Seasonal changes in gonadotropin releasing hormone secretion in the ewe: alteration in response to negative feedback action of estradiol. *Biol. Reprod.* 49:1377-1383.

Keller L & Reeve HK (1994) Partitioning of reproduction in animal societies. *TREE* 9: 98-102.

Knobil ENJD (1988). *Physiology of Reproduction*. Raven Press, New York.

Koenig WD, Pitelka FA, Carmen WJ, Mumme RL & Stanback MT (1992) The evolution of delayed dispersal in cooperative breeders. *Q.Rev.Biol.* 67(2):111-150.

Kriegsfeld LJ & Nelson RJ (1999) Photoperiod affects the gonadotropin-releasing hormone neuronal system of male prairie voles (*Microtus ochrogaster*). *Neuroendocrinol.* 69(4):238-244.

Kuwahara S, Mizukami T, Omura M, Hagihara M, Iinuma Y, Shimizu Y, Tamada H, Tsukamoto Y, Nishida T & Sasaki F (2000) Seasonal changes in the hypothalamo-pituitary-testes axis of the Japanese wood mouse (*Apodemus speciosus*). *Anat.Rec.* 260:366-372.

Lehman MN, Robinson JE, Karsch FJ & Silverman AJ (1986) Immunocytochemical localization of luteinizing hormone-releasing hormone (LHRH) pathways in the sheep brain during anoestrus and mid-luteal phase of the estrous cycle. *J.Comp.Neurol.* 244:19-35.

Lehman MN, Goodman RL, Karsch FJ, Jackson GL, Berriman SJ & Jansen HT (1997) The GnRH system of seasonal breeders: Anatomy and plasticity. *Brain Res.Bull.* 44(4):445-457.

Levine JE (1997) New concepts of the neuroendocrine regulation of gonadotropin surges in rats. *Biol.Reprod.* 56:293-302.

Lincoln GA & Short RV (1980) Seasonal breeding: Natures contraceptive. *Rec.Prog.Hormone Res.* 36:1-52.

Lincoln GA (1984) Central effects of photoperiod on reproduction in the ram revealed by the use of a testosterone clamp. *J.Endocrinol.* 103:233-244.

Lindzey J, Jayes FE, Yates MM, Couse JF & Korach KS. (2006) The bi-modal effects of estradiol on gonadotropin synthesis and secretion in female mice are dependent on estrogen receptor-alpha. *J.Endocrinol.* 191:309-317.

Lofts B (1970) *Animal Photoperiodism. Studies in Biology no 25.* Edward Arnold, London.

Lopez-Olmeda JF, Madrid JA & Sanchez-Vazquez FJ (2006) Light and temperature cycles as zeitgebers of zebra fish (*Danio rerio*) circadian rhythms. *Chronobiol.Int.* 23(3):537-550.

Lovegrove BG & Wissel C (1988) Sociality in mole-rats: metabolic scaling and the role of risk sensitivity. *Oecologia* 74:600-606.

Lovegrove BG (1991) The evolution of eusociality in mole-rats (Bathyergidae): a question of risks, numbers and costs. *Behav.Ecol.Sociobiol.* 28:37-45.

Martan J. (1969) Epididymal Histochemistry and Physiology. Biol Reprod. 1: 134 - 154.

Melrose PA, Pickel C, Cheramie HS, Henk WG, Littlefield-Chabaud MA & French DD (1994) Distribution and morphology of immunoreactive gonadotropin-releasing hormone (GnRH) neurons in the basal forebrain of ponies. J.Comp.Neurol. 339(2):269-287.

Millar RP, Flanagan CA, Milton RCD & King JA. (1989) Chimeric analogues of vertebrate gonadotropin-releasing hormones comprising substitutions of the variant amino acids in positions 5, 7 and 8. J.Biol.Chem. 264:21007-21013.

Milligan SR. (1980) Pheromones and rodent reproductive physiology. Symp. Zool. Soc. Lond.45: 251-275.

Moffat CA, DeVries AC & Nelson RJ (1993) Winter adaptations of male deer mice (*Peromyscus maniculatus*) and prairie voles (*Microtus ochrogaster*) that vary in reproductive responsiveness to photoperiod. J Biol Rhythms 8(3):221-232.

Moffat CA, Gerber JM, Blom JMC, Kriegsfeld LJ & Nelson RJ (1995) Photoperiodic effects on steroid negative feedback in female prairie voles (*Microtus ochrogaster*). Gen.Comp.Endocrinol. 100:92-95.

Molteno AJ, Kalló I, Bennett NC, King JA & Coen CW (2004) A neuroanatomical and neuroendocrinological study into the relationship between social status and the GnRH system in the cooperatively breeding female Damaraland mole-rats, *Cryptomys damarensis*. Reprod. 127:13-21.

Moolman M, Bennett NC & Schoeman AS (1998) The social structure and dominance hierarchy of the highveld mole-rat *Cryptomys hottentotus pretoriae* (Rodentia: Bathyergidae). *J.Zool.Lond.* 246:193-210.

Narins PM, Reichman OJ, Jarvis JUM & Lewis ER (1992) Seismic signal transmission between burrows of the Cape mole-rat, *Georychus capensis*. *J.Comp.Physiol.* 170: 13-21.

Nevo E (1961) Observation on Israeli population of the mole rat *Spalax ehrenbergi* e. Nehring 1898. *Mammalia* 25:484-486.

Nevo E (1979) Adaptive convergence and divergence in subterranean mammals. *Annu.Rev.Ecol.Syst.* 10:269-308.

Oelschläger HHA, Nakamura M, Hertzog M & Burda H. (2000) Visual system labeled by c-Fos immunohistochemistry after light exposure in the 'blind' subterranean Zambian mole rat (*Cryptomys ansellii*). *Brain Behav.Evol.* 55:209-220.

Oosthuizen MK, Bennett NC & Cooper HM (2003) Circadian rhythms of locomotor activity in solitary and social species of African mole-rats (Family: Bathyergidae) *J.Biol.Rhythms* 18(6): 481-490.

Oosthuizen MK & Bennett NC (2007). LH responses to single doses of exogenous GnRH in the Cape mole-rat (*Georychus capensis*): the pituitary potential for opportunistic breeding. *J. Zool. Lond.* 271: 198-202.

O'Riain MJ, Jarvis JUM & Faulkes CF (1996) A dispersive morph in the naked mole-rat. *Nature* 380: 619-621.

O'Riain MJ, Jarvis JUM, Alexander R, Buffenstein R & Peeters C (2000) Morphological castes in a vertebrate. *Proc.Nat.Acad.Sci.USA.* 97:13196-13197.

Page RB & Dovey-Hartman BJ (1984) Neurhemal contact in the internal zone of the rabbit median eminence. *J.Comp.Neurol.* 226:274-288.

Parvizi N (2000) Neuroendocrine regulation of gonadotropins in the male and female. *Animal Reprod.Sci.* 60-61: 31-47.

Perret M (1992) Environmental and social determinants of sexual function in the male lesser mouse lemur. *Folia Primatol.* 59:1-25.

Poutanen M, Isomaa V, Peltoketo H & Vihko R (1995) Regulation of oestrogen action: role of 17 beta-hydroxysteroid dehydrogenases. *Ann.Med.* 27(6):675-682.

Pusey AE & Wolf M (1996) Inbreeding avoidance in animals. *TREE* 11:201-206.

Rado R, Wollberg Z & Terkel J (1992) Dispersal of young mole-rats (*Spalax ehrenbergi*) from the natal burrow. *J. Mammal.* 73: 885-890.

Rajaratnam SM & Redman JR (1998) Entrainment of activity rhythms to temperature cycles in diurnal palm squirrels. *Physiol.Behav.* 63(2):271-277.

Reeve HK, Westneaf DF, Noon WA, Sherman PW & Aquadro CF (1990) DNA 'fingerprinting' reveals high levels of inbreeding in colonies of the eusocial naked mole-rat. *Proc.Natl.Acad.Sci.USA* 87 :2496-2500.

Reiter RJ & Follett BK (1980) Seasonal reproduction in higher vertebrates. Progress in reproductive biology 5. Karger. Holland.

Riccio AP & Goldman BD. (2000a) Circadian rhythms of locomotor activity in naked mole-rats (*Heterocephalus glaber*). Physiol.Behav. 71:1-13.

Richardson HN, Nelson AL, Ahmed EI, Parfitt DB, Romeo RD & Sisk CL (2004) Female pheromones stimulate the release of luteinizing hormone and testosterone without altering GnRH mRNA in adult male syrian hamsters (*Mesocricetus auratus*). Gen.Comp.Endocrinol. 138(3): 211-217.

Rickard CA & Bennett NC (1997) Recrudescence of sexual activity in a reproductively quiescent colony of the Damaraland mole-rat, by the introduction of a genetically unrelated male- a case of incest avoidance in 'queenless' colonies. J.Zool.Lond. 241 :185-202.

Rissman EF, Li X, King JA & Millar RP (1997) Behavioural regulation of gonadotropin-releasing hormone production. Brain Res.Bull. 44(4):459-464.

Robinson JE, Skinner DC, Skinner JD & Haupt MA (1997) Distribution and morphology of luteinizing hormone-releasing hormone neurons in a species of wild antelope, the springbok (*Antidorcas marsupialis*). J.Comp.Neurol. 389:444-452.

Roy D, Angelini NL & Belsham DD. (1999) Estrogen directly repressed gonadotropin-releasing hormone (GnRH) gene expression in estrogen receptor- $\alpha$  (ER- $\alpha$ )- and ER- $\beta$  expression GT1-7 GnRH neurons. Endocrinol. 140: 5045-3053.

Saunders DS (1977) An introduction to biological rhythms. Blackie Press, Glasgow.

Schaffner CM & French JA (1997) Group size and aggression: 'recruitment incentives' in a cooperatively breeding primate. *Anim Behav.* 54(1):171-80.

Schmidt-Nielsen K (1997) *Animal physiology: adaptation and environment.* 5<sup>th</sup> edition. Cambridge University Press.

Schöttner K, Oosthuizen MK, Broekman MS & Bennett NC (2006) Circadian rhythms of locomotor activity in the Lesotho mole-rat, *Cryptomys hottentotus* subspecies from Sani Pass, South Africa. *Physiol Behav.* 89(2):205-12.

Schwanzel-Fukuda M & Pfaff DW (1989) Origin of luteinizing hormone-releasing hormone neurons. *Nature* 338(6211):161-164.

Sherman PW, Lacey EA, Reeve HK & Keller L. (1995) The eusociality continuum. *Behav. Ecol.* 6:102-108.

Silverman AJ, Antunes JL, Abrams GM, Nilaver G, Thau R, Robinson JA, Ferin M & Krey LC (1982) The luteinising hormone releasing hormone pathways in rhesus (*Macaca mulatta*) and pigtailed monkeys: new observations on thick unembedded sections. *J.Comp.Neurol.* 211:309-317.

Silverman AJ, Livine I & Witkin JW (1994) The gonadotropin-releasing hormone (GnRH) neuronal systems: immunocytochemistry and in situ hybridisation In: *The physiology of reproduction*, 2<sup>nd</sup> Ed. Pp.1683-1709 Eds. Knobil E & Neil JD Raven Press, New York.

Skinner JD & Chimimba CT (2005) The mammals of the Southern African subregion. 3<sup>rd</sup> edition. Cambridge University Press, Cape Town.

Skinner JD & Smithers RHN. (1990). The mammals of the southern African subregion. Cape & Transvaal Printers, Pretoria. South Africa.

Snowdon CT (1996) Infant care in cooperatively breeding species. *Adv.Study Behav.* 25:643-689.

Solomon NG & Vandenberg JG (1994) Management, breeding, and reproductive performance of pine voles. *Lab.Anim.Sci.* 44(6):613-7.

Spinks AC, Van der Horst G & Bennett NC. (1997) Influence of breeding season and reproductive status on male reproductive characteristics in the common mole-rat, *Cryptomys hottentotus hottentotus*. *J.Reprod.Fert.* 109:78-86.

Spinks AC (1998) Sociality in the common mole-rat, *Cryptomys hottentotus hottentotus*, Lesson 1826 : the effects of aridity. Unpubl. PhD thesis, University of Cape Town, South Africa.

Spinks AC, Bennett NC & Jarvis JUM (1999) Regulation of reproduction in female common mole-rats, *Cryptomys hottentotus hottentotus* : the effects of breeding season and reproductive status. *J.Zool.Lond.* 248: 161-168.

Spinks AC, Bennett NC, Faulkes CG & Jarvis JUM. (2000) Circulating LH levels and the response to exogenous GnRH in the common mole-rat: implications for reproductive regulation in this social, seasonal breeding species. *Horm.Behav.* 37(3):221-228.



Steiner RA, Clifton DK, Spies H & Resto JA (1976) Sexual differentiation and feedback control of luteinising hormone secretion in the rhesus monkey. *Biol Reprod.* 15:206-212.

Storring PL & Gaines Das RE (1993) The second international standard for human pituitary LH; its collaborative study by bioassay and immunoassay. *J Endocrinol.* 138: 345-359.

Tai VC, Schiml PA, Li X & Rissman EF (1997) Behavioural interactions have rapid effects on immunoreactivity of prohormone and gonadotropin-releasing hormone peptide. *Brain Res.* 772:87-94.

Tait AJ & Johnson E (1982) Spermatogenesis in the grey squirrel (*Sciurus carolinensis*) and changes during sexual regression. *J.Reprod.Fertil.* 65(1):53-58.

Tokura H & Aschoff J (1983) Effects of temperature on the circadian rhythm of pig-tailed macaques (*Macaca nemestrina*) *Am.J.Physiol.*245(6):R800-804.

Tsubota T, Howell-Skalla L, Nitta H, Osawa Y, Mason JI, Meiers PG, Nelson RA & Bahr JM (1997) Seasonal changes in spermatogenesis and testicular steroidogenesis in the male black bear *Ursus americanus*. *J.Reprod.Fert.* 109(1):21-27.

Tsutsui K, Kawashima S, Masuda A & Oishi T (1989) Changes in the testicular binding of luteinizing hormone and plasma testosterone concentrations in the Djungarian hamster (*Phodopus sungoris*). *J.Exp.Zool.* 251:91-100.

Turek FW, Elliott JA, Alvis JD & Menaker M (1975) The interaction of castration and photoperiod in the regulation of hypophyseal and serum gonadotropin levels in male golden hamsters. *Endocrinol.* 96:854-860.

Urbanski HF, Doan A & Pierce M (1991) Immunocytochemical investigation of luteinizing hormone-releasing hormone neurons in Syrian hamsters maintained under long or short days. *Biol.Reprod.* 44:687-692.

Van Damme MP, Robertson DM & Diczfaluey E (1974) An improved in vitro bioassay method for measuring luteinising hormone (LH) activity using mouse Leydig cell preparations. *Acta Endocrinol.* 77:658-671.

Van der Walt L (2003) Reproductive inhibition in female common and highveld mole-rats: neuroanatomical and neuroendocrine perspectives. Unpubl. PhD thesis, University of Pretoria, Pretoria, South Africa.

Van der Walt L, Bennett NC & Schoeman AS (2001) Reproductive suppression and pituitary sensitivity to exogenous GnRH in the highveld mole-rat (*Cryptomys hottentotus pretoriae*). *J.Zool.Lond.* 254:177-184.

Van Sandwyk JdT & Bennett NC (2005) Do solitary, seismic signaling Cape mole-rats, *Georchus capensis* demonstrate spontaneous or induced ovulation? *J. Zool. Lond.* 267: 75-80.

Vasicek CA, Oosthuizen MK, Cooper HM, Bennett NC (2005) Circadian rhythms of locomotor activity in the subterranean Mashona mole-rat *Cryptomys darlingi*. *Physiol.Behav.* 84:181-191.

Vaughan TA (1962) Reproduction in plains pocket gopher in Colorado. J.Mamm. 43:1-13.

Viljoen H (2006) Is the Natal mole-rat *Cryptomys hottentotus natalensis* (Rodentia: Bathyergidae) a seasonal or aseasonal breeder?: Evidence from ovarian and testicular histology. Unpubl.Hons thesis, University of Pretoria, South Africa.

Westberry J & Meredith M (2003) The influence of chemosensory input and gonadotropin releasing hormone on mating behaviour circuits in male hamsters. Brain Res. 974(1-2):1-16.

Westlin L, Bennett NC, Jarvis JUM (1994) Relaxation of reproductive suppression in non-breeding naked mole-rats. J.Zool.Lond. 234: 177-188.

Wilson EO (1971) The degrees of social behaviour. In: Insect societies Harvard University Press, Cambridge (Massachusetts). pp 4-6.

Wilson EO & Hölldobler (1995) Eusociality: Origin and consequences. PNAS 102(38):13367-13371.

Witkin JW, Paden CM & Silverman AJ (1982) The luteinizing hormone-releasing hormone (LHRH) systems in the rat brain. Neuroendocrinol. 35:429-439.

Wood RI, Newman SW, Lehman MN & Foster DL (1992) GnRH neurons in the fetal lamb hypothalamus are similar in males and females. Neuroendocrinol. 55(4):427-433.

Xiong JJ, Karsch FJ & Lehman MN (1997) Evidence of seasonal plasticity in the gonadotropin-releasing hormone (GnRH) system of the ewe: changes in synaptic inputs onto GnRH neurons. *Endocrinol.* 138:1240-1250.

Yellon SM, Lehman MN & Newman SW (1990) The gonadotropin-releasing hormone neuronal system of the male Djungarian hamster: distribution from the olfactory tubercle to the medial basal hypothalamus. *Neuroendocrinology.* 51(2):219-25.

Yellon SM & Newman SW (1991) A developmental study of the gonadotropin-releasing hormone neuronal system during sexual maturation in the male Djungarian hamster. *Biol.Reprod.* 45:440-446.

Yoshii T, Heshiki Y, Ibuki-Ishibashi T, Matsumoto A, Tanimura T & Tomioka K (2005) Temperature cycles drive *Drosophila* circadian oscillation in constant light that otherwise induces behavioural arrhythmicity. *Eur.J.Neurosci.* 22(5):1176-1184.

Zuri I, Gottreich A & Terkel J (1998) Social stress in neighbouring and encountering blind mole-rats (*Spalax ehrenbergi*). *Physiol.Behav.* 64(5):611-620.