

## BIBLIOGRAPHY

1. Altee MY, Mahmood MH. (1998). An outbreak of veno-occlusive disease of the liver in northern Iraq.  
<http://www.emro.who.int/Publications>
2. Ames MM, Powis G. (1978). Determination of indicine N-oxide and indicine in plasma and urine by electron-capture gas-liquid chromatography. *Journal of Chromatography*. **166**, 519-526.
3. Anon. (1969) Onderstepoort; Annual report 1968/9.  
<http://www.nda.agric.za/vetweb>
4. Anon. (1987). Regulations governing the tolerances for certain seeds in certain agricultural products, R1466, in terms of the Foodstuffs, Cosmetics and Disinfectants Act, 1972. Department of Health, Pretoria.
5. Anon. (1995). Application of food analysis to food standards issues. Report of the joint FAO/WHO expert consultation. WHO: Geneva, Switzerland.
6. Anon. (1997). Poisonous plants- Pyrrolizidine alkaloids.  
<http://www.ansi.cornell.edu/courses/as625/1997/term/Sopheak/pyrol625.htm>
7. Anon. VRI (1999). Hepatotoxicity associated with pyrrolizidine alkaloid (*Crotalaria* spp.) ingestion in a horse on Easter Island.  
<http://www.veterinaryreliefinternational.com/hepatotoxicity>
8. Anon. (2002). Regulations governing the tolerances for certain seeds in certain agricultural products. Department of Health, Pretoria.
9. Anon. (2003a). U.S. Food and Drug Administration/Centre for Food Safety and Applied Nutrition, Office of Plants and Dairy Foods. FDA Poisonous Plant Database.  
<http://www.cfsan.fda.gov/>
10. Anon. (2003b). NTP Report. Toxicology and carcinogenesis studies of riddelliine in F344/N rats and B6C3F<sub>1</sub> mice. National Toxicology Program, US Department of Health and Human Services.
11. ANZFA. (2001). Australia New Zealand Food Authority. Pyrrolizidine alkaloids in food: A toxicological review and risk assessment. Technical Report No 2.  
<http://www.anzfa.gov.au>
12. AOAC (1990) Official Methods of Analysis, Section 960.07. 15<sup>th</sup> Ed. Arlington, VA
13. Arnold TH, de Wet BC. (1993). Plants of Southern Africa: Names and distribution. *Memoirs Botanical Survey South Africa*. **62**. National Botanical Institute, Pretoria.

14. Azadbakht M, Talavaki M. (2003). Qualitative and quantitative determination of pyrrolizidine alkaloids of wheat and flour contaminated with *Senecio* in Mazandaran Province. *Iranian Journal of Pharmaceutical Research*. **2**, 179-183.
15. Beasley V. (1999) Poisonous plants that affect the liver. In: Veterinary Toxicology, Beasley V Ed. International Veterinary information service.  
<http://www.ivis.org/advances/Beasley>
16. Boppre M. (1990). Lepidoptera and pyrrolizidine alkaloids: exemplification of complexity in chemical ecology. *Journal of Chemical Ecology*. **16**, 165-185.
17. Bras G, Brooks SHE, Walter DC. (1961). Cirrhosis of liver in Jamaica. *Journal of Pathological Bacteriology*. **82**, 503-512.
18. Bromilow C. (1996). Problem plants of South Africa. Bayer SA.
19. Bull LB, Culvenor CCJ, Dick AT. (1968) The pyrrolizidine alkaloids; Their chemistry, pathogenicity and other biological properties. North Holland Publishing Company, Amsterdam. 115-132.
20. Castagnoli N, Rimoldi JM, Bloomquist J, Castagnoli KP. (1997). Potential metabolic activation pathways involving cyclic tertiary amines and azoarenes. *Chemical Research in Toxicology*. **10**, 924-940.
21. Chauvin P, Dillon JC, Moren A. (1994). An outbreak of *Heliotrope* food poisoning, Tadjikista, Nov 1992 – Mar 1993. *Cahiers Sante*. **4**, 263-268.
22. Cheeke PR. (1989) Toxicants of plant origin; Volume I Alkaloids. CRC Press, Florida. 2-21.
23. Chojkier M. (2003). Hepatic sinusoidal-obstruction syndrome: toxicity of pyrrolizidine alkaloids. *Journal of Hepatology*. **39**, 437-446.
24. Clark AM. (1959). Mutagenic activity of the alkaloid heliotrine in *Drosophila*. *Nature*. **183**, 731-732.
25. Craig A M. (2002). Pyrrolizidine alkaloids: Health problem in South Africa. Research Proposal (unpublished).
26. Craig A M. (1995). Detoxification of plant and fungal toxins by ruminant bacteria. In: *Ruminant Physiology: Digestion, metabolism, growth and production*. Ferdinand Enke Verlag, Stuttgart. 271-288.
27. Crews C, Startin JR, Clarke (1997). Determination of pyrrolizidine alkaloids in honey from selected sites by solid phase extraction and HPLC-MS. *Food Addition Contamination*. **14**(5), 419-428.

28. Culvenor CCJ, Edgar JA, Jago MV, Outteridge A, Peterson JE, Smith LW. (1976). Hepato-and pneumotoxicity of pyrrolizidine alkaloids and derivatives in relation to molecular structure. *Chemical Biological Interacta*. **12**, 299-324.
29. Culvenor CCJ, Edgar JA, Smith LW. (1981). Pyrrolizidine alkaloids in honey from *Echium plantagineum*. *Journal of Agriculture and Food Chemistry*. **29**, 958-960.
30. Damron BL, Jacob JP. (1998). Toxicity of weed seeds common to the South Eastern US. *Journal of Applied Poultry Research*. **10**, 104-110.
31. Damron BL. (2001). Toxicity to poultry of common weed seeds.  
[hppt://edis.ifas.ufl.edu/](http://edis.ifas.ufl.edu/hppt://edis.ifas.ufl.edu/)
32. Deinzer ML, Thomason PA, Burgett DM, Isaacson DL. (1977). Pyrrolizidine alkaloids: Their occurrence in honey from Tansy Ragwort (*S. jacobaea* L) *Science*. **195**, 497-499.
33. De Medeiros RMT, Gorniak SL, Guerra JL. (1999). Effects of milk from goat fed *Crotalaria spectabilis* seeds on growing rats. *Brazilian Journal of Veterinary Research and Animal Science*. **36**, (2)
34. Deuker SR, Lame MW, Morin D, Wilson DW, Segall HJ. (1992). Guinea pig and rat hepatic microsomal metabolism of monocrotaline. *Drug Metabolism and Disposition* **20**, 275-280
35. Dharmananda S. (2002). Safety issues affecting herbs: pyrrolizidine alkaloids.  
<http://www.itmonline.org/arts/pas.htm>
36. Dickinson JO, Cooke MP, King RR Mohamed PA. (1976). Milk transfer of pyrrolizidine alkaloids in cattle. *Journal of American Veterinary Medical Association*. **169**, 1192-1196.
37. Edgar JA, Smith WS. (2000). Transfer of pyrrolizidine alkaloids into eggs: Food safety implications. In: *Natural and selected synthetic toxins. Biological implications*. ACS Symposium series 745. American Chemical Society, Washington, DC. 118-128.
38. Eloff JN, Jansen van Rijssen FW, Naudé TW, Joubert JPJ. (2003). What levels of potentially toxic seed should be allowed in grains in South Africa? I. Background and pyrrolizidine alkaloid-containing plants. *South African Journal of Science*. **99**, 337-344.
39. El-Shazly A. (2002). Pyrrolizidine Alkaloid profiles of some *Senecio* species from Egypt. *Verlag der Zeitschrift fur Naturforschung*. **57c**, 429-433.
40. Estep JE, Lame MW, Morin D, Segall HJ, Wilson DW. (1992). <sup>14</sup>C-Monocrotaline tissue distribution, covalent binding and kinetics in the rat. In: *Poisonous Plants; Proceedings of the Third International Symposium*. Iowa State University Press. 584-588.

41. Evans JV, Daley SK, McClusky GA, Nielsen CJ. (1980). Direct quantitative analysis of incidine *N*-oxide in cancer patient samples by gas chromatography using the internal standard heliotrine *N*-oxide including a mass spectral comparison of their trimethylsilyl derivatives. *Biomedical Mass Spectrometry*. **7**, 65-73.
42. Faftine O, Alage A, Muir,JP. (2000). Characterization of forage selected by cattle on communal range in Manhica, Mozambique.  
<http://Stephenville.tamu.edu/>
43. Fitzgerald RL, Rivera JD, Herold DA. (1999). Broad spectrum drug identification directly from urine using liquid chromatography tandem mass spectrometry. *Clinical Chemistry*. **45**, 8, 1224-1234.
44. Franke JP, De Zeeuw RA. (1998). Solid phase extraction procedures in systematic toxicological analysis. *Journal of Chromatography B*. **713**, 51-59.
45. Fu PP, Xia Q, Lin G,Chou MW. (2002a). Genotoxic pyrrolizidine alkaloids – mechanism leading to DNA adduct formation and tumorigenicity. *International Journal of Molecular Sciences*. **3**, 948-964.
46. Fu PP, Yang Y, Xia Q, Chou MW,Cui YY Lin G. (2002b). Pyrrolizidine alkaloids – Tumorigenic components in Chinese herbal medicines and dietary supplements. *Journal of Food and Drug Analysis*. **10**(4), 198-211.
47. Ge Lin, Yan-Yan Cui, Hawes EM. (1998a). Microsomal formation of a pyrrolic alcohol glutathion conjugate of Clivorine. *Drug Metabolism and Disposition*. **26**(2), 181-184.
48. Ge Lin, Ke-Yu Zhou, Xian-Guo Zhao, Zhen-Tao Wang, Paul Pui Hay But. (1998b). Determination of hepatotoxic pyrrolizidine alkaloids by on-line high performance liquid chromatography mass spectrometry with electrospray interface. *Rapid Communications in Mass Spectrometry*. **12**, 1445-1456.
49. Harris PN, Reddy J, Chiga M, Svoboda D. (1969). Polysomal disaggregation by lasiocarpine. *Biophysica Acta* **180**, 587-589.
50. Hartmann T, Sander H, Adolph RD, Toppel G. (1988). Metabolic links between the biosynthesis of pyrrolizidine alkaloids and polyamines in root cultures of *Senecio vulgaris*. *Planta*. **175**, 80-92.
51. Hartmann T, (1997) C-10-2 The mechanistic basis of generating chemical diversity: exemplified by Senecionine type pyrrolizidine alkaloids.  
<http://www.chemecol.org/meetings/97/C-10-2.html>.
52. Hincks JR, Kim HY, Segall HJ, Molyneux RJ, Strmitz FR, Coulombe RA. (1991). DNA cross linking in mammalian cells by pyrrolizidine alkaloids: structure-activity relationship. *Toxicology and Applied Pharmacology*. **111**(1), 90-98.

53. Hol WGH, Vrieling K, van Veen JA. (2003). Nutrients decrease pyrrolizidine alkaloid concentrations in *Senecio jacobaea*. *New Phytologist*. **158**(1), 175-179.
54. Holstege DM, Seiber JN Galey FD. (1995). Rapid multiresidue screen for alkaloids in plant material and biological samples. *Journal of Agricultural and Food Chemistry*. **43**, 691-699.
55. Hooper PT, Scalan WA. (1977). *Crotalaria retusa* poisoning in pigs and poultry. *Australian Veterinary Journal*. **53**, 109-114.
56. Hough JM, Haney CA, Voyksner RD, Bereman RD. (2000). Evaluation of electrospray transport CID for the generation of searchable libraries. *Analytical Chemistry* **72**, 2265-2270.
57. Huxtable RJ. (1989). Human health implications of pyrrolizidine alkaloids and herbs containing them. In: *Toxicants of plant origin*; Volume I Alkaloids. Cheeke PR Ed. CRC Press, Florida. 42-86.
58. IARC. (1976) Pyrrolizidine alkaloids. In: *Some naturally occurring substances*. Lyons, International Agency for Research on Cancer. (IARC Monograph on the evaluation of carcinogenic risks of chemicals to man). **10**, 265-342.
59. IPCS. (1989). International Programme on Chemical Safety; Pyrrolizidine Alkaloid Health and Safety Guide 26. WHO:Geneva.  
<http://www.inchem.org/documents/hsg/hsg/hsg026.htm>
60. Jago MV, Lanigan GW, Bingley JB, Piercy DWT, Whittem JH, Titchen DA. (1969). Excretion of the pyrrolizidine alkaloid heliotrine in the urine and bile of sheep. *Journal of Pathology*. **98**, 115-128.
61. Kedzierski B, Buhler DR. (1986). The formation of 6,7-dihydro-7-hydroxy-1-hydroxymethyl-5H-pyrrolizidine, a metabolite of pyrrolizidine alkaloids. *Chemical Biological Interact*. **57**, 217-222.
62. Kellerman TS, Coetzer JAW, Naudé TW. (1988). Plant poisonings and mycotoxicoses of livestock in Southern Africa. Oxford University Press, Cape Town.
63. Kellerman TS, Fourie N, Naudé TW. (1996). The distribution, diagnosis and estimated economic impact of plant poisonings and mycotoxicosis in South Africa. *Onderstepoort Journal of Veterinary Research*. **63**, 65-90.
64. Lafranconi WM, Ohuma S, Huxtable RS. (1985). Biliary excretion of novel pneumotoxic metabolites of the pyrrolizidine alkaloid monocrotaline. *Toxicol*. **23**, 903-992.
65. Lindigkeit R, Biller A, Buch M, Schiebel HM, Boppre M, Hartmann T. (1997). The two facies of pyrrolizidine alkaloid: the role of the tertiary amine and its N-oxide in chemical

- defence of insects with acquired plant alkaloids. *European Journal of Biochemistry*. **245**, 626-636.
66. Lips AGAM, Lameijer W, Fokkens RH, Nibbering NMM. (2001). Methodology for the development of a drug library based upon collision-induced fragmentation for the identification of toxicologically relevant drugs in plasma samples. *Journal of Chromatography B*. **759**, 191-207.
67. Logie CG, Grue R, Liddell JR. (1994). Proton NMR spectroscopy of pyrrolizidine alkaloids. Review article No. 93. *Phytochemistry*. **37**(1), 43-109.
68. Marais JSC. (1944) Dicrotaline: The toxic alkaloid from *Crotalaria dura* and *Crotalaria globifera*. *Onderstepoort Journal of Veterinary Science and Animal Industry* **20**(1), 61-65.
69. Mattocks AR. (1967). Detection of pyrrolizidine alkaloids on thin layer chromatography. *Journal of Chromatography*. **27**, 505-508.
70. Mattocks AR. (1971). The occurrence and analysis of pyrrolizidine alkaloid *N*-oxides. *Xenobiotica*. **1**, 451-453.
71. Mattocks AR. (1977). Tissue distribution of radioactivity in rats given tritiated analogues of hepatotoxic pyrrolizidine alkaloids. *Xenobiotica*. **7**, 665-670.
72. Mattocks AR. (1986). Chemistry and toxicology of pyrrolizidine alkaloids. Academic Press, Orlando, Florida.
73. Mattocks AR, Jukes R. (1987). The simple detection of potentially toxic PAs under field conditions. In: *Poisonous plants: Proceedings of the Third International Symposium*. Eds. James, Keeler Iowa State University Press. 553-555.
74. Mattocks AR, Culvenor CCJ, Tandon HJ, Prost A. (1988). IPCS:Criteria 80. Environmental health criteria for pyrrolizidine alkaloids, World Health Organization, Geneva.  
<http://www.inchem.org/documents/ehc/ehc/ehc080.htm>
75. Mattocks AR (1992) Pyrrolizidine Alkaloids: What metabolites are responsible for extrahepatic tissue damage in animals. In *Poisonous Plants; Proceedings of the Third International Symposium*. Iowa State University Press. 192-197.
76. Mohabbat O, Svrivastava RN, Younos MS, Sediq GG, Mendaz AA, Aram GN. (1976). An outbreak of veno-occlusive disease in North-western Afghanistan. *Lancet* **7**, 269-271.
77. Mroczek T, Glowniak K, Wlaszczyk A. (2002). Simultaneous determination of *N*-oxides and free bases of pyrrolizidine alkaloids by cation-exchange solid-phase

- extraction and ion-pair high-performance liquid chromatography. *Journal of Chromatography A*. **949**(1-2), 249-262.
78. Naudé TW, Coetzer JAW, Kellerman TS. (1992). Variation in animal species' response to plant poisonings and mycotoxicoses in Southern Africa. In: *Poisonous Plants; Proceedings of the Third International Symposium*. Iowa State University Press.
79. Ober D, Hartmann T. (1999). Homospermidine synthase, the first pathway-specific enzyme of pyrrolizidine alkaloid biosynthesis, evolved from deoxyhypusine synthase. *Proceedures in Natural Academic Science*. **96**(26), 14777-14782.  
[www.pnas.org](http://www.pnas.org)
80. Prakash AS, Perira TN, Reilly PEB, Seawright AA. (1999). Pyrrolizidine alkaloids in human diet. *Mutation Research*. **443**, 53-67.
81. Qualls CW, Segall HJ. (1978). Rapid isolation and identification of pyrrolizidine alkaloids (*Senecio vulgaris*) by high performance liquid chromatography. *Journal of Chromatography*. **50**, 202-205.
82. Ramsdell AS, Buhler DR. (1981). High performance liquid chromatographic analysis of pyrrolizidine (*Senecio*) alkaloids using a reverse phase styrene-divinylbenzene resin column. *Journal of Chromatography*. **210**, 154-158.
83. Ridker PM, Ohkuma S, McDermott WV, Trey C, Huxtable RJ. (1985). Hepatic veno-occlusive disease associated with consumption of pyrrolizidine alkaloid containing dietary supplement. *Gastroenterology*. **88**, 1050-1054.
84. Röder E. (1990). Carbon-13 NMR spectrometry of pyrrolizidine alkaloids. *Phytochemistry*. **29**, 11-29.
85. Röder E. (1995). Medicinal plants in Europe containing pyrrolizidine alkaloids. *Pharmazie*. **50**, 83-98.
86. Schoental R, Head MA. (1955). Pathological changes in rats as result of treatment with monocrotaline. *British Journal of Cancer*. **9**, 229-237.
87. Schoental R, Magee PN. (1959). Further observations on the subacute and chronic liver changes in rats after a single dose of various pyrrolizidine alkaloids. *Journal of Pathological Bacteriology*. **78**, 471-482.
88. Schoental R, Bensted JPM. (1963). Effects of whole body irradiation of portal hepatectomy on the liver lesions induced in rats by a single dose of retrorsine, a pyrrolizidine (*Senecio*) alkaloid. *British Journal of Cancer*. **17**, 242-251.
89. Segall HJ. (1979). Preparative isolation of pyrrolizidine alkaloids derived from *Senecio vulgaris*. *Liquid Chromatography*. **2**, 1319-1323.



90. Segall HJ, Wilson DW, Dallas JL, Haddon WJ. (1985). Trans-4-hydroxy-2-hexanol: a reactive metabolite from the macrocyclic pyrrolizidine alkaloid senecionine. *Science*. **229**, 472-475.
91. Sippel W L. (1964). Crotalaria poisoning in livestock and poultry. *Annals of the New York Academy of Science*. **111**, 562-570
92. Shubat PJ, Huxtable RJ. (1992). The threshold for toxicity of the pyrrolizidine alkaloid, monocrotaline. In: *Poisonous Plants; Proceedings of the Third International Symposium*. Iowa State University Press. 186-191.
93. Shumaker RC, Robertson KA, Hsu IC, Allen JR. (1976). Neoplastic transformation in tissues of rats exposed to monocrotaline or dehydroretronecine. *Journal of National Cancer Institute*. **56**, 787-789.
94. Srungbomee S, Makasame C. (1981). A preliminary study on the toxicity of *Crotalaria juncea* to cattle. *Sattawaphaet San*. **32**, 91-107.
95. Steenkamp V, Stewart MJ, Zuckerman M. (2000). Clinical and analytical aspects of pyrrolizidine poisoning caused by South African traditional medicines. *Therapeutic Drug Monitoring*. **22**, 302-306.
96. Stegelmeier BL, Edgar JA, Colegate SM, Gardner DR, Scoch TK, Coulombe RA, Moleneux RJ. (1999). Pyrrolizidine alkaloid plants, metabolism and toxicology. *Journal of Natural Toxins*. **8**, 95-116.
97. Stelljes ME, Kelley RB, Seiber JN. (1992). Chromatographic techniques for the identification of pyrrolizidine alkaloids. In *Poisonous Plants; Proceedings of the third International Symposium*. Iowa State University Press. 548-552.
98. Steyn DG, De Kock G. (1932). Crotalariosis in sheep. *18<sup>th</sup> Report of the Directorate of Veterinary Service and Animal Industry*. 947-953.
99. Stuart KL, Bras G. (1957). Venous-occlusive disease of the liver. *Quebec Journal of Medicine*. 291-315.
100. Swick RA, Cheeke PR, Patton NM, Buhler DR. (1982). Absorption and excretion of pyrrolizidine (senecio) alkaloids and their effects on mineral metabolism in rabbits. *Journal of Animal Science*. **55**, 1417-1424.
101. Tandon RK, Tandon BN, Tandon HB, Bhatia ML, Bhargava S, Arora RR. (1976). Study of an epidemic of venous-occlusive disease in India. *Gut*. **17**, 849-855.
102. Thomas HC, Lame MW, Morin D, Wilson DW, Segall HJ. (1998). Prolonged cell-cycle arrest associated with altered cdc2 kinase in monocrotaline pyrrole-treated pulmonary artery endothelial cells. *American Journal of Respiratory Cell Molecular Biology*. **19**(1), 129-142.



103. Tittel G, Hinz H, Wagner H. (1979). Quantitative determination of pyrrolizidine alkaloids in *Symphyti radix*. *Planta Medica*. **37**, 1-8.
104. Venisse N, Marquet P, Duchoslav E, Dupuy JL, Lachatre G. (2003). A general unknown screening procedure for drugs and toxic compounds in serum using liquid chromatography-electrospray single quadrupole mass spectrometry. *Journal of Analytical Toxicology*. **27**, 7-14.
105. Wagner H, Neidhardt U, Tittel G. (1981). TLC and HPLC analysis of pyrrolizidine *N*-oxide alkaloids of *Symphyti radix*. *Planta Medica*. **41**, 232-239.
106. Willmot FC, Robertson AW. (1920). *Senecio* disease or cirrhosis of the liver due to senecio poisoning. *Lancet*. **2**, 848-849.
107. Winter CK, Segall HJ. (1989). Metabolism of pyrrolizidine alkaloids. In: *Toxicants of plant origin*; Volume I Alkaloids. Cheeke PR Ed. CRC Press, Florida 23-38.
108. Witte L, Rubiolo P, Bicchi C, Hartmann T. (1993). Comparative analysis of pyrrolizidine alkaloids from natural sources by gas chromatography-mass spectrometry. *Phytochemistry*. **32**(1), 187-196
109. Yan CC, Huxtable RJ. (1995). Relationship between glutathione concentration and metabolism of the pyrrolizidine, monocrotaline, in isolated, perfused liver. *Toxicology and Applied Pharmacology* **130**, 13-17.