

## REFERENCES

ASAI, M., 2001. Mapping and characterization of the scurred phenotype in *Bos taurus* breeds. Thesis, University of Saskatchewan, Saskatoon, Canada.

AULD, R.C.M., 1927. Polled and horned cattle. *The Journal of Heredity*. 18, pp 309 –321.

BAND, M., RON, M., EGGEN, A., BISHOP, M.D., 1997. Isolation of microsatellites from a bovine YAC clone harboring the SOD1 gene. *Animals Genetics*. 28, pp 363-366.

BARENDSE, W., ARMITAGE, S.M., KOSSAREK, L.M., SHALOM, A., KIRKPATRICK, B.W., RYAN A.M., CLAYTON, D., LI, L., NEIBERG, H.L., ZHANG, N., GROSSE, W.M., WEISS, J., CREIGHTON, P., MCCARTHY, F., RON, M., MOORE, S.S., GEORGES, M., WOMACK, J.E., HETZEL., 1994. A genetic map of the bovine genome. *Nature Genetics*. 6, pp 227-238.

BARENDSE, W., VAIMAN, D., KEMP, S.J., SUGIMOTO, Y., ARMITAGE, S.M., WILLIAMS, J.L., SUN, H.S., EGGEN, A., AGABA, M., ALEYASIN, S.A., BAND, M., BISHOP, M.D., BUITKAMP, J., BYRNE, K., COLLINS, F., COOPER, L., COPPETIERS, W., DENYS, B., DRINKWATER, R.D., EASTERDAY, K., ELDUQUE, C., ENNIS, S., ERHARDT, G., FERRETTI, L., FLAVIN, N., GAO, Q., GEORGES, M., GURUNG, R., HARLEZIUS, B., HAWKINS, G., HETZEL, D.J.S., HIRANO, T., HULME, D., JOERGENSEN, C., KESSLER, M., KIRKPATRICK, B.W., KONFORTOV, B., LI, L., MARTIN BURIEL, I., MCGAW, R.A., MILLER, J.R., MOODY, D.E., MOORE, S.S., NAKANE, S., NIJMAN,I., OLSAKER, I., POMP, D., RANDO, A., RON, M., SHALOM, A., SOLLER, M., TEALE, A.J., THIEVEN, I., URQUHART, B., VAGE, D.I., VAN DE WEGHE, A., VARVIO, S., VELMALA, R., VILKKI, J., WEIKARD, R., WOODSIDE, C., WOMACK, J.E., ZANOTTI, M., ZARAGOZA, P., 1997. A medium density genetic linkage map of the bovine genome. *Mammalian Genome*. 8, pp 21-28.

BEUZEN, N.D., STEAR, M.J., CHANG, C.K., 2000. Molecular markers and their use in animals breeding. *The Veterinary Journal*. 160, pp 42-52.

BISHOP, M.D., KAPPES, S.M., KEELE, J.W., STONE, R.T., SUNDEN, S.L.F., HAWKINS, G.A., TOLDO, S.S., FRIES, R., GROSZ M.D., YOO, J., BEATTIE, C.W., 1994. A genetic linkage map for cattle. *Genetics*. 136, pp 619-639.

BLOCKEY, M.A. DE B., TAYLOR, E.G., 1984. Observations on spiral deviation of the penis in beef bulls. *Australian Veterinary Journal*. 61, pp 141-145.

BRENNEMAN, R.A., DAVIS, S.K., SANDERS, J.O., BURNS, T.C., WHEELER, J.W., TURNER, J.W., TAYLOR, J.F., 1996. The polled locus maps to BTA1 in a *Bos indicus* x *bos taurus* cross. *The Journal of Heredity*. 87, pp 156-161.

BONSMA, J., 1980. *Livestock Production*., Tafelberg Publishers Ltd, Cape Town, South Africa. pp 126, 135.

CAMPER, J.P., HUNLUN, C., VAN ZYL, G.J., 1997. *South African Livestock Breeding*., South African Stud Book and Livestock Improvement Association, Bloemfontein, South Africa. pp 50.

CHURCHILL O.O., 1927., Sex and horns in cattle, a note on exceptional mode of inheritances. *Journal of Heredity*. 18, pp 79-280.

CYRILLIC version 2.1., <http://www.cyrillicsoftware.com>, 2000.

DE DONATO, M., GALLAGHER, D.S., DAVIS, S.K., JI, Y., BURZLAFF, J.D., STELLY, D.M., WOMACK, J.E., TAYLOR, J.F., 1999. *Cytogenetics and Cell Genetics*. 87, pp 59-61.

FALCONER, D.S., MACKAY, T.F.C., 1996. *Introduction to Quantitative Genetics*., Longman Scientific and Technical Publishers Ltd, Harlow. pp 358.

FERRETI, L., URQUHART, B.G., EGGEN, A., OLSAKER, I., HARLIZIUS, B., CASTIGLIONI, B., MEZZELANI, A., SOLINAS TOLDO, S., THIEVEN, U., ZHANG,

Y., MORGAN, A.L., TERES, V.M., SCHWERIN, M., MARTIN-BURRIEL, I., CHOWDHARY, B.P., ERHARDT, G., NIJMAN, I.J., CRIBIU, E.P., BARENDSE, W., LEVEZIEL, H., FRIES, R., WILLIAMS, J.L., 1997. Cosmid-derived markers anchoring the bovine genetic map to the physical map. *Mammalian Genome*. 8, pp 29-36.

FRISCH, J.E., NISHIMURA, H., COUSINGS, K.J., TURNER, G.H., 1980. The inheritance and effect on production of polledness in four crossbred lines of beef cattle. *Animal Production*. 31, pp 199-126.

GEORGES, M., DRINKWATER, R., KING, T., MISHRA, A., MOORE, S.S., NIELSEN, D., SARGEANT, L.S., SORENSEN, A., STEEL, M.R., ZHAO, X., WOMACK, J.E., HETZEL, J. M., 1993. Microsatellite mapping of a gene affecting horn development in *Bos taurus*. *Nature Genetics*. 4, pp 206-210.

GREEN, P., FALLS, K., CROOKS, S., 1990. Documentation for CRI-MAP V.2.4. St. Louis: Department of Genetics, Washington School of Medicine.

GOONEWARDENE, L.A., PANG, H., BERG, R.T., PRICE, M.A., 1999a. A Comparison of reproductive and growth traits of horned and polled cattle in three synthetic beef lines. *Canadian Journal of Animal Science*. 79, pp 123-127.

GOONEWARDENE, L.A., PRICE, M.A., LIU, M.F., BERG, R.T., ERICHSEN, C.M., 1999b. A study of growth and carcass traits in dehorned and polled composite bulls. *Canadian Journal of Animal Science*. 79, pp 383-385.

HARLIZIUS, B., TAMMEN, I., EICHLER, K., EGGEN, A., HETZEL, D. J. S., 1997. New markers on Bovine Chromosome 1 are closely linked to the polled gene in Simmental and Pinzgauer cattle. *Mammalian Genome*. 8, pp 255-257.

LANGE, H., 1989. Investigations on polledness and head conformations. Thesis, Ludwig-Maximilians-University, Munchen, Federal Republic of Germany.

LONG, S.E., HIGNETT, P.G., 1970. Preputial Eversion in the Bull. A comparative study of prepuces from bulls which evert and those which do not. *The Veterinary Record*. 86, pp 161-164.

LONG, R.C., GREGORY, K.E., 1978. Inheritance of the horned, scurred, and polled condition in cattle. *The Journal of Heredity*. 69, pp 395-400.

MA, R.Z., BEEVER, J.E., DA, J., GREEN, C.A., RUSS, I., PARK, C., HEYEN, D.W., EVERTS, R.E., FISHER, S.R., OVERTON, K.M., TEALE, A.J., KEMP, S.J., HINES, H.C., GUERIN, G., LEWIN, H.A., 1997. A male linkage map of the cattle (*Bos taurus*) genome. *The Journal of Heredity*. 87, pp 261-271.

MAREE, C., CASEY, N.H., 1993. Livestock Production Systems. Principles and Practice. Agri-Development Foundation., Brooklyn, South Africa. pp 7.

MARQUESS, F.L.S., BRENNEMAN, R.A., SCHMUTZ, S.M., TAYLOR, J.F., DAVIS, S.K., 1997. A highly polymorphic bivariate dinucleotide repeat SOD1MICRO2. *Animal Genetics*. 28, pp 58-71.

OTT, J., 1991. Analysis of human genetic linkage. The Johns Hopkins University Press. Baltimore, Maryland. pp 5, 6, 6, 7, 126, 227.

REXROAD III C.E., OWENS, E.K., JOHNSON, J.S., WOMACK, J.E., 2000. A 12,000 rad whole genome radiation hybrid panel for high resolution mapping in cattle: characterization of the centromeric end of chromosome 1. *Animal Genetics*. 31, pp 262-265.

SAMUELS, M.L., 1993. Statistics for the life sciences. Prentice-Hall Inc., Englewood Cliffs, New Jersey. pp 352, 253.

SCHMUTZ, S. M., MARQUESS, F. L. S., BERRYERE, T. G., MOKER, J. S., 1995. DNA marker-assisted selection of the polled condition in Charolais Cattle. *Mammalian Genome*. 6, pp 710-713.

SCHOLTZ, M.M., BERGH, L., BOSMAN, D.J. 2000. Beef breeding in South Africa: commemorating 40 years of beef cattle performance testing, 1959-1999. Agricultural Research Council, Animal Improvement Institute. Irene, South Africa.

SPIELMAN, S.R., MCGINNIS, E.R., EWENST, W.J., 1993. Transmission test for linkage disequilibrium: The Insulin gene region and Insulin-dependent Diabetes Mellitus (IDDM). *American Journal of Human Genetics*. 52, pp 506-516.

SMITH, A.D.B., 1927., The inheritance of horns in cattle. *Journal of Genetics*. 18, pp 365-374.

STONE, R.T., PULIDO, J.C., DUYK, G.M., KAPPES, S.M., KEELE, J.W., BEATTIE, C.W., 1995. A small-insert bovine genomic library highly enriched for microsatellite repeat sequences. *Mammalian Genome*. 6, pp 714-724.

STOOKEY, J.M., GOONEWARDENE, L.A., 1996. A comparison of production traits and welfare implications between horned and polled beef bulls. *Canadian Journal of Animal Science*. 76, pp 1-5.

STRACHAN, TOM. & READ, P. ANDREW., 1999. Human molecular genetics. Eds. John Wiley & Sons Inc., New York, USA. pp 270, 271, 272, 273, 275, 279, 288.

TAYLOR, J.F., EGGEN, A., ALEYASIN, A., ARMITAGE, S.M., BARENDSE, W., BEEVER, J.E., BISHOP, M.D., BRENNEMAN, R.A., BURNS, B.M., DAVIS, S.K., ELO, K., HARLIZIUS, B., KAPPES, S.M., KEELE, J.W., KEMP, S.J., KIRKPATRICK, B.W., LEWIN, H.A., MA, R.Z., WILLIAMS, R.A., YEH, C.C., ZANOTTI, M.C., 1998. Report of the first workshop on the genetic map of bovine chromosome 1. *Animal Genetics*. 29, pp 228-235.

VAN DER WESTHUIZEN., 1998 Beef Breeding in South Africa. Press. Pretoria. South Africa. pp 26.

Viaman, d., Mercier, d., Moazami-Goudarzi, K., Eggen, A., Ciampolini, r., Le'pingle, a., Velmala, r., kaukinen, j., varvio, s.l., martin, p., leve'ziel, h., gue'rin, g., 1994. A set of 99

cattle microsatellites: characterization, synteny mapping and polymorphism. *Mammalian Genome*. 5, pp 288-297.

VIAMAN, D., SCHIBLER, L., OUSTRY, A., SCHMITZ, A., FURET, J.P., BARENDSE, W., CRIBIU, E.P., 1997. A cytogenetically anchored genetic map of bovine chromosome 1 obtained by integrated flow-sorted chromosome-derived microsatellite markers into the international bovine map. *Cytogenetics and Cell Genetics*. 79, pp 204-207.

WATSON, J.A.S., 1921 A Mendelian experiment with Aberdeen-Angus and West Highland cattle. *Journal of Genetics*. 11, pp 33-49.

WEIR, B.S., 1997. *Genetic Data Analysis*. Sinauer Associates, Inc., Sunderland, MA. pp 229, 245.

WILLIAMS, H.D., WILLIAMS, T. 1952. The inheritance in Galloway Holstein cattle crosses. *Journal of Genetics*. 32, pp 33-49.

WHITE, W.T., IBSEN, H.L. 1936. Horn inheritance in Galloway-Holstein cattle crosses. *Journal of Genetics*. 32, pp 33-49.