

Chapter 6: References

- ANDERSON, P.H., BERRETT, S., PATTERSON, D.S.P. 1979. *Veterinary Record*. 104: 235 (as cited by Suttle 1986).
- ANDREWS, E.D., HART, L.I., STEPHENSON, B.J. 1959. *New Zealand Journal of Agricultural Research*. 2: 274 (as cited by Mitsioulis et al. 1995).
- ANDREWS, E.D., HART, L.I., STEPHENSON, B.J. 1960. *New Zealand Journal of Agricultural Research*. 3: 364 (as cited by Mitsioulis et al. 1995).
- BINGLEY, J.B. & DUFTY, J.H. 1972. Distribution of copper in the tissues of the bovine neonate and dam. *Research in Veterinary Science*. 13: 8-14 (as cited by Osborn et al. 1983).
- BOSKEY, A.L., COHEN, M.L., BULLOUGH, P.G. 1982. Hard tissue biochemistry: A comparison of fresh-frozen and formalin fixed tissue samples. *Calcified Tissue International*. 34: 328-331.
- BOYAZOGLU, P.A. 1976. A review of mineral imbalances of grazing animals in Southern Africa. *Journal of the South African Veterinary Association*. 47: 129-132.
- BRATTON, G.R., ZMUDZKI, J., RICHARDSON, E.W. 1984. Lead concentrations in fresh, frozen and formalin fixed tissues from lead poisoned calves: Guidelines for diagnosis. *Veterinary and Human Toxicology*. 27: 7 – 10.
- BREMNER, I. & MILLS, C.F. 1981. Absorption, transport and tissue storage of essential trace elements. *Philosophical Transactions of the Royal Society of London Series B Biological Sciences* 294:75 (as cited by MILLS 1987).

BROWN, K.S., CHERRY, W.H., FORBES, W.F. 1979. Studies of trace-element levels in human tissue-VI. Concerning the estimation of lead levels in human lung and vertebra, with particular reference to formalin fixation. *Bulletin of Environmental Contamination and Toxicology*. 22: 552-560.

CAPLE, I.W. & MCDONALD, J.W. 1983. Trace mineral nutrition. *Postgraduate Symposium, University of Sydney Proceedings 67 Sheep*. 67: 235-242.

CASSIDY, I. & EVA, J.A. 1958. Variations in the concentrations of copper and iron within and between the lobes of pig livers. *Proceedings of the Nutritional Society*. 17 (as cited by Hogan *et al.* 1971).

CHAPMAN, H.L., COX, D.H., HAINES, C.E., DAVIS, G.K. 1963. Evaluation of the liver biopsy technique for mineral nutrition studies with beef cattle. *Journal of Animal Science*. 22: 733 – 737.

DEIERKAUF, F.A. & HESLINGA, F.J.M. 1961. The action of formaldehyde on rat brain lipids. *Journal of Histochemistry and Cytochemistry*. 8: 70 – 82.

EHRET, W.J. 1971. Causes of variation of copper, iron, manganese, zinc and magnesium levels in bovine livers. *M. Med. Vet. Thesis: University of Pretoria*.

EHRET, W.J., SANDROCK, K.C.W., BOYAZOGLU, P.A. 1975. Causes of variation of copper, iron, manganese, zinc and magnesium levels in bovine livers. 3. The effects of locality. *Journal of the South African Veterinary Association*. 46: 249-255.

FAIRBANKS, V.F., FAHEY, J.R., BEUTLER, E. 1971. Clinical disorders of iron metabolism. Second Edition. Grune and Stratton Publishers.

FORBES, W.F., FINCH, A., ESTERBY, S.R., CHERRY, W.H. 1976. Studies of trace-metal levels in human tissues-III. The investigation of lead levels in rib and vertebra samples from Canadian residents. *Trace substances in environmental health-XII. A Symposium, D.D. Hemphill, Ed., University of Missouri, Columbia.*

GAWTHORNE, J.M. 1968. *Australian Journal of Biological Science.* 21: 789 (as cited by Suttle 1986).

GIBBS, G.W. & BOGDANOVIC, E. 1974. Trace elements in lung and hair. Recent advances in the assessment of the health effects of environmental pollution. *A Symposium, Vol. IV, Paris, Office Job Official Publications of the European Committee.* 2271-2283 (as cited by Brown *et al.* 1979)

GRACE, N.D. & CLARK, R.G. 1991. Trace element requirements, diagnosis and prevention of deficiencies in sheep and cattle. Physiological aspects of digestion and metabolism in ruminants. *Proceedings of the 7th international symposium on ruminant physiology.* 15: 321-346.

GRANDJEAN, P. 1975. Lead in Danes. Chapter 2 in Lead. T.B. Griffin & JH Knelson, Eds., Stuttgart and New York, Georg Thieme and Academic Press, p. 6-75. (as cited by Brown *et al.* 1979).

GRAHAM, T.W., THURMOND, M.C., MOHR, F.C., HOLMBERG, C.A., ANDERSON, M.L., KEEN, C.L. 1994. Relationships between maternal and fetal liver copper, iron, manganese, and zinc concentrations and fetal development in California Holstein dairy cows. *Journal of Veterinary Diagnostic Investigation.* 6: 77-87.

HAMIR, A.N., GALLIGAN, D.T., EBEL, J.G., MANZELL, K.L., NIU, H.S., RUPPRECHT, C.E. 1995. Lead concentrations in frozen and formalin-fixed tissues from raccoons (*Procyon lotor*) administered oral lead acetate. *Journal of Veterinary Diagnostic Investigation.* 7: 580 – 582.

HENDERICKX, H. & VAN DER HEYDE, H. 1961. De verdeling van het koper in de lever van runderen. *Vlaams Diergeneeskunde Tijdschrift*. 30: 238.

HOGAN, K.G., MONEY, D.F.L., WALKER, R.S. 1971. The distribution of copper in the liver of pigs and sheep and its effect on the value of chemical analysis made on biopsy samples. *New Zealand Journal of Agricultural Research*. 14: 132-41.

JANSEN VAN RENSBURG, C. 2000. The effects of organic and inorganic forms of selenium on the immune system of sheep. *MSc. Agric thesis: University of Pretoria*.

JUDSON, G.J. & MCFARLANE, J.D. 1998. Mineral disorders in grazing livestock and the usefulness of soil and plant analysis in the assessment of these disorders. *Australian Journal of Experimental Agriculture*. 38: 707-723.

KAHNKE, M. 1966. Atomic absorption spectrophotometry applied to the determination of zinc in formalinized human tissue. *Atomic Absorption Newsletter*. 5:7 (as cited by Ehret 1973).

LILLIE, R.D. 1939. *American Journal Pathology*. 15: 225. (as cited by Van Eijk et al. 1974).

McMURRAY, C.H., RICE, D.A., McLOUGHLIN, M., BLANCHFLOWER, W.J. 1986. In *Proceedings of the 5th International Symposium on Trace Element Metabolism in Man and Animals*. Edited by C.F. Mills, I. Bremmer. J.K. Chesters. Slough. Commonwealth Agricultural Bureaux (as cited by Suttle 1986).

MERTZ, W. 1987. Trace elements in human and animal nutrition – Fifth Edition, Harcourt Brace Jovanovich Publishers, Volume 1, Chapter 3: Quality assurance for trace mineral analysis.

MILLS, C.F. & WILLIAMS, R.B. 1971. Problems in the determination of the trace element requirements of animals. *Proceedings of the Nutritional Society*. 30: 83-90.

MILLS, C.F. 1987. Biochemical and physioloigical indicators of mineral status in animals: copper, cobalt and zinc. *Journal of Animal Science*. 65: 1702 – 1711.

MITSIΟULIS, A., BANSEMER, P.C., KOH, T.S. 1995. Relationship between vitamin B₁₂ and cobalt concentrations in bovine liver. *Australian Veterinary Journal* 72: 2.

OPHUS, E.M. & MYLIUS, E.A. 1977. *Bulletin of Environmental Contamination and Toxicology*. 18: 734 (as cited by Brown et al. 1979).

OSBORN, P.J., BOND, G.C., MILLAR, K.R. 1983. The distribution of copper, vitamin B₁₂ and zinc in the livers of sheep. *New Zealand Veterinary Journal*. 31: 144-145.

PULS, R. 1994. Mineral levels in animal health. Second Edition. Sherpa International Publishers. P.80, 105, 182, 250, 298.

SAS 1990. Statistical Analysis Systems Users' Guide (Version 6) Institute, Inc., North Carolina.

SCHMIDT W. 1970. Determination of Mo, Zn, Mn, Cu and Fe in vitamin tablets. *Beckman Flame news* 4: 11 (as cited by Ehret 1973).

SLAVIN W. 1965. Applications of optical absorption spectroscopy to analytical biochemistry and toxicology. *Occupational Health Review* 17: 9 (as cited by Ehret 1973).

SMITH, R.M. 1987. Trace Elements in Human and Animal Nutrition: Cobalt, edited by Mertz W, Academic Press, New York, p.143

STRINGER, C.A., ZINGARO, R.A., CREECH, B., KOLAR, F.L. 1974.

Archives of Environmental Health. 29: 268 (as cited by Brown *et al.* 1979).

SULLIVAN, J.M., PANDO, K.M., EVERSON, R.J., ROBINSON, F.R. 1993.

The effect of formalin fixation on the concentration of selenium in porcine liver.

Journal of Veterinary Diagnostic Investigation. 5: 131-133.

SUMMERS, B.A., APPEL, M.J.G., GREISEN, H.A., EBEL, J.G.,

DELAHUNTA, J.R., DELAHUNTA, A. 1980. Studies on viral

leukoencephalomyelitis and swayback in goats. *The Cornell Veterinarian.*

70:372-390.

SUTTLE, 1983. Nutritional Physiology of Farm Animals. Edited by J. A. F.

Rook. P. C. Thomas. London. Longman. p. 415 (as cited by Suttle 1986).

SUTTLE, N.F. 1986. Problems in the diagnosis and anticipation of trace

element deficiencies in grazing livestock. *The Veterinary record.* 119:

148 –152.

SUTTLE, N.F. & McMURRAY, C.H. 1983. Research in *Veterinary Science.*

35: 47 (as cited by Suttle 1986).

THERON, P.F., RIMMER, R., NICHOLLS, H.A., EHRET W.J. 1973. Cause of

variation in copper, iron, manganese, zinc and magnesium levels in bovine

livers. 1: Determination of trace elements by atomic absorption

spectrophotometry. *Journal of South African Veterinary Association.* 44:

271-277.

THERON, P.F., RIMMER, R., NICHOLLS, H.A. 1974. Cause of variation in

copper, iron, manganese, zinc and magnesium levels in bovine livers. 2:

The dispersion of trace metals in bovine livers and the effects of formalinized storage on mineral concentrations and moisture content. *Journal of South African Veterinary Association.* 45: 73-76.

TIPTON, I.H. & SHAFER, J.J. 1964. *Archives of Environmental Health*. 8: 58
(as cited by Brown *et al.* 1979).

UNDERWOOD, E.J. 1966. The mineral nutrition of livestock. F.A.O.
Commonwealth Agric. Bureaux.

UNDERWOOD, E.J. & SUTTLE, N.F. 1999. The mineral nutrition of livestock.
Third Edition. CABI Publishing.

VAN EIJK, H.G., WILTINK, W.F., BOS, G.R.E., GOOSSENS, J.P. 1974.
Measurement of the iron content in human liver specimens. *Clinica Chimica
Acta*. 50: 275 – 280.

VAN RYSEN, J.B.J. 1997. Predicting the trace element status of farm
animals. *Proceedings 35th Congress SASAS*.

VAN RYSEN, J.B.J., VAN MALSEN, P.S.M., HARTMANN, F. 1998.
Contribution of dietary sulphur to the interaction between selenium and
copper in sheep. *Journal of Agricultural Science*. 130: 107-114.

WARMINGTON, A.R., WILKINSON, J.M., RILEY, C.B. 2000. Evaluation of
ethanol-based fixatives as a substitute for formalin in diagnostic clinical
laboratories. *The Journal of Histotechnology*. 23: 299-308.

WIDDOWSON, E.M. & DICKERSON, J.W.T. 1964. Chemical composition of
the body. In: Mineral metabolism. Comar C.L., Brouner F. (Eds.) New York,
Londen; Academic Press, Vol. 2. Part A.

WOOLLIAMS, C., SUTTLE, N.F., WOOLLIAMS, J.A., JONES, D.G.,
WIENER, G. 1986. Animal Production (as cited by Suttle 1983).



Chapter 7: Appendix

Table 7.1 Volume of formalin (ml) per mass (g) of liver

Sample No.	Liver mass (g)	Volume formalin (ml)
159C	21.1	84.4
159D	16.8	67.2
159E	23.3	93.2
117C	32.2	128.8
117D	30.8	123.2
117E	30.7	122.8
178C	29.5	118
178D	30.6	122.4
178E	30.5	122
194C	29.9	119.6
194D	31.2	124.8
194E	29.8	119.2
196C	29.6	118.4
196D	34.8	139.2
196E	33.5	134
203C	30.1	120.4
203D	29.5	118
203E	33.7	134.8
144C	30.3	121.2
144D	30.7	122.8
144E	31.4	125.6
131C	31.2	124.8
131D	30.3	121.2
131E	29.8	119.2
161C	30.2	120.8
161D	31.4	125.6
161E	30.0	120
170C	30.2	120.8
170D	29.9	119.6



170E	34.4	137.6
146C	30.6	122.4
146D	30.1	120.4
146E	30.7	122.8
135C	30.1	120.4
135D	30.7	122.8
135E	30.4	121.6
142C	31.6	126.4
142D	29.9	119.6
142E	32	128
160C	31.3	125.2
160D	29.9	119.6
160E	29.9	119.6
139C	31.4	125.6
139D	31.2	124.8
139E	30.1	120.4
164C	30.5	122
164D	30.4	121.6
164E	29.6	118.4
171C	34	136
171D	31.2	124.8
171E	30.4	121.6
214C	30.5	122
214D	31.4	125.6
214E	30.8	123.2
201C	32	128
201D	29.5	118
201E	29.9	119.6
212C	31.3	125.2
212D	29.8	119.2
212E	29	116
156C	30.7	122.8



156D	31.6	126.4
156E	30.2	120.8
200C	32.3	129.2
200D	29.7	118.8
200E	29	116
167C	29.8	119.2
167D	29.6	118.4
167E	31.3	125.2
184C	30.4	121.6
184D	31.2	124.8
184E	30.8	123.2
183C	30.7	122.8
183D	32.8	131.2
183E	30.6	122.4
207C	29	116
207D	29.5	118
207E	31	124
199C	29.2	116.8
199D	31.7	126.8
199E	32.1	128.4
163C	29.1	116.4
163D	29	116
163E	30.5	122
145C	30.3	121.2
145D	32.9	131.6
145E	30.3	121.2
5C	30	120
5D	32.4	129.6
5E	29.9	119.6
6C	31.1	124.4
6D	29.4	117.6
6E	29.2	116.8

7C	32	128
7D	30.1	120.4
7E	31.3	125.2
1C	31.0	124
1D	32.3	129.2
1E	34.6	138.4
2C	30.4	121.6
2D	32.2	128.8
2E	30.4	121.6
M26C	29.4	117.6
M26D	29.6	118.4
M26E	30.2	120.8
M35C	30.3	121.2
M35D	28.5	114
M35E	31.6	126.4



After the livers were removed from the formalin, the volume of formalin was measured to see if evaporation or possible absorption of formalin by liver, took place.

Table 7.2 Volume (ml) of formalin before and after the trial

Sample No.	Volume formalin before (ml)	Volume formalin after (ml)	Difference (ml)
159C	84.4	78	6.4
159D	67.2	60	7.2
159E	93.2	86	7.2
117C	128.8	124	4.8
117D	123.2	116	7.2
117E	122.8	114	8.8
178C	118	123	-5
178D	122.4	126	-3.6
178E	122	118	4
194C	119.6	112	7.6
194D	124.8	116	8.8
194E	119.2	110	9.2
196C	118.4	112	6.4
196D	139.2	130	9.2
196E	134	126	8
203C	120.4	114	6.4
203D	118	108	10
203E	134.8	128	6.8
144C	121.2	116	5.2
144D	122.8	114	8.8
144E	125.6	116	9.6
131C	124.8	118	6.8
131D	121.2	114	7.2
131E	119.2	112	7.2
161C	120.8	112	8.8
161D	125.6	116	9.6

161E	120	112	8
170C	120.8	134	-13.2
170D	119.6	110	9.6
170E	137.6	130	7.6
146C	122.4	114	8.4
146D	120.4	114	6.4
146E	122.8	118	4.8
135C	120.4	112	8.4
135D	122.8	112	10.8
135E	121.6	115	6.6
142C	126.4	118	8.4
142D	119.6	110	9.6
142E	128	120	8
160C	125.2	118	7.2
160D	119.6	112	7.6
160E	119.6	114	5.6
139C	125.6	116	9.6
139D	124.8	116	8.8
139E	120.4	112	8.4
164C	122	112	10
164D	121.6	112	9.6
164E	118.4	108	10.4
171C	136	126	10
171D	124.8	112	12.8
171E	121.6	108	13.6
214C	122	114	8
214D	125.6	120	5.6
214E	123.2	116	7.2
201C	128	116	12
201D	118	110	8
201E	119.6	110	9.6
212C	125.2	120	5.2



212D	119.2	110	9.2
212E	116	106	10
156C	122.8	118	4.8
156D	126.4	120	6.4
156E	120.8	108	12.8
200C	129.2	120	9.2
200D	118.8	110	8.8
200E	116	104	12
167C	119.2	112	7.2
167D	118.4	110	8.4
167E	125.2	118	7.2
184C	121.6	114	7.6
184D	124.8	108	16.8
184E	123.2	106	17.2
183C	122.8	112	10.8
183D	131.2	114	17.2
183E	122.4	110	12.4
207C	116	110	6
207D	118	110	8
207E	124	112	12
199C	116.8	108	8.8
199D	126.8	115	11.8
199E	128.4	116	12.4
163C	116.4	118	-1.6
163D	116	98	18
163E	122	116	6
145C	121.2	114	7.2
145D	131.6	122	9.6
145E	121.2	110	11.2
5C	120	116	4
5D	129.6	124	5.6
5E	119.6	106	13.6



6C	124.4	120	4.4
6D	117.6	114	3.6
6E	116.8	110	6.8
7C	128	122	6
7D	120.4	112	8.4
7E	125.2	122	3.2
1C	124	122	2
1D	129.2	124	5.2
1E	138.4	130	8.4
2C	121.6	118	3.6
2D	128.8	126	2.8
2E	121.6	110	11.6
M26C	117.6	110	7.6
M26D	118.4	110	8.4
M26E	120.8	110	10.8
M35C	121.2	112	9.2
M35D	114	108	6
M35E	126.4	114	12.4