

Chapter 8:References

Aberg F, Appelkvist EL, Dallner G, Ernster L. Distribution and redox state of ubiquinones in rat and human tissues. *Archives of Biochemistry and Biophysics*, 1992; **295**:230-234

Al-Hasso S. Coenzyme Q10: a review. *Hosp Pharm*, 2001; **36(1)**:51-66

Allen SL, Allen JM, Light BM. Effects of Triton X-100 upon the activity of some electrophoretically separated acid phosphatases and esterases. *The Journal of Histochemistry and Cytochemistry*, 1964; **13(6)**:434-440

Alleva R, Tomasetti M, Andera L, Gellert N, Borghi B, Weber C, Murphy MP, Neuzil J. Coenzyme Q blocks biochemical but not receptor-mediated apoptosis by increasing mitochondrial antioxidant protection. *FEBS Letters*, 2001; **503**:46-50

Aneck-Hahn NH, De Jager C, Bornman MS, Du Toit D. Oestrogenic activity using a recombinant yeast screen assay (RCBA) in South African laboratory water sources. *Water SA*, 2005; **31(2)**:253-256

Apgar JR, Herrmann SH, Robinson JM, Mescher MF. Triton X-100 extraction of P815 tumor cells: Evidence for a plasma membrane structure. *The Journal of Cell Biology*, 1985; **100(5)**:1369-1378

Arnold SF, Collins BM, Robinson MK, Guillette LJ, McLachlan JA. Differential interaction of natural and synthetic estrogens with extracellular binding proteins in a yeast estrogen screen. *Steroids*, 1996; **61**:642-646

Bader AV, Bader JP. Transformation of cells by rous sarcoma virus:cytoplasmic vacuolization. *Journal of Cellular Physiology*, 1976; **1**:33-46

Becher, P. Micelle formation in aqueous and nonaqueous solutions. In *Nonionic Surfactants. Surfactant Science Series*. Vol. 1. M. J. Schick, editor. Marcel Dekker, New York, 1967; 478-515.

Becker PL. Quantitative fluorescence measurements. In *Fluorescence Imaging Spectroscopy and Microscopy*; Wang XF, Herman B, Eds.; John Wiley & Sons, Inc.:New York, 1996; 1-29

Beckman KB, Ames BN. The free radical theory of aging matures. *Physiological Reviews*, 1998; **78**:547-81

Bedner E, Li X, Gorczyca W, Melamed MR, Darzynkiewicz Z. Analysis of apoptosis by laser scanning cytometry. *Cytometry*, 1999; **35**:181-95

Begley TP, Kinsland C, Taylor S, Tandon M, Nicewonger R, Wu M, Chiu HJ, Kelleher N, Campobasso N, Zhang Y. Cofactor biosynthesis:a mechanistic perspective. *Current Chemical Reactions*, 1998; **195**:93-142

Bentinger M, Brismar K, Dallner G. The antioxidant role of coenzyme Q. *Mitochondrion*, 2007; **7S**:S41-S50

Ben-Ze'ev A, Duerr A, Solomon F, Penman S. The outer boundary of the cytoskeleton:a lamina derived from plasma membrane proteins. *Cell*, 1979; **17**:859-865

Beresford N, Routledge EJ, Harris CA, Sumpter JP. Issues arising when interpreting results from an *in vitro* assay for estrogenic activity. *Toxicology and Applied Pharmacology*, 2000 **162**:22-33

Bhagavan HN, Chopra RK. Potential role of ubiquinone (coenzyme Q10) in pediatric cardiomyopathy. *Clinical Nutrition*, 2005; **24**:331–338

Birnbaum LS. Developmental effects of dioxins. *Environmental Health Perspectives*. 1995. **103**(suppl7):89-94.

Bkaily G, Pothier P, D'Orléans-Juste, Simaan M, Jacques D, Jaalouk D, Belzile F, Hassan G, Boutin C, Haddad G, Neugebauer W. The use of confocal microscopy in the investigation of cell structure and function in the heart, vascular endothelium and smooth muscle cells. *Molecular and Cellular Biochemistry*, 1997; **172**:171-194

Bonetti PO, Lerman LO, Napoli C, Lerman A. Statin effects beyond lipid lowering-are they clinically relevant? *European Heart Journal*, 2003; **23**:225-248

Borman WH, Yorde DE. Analysis of chick somite myogenesis by *in situ* confocal microscopy of Desmin expression. *The Journal of Histochemistry and Cytochemistry*, 1994; **42**(2):265-272

Boucher Y, Doolittle WF. The role of lateral gene transfer in the evolution of isoprenoid biosynthesis pathways. *Molecular Microbiology*, 2000; **37**:703-716

Bounous DI, Campagnoli RP, Brown J. Comparison of MTT Colorimetric assay and triitated thymidine uptake for lymphocyte proliferation assays using chicken splenocytes. *Avian Diseases*, 1992; **36**:1022-1027

Bova MP, Tam D, McMahon G, Mattson MN. Troglitazone induces a rapid drop of mitochondrial membrane potential in liver HepG2 cells. *Toxicology Letters*, 2005; **155**:41-50

Boyde A, Maconnachie E. Volume changes during preparation of mouse embryonic tissue for scanning electron microscopy. *Scanning*, 1979; **2**:149-163

Brancato R, Schiavone N, Siano S, Lapucci A, Papucci L, Donnini M, Formigli L, Zecchi Orlandini S, Carella G, Carones F, Capaccioli S. Prevention of corneal keratocyte apoptosis after argon fluoride excimer laser irradiation with the free radical scavenger ubiquinone Q10. *European Journal of Ophthalmology*, 2000; **10**:32-38

Brancato R, Fiore T, Papucci L, Schiavone N, Formigli L, Zecchi Orlandini S, Gobbi PG, Carones F, Donnini M, Lapucci A, Capaccioli SJ. Concomitant effect of topical application of ubiquinone Q10 and vitamin E to prevent keratocyte apoptosis after rabbit corneal excimer laser photoablation. *Journal of Refractive Surgery*, 2002; **18**:135-9

Brand MD. The stoichiometry of proton pumping and ATP synthesis in mitochondria. *Biochemistry*, 1994; **16**:20-24

Breithofer A, Graumann K, Scicchitano MS, Karathanasis SK, Butt TR, Jungbauer A. Regulation of human estrogen receptor by phytoestrogens in yeast and human cells. *The Journal for Steroid Biochemistry and Molecular Biology*, 1998; **67**:421429

Bretscher MS, Raff MC. Mammalian plasma membranes. *Nature*, 1975; **258**:43-49

Brown WV. Novel approaches to lipid lowering:what is on the horizon? *The American Journal of Cardiology*, 2001; **87**:23B-27B

Castro-Garza J, Barrios-García HB, Cruz-Vega DE, Said-Fernández S, Carranza-Rosales P, Molina-Torres CA, Vera-Cabrera L. Use of a colorimetric assay to measure differences in

cytotoxicity of *Mycobacterium tuberculosis* strains. *Journal of Medical Microbiology*, 2007; **56**:733-7

Chemical structures for Triton X-100, Nonylphenol, Nonylphenol Etoxylate:
<http://en.wikipedia.org>

Chen H, Swedlow JR, Grote M, Sedat, JW, Agard DA. The collection, processing, and display of digital three-dimensional images of biological specimens. In *Handbook of Biological Confocal Microscopy*, 2nd Ed.; Pawley, J.B., Ed.; Plenum Press:New York, 1995; 197–210

Chevallier A, Kieny M, Mauger A. Limb-somite relationship:origin of the limb musculature. *Journal of Embryological and Experimental Morphology*, 1977; **41**:245-258.

Chini CCS, Grande JP, Chini EN, Dousa TP. Compartementalization of cAMP singaling in mesangial cells by phosphodiesterase isozymes PDE3 and PDE4 regulation of superoxidation and mitogenesis. *Journal of Biological Chemistry* 1997; **272(15)**:9854-9859

Choi JH, Ryu YW, Seo JH. Biotechnological producton and applications of coenzyme Q10. *Applied Microbiology and Biotechnology*, 2005; **68**:9-15

Chopra RK, Goldman R, Sinatra ST, Bhagavan HN. Relative bioavailability of coenzyme Q10 formulations in human subjects. *International Journal for Vitamin and Nutrition Research*, 1998; **68(2)**:109-113

Cimino M, Alamo L, Salazar L. Permeabilization of the mycobacterial envelope for protein cytolocalization studies by immunofluorescence microscopy. *BMC Microbiology*, 2006; **6(35)** doi:10.1186/1471-2180-6-35

Clarke CF. New advances in coenzyme Q biosynthesis. *Protoplasma*, 2000; **213**:134-147

Colborn T, Vom Saal FS, Soto A. Developmental effects of endocrine-disrupting chemicals in wildlife and humans. *Environmental Health Perspectives*, 1993; **101(5)**:378-384

Coldham NG, Dave M, Sivapathasundaram S, McDonnell DP, Connor C, Sauer MJ. Evaluation of a recombinant yeast cell estrogen screening assay. *Environmental Health Perspectives*, 1997; **105(7)**:734-742

Coleman ML, Sahai EA, Yeo M, Bosch M, Dewar A, Olson MF. Membrane blebbing during apoptosis results from caspase-mediated activation of ROCK I. *Nature Cell Biology*, 2001; **3**:339-345

Collins C, Kemper KJ. Coenzyme Q10 (CoQ10 or Ubiquinone). The *Longwood Herbal Task Force and The Center for Holistic Pediatric Education and Research*, 1999, <http://www.mcp.edu/herbal/default.htm>

Connolly JA. Role of the cytoskeleton in the formation, stabilization and removal of acetylcholine receptor clusters in cultured muscle cells. *The Journal of Cell Biology*, 1984; **99**(1):148-54.

Cook JA, Mitchell JB. Viability measurement in mammalian systems. *Analytical Biochemistry*, 1989; **179**:1-7

Crane FL, Hatefi Y, Lester RI, Widmer C. Isolation of a quinone from mitochondria. *Biochimica et Biophys Acta*, 1957; **25**:220-221

Crane FL, Morré DJ, Löw H, eds. Plasma membrane oxidoreductases in control of animal and plant growth. Plenum, New York, 1988

Crane FL, Morré DJ, Löw H, eds. Oxidoreduction at the plasma membrane:relation to growth and transport. CRC, Boca Raton, FL. Vol 1. 1990

Crane FL. Focus on cellular biochemistry:New functions for coenzyme Q. *Protoplasma*, 2000; **213**:127-133

Crane FL. Biochemical functions of coenzyme Q10. *Journal of the American College of Nutrition*, 2001; **20**(6):591-598

Crane FL. Discovery of ubiquinone (coenzyme Q) and an overview of function. *Mitochondrion*, 2007; **7**S:S2-S7

Cunningham FX, Jr., Lafond TP, Gantt E. Evidence of a role for LytB in the nonmevalonate pathway of isoprenoid biosynthesis. *Journal of Bacteriology*, 2000; **182**:5841-5848

Dallner G, Sindelar PJ. Regulation of ubiquinone metabolism. *Free Radical Biology and Medicine*, 2000; **29**:285-294

Dayeh VR, Chow SL, Schirmer K, Lynn DH, Bols NC. Evaluating the toxicity of Triton X-100 to protozoan, fish, and mammalian cells using fluorescent dyes as indicators of cell viability. *Ecotoxicology and Environmental Safety*, 2004; **57**:375-382

De Boever P, Demaré W, Vanderperren E, Cooreman K, Bossier P, Verstraete W. Optimization of a yeast estrogen screen and its applicability to study the release of estrogenic isoflavones from soygerm powder. *Environmental Health Perspectives*, 2001; **109**(7):691-697

Deamer DW, Crofts A. Action of Triton X-100 on chloroplast membranes. Mechanisms of structural and functional disruption. *The Journal of Cell Biology*, 1967; **33**(2):395-410

DeHahn T, Barr R, Morrè DJ. NADH oxidase activity present on both the external and internal surfaces of soybean plasma membranes. *Biochimica et Biophysica Acta*, 1997; **1328**:99-108

Denk W, Horstmann H. Serial block-face scanning electron microscopy to reconstruct three-dimensional tissue nanostructure. *PLoS Biology*, 2004; **2**(11):e329

Dennis E. Kinetic dependence of phospholipase A₂ activity on the detergent Triton X-100. *Journal of Lipid Research*, 1973; **14**:152-159

DiMauro S, Quinzii CM, Hirano M. Mutations in coenzyme Q10 biosynthetic genes. *The Journal of Clinical Investigation*, 2007; **117**(3):587-589

Do TQ, Hsu AY, Jonassen T, Lee PT, Clarke CF. A defect in coenzyme Q biosynthesis is responsible for the respiratory deficiency in *Saccharomyces cerevisiae* abc1 mutants. *The Journal of Biological Chemistry*, 2001; **276**:18161-18168

Dunahay TG, Staehelin LA, Scibert M, Ogilvie PD, Berg SP. Structural, biochemical, and biophysical characterization of four oxygen-evolving photosystem II preparations from spinach. *Biochimica et Biophysica Acta*, 1984; **764**:179-193

Dunn KW, Wang E, Murray JM, Paddock SW, Hazen EJ, DeVries J, Pawley JB, Piston DW, Spring KR, Parry-Hill MJ, Fellers TJ, Davidson MW. Laser Scanning Confocal Microscopy. *Molecular Expressions™*, 2006; **258**:43-49

Ehler E, Rother BM, Hämmrle SP, Komiya M, Perriard J. Myofibrillogenesis in the developing chicken heart: assembly of Z-disk, M-line and the thick filaments. *Journal of Cell Sciences*, 1999; **112**:1529-1539

Eisenreich W, Bacher A, Arigoni D, Rohdich F. Biosynthesis of isoprenoids via the non-mevalonate pathway. *Cellular and Molecular Life Sciences*, 2004; **61**:1401-1426

Eisenreich W, Rohdich F, Bacher A. Deoxyxylulose phosphate pathway to terpenoids. *Trends in Plant Science*, 2001; **6**:78-84

Elinder F, Nilsson J, Århem P. On the opening of voltage-gated ion channels. *Physiology and Behavior*, 2007; **92**:1-7

Ely JTA: Ascorbic acid and some other modern analogs of the germ theory. *Journal of Orthomolecular Medicine*. 1999; **14**:143-156

Ely JTA. Urgent update on Ubiquinone (Coenzyme Q10).

<http://faculty.washington.edu/ely/turnover.html>

Ernster L, Dallner G. Biochemical, physiological and medical aspects of ubiquinone function. *Biochimica et Biophysica Acta*, 1995; **1271**:195-204

Escolar M, et al., Research Center for Genetic Medicine, Children's Research Institute, Washington. CNMC0301: An open-label pilot study of Coenzyme Q10 in steroid-treated Duchenne muscular dystrophy. 2001; Amendment 2 (07/15/01):1-43

Fambrough DM, Devreotes PN. Newly synthesized acetylcholine receptors are located in the Golgi apparatus. *Journal of Cell Biology*, 1978; **76**:237-244

Fang S, Christensen J, Conklin JL, Murray JA, Clark G. Roles of Triton X-100 in NADPH-diaphorase histochemistry. *The Journal of Histochemistry and Cytochemistry* 1994; **42(11)**:1519-1524

Fernández-Ayala DJM, López-Lluch G, García-Valdés M, Arroyo A, Navas P. Specificity of coenzyme Q10 for a balanced function of respiratory chain and endogenous ubiquinone biosynthesis in human cells. *Biochimica et Biophysica Acta*, 2005; **1706**:174-183

Folkers K. The potential of coenzyme Q10 (NSC-140865) in cancer treatment. *Cancer Chemotherapy Reports*, 1974; **4**:19-23

Folkers K, Vadhanavikit S, Mortensen SA. Biochemical rationale and myocardial tissue data on the effective therapy of cardiomyopathy with coenzyme Q10. *Proceedings of the National Academy of Sciences of the United States of America*, 1985; **82**:901-904

Folkers K. Relevance of the biosynthesis of coenzyme Q10 and of the four bases of DNA as a rationale for the molecular causes of cancer therapy. *Biochemical and Biophysical Research Communications*, 1996; **224**:358-361

Fonorow OR. CoQ10 and statins: the vitamin connection. From *The Townsend Letter, the Examiner of Alternative Medicine*, February/March 2006;

<http://www.townsendletter.com/FebMar006/coq100206.htm>

Fontaine E, Bernardi P. Progress on the mitochondrial permeability transition pore:regulation by complex I and ubiquinone analogs. *Journal of Bioenergetics and Biomembranes*, 1999; **31**:335-345

Forsgren M, Attersand A, Lake S, Grunler J, Swiezewska E, Dallner G, Climent I. Isolation and functional expression of human COQ2, a gene encoding a polyprenyl transferase involved in the synthesis of CoQ. *The Biochemical Journal*, 2004; **382**:519–526

Frank D, Kuhn C, Katus HA, Frey N. The sarcomeric Z-disc:a nodal point in signalling and disease. *Journal of Molecular Medicine*, 2006; **84**:446-468

Fresheny RI. Culture of animal cells: a manual of basic technique, 3rd edition. New York:Wiley-Liss. 1994

Fuke C, Krikorian SA, Couris RR. Coenzyme Q10: A review of essential functions and clinical trials. *US Pharmacist*. A Johnson publication. 2002; 25:10

<http://www.uspharmacist.com/oldformat.asp?url=newlook/files/comp/acfaa8.htm>

Fulton AB, Prives J, Farmer SR, Penman S. Developmental reorganization of the skeletal framework and its surface lamina in fusing muscle cells. *The Journal of Cell Biology*, 1981; **91**:103-112

Gartner LP, Hiatt JL. Color textbook of Histology. 3rd edition (International edition). Saunders Elsevier. Philadelphia, 2007

Gazdik F, Gvozdjaková A, Nádvorníková R, Repická L, Jahnová E, Kucharská J, Piják MR, Gazdiková K. Decreased levels of coenzyme Q10 in patients with bronchial asthma. *Allergy*, 2002; **57**:811-814

Ge L, Zhang X, Guo R. Microstructure of Triton X-100/poly (ethylene glycol) complex investigated by fluorescence resonance energy transfer. *Polymer*, 2007; **48**:2681-2691

Gempel K, Topaloglu H, Talim B, Schneiderat P, Schoser BGH, Hans VH, Pálmafay B, Kale G, Tokatli A, Quinzii C, Hirano M, Naini A, DiMauro S, Prokisch H, Lochmüller H, Horvath R. The myopathic form of coenzyme Q10 deficiency is caused by mutations in the electron-transferring-flavoprotein dehydrogenase (ETFDH) gene. *Brain*, 2007; [ePub ahead of print PMID 17412732]

Gerlier D, Thomasset N. Use of MTT colorimetric assay to measure cell activation. *Journal of Immunological Methods*, 1986; **94**:57-63.

Geromel V, Darin N, Chrétien D, Bénit P, DeLonlay P, Rötig A, Munnich A, Rustin P. Coenzyme Q10 and idebenone in the therapy of respiratory chain diseases. *Molecular Genetics and Metabolism*, 2002; **77**:21-30

Gille L, Nohl H. The existence of a lysosomal redox chain and the role of ubiquinone. *Archives of Biochemistry and Biophysics*, 2000; **375**:347–354

Gillies RJ, Didier N, Denton M. Determination of cell number in monolayer cultures. *Analytical Biochemistry*, 1986; **159**:109–113

Giraud CG, Eng WS, Melia TJ, Rothman JE. A clamping mechanism involved in SNARE-dependent exocytosis. *Science*, 2006; **313**:676–680

Goewert RR. Studies on the biosynthesis of ubiquinone. Saint Louis University, St. Louis, MO, 1980

Goldman R D, Berg G, Bushnell A, Chang CM, Dickerman L, Hopkins N, Miller ML, Pollack R, Wang E. Fibrillar systems in cell motility. *Ciba Foundation Symposium*, 1973; **14**:83-103

Goldstein JL, Brown MS. Regulation of the mevalonate pathway. *Nature*, 1990; **343**:425-430

Gómez-Díaz C, Barroso MP, Navas P. Plasma membrane coenzyme Q10 and growth control. *Protoplasma*, 2000; **214**:19-23

Green DR, Reed JC. Mitochondria and apoptosis. *Science*, 1998; **281**:1309-1312

Greenberg S, Frishman WH. Coe-enzyme Q10:a new drug for cardiovascular disease. *Journal of Clinical Pharmacology*, 1990; **30**:569-608

Grishko V, Solomon M, Breit JF, Killilea DW, Ledoux SP, Wilson GL, Gillespie MN. Hypoxia promotes oxidative base modifications in the pulmonary artery endothelial cell VEGF gene. *The Federation of American Societies for Experimental Biology Journal*, 2001; **15**:1267-1269

Grivennikova VG, Maklashina EO, Gavrikova EV, Vinogradov AD. Interaction of the mitochondrial NADH-ubiquinone reductase with rotenone as related to the enzyme active/inactive transition. *Biochimica et Biophysica Acta*, 1997; **1319**:223-232

Grünler J, Ericsson J, Dallner G. Branch-point reations in the biosynthesis of cholesterol, dolichol, ubiquinone and prenylated proteins. *Biochimica et Biophysica Acta*, 1994; **1212**:259-277

Häcker G. The morphology of apoptosis. *Cell and Tissue Research*, 2000; **301**:5-17

Hamburger V, Hamilton HL. A series of normal stages in the development of the chick embryo. *Journal of Morphology*, 1951; **88**(1):49-92

Hanke LD, technical staff of Materials Evaluation and Engineering, Inc. (MEE). *Handbook of analytical methods for materials*. Materials Evaluation and Engineering, Inc., Plymouth., 2006; www.mee-inc.com

Harmon D. Free radicals in aging. *Molecular and Cellular Biochemistry*, 1988; **84**:1 55-166

Harris M, Zacharewski T, Safe S. Effects of 2,3,7,8-tetrachlorodibenzo-pdioxin and related compounds on the occupied nuclear estrogen receptor in MCF-7 human breast cancer cells. *Cancer Research*, 1990; **50**:3579-3584

Harrison ML, Rathinavelu P, Arese P, Geahlin RL, Low PS. Role of band 3 tyrosine phosphorylation in the regulation of erythrocyte glycolysis. *The Journal of Biological Chemistry*, 1991; **266**:4106-4111

Hauß T, Dante S, Haines TH, Dencher NA. Localization of coenzyme Q10 in the center of a deuterated lipid membrane by neutron diffraction. *Biochimica et Biophysica Acta*. 2005; **1710**:57-62

Hayashi YK. Membrane-repair machinery and muscular dystrophy. *The Lancet*, 2003; **362**:843-844

Herman BA, Fernandez SM. Changes in membrane dynamics associated with myogenic cell fusion. *Journal of Cellular Physiology*, 1978; **94**:253-264

Hibbs A. Confocal Microscopy for Biologists:An Intensive Introductory Course. BIOCON ed., 2000; 2-9.

Hipler U.C., Wollina U., Denning D., Hipler B. Fluorescence analysis of reactive oxygen species (ROS) generated by six isolates of *aspergillus fumigatus*. *BMG Labtechnologies* 2002; Application Note:**105**

Hjiantoniou E, Anayasa M, Nicolaou P, Bantounas I, Saito M, Iseki S, Uney JB, Phylactou LA. 2007. Twist induces reversal of myotube formation. *Differentiation (OnlineEarly Articles)*. doi:10.1111/j.1432-0436.2007.00195.x

Horowitz S. Coenzyme Q10: one antioxidant, many promising applications. *Alternative and Complementary Therapies*, 2003; **9**(3):111–116

<http://www.vitacost.com/NSI-CoQ10-Q-Gel-Mega>

Huang HL, Singer RH, Lazarides E. Actin-containing microprocesses in the fusion of cultured chick myoblasts. *Muscle and Nerve*, 1978; **1**:219-229

Hunte C, Palsdottir H, Trumper BL. Protonmotive pathways and mechanisms in the cytochrome bc₁ complex. *FEBS Letters*, 2003; **545**:39-46

Huxley HE. Electron-microscope studies on the structure of natural and synthetic membranes. *Science*, 1963; **175**:720-731

Introduction to dose-response curves. GraphPad Software, 1999. www.curvefit.com

Invitrogen™. <http://probes.invitrogen.com/lit/catalog/3/sections/1919.html>

Ishikawa H, Bischoff R, Holtzer H. Formation of arrowhead complexes with heavy meromyosin in a variety of cell types. *Journal of Cell Biology*, 1969; **43**:312-328.

Ishiyama M, Tominaga H, Shiga M, Sasamoto K, Ohkura Y, Ueno K, Watanabe M. Novel cell proliferation and cytotoxicity assays using a tetrazolium salt that produce formazan dye. *In Vitro Toxicology*, 1995; **8**:187-190

Ishiyama M, Tominaga H, Shiga M, Sasamoto K, Ohkura Y, Ueno K. A combined assay of cell viability and in vitro cytotoxicity with a high water-soluble tetrazolium salt, Neutral Red and Crystal Violet. *Biological and Pharmaceutical Bulletin*, 1996; **19(11)**:1518-20

Ishizaki Y, Cheng L, Mudge AW, Raft MC. Programmed cell death by default in embryonic cells, fibroblasts and cancer cells. *Cellular and Molecular Biology*, 1995; **6**:1443-1458

Jayadev S, Liu B, Bielawska AE, Lee JY, Nazaire F, Pushkareva MY, Obeid and LM, Hannun YA. Role for ceramide in cell cycle arrest, *The Journal of Biological Chemistry*, 1995; **270**:2047–2052.

Jonassen T, Clarke CF. Genetic analysis of coenzyme Q biosynthesis. In: Kagan VE, Quinn PJ (Eds.), Coenzyme Q: Molecular mechanisms in health and diseases. Crc Press, Boca Raton FL, 2001

Kagan V, Serbinova E, Packer L. Antioxidant effects of ubiquinones in microsomes and mitochondria are mediated by tocopherol recycling. *Biochemical and Biophysical Research Communications*, 1990; **169**:851-857

Kagan VE, Nohl H, Quinn PJ. Coenzyme Q: its role in scavenging and generation of radicals in membranes, in: *Handbook of Antioxidants*, E. Cadenas and L. Packer, eds, Marcel Dekker, Inc., New York, 1996; 157–201

Kagan T, Davis C, Lin L, Zakeri Z. Coenzyme Q10 can in some circumstances block apoptosis and this effect is mediated through the mitochondria. *Annals of the New York Academy of Sciences*, 1999; **887**:31-47

Kalderon N, Gilula NB. Membrane events involved in myoblast fusion. *Journal of Cell Biology*, 1979; **81**:411-425

Kalin A, Norling B, Appelkvist EL, Dallner G. Ubiquinone synthesis in the microsomal fraction of rat liver. *Biochimica et Biophysica Acta*, 1987; **926**:70-78

Kanduc D, Mittelman A, Serpico F, et al., Cell death:Apoptosis versus necrosis (review). *International Journal of Oncology*, 2002; **21**:165-170

Karlsson J, Diamant B, Theorell H, Folkers K. Ubiquinone and alpha-tocopherol in plasma; means of translocation or depot. *Clinical Investigations*, 1993; **71**:S84-S91.

Kawamukai M. Biosynthesis, bioproduction and novel roles of ubiquinone. *Journal of Bioscience and Bioengineering*, 2002; **94(6)**:511-517

Kierzenbaum AL. Histology and cell biology:an introduction to pathology. 2nd edition. Mosby Elsevier. Philadelphia, PA, 2007

Kim H, Lee TH, Park ES, Suh JM, Park SJ, Chung HK, Kwon OY, Kim YK, Ro HK, Shong M. Role of peroxiredoxins in regulating intracellular hydrogen peroxide and hydrogen peroxide-induced apoptosis in thyroid cells. *Journal of Biological Chemistry*, 2000; **276(24)**:18266-18270

Kirat KE, Morandat S. Cholesterol modulation of membrane resistance to Triton X-100 explored by atomic force microscopy. *Biochimica et Biophysica Acta*, 2007; **1768(9)**:2300-2309

Klein KO, Baron J, Colli MJ, McDonnell D, Cutler GB. Estrogen levels in childhood determined by an ultrasensitive recombinant cell bioassay. *The Journal of Clinical Investigation*, 1994; **94**:2475-2480

Klotz MD, Beckman BS, Hill SM, McLachlan JA, Walters MR, Arnold SF. Identification of environmental chemicals with estrogenic activity using a combination of *in vitro* assays. *Environmental Health Perspectives*, 1996; **104(10)**:1084-1089

Konieczny SF, Lawrence JB, Coleman JR. Analysis of muscle protein expression in polyethylene glycol-induced chicken:rat myoblast heterokaryons. *The Journal of Cell Biology*, 1983; **97**:1348-55

Kőszegi T, Petrik J, Vladimir-Knežević S, Nagy S. Co-determination of ATP and proteins in Triton X-100 non-ionic detergent-opened monolayer cultured cells. *Luminescence*, 2007; 22(5):415-419

Kueng W, Silber E, Eppenberger U. Quantification of cells cultured on 96-well plates. *Analytical Biochemistry*, 1989; **185**:16-19

Kuzuyama T. Mevalonate and non-mevalonate pathways for the biosynthesis of isoprene units. *Bioscience, Biotechnology, and Biochemistry*, 2002; **66**:1619-1627

Lammerding J, Lee RT. Torn apart:membrane rupture in muscular dystrophies and associated cardiomyopathies. *The Journal of Clinical Investigation*, 2007; **117**(7):1749-1752

Lange BM, Rujan T, Martin W, Croteau R. Isoprenoid biosynthesis:the evolution of two ancient and distinct pathways across genomes. *Proceedings of the National Academy of Sciences of the United States of America*, 2000; **97**:13172-13177

Langsjoen PH. Introduction to Coenzyme Q10, 1994.

<http://faculty.washington.edu/ely/coenzq10.html>

Langsjoen PH, Langsjoen AM. Overview of the use of CoQ10 in cardiovascular disease. *Biofactors*, 1999; **9**:273-284

Laniado ME, Abel PD, Lalani E-N. Ion channels:new explanations for old diseases. Imperial School of Medicine, Hammersmith Hospital, London, 1997

Larm JA, Vaillant F, Linnane AW, Lawen A. Up-regulation of the plasma membrane oxidoreductase as a prerequisite for the viability of human namalwa ρ^0 cells. *The Journal of Biological Chemistry*, 1994; **269**:30097-30100

Le Ber I, Moreira MC, Rivaud-Pechoux S, et al. Cerebellar ataxia with oculomotor apraxia type 1: clinical and genetic studies. *Brain*, 2003; **126**:2761-2772

Le Ber I, Dubourg O, Benoist JF, Jardel C, Mochel F, Koenig M, Brice A, Lombès A, Dürr A. Muscle coenzyme Q10 deficiencies in ataxia with oculomotor apraxia 1. *Neurology*, 2007; **68**:295-297

Lemasters JJ, Chacon E, Zahrebelski G, Reece JM, Nieminen AL: Laser scanning confocal microscopy of living cells. In: B Herman and JJ Lemasters (eds). *Optical microscopy: Emerging Methods and Applications*. Academic Press, New York, 1993; 339–354

Lenaz G, Faro R, DeBernardo S, Jarreta D, Costa A, Genova ML, Parenti Castelii G. Location and mobility of coenzyme Q in lipid bilayers and membranes. *Biofactors*, 1999; **9**:87-94

Linnane AW, Kopsidas G, Zhang C, Yarovaya N, Kovalenko S, Papakostopoulos P, Eastwood H, Graves S, Richardson M. Cellular redox activity of coenzyme Q10: Effect of CoQ10 supplementation on human skeletal muscle. *Free Radical Research*, 2002; **36(4)**:445-453

Littarru GP, Ho L, Folkers K. Deficiency of coenzyme Q10 in human heart disease. Part I and II. *International Journal of Vitamins and Nutritional Research*, 1972; **42(2)**:291-305

López LC, Schuelke M, Quinzii CM, Kanki T, Rodenburg RJT, Naini A, DiMauro S, Hirano M. Leigh syndrome with nephropathy and CoQ10 deficiency due to decaprenyl diphosphate synthase subunit 2 (PDSS2) mutations. *The American Journal of Human Genetics*, 2006; **79**:1125-1129

López-Lluch G, Barroso MP, Martín SF, Fernández-Ayala DJM, Gómez-Díaz C, Villalba JM, Navas P. Role of plasma membrane coenzyme Q on the regulation of apoptosis. *BioFactors*, 1999; **9**:171-177

Lyons GE. Vertebrate heart development. *Current Opinion in Genetics and Development*, 1996; **6**:454-460

Macarulla JM, Alonso A, Gonzales-Manas JM, Goni FM, Gurtubay JI, Prado A, Urbaneja MA. 1989. Membrane solubilization by the non-ionic detergent triton X-100. A comparative study including model and cell membranes. *Revista Espanola de Fisiologia*. 45:suppl:1-8

Mader SS. Biology, 7th Edition, McGraw-Hill Education, New York, NY 10020, 2001

Marquardt H. *Toxicology*. London: Academic Press, 1999

Masuko S, Ishikawa Y. Changes in surface morphology of myogenic cells during the cell cycle, fusion and myotube formation. *Developmental Growth and Differentiation*, 1983; **25**(1):65-73

Matthiessen P, Sumpter JP. Effects of estrogenic substances in the aquatic environment. In: *Fish Ecotoxicology*. Switzerland: Birkhäuser Verlag, Basel, 1998; 319-335

McCain ER, McLaughlin JS. Developmental and physiological aspects of the chicken embryonic heart. Pages 85-100, in Tested studies for laboratory teaching, Volume **20** (S. J. Karcher, Editor). *Proceedings of the 20th Workshop/Conference of the Association for Biology Laboratory Education (ABLE)*, 1999; 399

McDonnell DP, Nawaz Z, Densmore C, Weigel NL, Pham TA, Clark JH, O'Malley BW. High level expression of biologically active estrogen receptor in *Saccharomyces cerevisiae*. *The Journal of Steroid Biochemistry and Molecular Biology*, 1991a; **39**:291-297

McDonnell DP, Nawaz Z, O'Malley BW. In situ distinction between steroid receptor binding and transactivation at a target gene. *Molecular and Cellular Biology*, 1991b; **11**:4350-4355

McNeil PL, Steinhardt RA. Plasma membrane disruption: repair, prevention, adaptation. *Annual Review of Cell and Developmental Biology*, 2003; **19**:697-731

McNeil PL, Kirchhausen T. An emergency response team for membrane repair. *Nature Reviews. Molecular Cell Biology*, 2005; **6**:499-505

Meganathan R. Ubiquinone biosynthesis in microorganisms. *FEMS Microbiology Letters*, 2001; **203**:131-139

Mellors A, Tappel AL. The inhibition of mitochondrial peroxidation by ubiquinones and ubiquinol. *Journal of Biological Chemistry*, 1966; **241**:4353-4356

Mescher MF, Jose MJL, Balk SP. Actin containing matrix associated with the plasma membrane of murine tumor and lymphoid cells. *Nature*, 1981; **289**:139-144

Minsky M. Memoir on inventing the confocal microscope. *Scanning*, 1988; **10**:128-138.

Misner B. Ubiquinone biosynthesis: coenzyme Q-10 impacts health and aerobic metabolism. *Journal of Endurance*. December 2005; **12**:1-27

Mitchell P. Protonmotive redox mechanism of the cytochrome *b-cl* complex in the respiratory chain:protonmotive ubiquinone cycle. *FEBS Letters*, 1975a; **56**:1-6

Mitchell P. The protonmotive Q cycle:a general formulation. *FEBS Letters*, 1975b; **59(2)**:137-139

Mitchell P. The classical mobile carrier function of lipophilic quinones in the osmochemistry of electron driven proton translocation. In:Lenaz G, Bernabei D, Rabbi A, Battino M (eds) Highlights in ubiquinone research. Taylor and Francis, London,1990; 77-82

Mollet J, Giurgea I, Schlemmer D, Dallner G, Chretien D, Delahodde A, Bacq D, de Lonlay P, Munnich A, Rötig A. Prenyldiphosphate synthase, subunit 1 (PDSS1) and OH- benzoate polyprenyltransferase (COQ2) mutations in ubiquinone deficiency and oxidative phosphorylation disorders. *The Journal of Clinical Investigation*, 2007; **117(3)**:765-772

Mortensen SA, Perspectives on therapy of cardiovascular diseases with coenzyme Q10 (ubiquinone). *The Journal of Clinical Investigation*, 1993; **71**:116–123

Morton RA, Wilson GM, Lowe JS, Leat WMF. Ubiquinone. Chemical Industry, London, 1957:1649

Mossman T. Rapid colorimetric assay for cellular growth and survival:Application to proliferation and cytotoxicity assays. *Journal of Immunological Methods*, 1983; **65**:55-63

Munetaka I, Tominaga H, Shiga M, Kazumi S, Yosuke O, Keiyu U. A combined assay of cell viability and *in vitro* cytotoxicity with a highly water soluble tetrazolium salt, neutral red and crystal violet. *Biological and Pharmaceutical Bulletin*, 1996; **10**:1518-1520

Murphy DJ, Prinsley RT. Interaction of Triton X 100 with the pigment-protein complexes of photosynthetic membranes. *The Biochemical Journal*, 1985; **229**:31-37

Murray F. 100 Super supplements for longer life. Los Angeles:Keats Publishing. 2000

Mutter KL. Prescribing antioxidants. In:Rakel D, ed. *Integrative Medicine*. Philadelphia:Saunders, 2003

Naderi J, Somayajulu-Nitu M, Mukerji A, Sharda P, Sikorska M, Borowy-Borowski H, Antonsson B, Pandey S. Water-soluble formulation of coenzyme Q10 inhibits Bax-induced destabilization of mitochondria in mammalian cells. *Apoptosis*, 2006; **11**(8):1359-1369

Nambudiri AMD, Brockman D, Alam SS, Rudney H. Alternate routes for ubiquinone biosynthesis in rats. *Biochemical and Biophysical Research Communications*, 1977; **76**:282-288

Natural Resources Defense Council, 1998, <http://www.nrdc.org/health/effects/qendoc.asp>

Nohl H, Kozlov AV, Staniek K, Gille L. The multiple functions of coenzyme Q. *Bioorganic Chemistry*, 2001; **29**:1-13

O'Neill MC, Stockdale FE. A kinetic analysis of myogenesis *in vitro*. *The Journal of Cellular Biology*, 1972; **52**:52-65

Okamoto T, Kubota N, Takahata K, Takahashi T, Goshima K, Kishi T. Protective effect of coenzyme Q10 on cultured skeletal muscle cell injury induced by continuous electric field stimulation. *Biochemical and Biophysical Research Communications*, 1995; **216**(3):1006-1012

Okazaki K, Holtzer H. Myogenesis: fusion, myosin synthesis, and the mitotic cycle. *Proceedings of the National Academy of Sciences of the United States of America*, 1966; **56**:1484-1490

Papa S, Schulachev VP. Reactive oxygen species, mitochondria, apoptosis and aging. *Molecular and Cellular Biochemistry*, 1997; **174**:305-319

Papucci L, Schiavone N, Witort E, Donnini M, Lapucci A, Tempestini A, Formigli L, Zecchi-Orlandini S, Orlandini G, Carella G, Brancato R, Capaccioli S. Coenzyme Q10 prevents apoptosis by inhibiting mitochondrial depolarization independently of its free radical scavenging property. *Journal of Biological Chemistry*, 2003; **278**(30):28220-28228

Pariete JL, Kim BS, Atala A. *In vitro* biocompatibility evaluation of naturally derived and synthetic biomaterials using normal human bladder smooth muscle cells. *Journal of Urology*, 2002; **164**:1867-1871

Parish CR, Müllbatcher M. Automated colorimetric assay for T cell cytotoxicity. *Journal of Immunological Methods*, 1983; **58**:225-237

Pauling LJ: How to live longer and feel better. New York, Avon Books, 1987; 413

Pham TA, Hwung Y-P, McDonnell DP, O'Malley BW. Transactivation functions facilitate the disruption of chromatin structure by, estrogen receptor derivatives *in vivo*. *Journal of Biological Chemistry*, 1991; **266**:18179-18187

Picache ER, Hassanieh L, Broek D, Schönthal AH. Inhibition of tumour cell growth by Triton X-100 through specific effects on cell-cycle-regulatory components. *Journal of Biomedical Science*, 2004; **11**:95-103

Pizon V, Gerbal F, Cifuentes Diaz C, Karsenti E. Microtubule-dependent transport and organization of sarcomeric myosin during skeletal muscle differentiation. *The EMBO Journal*, 2005; **24**:3781-3792

Post G. The History And Usefulness Of Coenzyme Q10. *EzineArticles*, 2005
<http://ezinearticles.com/?The-History-And-Usefulness-Of-Coenzyme-Q10&id=14231>

Poulter CD, Rilling HC. Prenyl transferases and isomerase. In:Porter JW, Spurgeon SL, eds. *Biosynthesis of isoprenoid compounds*. New York:John Wiley, 198; 161-224

Prives J, Shinitzky M. Increased membrane fluidity precedes fusion of muscle cells. *Nature*, 1977; **268**:761-763

Prives J, Christian C, Penman S, Olden K. Neuronal regulation of muscle acetylcholine receptors:role of muscle cytoskeleton and receptor carbohydrate. In *Tissue Culture in Neurobiology*. Giacobini E, Vernadakis A, Shabar A, editors. Raven Press, New York, 1980; 35-52

Prives J, Fulton AB, Penman S, Daniels MP, Christian CN. Interaction of the cytoskeletal framework with actylcholine receptor on the surface of embryonic muscle cells in culture. *The Journal of Cell Biology*, 1982; **92**(1):231-236.

Pudney JA, Singer RH. Intracellular filament bundles in whole mounts of chick and human myoblasts extracted with Triton X-100. *Tissue & Cell*, 1980; **12**:595-612

Quinzii CM, DiMauro S, Hirano M. Human coenzyme Q10 deficiency. *Neurochemical Research*, 2007a; **32**:723-727

Quinzii CM, Hirano M, DiMauro S. CoQ10 deficiency diseases in adults. *Mitochondrion*, 2007b; **7S**:S122–S126

Qureshi N, Porter JW. Conversion of acetyl-coenzyme A to ispentyl pyrophosphate. *Biosynthesis of Isoprenoid Compounds*, 1981; **1**:47-94

Reed JC. Mechanism of apoptosis. *American Journal of Pathology*, 2000; **157(5)**:1415-1430

Roche Molecular Biochemicals. Apoptosis and cell proliferation. Cell death – apoptosis and necrosis. 2nd. Rev.ed. *Roche*:1-63

Roche. <http://www.roche-applied-science.com/pack-insert/1332481a.pdf>

Routledge EJ, Sumpter JP. Estrogenic activity of surfactants and some of their degradation products assessed using a recombinant yeast screen. *Environmental Toxicology and Chemistry*, 1996; **15(3)**:241-248.

Rundek T, Naini A, Sacco R, Coates K, DiMauro S. Atorvastatin decreases the coenzyme Q10 level in the blood of patients at risk for cardiovascular disease and stroke. *Archives of Neurology*, 2004; **61**:889-892

Shinde S, Patil N, Tendolkar A. Coenzyme Q10: A Review of Essential Functions. *The Internet Journal of Nutrition and Wellness*. 2005; **1(2)**:
<http://www.ispub.com/ostia/index.php?xmlFilePath=journals/ijnw/archives.xml>

Scivittaro V, Ganz MB, Weiss MF. Age induce oxidative stress and activate protein kinase C-II in neonatal mesangial cells. *American Journal of Renal Physiology*, 2000; **278**:F676-F683

Semwogerere D, Weeks ER. Confocal Microscopy. *Encyclopedia of Biomaterials and Biomedical Engineering*, Taylor and Francis, London, 2005; 1-10

Sgouras D, Duncan R. Methods for evaluation of biocompatibility of soluble synthetic polymers which have potential for biomedical use: Use of tetrazolium-based colorimetric

assay (MTT) as a preliminary screen for evaluation of *in vitro* cytotoxicity. *Journal of Material Sciences. Materials in Medicine*, 1990; 1:61-68

Sheppard CJR, Shotton DM. Confocal fluorescence microscopy. In *Confocal Laser Scanning Microscopy*; Springer-Verlag New York Inc.:New York, 1997; 61–70

Shimada Y. Scanning electron microscopy of myogenesis in monolayer culture: a preliminary study. *Developmental Biology*, 1972; **29**:227-233

Sies H. Oxidative stress:oxidants and antioxidants. *Experimental Physiology*, 1997; **82**:291-295

Sigma Product Information Sheet, <http://www.snowpure.com/docs/triton-x-100-sigma.pdf>

Silverthorn DU. Human physiology: an integrated approach, 3rd Edition, Pearson Education, Inc. San Francisco, 2004

Singer SJG, Nicolson L. The fluid mosaic model of the structure of cell protein filaments from striated muscle. *Journal of Molecular Biology*, 1972; **7**:281-308

Singer RH, Pudney JA. Filament-directed intercellular contacts during differentiation of cultured chick myoblasts. *Tissue and Cell*, 1984; **16**:17-29

Slater TF, Sawyer B, Strauli U. Studies on succinate-tetrazolium reductase systems III Point of coupling of four different tetrazolium salts. *Biochimica et Biophysica Acta*, 1963; **77**:383-393

Sohal R, Forster MJ. Coenzyme Q, oxidative stress and aging. *Mitochondrion*, 2007; **7S**:S103-S111

Soto AM, Sonneschein C, Chung KL, Fernandez MF, Olea N, Serrano FO. The E-screen assay as a tool to identify estrogens - an update on estrogenic environmental pollutants. *Environmental Health Perspectives*, 1995; **103** (Suppl. 7):113-122

Sperelakis N, Shigenobu K. Changes in membrane properties of chick embryonic hearts during development. *The Journal of General Physiology*, 1972; **60**:430-453

Stadtman ER, Levine RL. Protein oxidation. *Annals of the New York Academy of Sciences*, 2000; **899**:191-208

Stya M, Axelrod D. Mobility and detergent extractability of acetylcholine receptors on cultured rat myotubes:a correlation. *Journal of Cell Biology*, 1983; **97**:48-51

Sultan K, Haagsman H. Species-specific primary cell cultures:a research tool in veterinary science. *Veterinary Sciences Tomorrow*, 2001; **1**:1-7

Sun IL, Sun EE, Crane FL, Morré DJ, Lindgren A, Löw H. Requirement for coenzyme Q in plasma membrane electron transport. *Proceedings of the National Academy of Sciences of the United States of America*, 1992; **89**:11126-11130

Tank DW, Wu E-S, Webb WW. 1982. Enhanced molecular diffusibility in muscle blebs:release of lateral constraints. *Journal of Cell Biology*, 1982; **92**:207-212

Teclebrhan H, Olsson J, Swiezewska E, Dallner G. Biosynthesis of the side chain of ubiquinone:transprenyltransferase in rat liver microsomes. *Journal of Biological Chemistry*, 1993; **268**:23081-23086

Terao K, Nakata D, Fukumi H, Schmid G, Arima H, Hirayama F, Uekama K. Enhancement of oral bioavailability of coenzyme Q10 by complexation with γ -cyclodextrin in healthy adults. *Nutrition Research*, 2006; **26**:503-508

Timbrell JA. Principles of Biochemical Toxicology. Taylor & Francis, London, 2000

Tokuyasu KT, Maher PA. Immunocytochemical studies of cardiac myofibrillogenesis in early chick embryos. I. Presence of immunofluorescent titin spots in premyofibril stages. *Journal of Cellular Biology*, 1987; **105**:2781-2793

Tomono Y, Hasegawa J, Seki T, Motegi K, Morishita N. Pharmacokinetic study of deuterium labelled coenzyme Q10 in man. *International Journal of Clinical Pharmacology, Therapy, and Toxicology*, 1986; **24**:536-41

Toppari J, Larsen JC, Christiansen P, Giwercman A, Grandjean P, Guillette LJ (Jr.), Jégou B, Jensen TK, Jounnet P, Keiding N, Leffers H, McLachlan JA, Meyer O, Müller J, Rajpert-De Meyts E, Scheike T, Sharpe R, Sumpter J, Skakkebaek NE. Male reproductive health and

environmental xenoestrogens. *Environmental Health Perspectives*, 1996; **104**(Suppl. 4):741-803

Tortora G, Grabowski J. *Principles of anatomy and physiology*, 10th ed., John Wiley and sons, Inc., 2003; chapter 10; 274-307

Tran U, Clarke FC. Endogenous synthesis of coenzyme Q in eukaryotes. *Mitochondrion*, 2007; **7S**:S62-S71

Trotter JA, Foerder BA, Keller JM. Intracellular fibres in cultured cells:analysis by scanning and transmission electron microscopy and by SDS-polyacrylamide gel electrophoresis. *Journal of Cell Science*, 1978; **31**:369-392

Trumpower BL, Houser RM, Olson RE. Studies on ubiquinone. Demonstration of total biosynthesis of ubiquinone-9 in rat liver mitochondria. *Journal of Biological Chemistry*, 1974; **249**:3041-3048

Trumpower BL. The protonmotive cycle. Energy transduction by coupling of proton translocation to electron transfer by the cytochrome bc₁ complex. *The Journal of Biological Chemistry*, 1990; **265(20)**:11409-11412

Turunen M, Appelkvist EL, Sindelar P, Dallner G. Blood concentration of coenzyme Q10 increases in rats when esterified forms are administered. *Journal of Nutrition*, 1999; **129**:2113-2118

Turunen M, Swiezewska E, Chojnacki T, Sindelar P, Dallner G. Regulatory aspects of coenzyme Q metabolism. *Free Radical Research*. 2002; **36(4)**:437-443

Turunen M, Olsen J, Dallner G. Metabolism and function of coenzyme Q. *Biochemical et Biophysical Acta*, 2004; **1660**:171-199

Ushakova AV, Grivennikova VG, Ohnishi T, Vinogradov AD. Triton X-100 as a specific inhibitor of the mammalian NADH-ubiquinone oxidoreductase (Complex I). *Biochimica et Biophysica Acta*, 1999; **1409**:143-153

Vale RD, Ignatius MJ, Shooter EM. Association of nerve growth factor receptors with the Triton X-100 cytoskeleton of PC12 cells. *The Journal of Neurosciences*, 1985; **5(10)**:2762-2770

Van Belzen R, Kotlyar AB, Moon N, Dunham WR, Albracht SP. The iron–sulfur clusters 2 and ubisemiquinone radicals of NADH:ubiquinone oxidoreductase are involved in energy coupling in submitochondrial particles. *Biochemistry*, 1997; **36**:886–893

Van den Heuvel L, Smeitink J. The oxidative phosphorylation (OXPHOS) system:Nuclear genes and human genetic diseases. *BioEssays*, 2001; **23**:518-525

Van der Merwe CF, Peacock J. Enhancing conductivity of biological material for SEM. *Microscopy Society of Southern Africa – Proceedings*, 1999; **29**

Vazquez-Duhalt R, Marquez-Rocha F, Ponce E, Licea AF, Viana MT. Nonylphenol, an integrated vision of a pollutant. *Applied Ecology and Environmental Research*, 2004; **4**(1):1-25

Venkat Ratnam D, Ankola DD, Bhardwaj V, Sahana DK, Ravi Kumar MNV. Role of antioxidants in prophylaxis and therapy:A pharmaceutical perspective. *Journal of Controlled Release*, 2006; **113**:189-207

Villalba JM, Navarro F, Córdoba F, Serrano A, Arroyo A, Crane FL, Navas P. Coenzyme Q reductase from liver plasma membrane:Purification and role in trans-plasma-membrane electron transport. *Proceedings of the National Academy of Sciences of the United States of America*, 1995; **92**:4887-91

Virmani A, Gaetani F, Binienda Z. Effects of metabolic modifiers such as carnitines, coenzyme Q10, and PUFAs against different forms of neurotoxic insults:metabolic inhibitors, MPTP, and metamphetamine. *Annals of the New York Academy of Sciences*, 2005; **1053**:183-191

Wakelam MJO. The fusion of myoblasts. *The Biochemical Journal*, 1985; **228**:1-12

Wallace IP, Fischman DA. High resolution scanning electron microscopy of isolated and *in situ* cytoskeletal elements. *The Journal of Cell Biology*, 1979; **83**(1):249-254

Walter L, Nogueira V, Leverve X, Heitz M, Bernardi P, Fontaine E. Three classes of ubiquinone analogs regulate the mitochondrial permeability transition pore through a common site. *The Journal of Biological Chemistry*, 2000; **275**(38):29521-29527

Weruaga E, Alonsoa JR, Porteros A, Crespo C, Arévalo R, Brinón JG, Velasco A, Aijón J. Nonspecific labeling of myelin with secondary antisera and high concentrations of Triton X-100. *Journal of Histochemistry and Cytochemistry*, 1998; **46**(1):109-11

Whistance GR, Field FE, Threlfall DR. Observations on the biosynthesis of ubiquinones by animals. *European Journal of Biochemistry*, 1971; **18**:46-52

Wilson VS, Bobseine K, Gray E(Jr). Development and characterization of a cell line that stably express an estrogen-responsive luciferase reporter for the detection of estrogen receptor agonist and antagonists. *Toxicological Sciences*, 2004; **81**:69-77

Yamada KM, Spooner BS, Wessels NK. Ultrastructure and function of growth cones and axons of cultured cells. *Journal of Cell Biology*, 1971; **49**:614-635

Yu, I., D. A. Fishman, and T. L. Steck. Selective solubilization of proteins and phospholipids from red blood cell membranes by nonionic detergents. *Journal of Supramolecular Structure*, 1973; **1**:233-248