TEMPORAL ASPECTS OF SPEECH PRODUCTION IN BILINGUAL SPEAKERS WITH NEUROGENIC SPEECH DISORDERS

by

Karin Theron

Submitted in partial fulfilment of the requirements for the degree DPhil: Communication Pathology in the Faculty of Humanities,
University of Pretoria, PRETORIA

May 2003

University of Pretoria etd – Theron, K

The financial assistance of the National Research Foundation (NRF) towards this research is hereby acknowledged. Opinions expressed and conclusions arrived at, are those of the author and are not necessarily to be attributed to the NRF.



"For the Lord gives wisdom, and from his mouth come knowledge and
understanding." Proverbs 2:6

Dedicated to the persons with communication disorders with whom I have had the privilege to work...You have enriched my life beyond words!

ACKNOWLEDGEMENTS

"The primary intellectual aim of the humanities and social inquiry, quite generally, is to help us to realize what is of value to us in our personal and social lives. What ultimately matters is personal and social progress towards enlightenment and wisdom: all academic progress is but a means to this end." (Maxwell, 1984:73)

I would like extend my *sincere* appreciation to the following people:

- Prof Anita van der Merwe (Department of Communication Pathology, University of Pretoria) for sharing her knowledge and for her guidance and supervision of the study
- Prof Donald A Robin (School of Speech, Language, and Hearing Sciences, San Diego State University) for his guidance, prompt and helpful e-mails and words of encouragement throughout the study
- Mrs Emily Groenewald (Department of Communication Pathology, University of Pretoria) for her competent and gentle guidance during the acoustic analysis and her uplifting conversations
- The eleven subjects who participated as volunteers in the study
- Mr Jackie Grimbeek for guidance with regard to the data processing procedure and recommendations regarding the statistical analysis
- Mrs Elana Mauer for the statistical analysis of the data
- Mr Herman Tesner (Department of Communication Pathology, University of Pretoria) for assistance with the phonetic transcribing of the test stimuli
- Prof David Maree for help with the initial statistical analysis and recommendations during the planning of the study
- Rika Opper for assistance with the language editing of the document
- My husband for his love, support and tremendous patience throughout this study, as well as for hours of assistance with the technical editing
- My mother for her constant prayers which carried me through this project, her unwavering encouragement and help with proofreading and final preparation of the document
- My mother-in-law, Kate, for her encouragement, proofreading and competent assistance with the technical editing of the document
- My dear friend, Susan, for her help with finalization of the reference list, support and encouragement throughout the study
- My colleagues, Samantha, Liezel, Cindy and Celeste, who went the extra mile at work to make this possible
- My friends for their sincere interest and encouragement throughout this endeavour

And above all God, my Saviour who has blessed my life with wonderful friends and family and countless opportunities.

University of Pretoria etd - Theron, K.

SUMMARY

TITLE Temporal aspects of speech production in bilingual

speakers with neurogenic speech disorders

NAME Karin Theron

SUPERVISOR Prof A van der Merwe

CO-SUPERVISOR Prof DA Robin

DEPARTMENT Communication Pathology

DEGREE DPhil: Communication Pathology

The present study is the first to examine the effect of first versus second language (L1 versus L2) speech production on specific temporal parameters of speech in bilingual speakers with neurogenic speech disorders. Three persons with apraxia of speech (AOS), three with phonemic paraphasia (PP) and five normal speaking participants were included as subjects in the study. Subjects were required to read phonemically similar L1 and L2 target utterances in a carrier phrase, five times each, at a normal and fast speaking rate, respectively. This rendered four speaking contexts that included speech production in L1 at either a normal (L1NR) or fast speaking rate (L1FR) and speech production in L2 at either a normal (L2NR) or fast speaking rate (L2FR). Acoustic analysis of on-target productions involved measurement of utterance onset duration, vowel duration, utterance duration and voice onset time.

Results revealed that in normal speakers, speech production in L2 results in greater token-to-token variability than in L1. However, token-to-token variability in the experimental subjects did not tend to increase whilst speaking in L2, most probably because these subjects generally decreased their speaking rate in this context, resulting in more consistent production. The subjects with AOS and PP seemed to be influenced by the increased processing demands of speaking in L2 to a greater extent than the normal speakers, in that they more frequently experienced difficulty with durational adjustments (decreasing duration in the fast speaking rate) in L2 than in L1. Furthermore, the subjects with AOS or PP also exhibited a greater extent of durational adjustment in L1 than in L2. The durations of most of the subjects with either AOS or PP tended to differ from those of the normal group to a greater extent in L2FR that was hypothesized to be the most demanding speaking context for these subjects.

The longer than normal durations and greater than normal token-to-token variability in the subjects with either AOS or PP imply the presence of a motor control deficit. The extent of the motor control deficit appears to be more severe in AOS than in PP as is evident from the finding that the subjects with AOS generally exhibited longer durations and greater token-to-token variability than the subjects with PP. The pattern of breakdown in respect of different parameters and utterance groups also differed between subjects with AOS and PP. The nature of the disorder in AOS and PP thus appears to be both quantitatively and qualitatively different. Regarding measurement of the different temporal parameters, voice onset time appears to be less subject to the influence of L2 than the other measured temporal parameters.

The results of this study imply that bilingual AOS is as much a reality as bilingual aphasia. Furthermore, the results underscore the importance of taking contextual factors, specifically L1 versus L2, into account when compiling assessment and treatment procedures for persons with either AOS or PP, since speech production in L2 appears to be motorically more difficult than in L1 for persons with neurogenic involvement. The significance of the results is discussed with reference to the influence of speech production in L2 on temporal control and the underlying nature of AOS and PP with regard to theories of speech sensorimotor control.

Key words: speech motor control, speech production, speech and language processing, motor planning, linguistic-symbolic planning, processing demands, apraxia of speech, phonemic paraphasia, temporal parameters, temporal control, token-to-token variability, acoustic analysis, vowel duration, utterance duration, utterance onset duration, voice onset time, contextual factors

University of Pretoria etd - Theron, K.

OPSOMMING

TITEL Temporale aspekte van spraakproduksie in tweetalige

sprekers met neurogene spraakafwykings

NAAM Karin Theron

PROMOTOR Prof A van der Merwe

MEDE-PROMOTOR Prof DA Robin

DEPARTMENT Kommunikasiepatologie

GRAAD DPhil: Kommunikasiepatologie

Hierdie studie is die eerste om die effek van eerste- teenoor tweede taal spraakproduksie op spesifieke temporale parameters van spraak in tweetalige sprekers met neurogene spraakafwykings te ondersoek. Drie persone met verbale apraksie, drie met fonemiese parafasie en vyf normaalsprekendes het as proefpersone aan die studie deelgeneem. Persone moes uitings wat fonemies dieselfde is in hul eerste en tweede taal vyf keer elk lees, teen beide 'n normale en 'n vinnige spraakspoed. Hierdie prosedure het vier kontekste vir spraakproduksie tot gevolg gehad, naamlik eerste taal in 'n vinnige en normale spoed konteks en tweede taal in 'n vinnige en normale spoed konteks. Akoestiese analise van akkurate produksies het meting uitingaanvangsduur, vokaalduur, uitingduur en stemaanvangstyd behels.

Resultate het daarop gedui dat tweede taal spaakproduksie in normale sprekers aanleiding gee tot groter temporale veranderlikheid t.o.v. die duurmetings. Uit die resultate het dit geblyk dat persone met verbale apraksie of fonemiese parafasie tot 'n groter mate beïnvloed is deur die verhoogde prosesseringseise wat deur spraakproduksie in hul tweede taal gestel is, deurdat hulle meer dikwels probleme ervaar het met duuraanpassings (vermindering van duur in die vinnige spoed konteks) in hul tweede taal as in hul eerste taal. Verder het die persone met verbale apraksie of fonemiese parafasie ook 'n groter mate van duuraanpassing gemaak in hul eerste taal as in hul tweede taal. Die duur van meeste van die persone met verbale apraksie of fonemiese parafasie het verder die meeste van dié van die normale sprekers verskil tydens produksie teen 'n vinnige spoed in die tweede taal wat voorspel is om die

moeilikste konteks vir produksie te wees vir persone met 'n spraak- en/of taalafwyking.

Langer as normale duur en meer as normale temporale veranderlikheid in die persone met verbale apraksie of fonemiese parafasie impliseer dat 'n motoriese komponent moontlik bydra to die spraakprobleme van hierdie sprekers. Die graad van die motoriese afwyking blyk meer uitgesproke te wees in persone met verbale apraksie as in die met fonemiese parafasie, aangesien die persone met verbale apraksie meestal langer duur en meer veranderlikheid van duurmetings getoon het in vergelyking met die persone met fonemiese parafasie. Die patroon van afbraak in terme van die verskillende parameters en uitings waarmee probleme ondervind is tydens produksie het ook verskil tussen die persone met verbale apraksie en fonemiese parafasie. Die aard van die afwyking in verbale apraksie en fonemiese parafasie blyk dus kwantitatief en kwalitatief te verskil. Met betrekking tot aantasting van die verskillende parameters, het die resultate daarop gedui dat stemaanvangstyd tot 'n mindere mate aangetas is deur spraakproduksie in die tweede taal.

Die resultate van hierdie studie beklemtoon die belang daarvan om kontekstuele faktore, spesifiek eerste teenoor tweede taal spraakproduksie, in ag te neem tydens die evaluering en behandeling van tweetalige persone met verbale apraksie of fonemiese parafasie. Spraakproduksie in die tweede taal van 'n spreker blyk motories meer kompleks te wees as spraakproduksie in die eerste taal vir persone met neurogene spraak- en/of taalafwykings. Die belang van hierdie resultate word bespreek met verwysing na die invloed van tweede taal spraakproduksie op temporale kontrole van spraak en die onderliggende aard van verbale apraksie en fonemiese parafasie soos verklaar deur teorieë oor spraakproduksie.

Sleutelwoorde: motoriese kontrole van spraak, spraakproduksie, spraak- en taalprosessering, motoriese beplanning, linguisties-simboliese beplanning, presesserings eise, verbale apraksie, fonemiese parafasie, temporale parameters, temporale kontrole, temporale veranderlikheid, akoestiese analise, vokaalduur, uitingduur, uitingaanvangsduur, stemaanvangstyd, kontekstuele faktore

LIST OF ABBREVIATIONS

AOS Apraxia of speech

CA Conduction aphasia

CSL Computerized Speech Laboratory

CV Consonant-vowel

FR Fast speaking rate

GMP Generalized motor program

GMPs Generalized motor programs

IAS Interarticulatory synchronization

L1 First language

L2 Second language

ms Milliseconds

N Normal speaking subject

NGR Normal group

NR Normal speaking rate

PP/(s) Phonemic paraphasia/(s)

SD/(s) Standard deviation/(s)

UD Utterance duration

UOD/(s) Utterance onset duration/(s)

VD Vowel duration

VOT/(s) Voice onset time/(s)

WAB Western Aphasia Battery

LIST OF FIGURES

Figure 1.1	Schematic presentation of the purpose of the study of temporal parameters of speech production in bilingual speakers with neurogenic speech disorders	9
Figure 4.1	Schematic presentation of the methodology of the study	147
Figure 4.2	A spectrograph of "Dis 'n pet" (English counterpart: "It's a pet") produced in L1NR by N5, indicating the four temporal parameters measured for utterances beginning with a voiceless plosive, namely utterance onset duration (UOD), voice onset time (VOT), vowel duration (VD) and utterance duration (UD).	153
Figure 4.3	A spectrograph of "It's a back" in L2FR produced by AOS2 as /H •	155
Figure 4.4	same point in time. Spectrograph of "Dis 'n bek" (English counterpart: "It's a back") produced in L1NR by one of the normal subjects (N5), indicating the four temporal parameters measured for utterances beginning with a voiced plosive, namely utterance onset duration (UOD), voice onset time (VOT) (in this case negative VOT or voicing lead), vowel duration (VD) and utterance duration (UD).	157
Figure 4.5	A spectrograph of "Dis 'n vas" (English counterpart: "It's a fuss") produced in L1NR by one of the normal speakers (N5), indicating the two temporal parameters measured for utterances beginning with a voiceless fricative, namely vowel duration (VD) and utterance duration (UD).	158
Figure 4.6	Summary of data processing procedure for sub-aim one	169
Figure 4.7	Summary of data processing for sub-aim two	174
Figure 4.8	Summary of data processing for sub-aim three	176
Figure 5.1	VD in FR expressed as a percentage of VD in NR indicating the extent of durational adjustment in the FR compared to the NR in L1 and L2 for utterances beginning with a voiceless plosive as a group	183
Figure 5.2	VD in the FR expressed as a percentage of VD in the NR indicating the extent of durational adjustment in the FR compared to the NR in L1 and L2 for utterances beginning with a voiced plosive as a group	186

Figure 5.3	VD in FR expressed as a percentage of VD in NR indicating the extent of durational adjustment in the FR compared to the NR in L1 and L2 for utterances beginning with a voiceless fricative as a group	189
Figure 5.4	UD in FR expressed as a percentage of UD in NR indicating the extent of durational adjustment in the FR compared to the NR in L1 and L2 for utterances beginning with a voiceless plosive as a group	193
Figure 5.5	UD in FR expressed as a percentage of UD in NR indicating the extent of durational adjustment in the FR compared to the NR in L1 and L2 for utterances beginning with a voiced plosive as a group	196
Figure 5.6	UD in FR expressed as a percentage of UD in NR indicating the extent of durational adjustment in the FR compared to the NR in L1 and L2 for utterances beginning with a voiceless fricative as a group	198
Figure 5.7	UOD in FR expressed as a percentage of UOD in NR indicating the extent of durational adjustment in the FR compared to the NR in L1 and L2 for utterances beginning with a voiceless plosive as a group	203
Figure 5.8	UOD in FR expressed as a percentage of UOD in NR indicating the extent of durational adjustment in the FR compared to the NR in L1 and L2 for utterances beginning with a voiced plosive as a group	206
Figure 5.9	VOT in FR expressed as a percentage of VOT in NR indicating the extent of durational adjustment in the FR compared to the NR in L1 and L2 for utterances beginning with a voiceless plosive as a group	210
Figure 5.10	Mean vowel duration of each subject expressed as a percentage of the vowel duration of the normal group for each context for the voiceless plosive utterance group	214
Figure 5.11	Mean vowel duration of each subject expressed as a percentage of the vowel duration of the normal group for each context for the voiced plosive utterance group	216
Figure 5.12	Mean vowel duration of each subject expressed as a percentage of the vowel duration of the normal group for each context for the voiceless fricative utterance group	218
Figure 5.13	Mean utterance duration of each subject expressed as a percentage of the utterance duration of the normal group for the voiceless plosive utterance group	220

University of Pretoria etd - Theron, K

Figure 5.14	Mean utterance duration of each subject expressed as a percentage of the utterance duration of the normal group for the voiced plosive utterance group	222
Figure 5.15	Mean utterance duration of each subject expressed as a percentage of the utterance duration of the normal group for the voiceless fricative utterance group	223
Figure 5.16	Mean utterance onset duration of each subject expressed as a percentage of the of utterance onset duration of the normal group for the voiceless plosive utterance group	225
Figure 5.17	Mean utterance onset duration of each subject expressed as a percentage of the utterance onset duration of the normal group for the voiced plosive utterance group	227
Figure 5.18	Mean voice onset time of each subject expressed as a percentage of the voice onset time of the normal group for the voiceless plosive utterance group	228
Figure 5.19 Figure 5.20	The SDs of vowel duration of each subject expressed as a percentage of the SD of the normal group for each context for the voiceless plosive utterance group The SDs of vowel duration of each subject expressed as a percentage of the SD of the normal group for each context for the voiced plosive utterance group	235
Figure 5.21	The SDs of vowel duration of each subject expressed as a percentage of the SD of the normal group for each context for the voiceless fricative utterance group	238
Figure 5.22	The SDs of utterance duration of each subject expressed as a percentage of the SD of the normal group for each context for the voiceless plosive utterance group	240
Figure 5.23	The SDs of utterance duration of each subject expressed as a percentage of the SD of the normal group for each context for the voiced plosive utterance group	241
Figure 5.24	The SDs of utterance duration of each subject expressed as a percentage of the SD of the normal group for each context for the voiceless fricative utterance group	243
Figure 5.25	The SDs of utterance onset duration of each subject expressed as percentage of the SD of the normal group for each context for the voiceless plosive utterance group	244

University of Pretoria etd - Theron, K

Figure 5.26	The SDs of utterance onset duration of each subject expressed as a percentage of the SD of the normal group for each context for the voiced plosive utterance group	246
Figure 5.27	The SDs of voice onset time of each subject expressed as a percentage of the SD of the normal group for each context for the voiceless plosive utterance group	248
Figure 5.28	The SDs of voice onset time of each subject expressed as a percentage of the SD of the normal group for each context for the voiced plosive utterance group	249
Figure 6.1	Schematic presentation of the acoustic manifestation of increased processing demands imposed by an increased speaking rate and speech production in L2 in normal speakers and persons with either AOS or PP.	302

LIST OF TABLES

Table 4.1	Sub-aims and rationales for their inclusion	141
Table 4.2	Summary of biographical and descriptive data for the normal, apraxia of speech and phonemic paraphasic subjects	145
Table 4.3	Speech stimuli used in the study	149
Table 5.1	Findings related to the achievement of durational adjustments in L1 and L2 regarding VD of utterances beginning with a voiceless plosive as a group	184
Table 5.2	Findings related to the achievement of durational adjustments in L1 and L2 regarding VD of individual utterances beginning with a voiceless plosive	185
Table 5.3	Findings related to the achievement of durational adjustments in L1 and L2 regarding VD of utterances beginning with a voiced plosive as a group	187
Table 5.4	Findings related to the achievement of durational adjustments in L1 and L2 regarding VD of individual utterances beginning with a voiced plosive	188
Table 5.5	Findings related to the achievement of durational adjustments in L1 and L2 regarding VD of utterances beginning with a voiceless fricative as a group	190
Table 5.6	Findings related to the achievement of durational adjustments in L1 and L2 regarding VD of individual utterances beginning with a voiceless fricative	190
Table 5.7	Summarized findings related to durational adjustments of VD for utterances as a group and individual utterances in each utterance group	191
Table 5.8	Findings related to the achievement of durational adjustments in L1 and L2 regarding UD of utterances beginning with a voiceless plosive as a group	194
Table 5.9	Findings related to the achievement of durational adjustments in L1 and L2 regarding UD of individual utterances beginning with a voiceless plosive	195
Table 5.10	Findings related to the achievement of durational adjustments in L1 and L2 regarding UD of utterances beginning with a voiced plosive as a group	196

University of Pretoria etd – Theron, K

Table 5.11	Findings related to the achievement of durational adjustments in L1 and L2 regarding UD of individual utterances beginning with a voiced plosive	197
Table 5.12	Findings related to the achievement of durational adjustments in L1 and L2 regarding UD of utterances beginning with a voiceless fricative as a group	198
Table 5.13	Findings related to the achievement of durational adjustments in L1 and L2 regarding UD of individual utterances beginning with a voiceless fricative	200
Table 5.14	Summarized findings related to durational adjustments of UD for utterances as a group and individual utterances in each utterance group	201
Table 5.15	Findings related to the achievement of durational adjustments in L1 and L2 regarding UOD of utterances beginning with a voiceless plosive as a group	203
Table 5.16	Findings related to the achievement of durational adjustments in L1 and L2 regarding UOD of individual utterances beginning with a voiceless plosive	205
Table 5.17	Findings related to the achievement of durational adjustments in L1 and L2 regarding UOD of utterances beginning with a voiced plosive as a group	206
Table 5.18	Findings related to the achievement of durational adjustments in L1 and L2 regarding UOD of individual utterances beginning with a voiced plosive	207
Table 5.19	Summarized findings related to durational adjustments of UOD for utterances as a group and individual utterances in the voiceless plosive and voiced plosive utterance groups	208
Table 5.20	Findings related to the achievement of durational adjustments in L1 and L2 regarding VOT of utterances beginning with a voiceless plosive as a group	210
Table 5.21	Findings related to the achievement of durational adjustments in L1 and L2 regarding VOT of individual utterances beginning with a voiceless plosive	211
Table 5.22	Summarized findings related to durational adjustments of VOT for utterances as a group and individual utterances in the voiceless plosive utterance group	212

Table 5.23	Assigned values indicating the magnitude of difference between the mean vowel duration of each experimental subject and the normal group for each context for the voiceless plosive utterance group, with a value of one depicting the context where the greatest difference existed and a value of four indicating where the least difference was present	214
Table 5.24	Assigned values indicating the magnitude of difference between the mean vowel duration of each experimental subject and the normal group for each context for the voiced plosive utterance group, with a value of one depicting the context where the greatest difference existed and a value of four indicating where the least difference was present	216
Table 5.25	Assigned values indicating the magnitude of difference between the mean vowel duration of each experimental subject and the normal group for each context for the voiceless fricative utterance group, with a value of one depicting the context where the greatest difference existed and a value of four indicating where the least difference was present	219
Table 5.26	Assigned values indicating the magnitude of difference between the mean utterance duration of each subject and the normal group for each context for the voiceless plosive utterance group, with a value of one depicting the context where the greatest difference existed and a value of four indicating where the least difference was present	221
Table 5.27	Assigned values indicating the magnitude of difference between the mean utterance duration of each subject and the normal group for each context for the voiced plosive utterance group, with a value of one depicting the context where the greatest difference existed and a value of four indicating where the least difference was present	222
Table 5.28	Assigned values indicating the magnitude of difference between the mean utterance duration of each experimental subject and the normal group for each context for the voiceless fricative utterance group, with a value of one depicting the context where the greatest difference existed and a value of four indicating where the least difference was present	224
Table 5.29	Assigned values indicating the magnitude of difference between the mean utterance onset duration of each experimental subject and the normal group for each context for the voiceless plosive utterance group, with a value of one depicting the context where the greatest difference existed and a value of four indicating where the least difference was present	226

Table 5.30	Assigned values indicating the magnitude of difference between the mean utterance onset duration of each experimental subject and the normal group for each context for the voiced plosive utterance group, with a value of one depicting the context where the greatest difference existed and a value of four indicating where the least difference was present	227
Table 5.31	Assigned values indicating the magnitude of difference between the mean voice onset time duration of each experimental subject and the normal group for each context for the voiceless plosive utterance group, with a value of one depicting the context where the greatest difference existed and a value of four indicating where the least difference was present	229
Table 5.32	Summarized findings for sub-aim two indicating whether the durations of each experimental subject differed most from those of the normal group in the L2FR context regarding each temporal parameter for utterances as a group and for individual utterances of each utterance group	231
Table 5.33	The percentage of utterances in each context in the voiceless plosive utterance group which were assigned a value of one indicating the context where variability was the greatest for most utterances regarding VD	233
Table 5.34	The percentage of utterances in each context in the voiced plosive utterance group which were assigned a value of one indicating the context where variability was the greatest for most utterances regarding VD	236
Table 5.35	The percentage of utterances in each context in the voiceless fricative utterance group which were assigned a value of one indicating the context where variability was the greatest for most utterances regarding VD	237
Table 5.36	The percentage of utterances in each context in the voiceless plosive utterance group which were assigned a value of one indicating the context where variability was the greatest for most utterances regarding UD	239
Table 5.37	The percentage of utterances in each context in the voiced plosive utterance group which were assigned a value of one indicating the context where variability was the greatest for most utterances regarding UD	240
Table 5.38	The percentage of utterances in each context in the voiceless fricative utterance group which were assigned a value of one indicating the context where variability was the greatest for most utterances regarding UD	242

University of Pretoria etd - Theron, K

Table 5.39	The percentage of utterances in each context in the voiceless plosive utterance group which were assigned a value of one indicating the context where variability was the greatest for most utterances regarding UOD	244
Table 5.40	The percentage of utterances in each context in the voiced plosive utterance group which were assigned a value of one indicating the context where variability was the greatest for most utterances regarding UOD	245
Table 5.41	The percentage of utterances in each context in the voiceless plosive utterance group which were assigned a value of one indicating the context where variability was the greatest for most utterances regarding VOT	247
Table 5.42	The percentage of utterances in each context in the voiced plosive utterance group which were assigned a value of one indicating the context where variability was the greatest for most utterances regarding VOT	248
Table 5.43	Summarized findings related to sub-aim three indicating whether the context with the largest percentage of utterances exhibiting the greatest variability was either L2NR or L2FR and if the SDs of each experimental subject were greater than those of the normal group across all four contexts	251

APPENDICES

Appendix A	Information conveyed to subjects for obtaining consent for participation in the study and use of collected data for research purposes	Page 1
Appendix B	Mean durations and standard deviations of each subject and the normal group regarding each temporal parameter, utterance and context	Page 1-8
Appendix C	Processed data for sub-aim one: Duration in the FR expressed as a percentage of the duration in the NR for L1 and L2 for each subject and the normal group regarding each temporal parameter for each utterance and utterance group	Page 1-3
Appendix D	Processed data for sub-aim two: Duration of each temporal parameter of each experimental subject expressed as a percentage of the duration of the normal group for each utterance and utterance group for each of the four contexts (L1NR, L1FR, L2NR, L2FR)	Page 1-3
Appendix E	Processed data for sub-aim two to determine the context (L1NR, L1FR, L2NR or L2FR) in which each experimental subject differed most from the normal group	Page 1-9
Appendix F	Processed data for sub-aim three to determine the context (L1NR, L1FR, L2NR or L2FR) in which variability was generally the greatest for each subject	Page 1-5
Appendix G	Standard deviations of each temporal parameter of each experimental subject expressed as a percentage of the standard deviation of the normal group for each utterance and utterance group for each of the four contexts (L1NR, L1FR, L2NR and L2FR)	Page 1-3