

REFERENCES

- Alberti, P.W. 1999. Pediatric ear, nose and throat services' demands and resources: a global perspective. *International Journal of Pediatric Otorhinolaryngology*, 49(Suppl.1):S1-S9.
- American Academy of Pediatrics. 1999. Task Force on Newborn and Infant Hearing. Newborn and infant hearing loss: detection and intervention. *Pediatrics*, 103:527-30.
- American Speech-Language-Hearing Association. 1997. *Guidelines for audiologic screening: Panel on audiologic assessment*. Rockville, MD: American Speech-Language-Hearing Association.
- Arehart, K.H., Yoshinaga-Itano, C., Thomson, V., Gabbard, S.A., & Stredler Brown, A. 1998. State of the States: The status of universal newborn hearing screening, assessment, and intervention systems in 16 States. *American Journal of Audiology*, 7:101-114.
- Australian National Hearing Screening Committee. 2001. Australian consensus statement on neonatal hearing screening.
<http://www.hgsa.com.au/policy/UNHS.html> (Date of access: 17 September 2004).
- Babbie, E. 2001. *The practice of social research*. 9th ed. Belmont: Wadsworth.
- Baez, C. 2000. Child health in South Africa: Developmental screening in children. *Update*, 52:1-2. <http://www.hst.org.za/update/52/isds.html>
- Bailey, H.D., Bower, C., Krishnaswamy, J. & Coates, H.L. 2002. Newborn hearing screening in Western Australia. *Medical Journal of Australia*, 177(4):180-185.

Bamford, J. & Davis, A. 1998. Neonatal hearing screening: a step towards better services for children and families. *British Journal of Audiology*, 32:1-6.

Bamford, J. 2000. Infrastructure supporting infant hearing screening programs. *Seminars in Hearing*, 21(4):359-366.

Balkany, T.J., Berman, S.A., Simmons, M.A. & Jafek, B.W. 1978. Middle ear effusion in neonates. *Laryngoscope*, 88:398-405.

Bam, I., Kritzinger, A. & Louw, B. 2003. Die vroeë kommunikasieontwikkeling van 'n groep babas met pediatriese MIV/VIGS in sorgsentrum. *Health SA Gesondheid*, 8(2):34-47.

Bankaitis, A.E., Christensen, L.A., Murphy, G., & Morehouse, C.R. 1998. HIV/Aids and Auditory Evoked Potentials. *Seminars in Hearing*, 19(2):177-193.

Baroch, K.A. 2003. Universal newborn hearing screening: fine-tuning the process. *Otolaryngology & Head & Neck Surgery*, 11(6):424-428.

Barringer, D.G., & Mauk, G.W. 1997. Survey of parents' perceptions regarding hospital-based newborn hearing screening. *Audiology Today*, 1:18-19.

Barsky-Firkser, L. & Sun, S. 1997. Universal newborn hearing screenings: A three-year experience. *Pediatrics*, 99:E4.

Bastos, I., Mallya, J., Ingvarsson, L., Reimer, A. & Andreasson, L. 1995. Middle ear disease and hearing impairment in northern Tanzania: A prevalence study of school children in the Moshi and Monduli districts. *International Journal of Pediatric Otorhinolaryngology*, 32:1-12.

Beckman, P.J. 2002. Providing family-centered services. In: M.L. Batshaw (Ed.) *Children with Disabilities*. 5th ed. Baltimore: Paul H. Brookes Publishing Co. 683-691.

Beighton, P., Sellars, S.L., Goldblatt, J. & Beighton, G. 1987. Childhood deafness in the Indian population of Natal. *South African Medical Journal*, 72:209-211.

Berlin, C.I. 1999. Auditory Neuropathy. *Seminars in Hearing*, 20(4):307-315.

Berman, S.A., Balkany, T.J. & Simmons, M.A. 1978. Otitis media in the neonatal intensive care unit. *Pediatrics*, 62:198-202.

Bess, F.H., Dodd-Murphy, J. & Parker, R.A. 1998. Children with minimal sensorineural hearing loss: prevalence, educational performance and functional status. *Ear and Hearing*, 19(5):339-54.

Bhana, R. 2004. Youth risk behaviour. *South African Health Review 2003/04*. <http://www.hst.org.za/publications/423> (Date of access: 3 August 2004).

Bless, C. & Higson-Smith, C. 2000. *Fundamentals of social research methods*, Cape Town: Juta.

Boohla, D. & Hugo, S.R. 1995. Prevalence: outer and middle ear disorders in black and Indian preschool children from Durban. *The South African Journal of Communication Disorders*, 42:19-27.

Brookhouser, P.E., Worthington, D.W. & Kelly, W.J. 1991. Unilateral hearing loss in children. *Laryngoscope*, 101:1264-1272.

Calderon, R. & Naidu, S. 2000. Further support of the benefits of early identification and intervention with children with hearing loss. *Volta Review*, 100(5):53-84.

Campbell, N., Hugo, R., Uys, I., Hanekom, J. & Millard, S. 1995. Early recurrent otitis media, language and central auditory processing in children. *The South African Journal of Communication Disorders*, 42:73-84.

Carney, A.E. & Moeller, M.P. 1998. Treatment efficacy: hearing loss in children. *Journal of Speech Language and Hearing Research*, Suppl. 41:61-84.

Celliers, C., Rossouw, D., Meyer, S. & Hurter, M. 1988. Die aard en voorkoms van middelloorpatologieë in laerskole vir normaalhorende blanke kinders. *South African Journal of Communication Disorders*, 35:35-37.

Census 1996. 1996. Population Census for South Africa.

<http://www.statssa.gov.za/census96/html> (Date of access: 16 August 2004).

Census 2001. 2003. Population Census for South Africa.

<http://www.statssa.gov.za/SpecialProjects/Census2001/Census2001.htm>

Centner, L. 2000. A service analysis of speech – Language/hearing services in four districts of the west coast – winelands region. Unpublished B. Speech and Hearing Therapy dissertation. Department of Logopaedics: University of Cape Town.

Central Statistics. 1998. *Living in South Africa: Selected findings of the 1995 October household survey*. Pretoria: Central Statistical Service, 1-44.

Chan, D., Absher, D. & Sabatier, S. 2002. Recipients in need of ancillary services and their receipt of HIV medical care in California. *AIDS Care*, 14:S73-S83.

Chapchap, M.J. & Segre, C.M. 2001. Universal newborn hearing screening and transient evoked otoacoustic emission: new concepts in Brazil. *Scand Audiol*, 30(Suppl. 53):33–36.

Children in 2001. 2001. *A Report on the State of the Nation's Children.*

Department of Health. Pretoria: Government Printer.

Chu, K., Elimian, A., Barbera, J., Ogburn, P., Spitzer, A. & Quirk, J.G. 2003.

Antecedents of Newborn Hearing Loss. *Obstetrics and Gynecology*, 101:584-588.

Cilliers, G. 1980. 'n Beroepstudie van spraakterapeute en audioloë. Pretoria:

RGN. Verslagnr. MM79.

Claesen, F.A.P., Van Boxtel, C.J., Perenboom, R.M., Tange, R.A., Wetseijn, J.C.F.M. & Kager, P.A. 1998. Quinine pharmacokinetics: ototoxic and cardiotoxic effects in healthy Caucasian subjects and in patients with falciparum malaria. *Tropical Medicine and International Health*, 3(6):482-489.

Clemens, C.J., Davis, S.A. & Bailey, A.R. The false-positive in universal newborn hearing screening. *Pediatrics* 2000:106.

www.pediatrics.org/cgi/content/full/106/1/e7. (Date of access: 13 July 2004).

Cone-Wesson, B., Vohr, B.R., Sininger, Y.S., Widen, J.E., Folsom, R.C., Gorga, M.P. & Norton, S.J. 2000. Identification of neonatal hearing impairment: Infants with hearing loss. *Ear & Hearing*, 21(5):488-507.

Cox, L.C. & Toro, M.R. 2001. Evolution of a universal infant hearing screening program in an inner city hospital. *International Journal of Pediatric Otorhinolaryngology*, 59:99-104.

Creswell, J.W. 1994. *Research design: qualitative and quantitative approaches*. Thousand Oaks: Sage.

Culpepper, B. 2004. Survey of early hearing detection and intervention (EHDI) guidelines for infant audiology services. International Conference on Newborn Hearing Screening Diagnosis and Intervention, May 27-29, Abstract book 162.

Curotta, J.H. 1997. Managing acute otitis media. *Modern Medicine of South Africa*, 3:27-36.

Dalzell, L., Orlando, M., McDonald, M., Berg, A., Bradley, M., Cacace, A., Campbell, D., DeCristofaro, J., Gravel, J., Greenberg, E., Gross, S., Pinheiro, J., Regan, J., Spivak, L., Stevens, F. & Prieve, B. 2000. The New York State universal newborn hearing screening demonstration project: Ages of hearing loss identification, hearing aid fitting and enrolment in early intervention. *Ear & Hearing*, 21:118-130.

Davis, A., Bamford, J., Wilson, I., Ramkalawan, T., Forshaw, M. & Wright, S. 1997. A critical review of the role of neonatal hearing screening in the detection of congenital hearing impairment. *Health Technol Assessment*, 1(10):1-177.

Davis, A., Bamford, J. & Stevens, J. 2001. Performance of neonatal and infant hearing screens: sensitivity and specificity. *British Journal of Audiology*, 35:3-15.

Davis, A. & Hind, S. 2003. The newborn hearing screening programme in England. *International Journal of Pediatric Otorhinolaryngology*, 67(Suppl.1):S193-S196.

Davis, A.C. & Wood, S. 1992. The epidemiology of childhood hearing impairment: factors relevant to planning of services. *British Journal of Audiology*, 26:77-90.

Davis, J.M., Elfenbein, J.L., Schum, R. & Bentler, R. 1986. Effects of mild and moderate hearing impairments on language, educational, and psychosocial behavior of children. *Journal of Speech and Hearing Disorders*, 51:53-62.

Davis-McFarland, E. 2002. Pediatric HIV/AIDS: issues and strategies for intervention. *ASHA leader*, 7(4):10.

Day, C., Reagon, G., Irlam, C. & Levin, J. 2004. Facilities Survey 2003. *South African Health Review 2003/04*. <http://www.hst.org.za/publications/423> (Date of access: 13 August 2004).

Delport, C.S.L. 2002. Quantitative data collection methods. In: A.S. de Vos (Ed.). *Research at Grass Roots*. 2nd ed. Pretoria: Van Schaik. 165-196.

Dennil, K., King, L. & Swanepoel, T. 1999. *Aspects of Primary Health Care*. 2nd ed. Cape Town: Oxford University Press Southern Africa.

Department of Education. 2001. *Education white paper no 6: Special needs education and training system*. Pretoria: Department of Education.

Department of Health. 1997. White paper: Transformation of the health system.
<http://www.anc.org.za/>

Department of Health. 1999. South African Demographic and Health Survey.
<http://www.doh.gov.za/facts/1998/sadhs98/> (Date of access: 17 August 2004).

Department of Health. 2000. Prevention of hearing impairment due to otitis media. *The Primary Health Care Package for South Africa – a set of norms and standards*. <http://www.doh.gov.za/docs/policy/norms/part1t.html> (Date of access: 17 August 2004).

Department of Health. 2001. Guideline for the prevention of hearing impairment due to otitis media at clinic level. 1-22.

<http://www.doh.gov.za/docs/factsheets/guidelines/hearing.pdf> (Date of access: 21 October 2003).

Department of Health. Statistical Notes. 2000. *Tuberculosis and HIV*, 2(18):1-9.

Department of Health. Statistical Notes. 2001. *Malaria*, 3(5):1-9.

Department of National Health and Population Development. 1992. *Strategy for primary health care in South Africa*. Pretoria: Government Printer.

Department of Health. 2002. National HIV and Syphilis Sero-prevalence Survey of Women Attending Public Antenatal Clinics in South Africa – 2001. Summary Report. <http://www.doh.gov.za/docs/reports/2000/hivreport.html> (Date of access: 23 October 2003).

De Vos, A.S. 2002a. Combined quantitative and qualitative approach. In: AS de Vos (Ed.) *Research at Grass Roots*. 2nd ed. Pretoria: Van Schaik. 363-372.

De Vos, A.S. 2002b. Qualitative data analysis and interpretation. In: AS de Vos (Ed.) *Research at Grass Roots*. 2nd ed. Pretoria: Van Schaik. 339-355.

De Vos, A.S. 2002c. Scientific theory and professional research. In: AS de Vos (Ed.) *Research at Grass Roots*. 2nd ed. Pretoria: Van Schaik. 28-48.

Diefendorf, A.O. 1999. Screening for hearing loss in infants. *The Volta Review*, 99(5):43-61.

Diefendorf, A.O. 2002. Detection and assessment of hearing loss in infants and children. In: Katz, J. (Ed.) *Handbook of Clinical Audiology*. Baltimore: Lippincott Williams & Wilkens. 469-480.

Doctoroff, S. 1995. Providing early intervention services in rural areas: meeting the challenge. *Infant-Toddler Intervention: The Transdisciplinary Journal*, 5(4):339-352.

Doherty, T. & Colvin, M. 2004. HIV / AIDS. *South African Health Review 2003/04*. <http://www.hst.org.za/publications/423> (Date of access: 13 August 2004).

Downs, M.P. & Sterrit, G.M. 1964. Identification audiometry for neonates: A preliminary report. *Journal of Auditory Research*, 4:69-80.

Downs, M.P. & Hemenway, W.G. 1969. Report on the hearing screening of 17,000 neonates. *International Audiology*, 8:72-76.

Downs, M.P. 2000. The quest for early identification and intervention. *Seminars in Hearing*, 21(4):285-294.

Downs, M.P. 2002. Personal communication. August 2002.

Druck, E., & Ross, E. 2002. Training, Current Practices and Resources of a Group of South African Hospital-Based Speech-Language Therapists and Audiologists Working with Patients Living with HIV/AIDS. *South African Journal of Communication Disorder*, 49:3-16.

El-Refaie, A., Parker, D.J. & Bamford, J.M. 1996. Otoacoustic emission versus ABR screening: The effect of external and middle ear abnormalities in a group of SCBU neonates. *British Journal of Audiology*, 30:3-8.

Elssmann, S.A., Matkin, N.D., & Sabo, M.P. 1987. Early identification of congenital sensorineural hearing impairment. *The Hearing Journal*, 40(9):13-7.

Engel, J., Mahler, E., Anteunis, L., Marres E. & Zielhuis, G. 2001. Why are NICU infants at risk for chronic otitis media with effusion? *International Journal of Pediatric Otorhinolaryngology*, 57:137-144.

English, K.M. 1995. *Educational audiology across the lifespan*. Baltimore: Paul H Brookes Publishing Co.

Fair, L. & Louw, B. 1999. Early communication intervention within a community-based intervention model in South Africa. *The South African Journal of Communication Disorders*, 46:13-23.

Feinmesser, M., Tell, L. & Levi, H. 1986. Etiology of childhood deafness with reference to the group of unknown cause. *Audiology*, 25:65-69.

Finitzo, T., Albright, K. & O'Neal, J. 1998. The newborn with hearing loss: Detection in the nursery. *Pediatrics*, 102:1452-1460.

Fitzland, R.E. 1985. Identification of hearing loss in newborns: results of eight years' experience with a high risk hearing register. *The Volta Review*, 87:195-203.

Folsom, R.C., Widen, J.E., Vohr, B.R., Cone-Wesson, B., Gorga, M.P., Sinninger, Y.S. & Norton, S.J. 2000. Identification of neonatal hearing impairment: Recruitment and follow-up. *Ear & Hearing*, 21:462-470.

Fortnum, H.M., Summerfield, A.Q., Marshall, D.H., Davis, A.C. & Bamford, J.M. 2001. Prevalence of permanent childhood hearing impairment in the United Kingdom and implications for universal neonatal hearing screening: questionnaire based ascertainment study. *British Medical Journal*, 323:1-5.

Fortnum, H.M. 2003. Epidemiology of permanent childhood hearing impairment: Implications for neonatal hearing screening. *Audiological Medicine*, 1:155-164.

- Fouché, C.B. 2002a. Problem formulation. In: A.S. de Vos (Ed.) *Research at Grass Roots*. 2nd ed. Pretoria: Van Schaik. 104-113.
- Fouché, C.B. 2002b. Selection of a researchable topic. In: A.S. de Vos (Ed.) *Research at Grass Roots*. 2nd ed. Pretoria: Van Schaik. 95-103.
- Fowler, C.G. & Shanks, J.E. 2002. Tympanometry. In: Katz, J. (Ed.) *Handbook of Clinical Audiology*. Baltimore: Lippincott Williams & Wilkens. 175-204.
- Gallaudet University Center for Assessment and Demographic Study. 1998. Thirty years of the annual survey of deaf and hard of hearing children and youth: A glance over the decades. *American Annals of the Deaf*, 142(2):72-76.
- Gates, G.A., Stewart, I.A., Northern, J. L., Downs, M.P., Ferrer, H.P., Hannley, M., Karma, P., Marchant, C.D., Renvall, U., Ruben, R.J. & Teele, D.W. 1994. Recent advances in otitis media: Diagnosis and screening. *Annals of Otology, Rhinology, and Laryngology Supplement*, 103:53-57.
- Gelfand, S.A. 2002. The acoustic reflex. In: Katz, J. (Ed.) *Handbook of Clinical Audiology*. Baltimore: Lippincott Williams & Wilkens. 205-232.
- Gell, F.M., Whilte, E.M., Newel, K., Mackenzie, I., Smith, A., Thompson, S. & Hatcher, J. 1992. Practical screening priorities for hearing impairment among children in developing countries. *Bulletin of the World Health Organization*, 70(5):645-655.
- Gopal, R., Hugo, S.R., & Louw, B. 2001. Identification and follow-up of children with hearing loss in Mauritius. *International Journal of Pediatric Otorhinolaryngology*, 57:99-113.
- Gorga, M.P. 1999. Predicting auditory sensitivity from auditory brainstem response measurements. *Seminars in Hearing*, 20(1):29-43.

- Gorga, M.P. & Neely, S.T. 2003. Cost-effectiveness and test-performance factors in relation to universal newborn hearing screening. *Mental Retardation and Developmental Disabilities Research Reviews*, 9:103-108.
- Gracey, K. 2003. Current concepts in universal newborn hearing screening and early hearing detection and intervention programs. *Advances in Neonatal Care*, 3(6): 308-317.
- Grandori, F. 1998. European Consensus statement on neonatal hearing screening. *Journal of Laryngology & Otology*, 112:1219.
- Gravel, J., Berg, A., Bradley, M., Cacace, A., Campbell, D., Dalzell, L., DeCristofaro, J., Greenberg, E., Gross, S., Orlando, M., Pinheiro, J., Regan, J., Spivak, L., Stevens, F. & Prieve, B. 2000. New York State universal newborn hearing screening demonstration project: Effects of screening protocol on inpatient outcome measures. *Ear & Hearing*, 21(2):131-140.
- Hadjikakou, K. & Bamford, J. 2000. Prevalence and age of identification of permanent childhood hearing impairment in Cyprus. *Audiology*, 39:198-201.
- Hanh, M., Lamprecht-Dinnesen, A., Heinecke, A., Hartmann, S., Bülbül, S., Schröder, G., Steinhard, J., Louwen, F. & Seifert, E. 1999. Hearing screening in healthy newborns: feasibility of different methods with regard to test time. *International Journal of Pediatric Otorhinolaryngology*, 51:83-89.
- Hanneke de Ridder-Sluiter, J.G., Kauffman-de Boer, M.A., Uilenburg, N.N., Schuitema, T., Vinks, E., Van der Ploeg, C.P.B. & Verkerk, P.H. 2004. Neonatal hearing screening in the youth health care of the Netherlands; state of the art in hearing screening, diagnostics and intervention of very young children. International Conference on Newborn Hearing Screening Diagnosis and Intervention, May 27-29, Abstract book 9.

Hakim, C. 2000. *Research design: successful designs for social and economic research*. London: Routledge.

Hall III, J.W. 2000, Handbook of Otoacoustic Emissions. San Diego: Singular Publishing Group.

Hall III, J.W. 2000. Infant hearing impairment and universal hearing screening. *Journal of Perinatology*, 20:S112-S120.

Hall III, J.W., Smith, S.D. & Popelka, G.R. 2004. Newborn hearing screening with combined otoacoustic emissions and auditory brainstem responses. *Journal of the American Academy of Audiology*, 15:414-425.

Harrison, M. & Roush, J. 2000. Age of suspicion, identification, and intervention for infants and young children with hearing loss: a national study. *Ear & Hearing*, 17:55-62.

Health Professions Council of South Africa. 2002. Professional Board for Speech, Language and Hearing Professions: Hearing Screening Position Statement Year 2002: 1-8.

Health Professions Council of South Africa. 2003. Personal correspondence. Professional Board for Speech, Language and Hearing Professions Manager, Msibi, R. (E-mail: 2003-11-27).

Healthy People 2000. 1990. *National Health Promotion and Disease Prevention Objectives*. Washington DC: US Department of Health and Human Service, US Government Printing Office.

Herer, G.R., Knightly, C.A. & Steinberg, A.G. 2002. Hearing: sounds and silences. In: M.L. Batshaw (Ed.) *Children with Disabilities*. 5th ed. Baltimore: Paul H. Brookes Publishing Co. 193-227.

Hergils, L. & Hergils, A. 2000. Universal neonatal hearing screening – parental attitudes and concern. *British Journal of Audiology*, 34:321-327.

Herrmann, B.S., Thornton, A.R., & Joseph, J.M. 1995. Automated infant hearing screening using the ABR: development and validation. *American Journal of Audiology*, (2):6-14.

Hess, M., Finckh-Kramer, U., Bartsch, M., Kewitz, G., Versmold, H. & Gross, M. 1998. Hearing screening in at-risk neonate cohort. *International Journal of Pediatric Otorhinolaryngology*, 46:81-89.

Höll, C. 1997. Die praktyk van neonatale gehoorsifting in staatsgesubsidieerde hospitale. Ongepubliseerde verhandeling in B. Kommunikasiepatologie. Departement Kommunikasiepatologie, Universiteit van Pretoria.

Holte, L., Margolis, R.H. & Cavanaugh, R. 1991. Developmental changes in multifrequency tympanograms. *Audiology*, 30:1-24.

Hugo, S.R., Louw, B. & Meyer, S.E. 1991. Aard, voorkoms en implikasies van middleoorpatologie op hoërisikogroepe. RGN-projek No.15/1/3/3/791.

Hugo, R. 1998. Communication Pathology: The way in Africa. *The South African Journal of Communication Disorders*, 45:3-9.

Hugo, R. 2004. Kommunikasiepatologie as beroep in die Suid-Afrikaanse konteks. *CLINICA: Applications in Clinical Practice of Communication Pathology*, 5-9.

Hunter, L.L. & Margolis, R.H. 1992. Multifrequency tympanometry: Current clinical application. *American Journal of Audiology*, 1:33-43.

Jacob, A., Rupa, V., Job, A. & Joseph, A. 1997. Hearing impairment and otitis media in a rural primary school in South India. *International Journal of Pediatric Otorhinolaryngology*, 39:133-138.

Jacobson, J.T. & Jacobson, C.A. 1987. Application of test performance characteristics in newborn auditory screening. *Seminars in Hearing*, 8(2):133-141.

Jewett, D., & Williston, J. 1971. Auditory evoked far fields averaged from the scalp of humans. *Brain*, 94:681-696.

Johnson, J.L., Mauk, G.W., Takekawa, K.M., Simon, P.R., Sia, C.C.J., & Blackwell, P.M. 1993. Implementing a statewide system of services for infants and toddlers with hearing disabilities. *Seminars in Hearing*, 14(1):105-119.

Johnson, J.L., Kuntz, N.L., Sia, C.C., White, K.R. & Johnson, R.L. 1997. Newborn hearing screening in Hawaii. *Hawaii Medical Journal*, 56(12):352-5.

Joint Committee on Infant Hearing. 1982. Joint Committee on Infant Hearing Position Statement. *ASHA*, 24:1017-1018.

Joint Committee on Infant Hearing. 1994. 1994 Position Statement. *Audiology Today*, 6(6):6-9.

Joint Committee on Infant Hearing. 2000. Year 2000 position statement: Principles and guidelines for early hearing detection and intervention programs. *American Journal of Audiology*, 9:9-29.

Iwasaki, S., Hayashi, Y., Seki, A., Nagura, M., Hashimoto, Y., Oshima, G. & Hoshino, T. 2004. A model of two-stage newborn hearing screening with automated auditory brainstem response. *International Journal of Pediatric Otorhinolaryngology*, 67:1099-1104.

Kankkunen, A. 1982. Preschool children with impaired hearing. *Acta Otolaryngologica*, Suppl. 391:1-124.

Kathrada, R. 2000. Universal neonatal hearing screening: perspectives from health professionals. Unpublished B. Speech and Hearing Therapy dissertation. Department of Logopaedics, University of Cape Town.

Kawashiro, N., Tsuchihashi, N., Koga, K., Kawano, T. & Itoh, Y. 1996. Delayed post-neonatal intensive care unit hearing disturbance. *International Journal of Pediatric Otorhinolaryngology*, 34:35-43.

Keefe, D.H. & Levi, E. 1996. Maturation of the middle and external ears: acoustic power-based responses and reflectance tympanometry. *Ear & Hearing*, 17:361-373.

Kei, J., Allison-Levick, J., Dockray, J., Harrys, R., Kirkegard, C., Wong, J., Maurer, M., Hegarty, J., Young, J. & Tudhope, D. 2003. High-frequency (1000 Hz) tympanometry in normal neonates. *Journal of the American Academy of Audiology*, 14(1):21-28.

Keller, H. 1910. Letter to Dr John Kerr Love, dated 31 March. Reprinted in: Kerr Love, J. (Ed.) *Helen Keller in Scotland, a personal record written by herself*. London: Methuen (1933).

Kemp, D.T. 1978. Stimulated acoustic emissions from within the human auditory system. *Journal of the Acoustical Society of America*, 63:17-24.

Kennedy, C.R., Kimm, L., Dees, D.C., Evans, P.I.P., Hunter, M., Lenton, S. & Thornton, R.D. 1991. Otoacoustic emissions and auditory brainstem responses in the newborn. *Archives of Disease in Childhood*, 66:1124-1128.

Kennedy, C.R., Kimm, L., Cafarelli-Dees, D., Campbell, M.J. & Thornton, A.R.D. 1998. Controlled trial of universal neonatal screening for identification of permanent childhood hearing impairment. *The Lancet*, 352:1957-1964.

Kenworthy, O.T. 1990. Screening for hearing impairment in infants and young children. *Seminars in Hearing*, 11:315-332.

Kezirian, E.J., White, K.R., Yueh, B. & Sullivan, S.D. 2001. Cost and cost-effectiveness of universal screening for hearing loss in newborns. *Otolaryngology-Head and Neck Surgery*, 124:359-367.

Kile, J. 1993. Identification of hearing impairment in children: A 25 year review. *The Transdisciplinary Journal*, 3(3):155-164.

Klein, J.O. 1994. Lessons from recent studies on the epidemiology of otitis media. *The Pediatrics Infectious Disease Journal*, 13(11):1031-1034.

Knock, A. 2002. The Strengths and Weaknesses Of Modernisation Theories. http://www.ixyl.co.uk/poli/intro_developing_world (Date of access: 24 September 2004).

Koivun, P., Uhari, M., Laitakari, K., Alho, O.P. & Luotonen, J. 2000. Otoacoustic emissions and tympanometry in children with otitis media. *Ear & Hearing*, 21(3):212-217.

Kopp, P. 2000. Community nurses' knowledge of and perceived need for speech-language pathology and audiology services. Unpublished B.Communication Pathology dissertation. Department of Logopaedics, University of Cape Town.

Kountakis, S.E., Skoulas, I., Phillips, D. & Chang, C.Y.J. 2002. Risk factors for hearing loss in neonates: a prospective study. *American Journal of Otolaryngology*, 23(3):133-137.

Krefting, L. 1991. Rigor in qualitative research: the assessment of trustworthiness. *The American Journal of Occupational Therapy*, 45(3):214-222.

Kritzinger, A.M. 2000. Establishing a computer-based data system for early communication intervention in South Africa. Unpublished D.Phil. Communication Pathology Thesis. Department Communication Pathology, University of Pretoria.

Kubba, H., MacAndie, C., Ritchie, K. & MacFarlane, M. 2004. Is deafness a disease of poverty? The association between socio-economic deprivation and congenital hearing impairment. *International Journal of Audiology*, 43:123-125.

Kumar, S. 2001. Who tackles hearing disabilities in developing world? *The Lancet*, 358:219.

Leedy, P.D. & Ormrod, J.E. 2001. *Practical Research: Planning and Design*. 7th ed. New Jersey: Prentice Hall.

Lin, H., Shu, M., Chang, K. & Bruna, S.M. 2002. A universal newborn hearing screening program in Taiwan. *International Journal of Pediatric Otorhinolaryngology*, 63: 209–218.

Lincoln, Y.S. & Guba, E.G. 1985. Naturalistic inquiry. Beverly Hills, CA: SAGE. In: Denzin, N.K. & Lincoln, Y.S. (Eds.) *Handbook of qualitative research*. Thousand Oaks: Sage.

Louw, B. & Avenant, C. 2002. Culture as context for intervention: developing a culturally congruent early intervention program. *International Pediatrics*, 17(3):145-150.

Low, W.K., Ho, L.Y., Bee, L.S., Roy, J. & Pang, W. 2004. Universal newborn hearing screening: a national programme in Singapore. International Conference on Newborn Hearing Screening Diagnosis and Intervention, May 27-29, Abstract book 29.

Lutman, M., Davis, A., Fortnum, H. & Wood, S. 1997. Field sensitivity of targeted neonatal hearing screening by transient-evoked otoacoustic emissions. *Ear & Hearing*, 18:265-276.

Lutman, M.E. & Grandori, F. 1999. Screening for neonatal hearing defects European consensus statement. *European Journal of Pediatrics*, 158:95-96.

Lutman, M.E. 2000. Techniques for neonatal hearing screening. *Seminars in Hearing*, 21(4):367-378.

Madriz, J.J. 2000. Hearing impairment in Latin America: an inventory or limited options and resources. *Audiology*, 39:212-220.

Madriz, J.J. 2001. Audiology in Latin America: hearing impairment, resources and services. *Scandinavian Audiology*, 30(Suppl. 53):83-92.

Mahoney, T.M., Eichwald, J.G. 1987. The ups and "DOWNS" of high-risk hearing screening: the Utah statewide program. *Seminars in Hearing*, 8:55-164.

Mäki-Torkko, E. 2003. Current issues on aetiological evaluation of hearing-impaired infants. *Audiological Medicine*, 1:185-190.

Malherbe, K.E.S. 1999. Are speech-language therapy and audiology PHC compliant? Unpublished B. Speech and Hearing Therapy dissertation. Department of Logopaedics, University of Cape Town.

Margolis, R.H., Bass-Ringdahl, S., Hanks, W.D., Holte, K. & Zapala, D.A. 2003. Tympanometry in Newborn Infants - 1 KHz Norms. *Journal of the American Academy of Audiology*, 14:383-392.

Martin, J.A.M. 1982. Aetiological factors relating to childhood deafness in the European community. *Audiology*, 21:149-158.

Martineau, G., Lamarche, P.A., Marcoux, S. & Bernard, P.M. 2001. The effect of early intervention on academic achievement of hearing-impaired children. *Early Education & Development*, 12(2):275-289.

Mason, S., Davis, A., Wood, S. & Farnsworth, A. 1997. Field sensitivity of targeted neonatal hearing screening using the Nottingham ABR screener. *Ear & Hearing*, 19:91-102.

Mason, J.A. & Herrmann, K.R. 1998. Universal infant hearing screening by automated auditory brainstem response measurement. *Pediatrics*, 101(2):221-228.

Matkin, N.D., Diefendorf, A.O. & Erenberg, A. 1998. Children: HIV/AIDS and Hearing Loss. *Seminars in Hearing*, 19(2):143-154.

Mauk, G. W., & White, K. R. 1995. Giving children a sound beginning: the promise of universal newborn hearing screening. *The Volta Review*, 97:5-32.

Maxon, A. B., White, K. R., Behrens, T. R., & Vohr, B. R. 1995. Referral rates and cost efficiency in a universal newborn hearing screening program using transient evoked otoacoustic emissions (TEOAE). *Journal of the American Academy of Audiology*, 6:271-277.

McCandles, G.A. & Allred, P.L. 1978. Tympanometry and emergence of the acoustic reflex in infants. In: Harford, E.R., Bess, F.H., Bluestone, C.D. et al. (Eds.) *Impedance screening for middle ear disease in children*. New York: Grune & Stratton. 56-67.

McConkey, R. 1995. Early intervention in developing countries. In: Zinkin, P. & McConachie, H. (Eds.). *Disabled Children and Developing Countries*. London: Mac Keith Press, 63-83.

McKinley, A.M., Grose, J.H. & Roush, J. 1997. Multifrequency tympanometry and evoked acoustic emissions in neonates during the first 24 hours of life. *Journal of the American Academy of Audiology*, 8:218-223.

McPherson, B., & Swart, S.M. 1997. Childhood hearing loss in sub-Saharan Africa: a review and recommendations. *International Journal of Pediatric Otorhinolaryngology*, 40:1-18.

Mehl, A. & Thomson, V. 1998. Newborn hearing screening: The great omission. *Pediatrics*, 101(1):1-6. <http://www.pediatrics.org/cgi/content/full/101/1e4>

Mehl, A. & Thomson, V. 2002. The Colorado newborn hearing screening project, 1992-1999: On the threshold of effective population-based universal newborn hearing screening. *Pediatrics*, 109(1):1-8.

Mehl, A. 2002. Selecting appropriate technology for universal newborn hearing screening. Oral presentation. National Symposium on Hearing in Infants, Breckenridge, CO, USA, July 31 – August 3.

Meier, S., Narabayashi, O., Probst, R. & Schmuziger, N. 2004. Comparison of currently available devices designed for newborn hearing screening using automated auditory brainstem and/or otoacoustic emission measurements. *International Journal of Pediatric Otorhinolaryngology*, 68:927-934.

Mencher, G.T. 2000. Challenge of epidemiological research in the developing world: Overview. *Audiology*, 39:178-183.

Mencher, G.T., Davis, A.C., DeVoe, S.J., Beresford, D. & Bamford, J.M. 2001. Universal neonatal hearing screening: Past, present, and future. *American Journal of Audiology*, 10:3-12.

Mencher, G.T. & DeVoe, S.J. 2001. Universal newborn screening: a dream realized or a nightmare in the making? *Scandinavian Audiology*, 30(Suppl 53):15-21.

Messner, A.H., Price, M., Kwast, K., Gallagher, K. & Forte, J. 2001. Volunteer-based universal newborn hearing screening program. *International Journal of Pediatric Otorhinolaryngology*, 60:123-130.

Meyer. S., Hurter, M. & Van Rensburg, F. 1987. Gehoorsiftingsresultate van 'n groep kleurlingkinders. *The South African Journal of Communication Disorders*, 34:43-47.

Meyer, S. & Van den Berg, C. 1985. Die voorkomsfrekwensie van oor- en gehoorpatologie by kinders in die afgesonderde gemeenskap van Tsikunda-Malema. *The South African Journal of Communication Disorders*, 32:71-75.

Meyer, S.E., Jardine, C.A. & Deverson, W. 1997. Developmental changes in tympanometry: a case study. *British Journal of Audiology*, 31:189-195.

Mngadi, S. 2003. HIV prevalence in South Africa. Spokesperson for the Minister of Health. 3 July 2003. <http://www.doh.gov.za/docs/pr/2003/pr0703.html>

Moeller, M.P. 2000. Early intervention and language development in children who are deaf and hard of hearing. *Pediatrics*, 106(3):1-9.

Mohr, P.E., Feldman, J.J. & Dunbar, J.L. 2000. The societal costs of severe to profound hearing loss in the United States. Policy Analysis Brief: Project Hope Center for Health Affairs. April 2000:1-4.

Moodley, L., Louw, B. & Hugo, S.R. 2000. Early identification of at-risk infants and toddlers: a transdisciplinary model of service delivery. *The South African Journal of Communication Disorders*, 47:25-40.

Mouton, J. & Marais, H.C. 1990. *Basic concepts in the methodology of the social sciences*. Pretoria: Human Sciences Research Council.

Mouton, J. 1996. *Understanding Social Research*. Pretoria: Van Schaik. 1-272.

Mouton, J. 2001. *How to succeed in your Master's & Doctoral studies*. Pretoria: Van Schaik.

Municipal Demarcation Board. 2003. District Municipality Information. Pretoria.
<http://www.demarcation.org.za/>

National Health Plan for South Africa. 1994. First published by the African National Congress (ANC). Johannesburg, South Africa.

National Institutes of Health. 1993. Early identification of hearing impairment in infants and young children. *NIH Consensus Statement*, 11(1):1-24.

<http://text.nlm.nih.gov/nih/cdc/www/92txt.html>

National Center for Hearing Assessment & Management (2004). Early Hearing Detection and Intervention Information & Resource Centre.
<http://www.infanthearing.org/resources/index.html> (Date of access: 17 November 2004).

Nel, M., Odendaal, W., Hurter, M., Meyer, S. & van der Merwe, A. 1988. Die voorkoms en aard van gehoorprobleme en middeloorpatologieë by 'n groep swart stedelike kinders in graad 1. *South African Journal of Communication Disorders*, 35:25-29.

Neuman, W.L. 1997. *Social Research Methods: Qualitative and Quantitative Approaches*. 3rd ed. Boston: Allyn and Bacon.

Newton, V.E., Macharia, I., Mugwe, P., Ototo, B., & Kan, S.W. 2001. Evaluation of the use of a questionnaire to detect hearing loss in Kenya pre-school children. *International Journal of Pediatric Otorhinolaryngology*, 57:229-234.

Northern, J.L. & Hayes, D. 1996. Universal screening for infant hearing impairment: Necessary, beneficial, and justifiable. *Audiology Today*, 6(3):10-13.

Northern, J.L., Downs, M.P. 2002. *Hearing in Children*. 5th ed. Baltimore MA: Lippincott Williams & Wilkens.

Norton, S.J., Gorga, M.P., Widen, J.E., Folsom, R.C., Sinninger, Y.S., Cone-Wesson, B., Vohr, B.R. & Fletcher, K. 2000a. Identification of neonatal hearing impairment: a multi-center intervention. *Ear and Hearing*, 21(5):348-356.

Norton, S.J., Gorga, M.P., Widen, J.E., Folsom, R.C., Sinninger, Y.S., Cone-Wesson, B., Vohr, B.R. & Fletcher, K. 2000b. Identification of neonatal hearing impairment: evaluation of transient evoked otoacoustic emission, distortion product otoacoustic emission, and auditory brainstem response test performance. *Ear and Hearing*, 21(5):508-528.

- Norton, S.J., Gorga, M.P., Widen, J.E., Folsom, R.C., Sinniger, Y.S., Cone-Wesson, B., Vohr, B.R. & Fletcher, K. 2000c. Identification of neonatal hearing impairment: summary and recommendations. *Ear and Hearing*, 21(5):529-535.
- Nyman, R. 1999. The tender years in a harsh society. *Rights Now*, 6:4-5.
- Olusanya, B.O. 2000. Hearing impairment prevention in developing countries: making things happen. *International Journal of Pediatric Otorhinolaryngology*, 55:167-171.
- Olusanya, B.O. 2001. Early detection of hearing impairment in a developing country: what options? *Audiology*, 40:141-147.
- Olusanya, B.O., Luxon, L.M. & Wirz, S.L. 2004. Benefits and challenges of newborn hearing screening for developing countries. *International Journal of Pediatric Otorhinolaryngology*, 68:287-305.
- Oosthuizen, I. 1986. Die aard en voorkoms van gehoorpatologieë in laerskole vir normaalhorende Venda kinders. Ongepubliseerde BLog-verhandeling. Universiteit van Pretoria.
- Owens, J.J., McCoy, M.J., Lonsbury-Martin, B.C. & Martin, G.K. 1992. Influence of otitis media on evoked otoacoustic emissions in children. *Seminars in Hearing*, 13:53-56.
- Padarath, A., Ntuli, A. & Berthiaume, L. 2004. Human Resources. *South African Health Review 2003/04*. <http://www.hst.org.za/publications/423> (Date of access: 13 August 2004).
- Palmu, A., Puhakka, H., Rahko, T. & Takala, A.K. 1999. Diagnostic value of tympanometry in infants in clinical practice. *International Journal of Pediatric Otorhinolaryngology*, 49:207-213.

- Palmu, A., Puhakka, H., Huhtala, H., Takala, A.K. & Kilpi, T. 2001. Normative values for tympanometry in 7- and 24-month-old children. *Audiology*, 40:178-184.
- Parving, A. 1985. Hearing disorders in childhood, some procedures for detection, identification and diagnostic evaluation. *International Journal of Pediatric Otorhinolaryngology*, 9:31-57.
- Parving, A. 2002. Looking for the hearing impaired child: past, present and future. In R.C. Seewald & J.C. Gravel (Eds.), *A Sound Foundation through Early Amplification 2001* (pp.251-259). UK: Immediate Proceedings Limited.
- Parving, A. 2003. Guest Editorial. *Audiological Medicine*, 1:154.
- Plante, S., Kiernan, B. & Betts J.D. 1994. Method or methodology: the qualitative/quantitative debate. *Language, Speech, and Hearing Services in Schools*, 25:52-54.
- Popich, E. 2003. Chapter 3: the prevention of communication disorders. *The Development of a tool for parents for the stimulation of communication skills in infants (0-12 months)*. Unpublished D.Phil. Communication Pathology Thesis. Department Communication Pathology, University of Pretoria.
- Population Census Key Results. 2003. Statistics South Africa. July 2003.
<http://www.statssa.gov.za/SpecialProjects/Census2001/HTML/Key%20results.ppt>
- Posavac, E.J. & Carey, R.G. 1989. *Program evaluation: methods and case studies*. 3rd ed. New Jersey: Prentice Hall.

Prasansuk, S. 2000. Incidence/prevalence of sensorineural hearing impairment in Thailand and Southeast Asia. *Audiology*, 39:207-211.

Pratt, H., Aber, P., Al Masari, M., Attias, J. & Jebara, R. 2004. Unique findings and constraints in early detection of hearing loss in the Middle-East: the joint Israeli, Jordanian, and Palestinian experience. International Conference on Newborn Hearing Screening Diagnosis and Intervention, May 27-29, Abstract book 28.

Prescott, C.A.J. 1995. Should routine screening of neonates for deafness be introduced in South Africa? *South African Medical Journal*, 85(1):7-8.

Pretorius, A. 1985. Aard en voorkoms van gehoorpatologieë in 'n laerskool vir normaalhorende kleurlingkinders. Ongepubliseerde BLog-verhandeling. Universiteit van Pretoria.

Prieve, B. & Stevens, F. 2000. The New York State Universal Newborn Screening Project: introduction and overview. *Ear & Hearing*, 21:85-91.

Prieve, B., Dalzell, L., Berg, A., Bradley, M., Cacace, A., Campbell, D., DeCristofaro, J., Gravel, J., Greenberg, E., Gross, S., Orlando, M., Pinheiro, J., Regan, J., Spivak, L. & Stevens, F. 2000. The New York State universal newborn hearing screening demonstration project: Outpatient outcome measures. *Ear & Hearing*, 21:104-117.

Prince, C.B., Miyashiro, L., Weirather, Y. & Heu, P. 2003. Epidemiology of early hearing loss detection in Hawaii. *Pediatrics*, 111(5):S1202-1206.

Psarommatis, I.M., Tsakanikos, M.D., Diamantopoulou, P.M., Douniadakis D.E. & Apostolopoulos, N.K. 2001. Towards a universal newborn hearing screening. *Scand Audiol*, 30(Suppl.52):25–27.

Purdy, S.C. & Williams, M.J. 2000. High Frequency tympanometry: a valid and reliable immittance test protocol for young infants? *New Zealand Audiological Society Bulletin*, 10(3):9-24.

Rabbitt-Park, K. 2003. Issues for successful universal newborn hearing screening. Oral presentation. American Academy of Audiology convention, San Antonio, TX, USA, 2-5 April.

Radziszewska-Konopka, M. & Owsiaik, J. 2004. Universal newborn hearing screening organized by the great orchestra of Christmas charity in Poland. International Conference on Newborn Hearing Screening Diagnosis and Intervention, May 27-29, Abstract book 30.

Rance, G., Beer, D.E., Cone-Wesson, B., Shepherd, R.K., Dowell, R.C., King, A., Riskards, F.W. & Clark, G.M. Clinical findings for a group of infants and young children with auditory neuropathy. *Ear & Hearing*, 21:85-91.

Rangasayee, R. 2004. Early identification and intervention towards inclusive education of children with hearing impairment in India. International Conference on Newborn Hearing Screening Diagnosis and Intervention, May 27-29, Abstract book 30.

Rao, R.S.P., Subramanyam, M.A., Nair, N.S., & Rajashekhar, B. 2002. Hearing impairment and ear disease among children of school age in rural South India. *International Journal of Paediatric Otorhinolaryngology*, 64:105-110.

Reagon, G., Irlam, J., Levin, J. 2004. The National Primary Health Care Facilities Survey 2003. Durban: Health Systems Trust, The Equity Project and Department of Health. <http://www.hst.org.za/publications/617/> (Date of access: 16 August 2004).

Reid, A. & Gough, S. 2000. Guidelines for reporting and evaluating qualitative research: What are the alternatives? *Environmental Education Research*, 6(1):59-90.

Rhodes, M.C., Margolis, R.H., Hirsch, J.E. & Napp, A.P. 1999. Hearing screening in the newborn intensive care nursery: Comparison of methods. *Otolaryngology Head and Neck Surgery*, 120:799-808.

Robertson, C.M.T., Tyebkhan, J.M., Hagler, M.E., Cheung, P.Y., Peliowsky, A. & Etches, P.C. 2002. Late-onset, progressive sensorineural hearing loss after severe neonatal respiratory failure. *Otol. Neurotol*, 23:353-356.

Robson, C. 1993. *Real World Research: A Resource for Social Scientists and Practitioner-Researchers*. Oxford: Blackwell Publishers Ltd.

Roizen, N.J. 1998. Why universal newborn hearing screening? *Seminars in Hearing*, 19(3):235-245.

Rossetti, L.M. 1996. *Communication Intervention Birth to Three*. San Diego, CA: Singular Publishing Group.

Rouev, P., Mumdzhev, H., Spiridonova, J. & Dimov, P. 2004. Universal newborn hearing screening in Bulgaria. *International Journal of Pediatric Otorhinolaryngology*, 68(6):805-10.

Roush, J. 2001. *Screening for Hearing Loss and Otitis Media in Children*. San Diego: Singular-Thompson Publishing Group.

Russ, S. 2001. Measuring the prevalence of permanent childhood hearing impairment: Editorial. *British Medical Journal*, 323:525-526.

Russo, I.C.P. 2000. Overview of audiology in Brazil: state of the art. *Audiology*, 39:202-206.

- Salata, J.A., Jacobson, J.T., & Strasnick, M. 1998. Distortion-product otoacoustic emissions hearing screening in high-risk newborns. *Otolaryngology – Head and Neck Surgery*, 118(1):37-43.
- Savage, K. 1998. The constitution and the poor. In: Barberton, C., Blake, M. & Kotzé, H. (Eds.) *Creating Action Space*. Cape Town: IDASA. 63-75.
- Seeff, B.K. & Bortz, M.A. 1994. Caregiver-child interaction in a rural village in South Africa. *The South African Journal of Communication Disorders*, 41:73-83.
- Sehlin, P., Holmgren, G. & Zakrisson, J. 1990. Incidence, prevalence and etiology of hearing impairment in children in the county of Vasterbotten, Sweden. *Scandinavian Audiology*, 19:193-200.
- Sellars, S., Beighton, G., Horan, F. & Beighton, P.H. 1977. Deafness in black children in the Cape. *South African Medical Journal*, 51:309-312.
- Sellars, S. & Beighton, P. 1978. The aetiology of partial deafness in childhood. *South African Medical Journal*, 54:811-813.
- Sellars, S. & Beighton, P. 1983. Childhood deafness in Southern Africa: An aetiological survey of 3 064 deaf children. *Journal of Laryngology and Otology*, 97:885-889.
- Sellars, S. & Beighton, P. 1997. Surveying a nation's deaf (Southern Africa). *Hearing International*, 6(1):15.
- Sellars, S., Groeneveldt, L. & Beighton, P. 1976. Aetiology of deafness in white children in the Cape. *South African Medical Journal*, 50:1193-1197.

Sellars, S., Napier, E. & Beighton, P. 1975. Childhood deafness in Cape Town.
South African Medical Journal, 49:1135-1138.

Silverman, F.H. & Moulton, R. 1997. First-class clinical services are possible in a developing country: Speech, language and hearing in the Gaza strip.
American Journal of Speech-language Pathology, 6(2):5-7.

Singh, A., Georgalas, C., Patel, N. & Papesch, M. 2003. ENT presentations in children with HIV infection. *Clinical Otolaryngology & Allied Sciences*, 28 (3):240-243.

Sinninger, Y.S. Identification of auditory neuropathy in infants and children.
Seminars in Hearing, 23(3):193-199.

Smit, G.J. 1983. *Navorsingsmetodes in die gedragswetenskappe*. Pretoria:
HAUM Opvoedkundige Uitgewers.

Smit, J., Bekinska, M., Ramkissoon, A., Kunene, B. & Penn-Kekana, L. 2004.
Reproductive health. *South African Health Review 2003/04*.
<http://www.hst.org.za/publications/423> (Date of access: 13 August 2004).

Solarsh, G. & Goga, A. 2004. Child health. *South African Health Review 2003/04*. <http://www.hst.org.za/publications/423> (Date of access: 13 August 2004).

Sorri, M. & Rantakallio, P. 1985. Prevalence of hearing loss at the age of 15 in a birth cohort of 12 000 children from northern Finland. *Scandinavian Audiology*, 14:203-207.

Spiegel, H.M.L. & Bonwit, A.M. 2002. HIV infection in children. In: ML Batshaw (Ed.) *Children with Disabilities*. 5th ed. Baltimore: Paul H. Brookes Publishing Co. 123-139.

Spivak, L., Dalzell, L., Berg, A., Bradley, M., Cacace, A., Campbell, D., DeCristofaro, J., Gravel, J., Greenberg, E., Gross, S., Orlando, M., Pinheiro, J., Regan, J., Stevens, F. & Prieve, B. 2000. The New York State universal newborn hearing screening demonstration project: inpatient outcome measures. *Ear & Hearing*, 21:92-103.

Stach, B.A. & Santilli, C.L. 1998. Technology in newborn hearing screening. *Seminars in Hearing*, 19(3):247-261.

Stach, B.A. 2003. *Comprehensive dictionary of Audiology: illustrated*. 2nd ed. New York: Delmar Learning.

Stappaerts, L. & Van Kerschaver, E. 2004. A five-year retrospective evaluation of a mature universal newborn hearing: key components of success. International Conference on Newborn Hearing Screening Diagnosis and Intervention, May 27-29, Abstract book 9.

Statistics South Africa. 1999. Thematic report on children based on Census '96. Unpublished draft. Pretoria.

Statistics South Africa. 2002. Measuring rural development: Baseline statistics for the integrated sustainable rural development strategy. Pretoria: Statistics South Africa. 1-155.

Statistics South Africa. 2003. *Bulletin of statistics*, 37(3):1-280.

Stein, 1999. Factors influencing the efficacy of universal newborn hearing screening. *Pediatric Clinics of North America*, 46(1):95-105.

Strachan, K. 1999. Working as a nurse in a rural clinic. *Update*, 46:1-2.
<http://www.hst.org.za/update/46/isds.htm>

- Strydom, H. 2002a. Information collection: participant observation. In: AS de Vos (Ed.) *Research at Grass Roots*. 2nd ed. Pretoria: Van Schaik. 278-290.
- Strydom, H. 2002b. Ethical aspects of research in the social sciences and human service professions. In: AS de Vos (Ed.) *Research at Grass Roots*. 2nd ed. Pretoria: Van Schaik. 62-76.
- Strydom, H. & Venter, L. 2002. Sampling and sampling methods. In: AS de Vos (Ed.) *Research at Grass Roots*. 2nd ed. Pretoria: Van Schaik. 197-209.
- Sutton, G.J., Gleadle, P. & Rowe, S.J. 1996. Tympanometry and otoacoustic emissions in a cohort of special care neonates. *British Journal of Audiology*, 30:9-17.
- Swanepoel, D., Delport, S. & Swart, J.G. 2004. Universal newborn hearing screening in South Africa – a first-world dream? *South African Medical Journal*, 94(8):634-635.
- Swanepoel, D. 2004. A review of the South African context: information for community-based speech-language and hearing services. *CLINICA: Applications in Clinical Practice of Communication Pathology*, 11-16.
- Swart, S.M., Van Rooy, C., Ross, M. & Bellinghan, A. 1996. Prevalence of hearing loss and ear disease in first year entry schoolchildren in the industrial areas of Witbank and Kwa Guqa, SA. *Journal of Comprehensive Health*, 7(2):95-100.
- Tau, W. 2003. National Coordinator of Provincial Health Departments. Personal communication, 2003-12-09.
- Taylor, C.L. & Brooks, R.P. 2000. Screening for hearing loss and middle-ear disorders in children using TEOAEs. *American Journal of Audiology*, 9:50-55.

Thornton, A.R.D., Kimm, L., Kennedy, C.R. & Cafarelli-Dees, D. 1993. External- and middle-ear factors affecting evoked otoacoustic emissions in neonates. *British Journal of Audiology*, 27:319-327.

Tshwane 2020 Plan. 2002. Integrated development plan: first revision. <http://www.tshwane.gov.za/documents/idp2020/index.htm> (Date of access: 15 September 2004).

Tuomi, S.K. 1994. Speech-language pathology in South Africa: A profession in transition. *American Journal of Speech-Language Pathology: A Journal of Clinical Practice*, 3(2): 5-8.

UNAIDS/UNDP. 1998. HIV/AIDS and Human Development in South Africa. Pretoria. www.undp.org.za/docs/pubs/hdr.overview.htm

UNAIDS. 2003. Global AIDS epidemic shows no sign of abating. <http://www.who.int/mediacentre/news/releases/2003/prunaids/en/> (Date of access: 30 September 2004).

United Nations. 2003. List of least developed countries. <http://www.un.org/special-rep/ohrlis/ldc/list.htm> (Date of access: 24 September 2004).

US Department of State. 2004. Background note: South Africa. <http://www.state.gov/r/pa/ei/bgn/2898.htm> (Date of access: 26 September 2004).

US Preventative Services Task Force. 2001. *Newborn hearing screening: recommendations and rationale*. Rockville, MD: Agency for Healthcare Research and Quality. <http://www.ahrq.gov/clinic/3rduspstf/newbornscreen/newhearr.pdf>

- Uus, K. & Davis, A.C. 2000. Epidemiology of permanent childhood hearing impairment in Estonia: 1985-1990. *Audiology*, 39:192-197.
- Uys, I.C. 1993. Communication Pathology: Teaching for the Future. *The South African Journal of Communication Disorders*, 40:3-9.
- Uys, I.C. & Hugo, S.R. 1997. Speech-language pathology and audiology: transformation in teaching, research and services delivery. *Health SA Gesondheid*, 2(2):23-29.
- Van Cauwenberge, P.B., Vinck, B., De Vel, E., Dhooge, I. 1996. Tympanometry and click evoked otoacoustic emissions in secretory otitis media: are C-EOAEs consistently absent in B-tympanograms? In: Lim, D.J., Bluestone, C.D., Casselbrandt, M., Klein, J.O., Ogra, P.L. (Eds.) *Recent advances in otitis media*. Hamilton, Ontario: B.C. Decker. 139-141.
- Van der Watt, H. 2002. The incidence of hearing loss in very low birth weight infants born at Kalafong hospital. Unpublished Mmed (Paed) research report, Department of Paediatrics, University of Pretoria.
- Van Dijk, C.A. 2003. An educational audiology service delivery model: needs of teachers of children with hearing loss. Unpublished D.Phil. Communication Pathology degree. University of Pretoria.
- Ventry, I.R. & Schiavetti, N. 1980. *Evaluating research in speech pathology and audiology*. Massachusetts: Addison-Wesley Publishing Company.
- Ventura, S.J., Curtin, S.C. & Mathews, T.J. 1998. Teenage births in the United States: national and state trends, 1990-1996. *National Vital Statistics System*. Hyattsville, MD: National Center for Health Statistics. 12/98.

- Vohr, B.R., Carty, L.M., Moore, P.E. & Letourneau, K. 1998. The Rhode Island Hearing Assessment Program: Experience with statewide hearing screening (1993-1996). *The Journal of Pediatrics*, 133(3):353-357.
- Vohr, B.R., Simon, P. & Letourneau, K. 2000a. Public health implications of universal hearing screening. *Seminars in Hearing*, 21(4):295-307.
- Vohr, B.R., Widen, J.E., Cone-Wesson, B., Sinninger, Y.S., Gorga, M.P., Folsom, R.C. & Norton, S.J. 2000b. Identification of neonatal hearing impairment: Characteristics of infants in the neonatal intensive care unit and well-baby nursery. *Ear & Hearing*, 21:373-382.
- Vohr, B.R., Oh, W., Stewart, E.J., Bentkover, J.D., Gabbard, S., Lemons, J., Papile, L.A. & Pye, R. 2001a. Comparison of costs and referral rates of 3 universal newborn hearing screening protocols. *The Journal of Pediatrics*, 139(2):238-244.
- Vohr, B.R., Letourneau, K., McDermott, C. 2001b. Maternal worry about neonatal hearing screening. *Journal of Perinatology*, 21:15-20.
- Wake, M.A. 2002. Newborn hearing screening: decision time for Australia. *Medical Journal of Australia*, 177:172-173.
- Wansbury, V. 2002. An investigation into the demand for affordable hearing aids and their possible supply in the South African context. Unpublished B. Communication Pathology research report. Department of Communication Pathology, University of Pretoria.
- Watkin, P.M. 2003. Neonatal hearing screening – methods and outcome. *Audiological medicine*, 1:165-174.

- Watkin, P.M., Baldwin, M. & Laoide, S. 1990. Parental suspicion and identification of hearing impairment. *Archives of Disease in Childhood*, 65:846-850.
- Watkin, P.M., Baldwin, M. & McEnergy, G. 1991. Neonatal at risk screening and the identification of deafness. *Archives of Diseases in Childhood*, 66:1130-1135.
- Watkin, P.M., Beckman A. & Baldwin, M. 1995. The views of parents of hearing impaired children on the need for hearing screening. *British Journal of Audiology*, 29:259-62.
- Watkin, P.M. 1996. Neonatal otoacoustic emission screening and the identification of deafness. *Archives of Diseases in Childhood Fetal and Neonatal Edition*, 74(1):F16-25.
- Watkin, P.M., Baldwin, M., Dixon, R. & Beckman, A. 1998. Maternal anxiety and attitude to universal hearing screening. *British Journal of Audiology*, 32:27-37.
- Weatherby, L.A. & Bennett, M.J. 1980. The neonatal acoustic reflex. *Scandinavian audiology*, 9:103-110.
- Whiston, T.G. 1994. *Research Policy in the Higher Education Sector of South Africa*. Pretoria: Foundation for Research Development.
- White, K.R. 2002. Status of early hearing detection and intervention in the United States. Oral presentation. National Symposium on Hearing in Infants. Breckenridge, CO, USA, July 31 - August 3 2002.
- White, K.R. 2003. The current status of EHDI programs in the United States. *Mental Retardation and Developmental Disabilities Research Reviews*, 9:79-88.

White, K.R. 2004. Where we've been... Where we're going. Interactive discussion on contemporary issues in screening, diagnosis and intervention. International Conference on Newborn Hearing Screening Diagnosis and Intervention, May 27-29, Abstract book 28.

White, K.R., Behrens, T.R. & Strickland, B. 1995. Practicality, validity, and cost-efficiency of universal newborn hearing screening using transient evoked otoacoustic emissions. *Journal of Childhood Communication Disorders*, 17(1):9-14.

White, K.R., Mauk, G.W., Culpepper, N. B., & Weirather, Y. 1997. Newborn hearing screening in the United States: Is it becoming the standard of care? In: L. Spivak (Ed.) *Neonatal hearing screening*. New York: Thieme. 225-255.

White, K.R., Vohr, B.R., Maxon, A.B., Behrens, T.R., McPherson, M.G. & Mauk, G.W. 1994. Screening all newborns for hearing loss using transient evoked otoacoustic emissions. *International Journal of Pediatric Otorhinolaryngology* 28:203-217.

White Paper on an Integrated National Disability Strategy. 1997. Office of the Deputy President T.M. Mbeki. Cape Town: Rustica Press.
www.polity.org.za/htmlgovdocs/white_papers/disability1.html?rebookmark=1

Widerstrom, A.H., Mowder, B.A. & Sandall, S.R. 1997. *Infant Development and Risk*. 2nd ed. Maryland: Paul H Brookes Publishing Co.

Williams, M., Trutty, L.M. & Grinnell, R.M. 1995. *Research in social work: an introduction*. Itasca: Peacock.

Woolard, I. & Barberton C. 1998. The extent of poverty and inequality. In: Barberton, C., Blake, M. & Kotzé, H. (Eds.) *Creating Action Space*. Cape Town: IDASA. 13-39.

World Bank. 2004. *Introduction to Selected World Development Indicators. World Development Report 2004*. London: Oxford University Press. 249-271.

World Health Organisation. 1995. Prevention of hearing impairment. Resolution of the 48th World Health Assembly, 12 May, WHA 48:9.

World Health Organisation. 1997. Executive Summary. World Health Report 1997. Geneva: WHO.
<http://www.who.int/whr2001/2001/archives/1997/exsum97e.htm>. (Date of access: 19 July 2004).

World Health Organisation. 2001. Who calls on private sector to provide affordable hearing aids in developing world? Press release WHO/34, 11 July 2001. <http://www.who.int/inf-pr-2001/en/pr2001-34.html> (Date of access: 19 July 2004).

World Health Organisation. 2001. Guidelines for hearing aids and services for developing countries. Geneva: WHO. http://www.who.int/pbd/pdh_home.htm. (Date of access: 19 July 2004).

World Trade Organisation. 2004. Development: definition.
http://www.wto.org/english/tratop_e/devel_e/d1who_e.htm (Date of access: 24 September 2004).

Yeo, S.W., Park, S.N., Park, Y.S. & Suh, B.D. 2002. Effect of middle-ear effusion on otoacoustic emissions. *The Journal of Laryngology & Otology*, 116:794-799.

- Yoshinaga-Itano, C. 1995. Efficacy of early identification and intervention. *Seminars in Hearing*, 16:115-120.
- Yoshinaga-Itano, C. & Apuzzo, M. 1995. Early identification of infants with significant hearing loss and the Minnesota child development inventory (MCDI). *Seminars in Hearing*, 16:124-135.
- Yoshinaga-Itano, C., Sedey, A., Coulter, D. & Mehl, A. 1998. Language of early- and later-identified children with hearing loss. *Pediatrics*, 102:1161-1171.
- Yoshinaga-Itano , C. & Appuzo, M.L. 1998. Identification of hearing loss after 18 months is not early enough. *American Annals of the Deaf*, 143(5):380-387.
- Yoshinaga-Itano, C. 2000. Successful Outcomes for Deaf and Hard-of-Hearing children. *Seminars in Hearing*, 21(4), 309-325.
- Yoshinaga-Itano, C. & Gravel, J.S. 2001. The evidence for universal newborn hearing screening. *American Journal of Audiology*, 10:62-64.
- Yoshinaga-Itano, C., Coulter, D. & Thomson, V. 2001. Developmental outcomes of children with hearing loss born in Colorado hospitals with and without universal newborn hearing screening programs. *Seminars in Neonatology*, 6(6):521-529.
- Yoshinaga-Itano, C. 2002. Cochlear implantation before 12 months of age: Challenges and Considerations. In: Schauwers, K., Govarts, P., Gillis, S. (Eds.) *Language Acquisition in Young Children with a Cochlear Implant*. Antwerp Papers in Linguistics. 102:61-76.
- Yoshinaga-Itano, C. 2003. Universal newborn hearing screening programs and developmental outcomes. *Audiological Medicine*, 1:199-206.

Yoshinaga-Itano, C. 2004. Levels of evidence: universal newborn hearing screening (UNHS) and early hearing detection and intervention systems (EHDI). *Journal of Communication Disorders*, 37:451-465.

