



Chapter 7

References

- Aida R., Yoshida K., Kondo T., Kishimoto S. and Shibata M. (2000).** Copigmentation gives bluer flowers on transgenic torenia plants with the antisense dihydroflavonol-4-reductase gene. *Plant Science* **160**: 49-56.
- Alfenito M., Souer E., Goodman C., Buell R. et al. (1998).** Functional Complementation of Anthocyanin Sequestration in the Vacuole by Widely Divergent Glutathione S-Transferases. *The Plant Cell* **10**: 1135-1149.
- Allen G., Spiker S. and Thompson W. (2000).** Use of matrix attachment regions (MARs) to minimize transgene silencing. *Plant Molecular Biology* **43**: 361-376.
- Altenbuchner J. (1988).** A new *E. coli* cloning vector containing a melanin marker for insertion screening. *Nucleic Acids Research* **16**: 8710.
- Altschul S., Madden T., Schäffer A., Zhang J. et al. (1997).** Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Research* **25**: 3389-3402.
- An G., Ebert P., Mitra A. and Ha S. (1988).** Binary Vectors. In *Plant Molecular Biology Manual*. Gelvin S., Schilperoort R. and Verma D. (Eds.), pp. A3: 1-19. Dordrecht: Kluwer Academic Publisher.
- Anderson K., Kim A., Quillen J., Sayers E. et al. (1995).** Kinetic Characterization of Channel Impaired Mutants of Tryptophan Synthase. *The Journal of Biological Chemistry* **270**(50): 29936-29944.
- Appel D., Lutz-Wahl S., Fischer P., Schwaneberg U. and Schmid R. (2001).** A P450 BM-3 mutant hydroxylates alkenes, cycloalkenes, arenes and heteroarenes. *Journal of Biotechnology* **88**: 167-171.
- Ausubel F., Brent R., Kingston R., Moore D. et al. (1992).** Current Protocols in Molecular Biology. New York: John Wiley and Sons.
- Bell A. and Wheeler M. (1986).** Biosynthesis and functions of fungal melanins. *Annual Review of Phytopathology* **24**: 411-451.
- Bérczi A. and Møller I. (2000).** Redox enzymes in the plant plasma membrane and their possible roles. *Plant, Cell and Environment* **23**(12): 1287-1302.
- Bernan V., Filipula D., Herber W., Bibb M. and Katz E. (1985).** The nucleotide sequence of the tyrosinase gene from *Streptomyces antibioticus* and characterization of the gene product. *Gene* **37**: 101-110.
- Bhushan B., Samanta S. and Jain R. (2000).** Indigo production by naphthalene-degrading bacteria. *Letters in Applied Microbiology* **31**: 5-9.
- Biolley J. and Jay M. (1993).** Anthocyanins in modern roses: chemical and colorimetric features in relation to the colour range. *Journal of Experimental Biology* **44**: 1725-1734.
- Bruce B. (2000).** Chloroplast transit peptides: structure, function and evolution. *Trends in Cell Biology* **10**: 440-447.

- Bruckner B., Janick-Bruckner D., Gray J. and Johal G. (1998).** Cell-death mechanisms in maize. *Trends in Plant Science* **3**(6): 218-223.
- Butler M. and Day A. (1998).** Fungal melanins: a review. *Canadian Journal of Microbiology* **44**: 1115-1136.
- Bystrykh L., Fernández-Moreno M., Herrema J., Malpartida F. et al. (1996).** Production of Actinorhodin-Related "Blue Pigments" by *Streptomyces coelicolor* A3(2). *Journal of Bacteriology* **178**(8): 2238-2244.
- Carrascosa J., Llorea O. and Valpuesta J. (2001).** Structural comparison of prokaryotic and eukaryotic chaperonins. *Micron* **32**: 43-50.
- Chandler S. (1996).** Genetic Modification of Cut Flowers. <<http://www.disr.gov.au/science/pmsec/14meet/genes.html>>
- Chen L., Leu W., Wang K. and Lee Y. (1992).** Copper Transfer and Activation of the *Streptomyces* Apotyrosinase Are Mediated Through a Complex Formation between Apotyrosine and Its *trans*-Activator MelC1. *The Journal of Biological Chemistry* **267**(28): 20100-20107.
- Chen S. and Andreasson E. (2001).** Update on glucosinolate metabolism and transport. *Plant Physiology and Biochemistry* **39**: 743-758.
- Chotani G., Dodge T., Hsu A., Kumar M. et al. (2000).** The commercial production of chemicals using pathway engineering. *Biochimica et Biophysica Acta* **1543**: 434-455.
- Christensen A. and Quail P. (1996).** Ubiquitin promoter-based vectors for high-level expression of selectable and/or screenable marker genes in monocotyledonous plants. *Transgenic Research* **5**: 2133-2218.
- Chuck G., Robbins T., Nijjar C., Ralston E. et al. (1993).** Tagging and cloning of a petunia flower color gene with the maize transposable element *Activator*. *The Plant Cell* **5**: 371-378.
- Courtney-Gutterson N. (1994).** The Biologist's Palette: Genetic Engineering of Anthocyanin Biosynthesis and Flower Colour. In *Genetic Engineering of Plant Secondary Metabolism*. Ellis B. (Ed.), pp. 93-124. New York: Plenum Press.
- Courtney-Gutterson N., Napoli C., Lemieux C., Morgan A. et al. (1994).** Modification of flower color in florist's chrysanthemum: production of a white-flowering variety through molecular genetics. *Bio/Technology* **12**: 268-271.
- Curtis I., Davey M. and Power J. (1995).** Leaf Disk Transformation. *Methods in Molecular Biology* **44**: 59-70.
- de Lorimier R., Wilbanks S. and Glazer A. (1993).** Genes of the R-phycoyanin II locus of marine *Synechococcus* spp., and comparison of protein-chromophore interactions in phycoyanins differing in bilin composition. *Plant Molecular Biology* **21**: 225-237.

- de Vetten N., ter Horst J., van Schaik H., de Boer A. et al. (1999).** A cytochrome b₅ is required for full activity of flavonoid 3',5' hydroxylase, a cytochrome P450 involved in the formation of blue flower colors. *Proc. Natl. Acad. Sci. USA* **96**(2): 778-783.
- de Vlaming P., Schram A. and Wiering H. (1983).** Genes affecting flower colour and pH of flower limb homogenates in *Petunia hybrida*. *Theoretical and Applied Genetics* **66**: 271-278.
- de Wilde C., van Houdt H., de Buck S., Angenon G. et al. (2000).** Plants as bioreactors for protein production: avoiding the problem of gene silencing. *Plant Molecular Biology* **43**: 347-359.
- Deeley M. and Yanofsky C. (1981).** Nucleotide Sequence of the Structural Gene for Tryptophanase of *Escherichia coli* K-12. *Journal of Bacteriology* **147**(3): 787-796.
- DeMoss R. and Moser K. (1969).** Tryptophanase in Diverse Bacterial Species. *Journal of Bacteriology* **98**(1): 167-171.
- Dobson H., Arroyo J., Bergström G. and Groth I. (1997).** Interspecific Variation in Floral Fragrances within the Genus *Narcissus* (Amaryllidaceae). *Biochemical Systematics and Ecology* **25**(8): 685-706.
- Domínguez A., Fagoaga C., Navarro L., Moreno P. and Peña L. (2002).** Regeneration of transgenic citrus plants under non-selective conditions results in high-frequency recovery of plants with silenced transgenes. *Molecular and General Genetics* **267**: 544-556.
- Dry I. and Robinson S. (1994).** Molecular cloning and characterization of grape berry polyphenol oxidase. *Plant Molecular Biology* **26**: 495-502.
- Eaton R. and Chapman P. (1995).** Formation of Indigo and Related Compounds from Indolecarboxylic Acids by Aromatic Acid-Degrading Bacteria: Chromogenic Reactions for Cloning Genes Encoding Dioxygenases That Act on Aromatic Acids. *Journal of Bacteriology* **177**(23): 6983-6988.
- Edens W., Goins T., Dooley D. and Henson J. (1999).** Purification and Characterization of a Secreted Laccase of *Gaumannomyces graminis* var. *tritici*. *Applied and Environmental Microbiology* **65**(7): 3071-3074.
- Elomaa P., Honkanen J., Puska R., Seppänen P. et al. (1993).** *Agrobacterium*-mediated transfer of antisense chalcone synthase cDNA to *Gerbera hybrida* inhibits flower pigmentation. *Bio/Technology* **11**: 508-511.
- Elomaa P. and Holton T. (1994).** Modification of Flower Colour using Genetic Engineering. *Biotechnology and Genetic Engineering Reviews* **12**: 63-88.
- Elomaa P., Helariutta Y., Griesbach R., Kotilainen M., Seppänen P. and Teeri T. (1995).** Transgene inactivation in *Petunia hybrida* is influenced by the properties of the foreign gene. *Molecular and General Genetics* **248**: 649-656.

- Ensley B., Ratzkin B., Osslund T., Simon M. et al. (1983).** Expression of Naphthalene Oxidation Genes in *Escherichia coli* results in the Biosynthesis of Indigo. *Science* **222**: 167-169.
- Estruch J., Carozzi N., Desai N., Duck N. et al. (1997).** Transgenic plants: an emerging approach to pest control. *Nature Biotechnology* **15**: 137-141.
- Eugster C. and Märki-Fischer E. (1991).** The Chemistry of Rose Pigments. *Angew. Chem. Int. Ed. Engl.* **30**: 654-672.
- Facchini P. (2001).** Alkaloid Biosynthesis in Plants: Biochemistry, Cell Biology, Molecular Regulation, and Metabolic Engineering Applications. *Annual Review of Plant Physiology and Plant Molecular Biology* **52**: 29-66.
- Fagard M. and Vaucheret H. (2000).** Systemic silencing signal(s). *Plant Molecular Biology* **43**: 285-293.
- Feldman D. and Frydman F. (2000).** Protein folding in vivo: the importance of molecular chaperones. *Current Opinion in Structural Biology* **10**: 26-33.
- Firoozabady E., Moy Y., Courtney-Gutterson N. and Robinson K. (1994).** Regeneration of Transgenic Rose (*Rosa hybrida*) Plants from Embryonic Tissue. *Bio/Technology* **12**: 609-613.
- Flurkey W. (1985).** In vitro Biosynthesis of *Vicia faba* Polyphenoloxidase. *Plant physiology* **79**: 564-567.
- Forkmann G. (1991).** The formation of the natural spectrum and its extension by genetic engineering. *Plant Breeding* **106**: 1-26.
- Forkmann G. and Martens S. (2001).** Metabolic engineering and applications of flavonoids. *Current Opinion in Biotechnology* **12**: 155-160.
- Frey M., Kliem R., Saedler H. and Gierl A. (1995).** Expression of a cytochrome P450 gene family in maize. *Molecular and General Genetics* **246**: 100-109.
- Frey M., Chomet P., Glawischig E., Stettner C. et al. (1997).** Analysis of a Chemical Plant Defense Mechanism in Grasses. *Science* **277**: 696-699.
- Frey M., Stettner C., Paré P., Schmelz E. et al. (2000).** An herbivore elicitor activates the gene for indole emission in maize. *Proc. Natl. Acad. Sci. USA* **97**(26): 14801-14806.
- Gehrig H., Winter K., Cushman J., Borland A. and Taybi T. (2000).** An Improved RNA Isolation Method for Succulent Plant Species Rich in Polyphenols and Polysaccharides. *Plant Molecular Biology Reporter* **18**: 369-376.
- Gerats A. and Martin C. (1992).** Flavonoid synthesis in *Petunia hybrida*: genetics and molecular biology of flower colour. In *Phenolic Metabolism in Plants*. Stafford H. and Ibrahim R. (Eds.), pp. 165-200. New York: Plenum Press.
- Gillam E. (1999).** Essential P450s – heme thiolate proteins and their place in the biosphere. <<http://plpk04.plpk.uq.edu.au/PK308/tutorial2/EssP450s.htm>>

- Gillam E., Aguinaldo A., Notley L., Kim D. *et al.* (1999). Formation of indigo by recombinant mammalian cytochrome P450s. *Biochemical and Biophysical Research Communications* **265**: 467-472.
- Gillam E., Notley L., Cai H., de Voss J. and Guengerich F. (2000). Oxidation of Indole by Cytochrome P450 Enzymes. *Biochemistry* **39**: 13817-13824.
- Gillam E. and Guengerich F. (2001). Exploiting the Versatility of Human Cytochrome P450 Enzymes: The Promise of Blue Roses From Biotechnology. *IUBMB Life* **52**: 271-277.
- Goldman M., Seurinck J., Marins M., Goldman G. and Mariani C. (1998). A tobacco flower-specific gene encodes a polyphenol oxidase. *Plant Molecular biology* **36**: 479-485.
- Goto T. and Kondo T. (1991). Structure and Molecular Stacking of Anthocyanins – Flower Color Variation. *Angew. Chem. Int. Ed. Engl.* **30**: 17-33.
- Grantcharova V., Alm E., Baker D. and Horwich A. (2001). Mechanisms of protein folding. *Current Opinion in Structural Biology* **11**: 70-82.
- Guss J., Merrit E., Phizackerley R. and Freeman H. (1996). The Structure of a Phycocyanin, the Basic Blue Protein from Cucumber, Refined at 1.8 Å Resolution. *Journal of Molecular Biology* **262**: 686-705.
- Han K., Hong J., Lim H., Kim C. *et al.* (1994). Tyrosinase Production in Recombinant *E. coli* Containing trp Promoter and Ubiquitin Sequence. *Annals of the New York Academy of Sciences* **721**: 30-42.
- Harborne J. and Williams C. (2000). Advances in flavonoid research since 1992. *Phytochemistry* **55**: 481-504.
- Harrison M., Jones C., Solioz M. and Dameron C. (2000). Intracellular copper routing: the role of copper chaperones. *Trends in Biochemical Sciences* **25**: 29-32.
- Hart S., Kirby R. and Woods D. (1990). Structure of a *Rhodococcus* gene encoding pigment production in *Escherichia coli*. *Journal of General Microbiology* **136**: 1357-1363.
- Hart S. and Woods D. (1992). Construction of an insertional-activation vector for *Escherichia coli* using a *Rhodococcus* gene for indigo production. *Journal of General Microbiology* **138**: 205-209.
- Hart S., Koch K. and Woods D. (1992). Identification of indigo-related pigments produced by *Escherichia coli* containing a cloned *Rhodococcus* gene. *Journal of General Microbiology* **138**: 211-216.
- Harvey P., Campanella B., Castro P., Harms H. *et al.* (2002). Phytoremediation of Polyaromatic Hydrocarbons, Anilines and Phenols. *Environmental Science and Pollution Research* **9**(1): 29-47.

- Hayashi K., Sakaki T., Yabusaki Y., Komai K. et al. (1996).** Method for evaluating safety. *Japan patent 1996056695-A9*
- Hearing V. and King R. (1993).** Determinants of skin colour: Melanocytes and Melanization. In *Pigmentation and Pigmentary Disorders*. Levine N. (Ed.), pp. 3-32. Boca Raton: CRC Press.
- Hellens R., Mullineaux P. and Klee H. (2000).** A guide to *Agrobacterium* binary Ti vectors. *Trends in Plant Science* **5**(10): 446-451.
- Hill R., Hart S., Illing N., Kirby R. and Woods D. (1989).** Cloning and Expression of *Rhodococcus* Genes Encoding Pigment Production in *Escherichia coli*. *Journal of General Microbiology* **135**: 1507-1513.
- Himelblau E. and Amasino R. (2000).** Delivering copper within plant cells. *Current Opinion in Plant Biology* **3**: 205-210.
- Hirahara T., Suzuki S., Horinouchi S. and Beppu T. (1992).** Cloning, Nucleotide Sequences, and Overexpression in *Escherichia coli* of Tandem Copies of a Tryptophanase Gene in an Obligately Symbiotic Thermophile, *Symbiobacterium thermophilum*. *Applied and Environmental Microbiology* **58**(8): 2633-2642.
- Holton T., Brugliera F., Lester D., Tanaka Y. et al. (1993a).** Cloning and expression of cytochrome P450 genes controlling flower colour. *Nature* **366**: 276-279.
- Holton T., Brugliera F. and Tanaka Y. (1993b).** Cloning and expression of flavonol synthase from *Petunia hybrida*. *Plant Journal* **4**: 1003-1010.
- Holton T. and Tanaka Y. (1994).** Blue roses – a pigment of our imagination? *Trends in Biotechnology* **12**: 40-42.
- Holton T. and Tanaka Y. (1999).** Transgenic plants having altered anthocyanin levels. *US patent 5948955*.
- Holton T. (2000).** Transgenic plants exhibiting altered flower colour and methods for producing same. *US patent 6080920*.
- Holtorf S., Apel K. and Bohlmann H. (1995).** Comparison of different constitutive and inducible promoters for the overexpression of transgenes in *Arabidopsis thaliana*. *Plant Molecular Biology* **29**: 637-646.
- Huber M., Hintermann G. and Lerch K. (1985).** Primary structure of tyrosinase from *Streptomyces glaucescens*. *Biochemistry* **24**: 6038-6044.
- Hunt M., Eannetta N., Yu H., Newman S. and Steffens J. (1993).** cDNA cloning and expression of potato polyphenol oxidase. *Plant Molecular Biology* **21**: 59-68.
- Hyde C., Ahmed S., Padlan E., Miles E. and Davies D. (1988).** Three-dimensional structure of the Tryptophanase Synthase $\alpha_2\beta_2$ Multienzyme Complex from *Salmonella Typhimurium*. *The Journal of Biological Chemistry* **263**(33): 17857-17871.

- Ikeda K., Masujima T., Suzuki K. and Sugiyama M. (1996).** Cloning and sequence analysis of the highly expressed melanin-synthesizing gene operon from *Streptomyces castaneoglobisporus*. *Applied Microbiology and Biotechnology* **45**: 80-85.
- Inoue H., Nojima H. and Okayama H. (1990).** High efficiency transformation of *Escherichia coli* with plasmids. *Gene* **96**: 23-28.
- Isopov M., Antseon A., Dodson E., Dodson G. et al. (1998).** Crystal Structure of Tryptophanase. *Journal of Molecular Biology*. **276**: 603-623.
- Ito S. (1993).** Biochemistry and physiology of melanin. In *Pigmentation and Pigmentary Disorders*. Levine N. (Ed.), pp. 33-59. Boca Raton: CRC Press.
- Iyer L., Kumpatla S., Chandrasekharan M. and Hall T. (2000).** Transgene silencing in monocots. *Plant Molecular Biology* **43**: 323-346.
- Jorgensen R., Cluster P., English J., Que Q. and Napoli C. (1996).** Chalcone synthase cosuppression phenotypes in petunia flowers: comparison of sense vs. antisense constructs and single-copy vs. complex T-DNA sequences. *Plant Molecular Biology* **31**: 957-973.
- Kamath A. and Yanofsky C. (1992).** Characterization of the Tryptophanase Operon of *Proteus vulgaris*. *The Journal of Biological Chemistry* **267**(28): 19978-19985.
- Karam D. (1998).** Glutathione S-transferase: an enzyme for chemical defense in plants. <http://www.colostate.edu/Depts/Entomology/courses/en570/papers_1998/karam.htm>
- Kawamoto S., Nakamura M. and Yashima S. (1993).** Cloning, sequence and expression of the tyrosinase gene from *Streptomyces lavendulae* MA406 A-1. *Journal of Fermentation Bioengineering* **76**: 345-355.
- Kawasaki K., Yokota A., Oita S., Kobayashi C. et al. (1993).** Cloning and characterization of a tryptophanase gene from *Enterobacter aerogenes* SM18. *Journal of General Microbiology* **139**: 3275-3281.
- Kawasaki K., Yokota A. and Tomita F. (1995).** Enzymatic Synthesis of L-Tryptophan by *Enterobacter aerogenes* Tryptophanase Highly Expressed in *Escherichia coli*, and Some Properties of the Purified Enzyme. *Bioscience, biotechnology and biochemistry* **59**(10): 1938-1943.
- Kevan P., Chittka L. and Dyer A. (2001).** Limits to the Salience of Ultraviolet Light: Lessons From Colour Vision in Bees and Birds. *The Journal of Experimental Biology* **204**(14): 2571-2580.
- Kim S., Song K., Jung D., Chae Y. and Lee H. (1996).** Production of Indoxyl Derivatives in Indole-Supplemented Tissue Cultures of *Polygonum tinctorium*. *Planta Medica* **62**: 54-56.
- Kimura S. and Tsuge T. (1993).** Gene cluster involved in biosynthesis of melanin in *Alternaria Alternata*. *Journal of Bacteriology* **175**(14): 4427-4435.

- Kite G. and Leon C. (1995).** Volatile compounds emitted from flowers and leaves of *Brugmansia x Candida* (Solanaceae). *Phytochemistry* **40**(4): 1093-1095.
- Koes R., de Vetten N. and Mol J. (2000).** Cytochrome b₅ from *Petunia*. *PCT-International patent WO 00/09720*.
- Kohli A., Gahakwa D., Vain P., Laurie D. and Christou P. (1999).** Transgene expression in rice engineered through particle bombardment: molecular factors controlling stable expression and transgene silencing. *Planta* **208**: 88-97.
- Kojima K. (1996).** Changes of abscisic acid, indole-3-acetic acid and gibberellin-like substances in the flowers and developing fruitlets of citrus cultivar 'Hyuganatsu'. *Scientia Horticulturae* **65**: 263-272.
- Kokubun T., Edmonds J. and John P. (1998).** Indoxyl derivatives in woad in relation to medieval indigo production. *Phytochemistry* **49**(1): 79-87.
- Kotob S., Coon S., Quintero E. and Weiner R. (1995).** Homogentistic Acid Is the Primary Precursor of Melanin Synthesis in *Vibrio cholerae*, a *Hyphomonas* Strain, and *Shewanella colwelliana*. *Applied and Environmental Microbiology* **61**(4): 1620-1622.
- Kozak M. (1997).** Recognition of AUG and alternative initiator codons is augmented by G in position +4 but is not generally affected by the nucleotides in positions +5 and +6. *The EMBO Journal* **16**(9): 2482-2492.
- Kramer V. and Koziel M. (1995).** Structure of a maize tryptophan synthase alpha subunit gene with pith enhanced expression. *Plant Molecular Biology* **27**: 1183-1188.
- Kurkela S., Lehvaslaiho H., Palva E. and Teeri T. (1988).** Cloning, Nucleotide Sequence and Characterization of Genes Encoding Naphthalene Dioxygenase of *Pseudomonas putida* strain NCIB9816. *Gene* **73**: 355-362.
- Leroux M. and Hartl F. (2000).** Protein folding: Versatility of the cytosolic chaperonin TRiC/CCT. *Current Biology* **10**: R260-264.
- Leu W., Chen L., Liaw L. and Lee Y. (1992).** Secretion of the *Streptomyces Tyrosinase* Is Mediated through Its *trans*-Activator Protein, MelC. *The Journal of Biological Chemistry* **267**(28): 20108-20113.
- Li Q., Schwaneberg U., Fischer P. and Schmid R. (2000).** Directed Evolution of the Fatty-Acid Hydroxylase P450 BM-3 into an Indole-Hydroxylating Catalyst. *Chemistry – A European Journal* **6**(9): 1531-1536.
- Ljung K., Bhalerao R. and Sandberg G. (2001).** Sites and homeostatic control of auxin biosynthesis in *Arabidopsis* during vegetative growth. *The Plant Journal* **28**(4): 465-474.
- Loughrin J., Hamilton-Kemp T., Andersen R. and Hildebrand D. (1990).** Headspace Compounds from Flowers of *Nicotiana tabacum* and Related Species. *Journal of Agricultural and Food Chemistry* **38**: 455-460.

- Lukyanov K., Fradkov A., Gurskaya N., Matz M. et al. (2000).** Natural Animal Coloration Can Be Determined by a Nonfluorescent Green Fluorescent Protein Homolog. *The Journal of Biological Chemistry* **275**(34): 25879-25862.
- Markham K., Gould K. and Ryan K. (2001).** Cytoplasmic accumulation of flavonoids in flower petals and its relevance to yellow flower colouration. *Phytochemistry* **58**: 403-413.
- Marrs K., Alfenito M., Lloyd A. and Walbot V. (1995).** A glutathione S-transferase involved in vacuolar transfer encoded by the maize gene *Bronze-2*. *Nature* **375**: 397-400.
- Mathews C. and van Holde K. (1990).** *Biochemistry*. Redwood City: The Benjamin/Cummings Publishing Company.
- Matzke A. and Matzke M. (1995).** *trans*-Inactivation of Homologous Sequences in *Nicotiana tabacum*. In *Gene Silencing in Other Eukaryotes*. Meyer P. (Ed). Berlin: Springer-Verlag
- McBride K. and Stalker D. (2001).** Ovary-tissue transcription factors. *US Patent 6268546*
- Melanson D., Chilton M-D., Masters-Moore D. and Chilton S. (1997).** A deletion in an indole synthase gene is responsible for the DIMBOA-deficient phenotype of *bxbx* maize. *Proc. Natl. Acad. Sci. USA* **94**: 13345-13350.
- Meyer P., Heidman I., Forkmann G. and Saedler H. (1987).** A new *Petunia* flower colour generated by transformation of a mutant with a maize gene. *Nature* **330**: 677-678.
- Mikanagi Y., Saito N., Yokoi M. and Tatsuzawa F. (2000).** Anthocyanins in flowers of genus *Rosa*, sections *Cinnamomeae* (= *Rosa*), *Chinenses*, *Gallicanae* and some modern garden roses. *Biochemical Systematics and Ecology* **28**(9): 887-902.
- Minami Y., Takao H., Kanafuji T., Miura K. et al. (1997).** β -Glucosidase in the indigo plant: intracellular localization and tissue specific expression in leaves. *Plant and Cell Physiology* **38**(9): 1069-1074.
- Minami Y., Nishimura O., Hara-Nishimura I., Nishimura M. and Matsubara H. (2000).** Tissue and intracellular localization of indican and the purification and characterization of indican synthase from indigo plants. *Plant and Cell Physiology* **41**(2): 218-225.
- Mizobata T., Akiyama Y., Ito K., Yumoto N. and Kawata Y. (1992).** Effects of the chaperonin GroE on the refolding of tryptophanase from *E. coli*: Refolding is enhanced in the presence of ADP. *The Journal of Biological Chemistry* **267**: 17773-17779.
- Mol J., Grotewold E. and Koes R. (1998).** How genes paint flowers and seeds. *Trends in Plant Science* **3**(6): 212-217.
- Morino Y. and Snell E. (1967).** A Kinetic Study of the Reaction Mechanism of Tryptophanase-catalyzed Reactions. *The Journal of Biological Chemistry* **242**(12): 2793-2799.

- Murashige T. and Skoog F. (1962).** A revised medium for rapid growth and bioassays with tobacco cultures. *Physiologia Plantarum* **15**: 473-479.
- Murdock D., Ensley B., Serdar C. and Thalen M. (1993).** Construction of metabolic operons catalyzing the de novo biosynthesis of indigo in *Escherichia coli*. *Bio/technology* **11**(3): 381-386.
- Murdock D. (1996).** Enhanced indole biosynthesis. *US patent 5494816*.
- Murray E., Rocheleau T., Eberle M., Stock C. et al. (1991).** Analysis of unstable RNA transcripts of insecticidal crystal protein genes of *Bacillus thuringiensis* in transgenic plants and electroporated protoplasts. *Plant Molecular Biology* **16**: 1035-1050.
- Nakamura K., Martin M. and Guengerich F. (2001).** Random Mutagenesis of Human Cytochrome P450 2A6 and Screening with Indole Oxidation Products. *Archives of Biochemistry and Biophysics* **395**(1): 25-31.
- Napoli C., Lemieux C. and Jorgensen R. (1990).** Introduction of a Chimeric Chalcone Synthase Gene into Petunia Results in Reversible Co-Suppression of Homologous Genes in trans. *The Plant Cell* **2**: 279-289.
- Neuhuber F., Park Y., Matzke A. and Matzke M. (1994).** Susceptibility of transgene loci to homology-dependent gene silencing. *Molecular and General Genetics* **244**: 230-241.
- Newton W., Morino Y. and Snell E. (1965).** Properties of Crystalline Tryptophanase. *The Journal of Biological Chemistry* **240**(3): 1211-1218.
- O'Connor K., Dobson A. and Hartmans S. (1997).** Indigo Formation by Microorganisms Expressing Styrene Monooxygenase Activity. *Applied and Environmental Microbiology* **63**(11): 4287-4291.
- O'Loughlin E., Sime G. and Traina S. (1999).** Biodegradation of 2-methyl, 2-ethyl, and 2-hydroxypyridine by an *Arthrobacter* sp. isolated from subsurface sediment. *Biodegradation* **10**: 93-104.
- Oriel P. and Kim I. (1998).** Method for production of indigo and indirubin dyes. *US patent 5834297*.
- Ouyang J., Shao X. and Li J. (2000).** Indole-3-glycerol phosphate, a branchpoint of indole-3-acetic acid biosynthesis from the tryptophan biosynthetic pathway in *Arabidopsis thaliana*. *The Plant Journal* **24**(3): 327-333.
- Palauqui J., Elmayer T., Dorlhac de Borne F., Cr  t   P. et al. (1996).** Frequencies, Timing, and Spatial Patterns of Co-Suppression of Nitrate Reductase and Nitrite Reductase in Transgenic Tobacco Plants. *Plant Physiology* **112**: 1447-1456.
- Pedras M., Okanga F., Zaharia I. and Khan A. (2000).** Phytoalexins from crucifers: synthesis, biosynthesis, and biotransformation. *Phytochemistry* **53**: 161-176.

- Perlak F., Fuchs R., Dean D., McPherson S. and Fischhoff D. (1991).** Modification of the coding sequence enhances plant expression of insect control protein genes. *Proc. Natl. Acad. Sci. USA.* **88**:3324-3328.
- Petrescu S., Branza-Nichita N., Negroiu G., Petrescu A. and Dwek R. (2000).** Tyrosinase and Glycoprotein Folding: Roles of Chaperones That Recognize Glycans. *Biochemistry* **39**(18): 5229-5237.
- Picone J., MacTavish H. and Clery R. (2002).** Emission of floral volatiles from *Mahonia japonica* (Berberidaceae). *Phytochemistry* **60**: 611-617.
- Polashock J., Griesbach R., Sullivan R. and Vorsa N. (2002).** Cloning of a cDNA encoding the cranberry dihydroflavonol-4-reductase (DFR) and expression in transgenic tobacco. *Plant Science* **163**: 241-251.
- Radwanski E., Zhao J. and Last R. (1995).** *Arabidopsis thaliana* tryptophan synthase alpha: gene cloning, expression, and subunit interaction. *Molecular and General Genetics* **248**: 657-667.
- Rhie G. and Beale S. (1992).** Biosynthesis of phycobilins. Ferredoxin-supported NADPH-independent heme oxygenase and phycobilin-forming activities from *Cyanidium caldarium*. *The Journal of Biological Chemistry* **267**(23): 16088-16093.
- Riley P. (1997).** Melanin. *International Journal of Cell Biology* **29**(11): 1235-1239.
- Robert J. and Hallet J. (1981).** Absorption Spectrum *in vivo* of the Blue Pigment 'Marennine' of the Pennate Diatom *Navicula ostrearia* Bory. *Journal of Experimental Botany* **32**(127): 341-345.
- Roberts C., Rajagopal S., Smith L., Nguyen T. et al. (1997).** A comprehensive set of modular vectors for advanced manipulations and efficient transformation of plants. *Presentation made at the Rockefeller Foundation Meeting of the International Program in Rice Biotechnology, 15-19 September 1997, Malacca, Malasia.*
- Rodman J. (1991).** A taxonomic analysis of glucosinolate-producing plants. Part I: Phenetics. *Systematic Botany* **16**: 598-618.
- Rosenzweig A. and O'Halloran T. (2000).** Structure and chemistry of the copper chaperone proteins. *Current Opinion in Chemical Biology* **4**: 140-147.
- Ruettinger R., Wen L. and Fulco A. (1989).** Coding nucleotide, 5' regulatory, and deduced amino acid sequences of P-450BM-3, a single peptide cytochrome P-450:NADPH-P-450 reductase from *Bacillus megaterium*. *The Journal of Biological Chemistry* **264**(19): 10987-10995.
- Saito H. (1998).** Purification and properties of two biliproteins from the larval hemolymph and integument of *Rhodinia fugax* (Lepidoptera: Saturniidae). *Insect Biochemistry and Molecular Biology* **28**: 995-1005.

- Sambrook J., Fritsch E. and Maniatis T. (1989).** Molecular Cloning – A Laboratory Manual (2nd ed.). New York: Cold Spring Harbor Laboratory Press.
- Sanger F., Nicklen S. and Coulson A. (1977).** DNA sequencing with chain-terminating inhibitors. *Proc. Natl. Acad. Sci. USA* **74**: 5463-5467.
- Shim J., Chang Y. and Kim S. (1998).** Indigo and indirubin derivatives from indoles in *Polygonum tinctorium* tissue cultures. *Biotechnology letters* **20**(12): 1139-1143.
- Shimada Y., Nakano-Shimada R., Ohbayashi M., Okinaka Y. et al. (1999).** Expression of chimeric P450 genes encoding flavonoid-3',5'-hydroxylase in transgenic tobacco and petunia plants. *FEBS Letters* **461**: 241-245.
- Shivprasad S. and Page W. (1989).** Catechol Formation and Melanization by Na⁺-Dependent *Azotobacter chroococcum*: a Protective Mechanism for Aeroadaptation? *Applied and Environmental Microbiology* **55**(7): 1811-1817.
- Sitbon F., Åstot C., Edlund A., Crozier A. and Sandberg G. (2000).** The relative importance of tryptophan-dependent and tryptophan-independent biosynthesis of indole-3-acetic acid in tobacco during vegetative growth. *Planta* **211**: 715-721.
- Smalley J., Birss A. and Silver J. (2000).** The periodontal pathogen *Porphyromonas gingivalis* harnesses the chemistry of the μ -oxo bishaem of iron protoporphyrin IX to protect against hydrogen peroxide. *FEMS Microbiology Letters* **183**: 159-164.
- Solaiman D. and Somkuti G. (1995).** Expression of *Streptomyces melC* and *choA* genes by a cloned *Streptococcus thermophilus* promoter ST_{P2201}. *Journal of Industrial Microbiology* **15**: 39-44.
- Spiteller P. and Steglich W. (2001).** Biosynthesis of 2-aminobenzaldehyde in flowers of *Robinia pseudoacacia* and *Philadelphus coronaries*. *Phytochemistry* **57**: 361-363.
- Stafford H. (1994).** Anthocyanins and betalains: evolution of the mutually exclusive pathways. *Plant Science* **101**: 91-98.
- Stam M., Mol J. and Kooter J. (1997).** The Silence of Genes in Transgenic Plants. *Annals of Botany* **79**: 3-12.
- Stich K., Eidenberger T., Wurst F. and Forkmann G. (1992).** Enzymatic conversion of dihydroflavonols to flavan-3,4-diols using flower extracts of *Dianthus caryophyllus* L. (carnation). *Planta* **187**: 103-108.
- Streger L. (1995).** Biochemistry (4th ed.). New York: W H Freeman and Company.
- Sugiyama M., Nomura H. and Nimi O. (1990).** Use of the tyrosinase gene from *Streptomyces* to probe promoter sequences for *Escherichia coli*. *Plasmid* **23**: 237-241.
- Suzuki S., Hirahara T., Horinouchi S. and Beppu T. (1991).** Purification and Properties of Thermostable Tryptophanase from an Obligately Symbiotic Thermophile *Symbiobacterium thermophilum*. *Agricultural and Biological Chemistry* **55**(12): 3059-3066.

- Takasaki T., Hatakeyama K., Watanabe M., Toriyama K. and Hinata K. (2001).** Homology-dependent suppression of stigma phenotype by an antisense S-locus glycoprotein (SLG) gene in *Brassica rapa* L. *Breeding Science* **51**(2): 89-94.
- Tsai H., Wheeler M., Chang Y. and Kwon-Chung K. (1999).** A Developmentally Regulated Gene Cluster Involved in Conidial Pigment Biosynthesis in *Aspergillus fumigatus*. *Journal of Bacteriology* **181**(20): 6469-6477.
- Tseng H., Lin C., Hsu B., Leu W. et al. (1990).** The melanin operon of *Streptomyces antibioticus*: expression and use as a marker in Gram-negative bacteria. *Gene* **86**: 123-128.
- van der Krol A., Mur A., Beld M., Mol J. and Stuitje A. (1990).** Flavonoid genes in petunia: addition of a limited number of gene copies may lead to a suppression of gene expression. *The Plant Cell* **2**: 291-299.
- van Gelder C., Flurkey W. and Wichers H. (1997).** Sequence and structural features of plant and fungal tyrosinases. *Phytochemistry* **45**(7): 1309-1323.
- van Houdt H., Engelbrecht I., van Montagu M. and Depicker A. (1997).** Post-transcriptional silencing of a neomycin phosphotransferase II transgene correlates with the accumulation of unproductive RNAs and with increased cytosine methylation of 3' flanking regions. *The Plant Journal* **12**(2): 379-392.
- van Houwelingen A., Souer E., Spelt K., Kloos D. et al. (1998).** Analysis of flower pigmentation mutants generated by random transposon mutagenesis in *Petunia hybrida*. *The Plant Journal* **13**(1): 39-50.
- van Raamsdonk L. (1993).** Flower pigment composition in *Tulipa*. *Genetic Resources and Crop Evolution* **40**: 49-54.
- van Tunen A. and Mol J. (1991).** Control of flavonoid synthesis and manipulation of flower colour. In *Developmental Regulation of Plant Gene Expression*. Grierson D. (Ed.), pp. 94-130. London: Blackie & Son Ltd.
- Voet D. and Voet J. (1995).** *Biochemistry* (2nd ed.). New York: John Wiley and Sons.
- Watanabe T. and Snell E. (1972).** Reversibility of the Tryptophanase Reaction: Synthesis of Tryptophan from Indole, Pyrovate, and Ammonia. *Proc. Natl. Acad. Sci. USA* **69**(5): 1086-1090.
- Weyler W., Dodge T., Lauff J. and Wendt D. (1999).** Microbial production of indigo. *US patent 5866396*.
- Wilkes M., Marshall D. and Copeland L. (1999).** Hydroxamic acids in cereal roots inhibit the growth of take-all. *Soil Biology and Biochemistry* **31**: 1831-1836.
- Xia Z. and Zenk M. (1992).** Biosynthesis of indigo precursors in higher plants. *Phytochemistry* **31**(8): 2695-2697.

- Yanofsky C. and Crawford I. (1959).** The effects of deletions, point mutations, reversions and suppressor mutations on the two components of the tryptophan synthetase of *Escherichia coli*. *Proc. Natl. Acad. Sci. USA* **45**: 1016-1026.
- Yen K., Karl M., Blatt L., Simon M. et al. (1991).** Cloning and Characterization of a *Pseudomonas mendocina* KR1 Gene Cluster Encoding Toluene-4-Monooxygenase. *Journal of Bacteriology* **173**(17): 5315-5327.
- Zhao J. and Last R. (1995).** Immunological Characterization and Chloroplast Localization of the Tryptophan Biosynthetic Enzymes of the Flowering Plant *Arabidopsis thaliana*. *The Journal of Biological Chemistry* **270**(11): 6081-6087.
- Zook M. (1998).** Biosynthesis of Camalexin from Tryptophan Pathway Intermediates in Cell-Suspension Cultures of *Arabidopsis*. *Plant Physiology* **118**: 1389-1393.